

M
S

G
N

0

0

1

8

9

LOT NO. 34

Field Notes

of the survey of the

Bonanza
Mining claim.

Situate in Cann del Oro ~~mining district.~~

County of Prima and in Sec. _____, Tp. 10 S,

Range 15 E, of the Gila and Salt River Meridian,

ARIZONA.

Claimed by Frank Schultz

L. P. W. Watson and

B. L. Parker

Survey executed by L. D. Schillson D. S.,

Under instructions dated July 1. 1880

Survey commenced July 3, 1880

Survey completed July 3. 1880

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS
AND MILL SITES.

WE, Frank Schultz and C. V. Watson & M. H. Gifford
do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability.

C. V. Watson

M. H. Gifford

Frank Schultz

SWORN AND SUBSCRIBED before me this first

day of July 1880

Moye Wicks
Notary Public

I, L. D. Chilson

do solemnly swear that I will well and truly perform the duties of Deputy, U.S.

Mineral Surveyor according to instructions given me, and to the best of my skill and ability.

L. D. Chilson

SWORN AND SUBSCRIBED before me this first

day of July 1880

Moye Wicks
Notary Public

Hon. J. V. Vassan

U. S. Surveyor General

District of Arizona

Sir: In accordance with your instructions relative to Mineral-annuement and Official Survey bearing date July 18th 1880, I have the honor to submit the following data pertaining to the same.

I proceeded to the "Canon Del Oro", and after careful and thorough examination of the mineral belt crossed by said Canon; on July 2nd 1880, I selected a high prominent hill situate on Easterly side of the aforesaid Canon - about 4 1/2 miles above the old placers - heavily capped with Quartz and centrally located in the mineral belt, as the most suitable location for an initial point; and erected thereon a standard which shall be known as "Mount Ivenah" U. S. Mineral Monument; more particularly described as follows viz:

Set a white oak post 6 ft high, 7 in dia, hewed square and marked on N. side - U. S. M. M. - on E. side - M₇¹ Ivenah; on S. side - U. S. M. M. - on W. side M₇² Ivenah; in mound of Quartz rock 4 ft x 4 ft at base, and 4 1/2 ft high; from which the following bearings were taken;

Magnetic Variation = 13° 1' E.

- 1 Highest point of mountain visible on easterly side of the aforesaid Canon, bears S. 43° E.
- 2 Highest point of mountain bears S. 88° E.
- 3 " " " " " " N. 65° 30' E.
- 4 " " " " " " N. 47° E.
- 5 " " " " " " N. 4° 30' E.
- 6 Main course of Canon Del Oro " N. 51° 30' W.

- ✓ 7 1st highest point of mountain on lower W side of Cañon Del Oro bears N. 77° W.
- 8 2nd highest point on W side, bears S. 75° 15' W.
- 9 3rd " " " " " " " S. 13° 30' "
- 10 Uecl^ore of white rock on furthest point off mountain up Cañon Del Oro, bears S. 25° E.
- ✓ 11 Center of entrance to the Bragandia and Bonandia Tunnel bears S. 85° 45' W. 715 1/2 ft dist.

All of which is most respectfully submitted.

I. D. Chilson

U.S. Dpy. M. Survey.

FIELD NOTES

Official Survey of the Bonandia Mine,
Surveyed July 3rd 1880.

Begin at westerly end center monument of claim, which I find situate on top of high rock, west side of Cañon Del Oro, and run from thence Northerly in line with the original location monuments on westerly end of claim,

- 1 N. 25° W. 210 ft dist.; to original corner monument; at which point I caused to be set an oak post 4 1/2 dia, 4 ft high marked B.O.N.W.C. in mound of stone, for N.W. Cor. of claim; from which a black oak tree 18 in dia, bears S. 37° E. 18 ft dist.; marked same B.O.N.W.C. B.T.

Thence easterly along North side of claim, in line with original location monument at N. E. Cor. of same;

- 2 N. 65° E. 1168.17 ft dist.; to a point from which, a line extended southerly, parallel with westerly end boundary line, passes through the original center monument at easterly end of claim. At the above said point I caused to be set a small barry post 2 1/2 dia, 4 ft high marked B.O.N.W.C. in mound of stone at side of large rock, for N. E. Cor. of claim. Thence Southerly along E. end boundary line of claim,

- 3 S. 25° E. At 210 ft dist.; intersect the original center monument at E. end of claim; from which

N^{74° E} 768 1/2 ft
dist,; 476 ft dist, to original cor. monument; Set a
 hackberry post 5 1/2 dia, 4 ft high marked B.C.S.E.
 C. in mound of stone for S. E. Cor. of claim; from wh-
 ich a white oak tree 9 1/2 dia, bears S. - 30' W. 28 1/2 ft
 dist,; marked same B.C.B.T. Thence westerly along
 southern boundary line of claim in line with S.W. cor.
 monument of same. (original location)

4 S. 64° 55' W. 1168.20 ft to original corner monu-
 ment. Set a white oak post 4 1/2 dia, 4 ft high in mo-
 und of stone marked B.C.S.W.C. for S.W. Cor. of
 claim; from which a leaning white oak tree 8 1/2
 dia, standing at foot of large ledge of rock, in a
 S. E. direction 25 1/2 ft dist,; marked same w 3 marks.

Thence Northerly along westerly end line of claim,
 5 N. 25° W. 276 ft dist, to end center monument,
 the place of beginning., 290

Containing 43.386 Acres.

Improvements,

I find near the middle of this claim an excavation
 with several tons of milline ore awaiting transporta-
 tion. Also, an excavation adjacent thereto, 16 x 20 ft
 in size by ten feet deep on upper side, being prepared
 for an ore dump. Also, I find a tunnel which is be-
 ing run for the purpose of developing this mine and
 the mine adjoining on the N. and E. both being own-
 ed by the same parties - Situate N. 8° 15' E. 161 ft
dist, from eastern end center monument of this claim,
 of following dimensions viz: 4 ft wide by 4 ft 3 1/2
 high in side, and bears

1 S. 83° W. 66 ft dist,; thence

2 S. 4° W. 45 ft dist,; total length of tunnel =
111 feet, which I am of the opinion is worth \$10.00

per foot. The above mentioned excavations, I estimate
 to be worth \$100.00; making a total value of the
 improvements belonging to this mine of \$1210.00
 all of which has been caused to be done by the
 owners of the hereinbefore described mine.

J. D. Chilson

U. S. Dep. M. Sur.

FINAL OATHS FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of Bonanza Mine and Mining Claim located in the Cañon de Oro Mining District, in Pima County, Arizona, showing the respective capacities in which they acted.

C. P. Watson Chainman.
Frank Schultz Chainman.
Axeman.
Mc H. Gifford Flagman.

WE hereby certify that we assisted L. D. Chillson U. S. Deputy Surveyor, in surveying the Bonanza mine & Mining Claim claimed by Frank Schultz C. P. Watson and B. C. Parker located in The Cañon de Oro Mining District, Pima County, and in Township No. _____ Range No. _____ of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

C. P. Watson Chainman.
Frank Schultz Chainman.
Axeman.
Mc H. Gifford Flagman.

SWORN TO AND SUBSCRIBED before me this _____ day of July 1880

Mose Wicks
Notary Public
Pima Co., A.T.

I, L. D. Chillson U. S. Deputy Surveyor do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the first day of July 1880, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the Bonanza mine and Mining Claim claimed by Frank Schultz C. P. Watson and B. C. Parker located in the Cañon de Oro Mining District, Pima County, and in Township No. _____ Range No. _____ of the Gila and Salt River base and meridian, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field-notes of such surveys.

L. D. Chillson Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 6th day of July 1880

Mose Wicks
Notary Public
Pima Co.
A.T.



AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, S. C. Lewis and J. A. Roark

of lawful age, being first duly sworn according to law, depose and say that we are acquainted with

the Bonanza Mine and Mining Claim
mining claim, situate in the Cañon de Oro

Mining District, Pima County, Arizona

Territory, for which Frank Shultz and P. V. Watson & B. C. Packer

have made application for survey prior to application for patent under the provisions of the Act of Congress approved May 10, 1872, and that the labor done and improvements made thereon by the applicant S. and grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

S. C. Lewis
J. A. Roark

TERRITORY OF ARIZONA, }
County of Pima } SS.

SWORN AND SUBSCRIBED before me this 6th
day of July 1880

Moye Wicks
Notary Public
Pima Co. A.T.

"Bonanza" Mining Claim.

Whereas the undersigned located the above named mining claim at time and in the manner, viz:

8

Location Notice.

NOTICE IS HEREBY GIVEN, That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10, 1872,

have this day located and claim 1500 hundred linear feet along the course of this lead, lode or vein of mineral bearing quartz, and 300 feet in width on each side of the middle of said lead, lode or vein, situate in the Cañon De Oro Mining District, County of Pima Arizona, and more particularly described as follows, to wit:

COMMENCING at this monument of stones, being the center of the ~~of vein~~, and upon which this notice is posted; thence running South Westerly 400 feet to a monument of stones; thence Southerly 300 feet to a monument of stones; thence North Easterly 1500 feet to a monument of stones, being the center of ~~end of claim~~; thence Across the lode 600 feet to a monument of stones; thence South Westerly 1500 feet to a monument of stones; thence Southerly 300 feet to place of beginning.

THIS CLAIM is about fifteen hundred feet westerly from the Carbonate Mine situate on the Cañon De Oro

and shall be known as the Bonanza Mine.

Located April 5th 1880

Frank Schultz
P. V. Watson
B. C. Parker

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

RECORDERS OFFICE,
TUCSON, PIMA CO. A. T.

Filed and recorded

at request of P. C. Parker
July 6th A. D. 1884
at 10.10 A. M. in
Book J. Rec Minutes
Pages 249 & 250-

Wearpenter
County Recorder
By W. H. Hunt
Deputy

RECORDERS OFFICE,
TUCSON, PIMA CO. A. T.

Bonanza
Apr 5th
Canon de Oro

Filed and recorded

at request of B. C. Parker
April 27th A. D. 1880,
at 1.30 P. M. in
Book M Record Minutes
Pages 181 & 2

Wearpenter
County Recorder
By Arthur Johnson
Deputy

And whereas this original notice of location is insufficient to entitle us to a survey for patent, we therefore add to it as follows, viz:

The center monument at easterly end of this claim stands upon southern slope of low ridge about 1.50 chs, from creek. *M^r Ivenah* U. S. M. Monument bears slightly North of East, about seven hundred feet distant.

The above additional data was appended to notice July 2nd 1880

Frank Shultz
 C. R. Matson
 B. C. Parker

U. S. Surveyor General's Office
Tucson A. D., July 16, 1880.

The foregoing field-notes of the survey of the Benanza Minnie claim, situated in Leon del Oro, Pima County, Arizona, claimed by Frank Schultz, C. P. N. Watson and B. G. Parker; survey executed by L. S. Childs and under instructions from this office having been critically examined and the necessary corrections and alterations made, the said field-note and the survey they describe are hereby approved.

John Masson,
Surveyor General.