

M  
S  
-  
G  
N  
0  
0  
2  
0  
4

LOT NO. 59

## Field Notes

of the survey of the

Vizcaya

Mining claim

Situate in Tombstone mining district.

County of Pima and in Sec. \_\_\_\_\_, Tp. \_\_\_\_\_,

Range \_\_\_\_\_, of the Gila and Salt River Meridian,

### ARIZONA.

Claimed by The Vizcaya Consolidated  
Mining Company.

Survey executed by Salon M. Allis D. S.,

Under instructions dated May 13, 1850

Survey commenced May 15. 1850

Survey completed May 15. 1850

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS  
AND MILL SITES.

WE, C H Wenting and Benj Sippy

do solemnly swear that we will faithfully execute the duties of Chain Carriers, that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths, of all lines that we assist in measuring, to the best of our skill and ability.

C H Wenting  
Benj Sippy

SWORN AND SUBSCRIBED before me this 15<sup>th</sup>  
day of May 1880

Solon M. Allis

Notary Public Oneida Co. N.Y.

I, W. E. Ferrand

do solemnly swear that I will well and truly perform the duties of Flagman  
according to instructions given me, and  
to the best of my skill and ability.

W. E. Ferrand

SWORN AND SUBSCRIBED before me this 15<sup>th</sup>

day of May 1880

Solon M. Allis

Notary Public Oneida Co. N.Y.

3 3.

Field Notes of Survey of the  
Vizina Mining Claim

Chs.

Commencing at the Initial Monument at East End Center of claim where I found notice of location posted, I set a post 2x4 inches 5 feet high marked Vizina No 1 - 2 feet in the ground and built a monument of stones  $2\frac{1}{2}$  feet high.

Thence I ran

Var  $11^{\circ}16' E$  by obs on Polaris

Along Eastern End boundary - being also the West End boundary of the Good Enough Claim  $54^{\circ}16' W$

0.80 To a point opp shaft 0.80 lbs to right.

2.48<sup>1/2</sup> To S.E. corner of claim this being also the South West cor of the Good Enough claim where I set a post 3x3, inches squared 5 feet high - 2 feet in the ground marked Vizina No 2 and built a monument of stones  $2\frac{1}{4}$  feet high from which U.S. Mineral Monument No 1 bears  $56^{\circ}15' E$  at dist 64.80 lbs.

U.S. Mineral Monument No 2 bears  $52^{\circ}43'22'' W$

This post stands on the S.W. side of a deep cut commencing on line of claim opposite post and running N.E. in direction of line of claims 30 feet - Cut 8 feet wide and at upper end 15 feet deep. Thence I ran

4  
4.

# Field Notes of Survey of the Vizina Mining Claim -

chs

Var  $11^{\circ}16' E$  —  $N 48^{\circ}08' W$

4.08 Along Southern boundary of claim this being also Northern boundary of Tough Nut claim to N.W. corner of Tough Nut claim <sup>Sol 41</sup>. This being also one of the corners or boundaries of the Vizina, where I set a post  $4 \times 2$  inches sq 5 feet high - 2 feet in ground - marked Vizina No 3. and built a monument of stones  $2\frac{1}{2}$  feet high from which U.S. Mineral Monument No 2 bears  $S 21^{\circ}36' W$  dist 81.78 lbs. Main Shaft <sup>(cr. 2)</sup> bears  $N 0^{\circ}16' W$  dist 2.21 chs to center of shaft. U.S. Mon No 1 bears  $S 8^{\circ}16' E$  dist 68.68 chs.

Thence I ran Var  $11^{\circ}16' E$  <sup>curve</sup>  $N 61^{\circ}55' W$

18.94 Along Southern boundary of claim this being also the Northern boundary of the "Survey Claim" - to S.W. cor of claim this cor also S.E. cor of the Greka claim, where I set a post  $4 \times 2$  inches sq. 5 feet high marked Vizina No 4 - Set post ten feet in the ground and built a monument of stones  $2\frac{1}{2}$  feet high from which U.S. Mineral Mon No 1 bears  $S 19^{\circ}58' E$  U.S. Mineral Monument No 2 bears  $S 8^{\circ}50' W$ .

Thence I ran Var  $11^{\circ}16' E$

Field Notes of Survey of the  
Vizino Mining Claim -

Chs

Along western end boundary of claim this also being the East boundary of the Yreka Claim -  $N 41^{\circ} 16' E$

4.544<sup>h</sup> To the Center Monument of west end where I set up a post 5 feet high 4 x 2 inches - 2 feet in the ground - marked Vizina N<sup>o</sup> 5 and built a Monument of stones 2 $\frac{1}{4}$  feet high.  
Thence continuing along West end boundary I ran Var  $11^{\circ} 16' E$  -  $N 41^{\circ} 16' E$

4.544<sup>h</sup> To N.W. corner of claim This also being the N.E. cor of the Yreka claims. Here I set a post 4 x 4 inches - 4 ft high squared and marked Vizina N<sup>o</sup> 6 - and built a monument of stones 2 $\frac{1}{4}$  feet high from which U.S. Mineral Monument No 1 bears  $S 14^{\circ} 35' E$   
U.S. Mineral Monument N<sup>o</sup> 2 "  $S 11^{\circ} 48' W$  -

At  $\frac{1}{2}$  chains from the above described Monument N<sup>o</sup> 6 - I crossed the west side Tom-sits line of Gomestown at a distance of 710 cbs from S.W. cor of Tom-sits which bears  $S 22^{\circ} 24' W$   
From post No 6

I ran Var  $11^{\circ} 16' E$  -

Along Northern side boundary of claim  $S 53^{\circ} 5' 48'$   
23.68 To N.E. cor of claim where I found a post 8 inches in diameter set four feet in the

b.

# Field Notes of the Survey of the Virginia Mining Claims -

Chs

ground standing four feet high. Marked  
Virginia N<sup>o</sup> 7. This Post stands in 5<sup>th</sup> st  
Tombstone Townsite out from the N.W. corner  
of Block N<sup>o</sup> 5 - 2.41 lbs. This cor bears N 39° 37' E  
U.S. Mineral Monument N<sup>o</sup> 1 bears S 2° 33' E  
U.S. " " " N<sup>o</sup> 2 " S 25° 45' W

Prince Iron Var 11° 16' E

2.98

Along East end boundary of claim also  
the West end boundary of the Good Enough  
Claim S 41° 16' W to south line of Townsite  
which runs S 67° 36' E & N 67° 36' W

4.5411

To place of beginning - Surveyed May 15, 1880

Solomon M. Allis U.S. Dep Surveyor

## General Description

This claim lies on a flat gently sloping hill upon which

The Town of Tombstone is built - Pima Co. A.T. The Town is  
laid out in such a manner that it covers 12 or acres of  
this claim. The extreme S.W. cor of said Town site laps  
over the Northern part of claim.

The work done by claimants consists of two shafts  
and one cut at end of which a shaft is in progress -

Shaft N<sup>o</sup> 1 has reached a depth of 22 feet size 4x6 feet

Shaft N<sup>o</sup> 2 " " " 38 ft " 8 ft 6" x 4 ft 4 in

The cut at S.E. cor is 30 ft long 8 ft wide 15 ft deep at upper end  
The work done exceeds the amount for hundred dollars -

Y<sup>r</sup> claim covers 17.168 acres. Solomon M. Allis

U. S. Dep Surveyor -

FINAL OATHS FOR SURVEYS OF MINING CLAIMS & MILL-SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of The Virginia Mine  
 located in Tombstone Mining District, Pima County, Arizona, showing the respective capacities in which they acted.

G. H. Wenting Chainman.  
Benj Sippy Chainman.  
W. E. Gerrard Axeman.  
W. E. Gerrard Flagman.

WE hereby certify that we assisted Solon McAllis U. S. Deputy Surveyor, in surveying the Virginia Mine

claimed by Virginia Com Mining Co. located in Tombstone Mining District, Pima County, and in Township No. Range No. of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

G. H. Wenting Chainman.  
Benj Sippy Chainman.  
W. E. Gerrard Axeman.  
W. E. Gerrard Flagman.

SWORN TO AND SUBSCRIBED before me this 17<sup>th</sup> day  
 of May 1880.

Solon McAllis

Notary Public Pima Co. A.T.

I, Solon McAllis U. S. Deputy Surveyor do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 13<sup>th</sup> day of May 1880, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of The Virginia Mining Claims

claimed by The Virginia Com Mining Co. located in Tombstone Mining District, Pima County, and in Township No. Range No. of the Gila and Salt River base and meridian, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field-notes of such surveys.

Solon McAllis Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 9<sup>th</sup> day  
 of November 1880.

John R. Daniels  
 Notary Public



AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, O. F. Parrish and Richard Connors -  
 of lawful age, being first duly sworn according to law, depose and say that we are acquainted with  
 the Virginia  
 mining claim, situate in  
 Tombstone Mining District, Pima County, Arizona  
 Territory, for which The Virginia Lode Mining Company  
 had made application for survey prior to application for patent under the provisions of the Act of  
 Congress approved May 10, 1872, and that the labor done and improvements made thereon by the  
 applicants and grantors exceed Five Hundred Dollars in value, and further that we are  
 not personally interested in said mine.

O. F. Parrish  
 Richard Connors

TERRITORY OF ARIZONA,  
 County of Pima } ss.

SWORN AND SUBSCRIBED before me this 18th  
 day of May 1880

Solon M. Allis  
 Notary Public  
 Pima Co. A.Y.



"Vizina Mine"Notice of Location.

Notice is hereby given that the undersigned  
in Compliance with the requirements of  
the Mining Act of Congress approved  
May 10<sup>th</sup> 1872 have this day located  
and claim fifteen hundred lines  
foot along the course of this lead, lode  
or vein of mineral bearing quality,  
and three hundred feet in width on  
each side of the middle of said lead, lode  
or vein, situated in the Tombstone Min-  
ing District County of Pima, Arizona,  
and more particularly described as  
follows, to wit: Commencing at this  
Monument of Stone, being the Center  
of the Southerly end of claim, thence  
Eastward (300) three hundred feet to a  
Monument of Stone, thence Northward  
fifteen hundred feet to a Monument  
of Stone, thence Westward three hundred  
feet to a Monument of Stone, being the  
Center of the North end of claim, thence  
Westward three hundred feet to a Mon-  
ument of Stones, thence Southerly

fifteen hundred feet to a Mountain  
of Stones, thence Eastly three  
hundred feet to the place of begin-  
ning. This claim is bounded on  
the South by the North end of the  
Gordewong Mine of Gird & Co, and  
shall be known as the Virginia Mine,  
So called August 6<sup>th</sup> 1878.

J. M. Virginia  
Benj. Cook

Filed and recorded at request of  
J. M. Virginia Sept. 12, 1878 at 10<sup>20</sup>  
A.M.

S. W. Carpenter, County Recorder,  
By A. A. McDermott, Deputy,

Territory of Arizona 3  
County of Pima 883

I, Sidney W. Carpenter  
County Recorder in and for the County  
of Pima aforesaid do hereby certify  
that the above and foregoing is a  
true and correct copy of the plan  
of location of the Virginia Mine, and  
of the whole thereof, as the same

PAGE 1 appears of Record in my Office in  
2 Record of Mines Book "C" at page 505.

3 In Witness Whereof I have here-  
4 unto set my hand and affixed  
5 my official Seal this 13<sup>th</sup> day of  
6 May 1880-

7 SW Carpenter County Recorder  
8 By Wm M Bennett Deputy

PAGE  
1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26

Certified copy of Notice  
of

Virginia Mine.

Recorded Book Book  
6 page 505.

PAGE 1

Virginia Mine.

Notice of location - Notice is hereby given  
that the undersigned in Compliance with  
the requirements of the Mining Act of  
Congress Approved May 10, 1872, have  
this day located and claim fifteen hundred  
linear feet along the course of this mineral  
bearing quartz, and three hundred feet in  
width on each side of the middle of said  
lead, lode or vein, situated in the Tomb-  
stone Mining District, County of Pima  
Arizona, and more particularly described  
as follows, to wit: Commencing at the  
monument of stone being the center of  
the southerly end of claim, thence Easting  
(300) three hundred feet to a monument  
of stone, thence northerly fifteen hundred  
feet to a monument of stone, thence  
westerly three hundred feet to a monu-  
ment of stones, being the center of the north-  
erly end of claim, thence westerly three hun-  
dred feet to a monument of stones, thence  
southerly fifteen hundred feet to a monu-  
ment of stones, thence easterly three  
hundred feet to the place of beginning.

This claim is bounded on the southe-

13  
By the North end of the "Godeough" Mine  
of Gird & Co., and shall be known as  
the Virginia Mine. Located August  
6<sup>th</sup> 1878.

J. W. Virginia  
Benj. Cook

The notice of location of which the  
foregoing is a Copy was recorded in  
the Records Office of Placer County in  
Book C. at p. 505. September 12, 1878.  
Now in order to fix and define more  
definitely the locus of said mine, the  
undersigned, the present owner thereof,  
adds the following to the description of said  
mine.

From The Initial monument of this claim at  
south center end The U. S. Mineral monument  
Number 2 Bears S 12° 36' E magnetic - and  
distant about 65.00 chains. The South  
East corner of this claim being 4.16 chains  
S. E. of the N. W. corner of the Tough nut claim  
which bears N 5° 9 $\frac{1}{2}$ ° West magnetic -

It is found on applying the compass that  
the center line of this claim runs N 65° 10' W  
Magnetic therefore nearer N. W. than  
Northly or stated in original location  
Notice -

H  
22  
23  
24  
25  
26

2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21

Virginia  
Mining Location

RECORDER'S OFFICE

TUCSON, PIMA CO. A. T.

Virginia

Dompsonstone

August 6<sup>th</sup> 1878

Filed and recorded

at request of

Jno Maynas

June 1<sup>st</sup> A.D. 1878

at 10.30 A.M. in

Book No 1 Rec Manus

Pages 615 - 616 -

J.W. Carpenter

County Recorder

By W.S. Read

Deputy

PAGE 1

Dated this 14th day of May ad 1880 15  
Vizina Consolidated Mining Co  
per J. W. Taubman  
Septd and Agust

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

M. D. Surveyor Gen's Office  
Tucson, A. I., Nov. 10, 1880.


The foregoing field notes of  
the Survey of the Vizcua  
Mining-Claim, situated in  
Tombstone Mining District,  
Pima County, Arizona, claimed  
by the Vizcua Consolidated  
Mining Company; Survey  
executed by Salen M. Allis,  
I.S., under instructions  
from this office, having been  
critically examined and the  
necessary corrections and  
alterations made, the said  
field notes and the Survey  
they describe are hereby  
approved.

John W. Bassett,  
Surveyor General.

Tell Vesper Wolfe

17

Scale 4 chains to one in.



Reed Oct. 27, 80 - 4,10 P.M.