

M
S
-
G
N
0
0
2
2
4

LOT No. 60

Field Notes

of the survey of the

Mesa
Mining claim

Situate in Tombstone mining district.

County of Pima and in Sec. _____, Tp. _____,

Range _____, of the Gila and Salt River Meridian,

ARIZONA.

Claimed by The Virginia Consolidated
Mining Company.

Survey executed by Salem M. Allis D. S.,

Under instructions dated May 13, 1880

Survey commenced May 16, 1880

Survey completed May 16, 1880,

In the matter of the application of
the Virginia Consolidated Mining Com-
pany for a patent for the Yreka Lode
or Mining Claim situated in Tombstone
Mining District, Cochise County, a. t.

Territory of Arizona }
County of Oma }
S. S. }

A. H. Emanuel

Being first duly sworn deposes and
says that he is the Superintendent of
the said Virginia Consolidated Mining
Company, and as such Superintendent
is in charge of the said Yreka Mining
Claim and of the work and develop-
ments thereon. He further says
that the whole of said Yreka Mining
Claim, except about two hundred feet
at the North westerly end thereof is
covered with a sedimentary deposit or
"Wash-down" many feet in depth or
thickness, and which wholly covers
the ledge and mineral formation, ex-
cept at the said North westerly end
where alone the ledge appears at
the surface and the cropsings are

visible -

Affiant further says that the said Claim was located by Vizina and Cook, as appears by the certified copy of the location notice on file with the application for patent for said Mine, but neither the said Vizina nor the said Cook are now in the Territory of Arizona, and therefore the Applicant cannot procure their Affidavits in regard to said location, but he further says that at the time the applicant, the said Vizina Consolidated Mining Company, became the owners of said Yreka Mining Claim no work had been done thereon - that the said location was determined and made from the workings and developments on Claims located Southeastwardly from the said Yreka Claim and the workings and said Northwesterly end of said Claim, ~~but controlled also by roads, streets and other things upon the surface.~~

DepONENT further says that the said location of said shaft was controlled largely by roads, streets, and other circumstances of like nature, as well as by the fact that it was the proper place to sink as regarded

a ledge or rock at or near the center of
said claim; which he did ————— 4 4

not expect to strike the principal
ledge in sinking said shaft, but in-
tended to sink on the Southerly side
of the ledge, and at a proper depth
to cross-cut to the North East to find
the ledge, and this principally for
the reason that if the shaft is sunk
so as to strike the ledge and cut
through it on its dip, that weaken-
ing the ore weakness and endangers
the shaft, which is readily affected
by any sinking or weakening of the
adjacent ground -

Deponent further says that the ledge
which he struck in said shaft is
not, as he believes, the principal
ledge in said mining claim, but one
which, on its dip, underlies the
principal ledge or vein; and that
on the North Westerly end of said
claim there are three different lines
of cappings entering said claim,
one near the center & one on each
side of it.

Affiant further says that with the
present developments upon said

Claim, the line or strike of the apex of the principal ledge cannot be accurately determined; but ~~that~~ he believes that the same substantially follows the middle line of said Claim as located, and that there are no developments or indications which would place the line of the apex of said ledge south rather than north of said center line -

DepONENT further says that the said surface ground, and the whole thereof, is properly located and included in said mining location - that no adverse claims or rights have ever been asserted to any portion thereof for mining purposes, that the mining locations made on the north easterly side of said Yocka Claim, have respected said location, and have never asserted or claimed that the said Yocka Claim was not properly located, or that it included surface ground which did not properly belong to it, or that its ledge was more than three

hundred feet from its said North East-
erly side line, or that the same
was or is necessary for the conven-
ient working of said adjoining claims
and affiant knows of no cappings
within 300 feet of the said North-
Easterly side line of said Yreka
Glimmer Claim and on that side
of said claim.

A. H. Emanuelli,

Subscribed and Sworn to
before me this 3^d day of
November, 1881,

John Haynes
Notary Public
Placer County A.T.

In the Matter of the
Application for Patent
for the Spoke lining
Claim -

Affidavit of
A. H. Emanuel

John Hayes
Atty for Applicant
Huron Co., O.

7. 7

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS
AND MILL SITES.

WE, C H Wenting and Benj Sippy
do solemnly swear that we will faithfully execute the duties of Chain Carriers, that we will level
the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same;
that we will report the true distance to all notable objects, and the true lengths, of all lines that we
assist in measuring, to the best of our skill and ability.

C H Wenting
Benj Sippy

SWORN AND SUBSCRIBED before me this 15th
day of May 1880

Solomon Allis
Notary Public Pima Co. A.Y.

I, W E Gerrard
do solemnly swear that I will well and truly perform the duties of Notary Public
according to instructions given me, and
to the best of my skill and ability.

W E Gerrard

SWORN AND SUBSCRIBED before me this 15th
day of May 1880

Solomon Allis
Notary Public Pima Co. A.Y.

Field Notes of the Yreka Claim

ch's

Limestone Mining Dist

Commencing at the East End Landor Monument the initial monument or which I found location notes I set a post 4x4 inches sq 5 ft high Marked Yreka 1 - 2 ft in the ground and built a monument of stones 2 $\frac{1}{4}$ ft high - This being also the West Center End monument of the Vizina claim, and from which Yreka Shaft bears N 78° 31' W Dist 1.68 lbs

Thence I ran — Var 11° 16' E by Obs on Polaris

Along East end boundary this being also the west end boundary of the Vizina claims 841° 16' W To S.E. cor of claim where I set a post 4x2 inches 5 ft long - 2 ft in ground - Marked Yreka 2. and built a monument of stones 2 $\frac{1}{4}$ ft high this also being the S.W. cor monument of the Vizina claim From which U.S. Mineral Monument No 1 bears S 19° 50' E U.S. Minerals Monument No 2 bears S 8° 50' W Dist 85.300' Thence I ran N 32° 56' W

Var 11° 16' E Along southern boundary
4.54th To Road crossing line in direction nearly East, true

12.11 " " " " Ear 10° N

22.56 " S.W. cor of claim where I set up a post 4x4" sq 5 ft high marked Yreka 3 - Set post 2 ft in ground and built a monument of stones 2 $\frac{1}{4}$ ft high from which U.S. Mon No 1 bears S 22° 40' E.

" " " " N 2 " S 0° 30' E.

Thence I ran along Western boundary N 41° 16' E
Var 11° 16' E

4.54th To West Center End monument of claim here I set a post 4x4" sq 5 ft high - Marked Yreka 4 and built a monument of stones 2 $\frac{1}{4}$ ft high from which I ran continuing West End boundary N 41° 16'

4.54th To N.W. cor of claim where I set a post 4x4" squared & marked Yreka 5. Post set 2 feet in ground Built Monument of stones 2 $\frac{1}{4}$ ft high from which U.S. Mineral Monument No 1 bears S 18° 10' E U.S. " " " N 2 " S 3° 32' W

Thence I ran along North Side boundary S 32° 56' E
Var 11° 16' E

22.56 To N.E. cor of claim where I set a post 4x4" sq 5 ft high - Marked Yreka 6 - and built a monument

9.

Field Notes of Survey of the Yerka Claim Tombstone Dist-

of Stones $2\frac{1}{2}$ ft high - This being also the N.W.
Cn Monument of the Vizing, Claim, Lot No. 59.
From which U.S. Minerals May bears $S 14^{\circ} 35' E$
" " " " " N 2 " $S 11^{\circ} 48' W$

At 21.56 ch from N.W cn or 60 chs West of N.E. Cn.
I crossed Town line of Tombstone course of said
line $S 22^{\circ} 24' W$.

From Post 6- I ran $S 41^{\circ} 16' W$
Var $11^{\circ} 16' E$.

Along East End boundary also the West End
boundary of Vizing's Claim, Lot No. 59.

1.22 to a pt when I crossed the West boundary line of
Tombstone Town line - same line described above
4.54 ch to place of beginning.

Surreyed May 16, 1880.

General Description.

This Claim lies on the West Slope of a large
flat hill upon which the Town of Tombstone is built
The N. West line of Town cutting off .0245 Acres
from N.E. corner of Claim

The work done by claimants
consists of - one shaft 50 feet deep 6×5 ft
Dist 1.68 chs from initial monument - which bears
 $S 78^{\circ} 31' E$ - Bearing from Monument to shaft being
 $N 78^{\circ} 31' W$ - and exceeds the required five hundred
Dollars in value -
This Claim contains 19.88 acres -

Solomon Allis
U.S. Ass't Surveyor

FINAL OATHS FOR SURVEYS OF MINING CLAIMS & MILL-SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of the Yerka Mine
 located in Darbstone Mining District, Pima Co
 County, Arizona, showing the respective capacities in which they acted.

C. H. Wentling Chainman.

Benj Sippy Chainman.

Axeman.

W. E. Sherrard Flagman.

WE hereby certify that we assisted Solon M. Allis
 U. S. Deputy Surveyor, in surveying the Yerka
Mining claims claimed by Virginia Bar Mining Company
 located in Darbstone Mining District, Pima County,
 and in Township No. _____ Range No. _____ of the Gila and Salt River base and meridian,
 Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments planted according to the instructions furnished by
 the Surveyor General.

C. H. Wentling Chainman.

Benj Sippy Chainman.

Axeman.

W. E. Sherrard Flagman.

SWORN TO AND SUBSCRIBED before me this 17th day
 of May 1880

Solon M. Allis

Notary Public, Pima Co. AZ

I, Solon M. Allis U. S. Deputy Surveyor do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 13th day of May 1880, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the Yerka - Mining claims

claimed by Virginia Bar Mining Co
 located in Darbstone Mining District, Pima County,
 and in Township No. _____ Range No. _____ of the Gila and Salt River base and meridian,
 Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions;
 and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field-notes of such surveys.

Solon M. Allis Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 9th day
 of November 1880

John R. Daniels
 Notary Public



AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, A. H. Emanuel and W. O. King
 of lawful age, being first duly sworn according to law, depose and say that we are acquainted with
 the Yerkes mining claim, situate in Tombstone near
Mining District, Pima County, Arizona
 Territory, for which the Vigilante Consolidated Mining Company.
 has made application for survey prior to application for patent under the provisions of the Act of
 Congress approved May 10, 1872, and that the labor done and improvements made thereon by the
 applicant and its grantor do exceed Five Hundred Dollars in value, and further that we are
 not personally interested in said mine.

A. H. Emanuel,
 W. O. King

TERRITORY OF ARIZONA, }
 County of Pima } ss.

SWORN AND SUBSCRIBED before me this 25th
 day of Oct 1880.

B. A. Fiskas.

Notary Public.



Tucson A. T. Nov. 3^d 1881

Hon. John Watson
U. S. Surveyor General

Dear Sir -

Your Communication of Oct.
31st 1881 to the Virginia Consoli-
dated Mfg. Co., enclosing Copy
of letter of the Honorable the
Comr. of the General Land
Office, has been received
and referred to me as the
Atty. of the Co -

I herewith hand you the
Affidavit of C. H. Edmund
Esq., Sept. 6, V. Cor. Mfg. Co.,
showing that the shape, as-
sumed or supposed to be
the discovery shape, had
no reference to the exist-
ence of an ore body at the
precise point - together with
such other statements as
might explain the location -

I respectfully request that
you return the Plat to the
General Land Office, together
with the Affidavit above

Mentioned, & with such
recommendation as to you
may seem proper -

Yours Respectfully

Wm. H. Hayes
Atty for V. Com. Leg. Co.

"Yerka Mine"

Notice of Location. Notice is hereby given that the undersigned in compliance with the requirements of the Mining act of Congress approved May 10, 1872, have this day located and claimed, (1500) fifteen hundred feet linear, along the course of this lead lode, or vein of mineral bearing quartz, and three hundred feet (300) in width on each side of the middle of said lead lode or vein, situated in the Tombstone Mining District, County of Pima Arizona and more particularly described as follows to wit - commencing at this Monument of stone, being the center of the South east end of claim, and upon which this notice is posted, thence in a North East direction (300) three hundred feet to a monument of stone thereon (1500) fifteen hundred feet in a North West direction to a monument of stone, thence (300) three hundred feet in a South west direction to a monument of stone being the center of the North West end of claim thence (300) three hundred feet in a South West direction to a monument of stone thence (1500) fifteen hundred feet in a South East direction, to a monument of stones. Thence (300) three hundred feet in a North East direction to the place of beginning. This claim is bounded on the south by the North end of the Virginia Mine and shall be known as the Yerka Mine. Located June 24th 1879. Book E page 674. By J. M. Virginia, Recy. book
 Filed and recorded at request of J. M. Virginia July 16th A.D. 1879. at 8 AM

S. W. Carpenter, Recorder by W. S. Mabry Deputy,
 Territory of Arizona J.S.

Bounty of \$1. I, Sidney W. Carpenter, County Recorder in and for the County of Pima aforesaid do hereby certify that the above and foregoing is a true and correct copy of the notice of location of the Yerka Mine, and of the whole thereof, as the same appears of record in my office in record of mines Book E at page 674

and 675. In witness whereof I have hereunto set my hand and official
seal this thirtieth day of May A.D. 1880

15

S. W. Carpenter County Recorder
Pinal County Arizona
By Wm C. Smith Deputy

PAGE 1

Greka Mine-

Notice of location. Notice is hereby given
that the undersigned in Compliance with
the Mining Act of Congress Approved
Mar. 3d, 1873, have this day located and
claimed (1500) fifteen hundred linear feet
along the course of this lead, lode or vein
of mineral bearing quartz, and (300)
three hundred feet in width on each side
of the middle of said lead lode or vein,
situated in the Tombstone Mining Dis-
trict, County of Pima Arizona, and are
particularly described as follows, to wit:
Commencing at this monument of stone
being the center of the South East end of
claim, and upon which this notice is
posted, thence in a North East direction
(300) three hundred feet to a monument
of stones, thence (1500) fifteen hundred
feet in a North West direction to a monu-
ment of stone, thence (300) three hun-
dred feet in a South West direction to
a monument of stone, being the center
of the North West end of claim, thence
(300) three hundred feet in a Southwest
direction to a monument of stones, thence

(1500) fifteen hundred feet in a South East direction to a monument of stone, thence (300) three hundred feet in a North East direction to the place of beginning. This claim is bounded on the South by the North end of the Virginia Mine, and shall be known as the Yreka Mine, Located June 24, 1879.

By J. M. Virginia

Buij. Cook

The notice of location, of which the foregoing is a copy, was recorded in the Recorders office of Siskiyou County July 16th 1879 in Book E. p. 674.

Now in order to fix and define more definitely the locus of said mine, the undersigned, the present owner thereof, adds the following to the description thereof.

The S.E. corner of this claim is about 1236 feet from the N.W. corner of the Pough Nut claim which bears $344^{\circ}12' E$ Magnetic.

From this S.E. corner of the Yreka U.S. Mining No 2 bears $32^{\circ}41' E$
U.S. Min. No 1 " $30^{\circ}43' E$.

PAGE 1

Dated this 14th day of May 28 1880
Virginia Consolidated Mining Co
For J. W. Hamblen
Sup'td Ass't Agent

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

Yerka
Mining Location

RECODER'S OFFICE,

TUCSON, PIMA CO. A. T.

Yerka

Bombition

June 24th 1879

Filed and recorded

at request of

Jos. Haynes

June 1st A. D. 1879

at 10.30 A.M. in

Book K. Ric. Minis,

Pages 616 & 617 - 618

W. Marpinton

County Recorder.

By W. Read
Deputy

U. S. Surveyor General's Office.
Tucson, Ariz., Nov. 10, 1880.

The foregoing field notes of
the survey of the Yerba Min-
ing claim, situated in the
Sandstone mining district,
Piñon County, Arizona claim-
ed by the Virginia Consolidated
Mining Company; survey
executed by Salomón M. Allix,
D.S., under instructions
from this office, having been
critically examined all the
necessary alterations and
corrections made, the said
field notes and the survey
they describe are hereby
published.

John Masson,
Surveyor General.

PLAN

OF

THE YREKA PLAT.

SCALE 40. CHS TO 1 INCH.

