

MS - G N 0 0 2 5 7

LOT NO. 72

Field Notes.

of the survey of the

1st South Extension of the Tough Nut Mining Claim.

Situate in Tombstone mining district,

County of Cochise, and in Sec. 11, Tp. 20

Range 22, of the Gila and Salt River Meridian.

Arizona.

Claimed by the

Girard Gold and Silver Mining Company.

Survey executed by Theodore F. White, D. S.

Under instructions dated February 10, 1881.

Survey commenced March 8, 1881.

Survey completed March 8, 1881.

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS
AND MILL SITES.

WE, John O'Donnell and Henry Dickhoff
do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that
we will report the true distance to all notable objects, and the true lengths of all lines that we assist
in measuring, to the best of our skill and ability.

John O'Donnell

Henry Dickhoff

SWORN AND SUBSCRIBED before me this

day of February 1851.

17th

John R. Fawell.

Notary Public.

I, James Collins —
do solemnly swear that I will well and truly perform the duties of Axeman
and Flagman — according to instructions given me, and
to the best of my skill and ability.

James Collins

SWORN AND SUBSCRIBED before me this 17th

day of February 1851.

John R. Fawell.

Notary Public.

of the Toughest

Tucsonast 1st South Extension Mining Claim

Lumbstone Mining District

Cochise County, Arizona.

Survey of Exterior Lines

Before commencing the survey of the exterior lines of this claim I compare the meridian determined by my instrument - a solar compass made by Young & Sons of Philadelphia - with the U.S. Standard Meridian established in the District. I set my instrument over the point at the N. end of said meridian marked by a brass point set in a stone block and witnessed by a post marked "U.S. S. M." etc., as per notes of the establishment of said meridian. I took an observation for latitude and at a proper hour set off the declination and found the meridian described by my instrument to coincide exactly with the U.S. Standard Meridian. The variation of the needle of my instrument as it so stood was $12^{\circ}15' E.$ The variation of the needle of the instrument used in establishing the meridian was $\frac{11}{12}^{\circ}5'3'E.$ a difference of $22'$ which adopting $\frac{11}{12}^{\circ}5'3'E.$ as the Standard variation must in my instrument be called "instrumental error" and allowance made for it in the following survey.

I examine the corners of the Tucsonast 1st South Extension ^{of the Toughest} Mining Claim, referring to a copy of the location notice for guidance. I find the corners well marked by monuments. Several of the boundary lines of this

of the Toughton
Toughnut 1st South Extension Mining Claim

Chs.

Limestone Mining District A.T.

claim coincide with boundary-lines of adjoining claims, already patented, or for which patent has been applied.

Commencing at the N.E. cor. of the claim marked by a stake and mound of stones, which I make the initial-point of survey.

This point is also a cor. of the Toughton Mining Claim, for which it is marked by a post in a mound of stones, the post marked "J.N.M.C. No 2". Set a post 5 ft long 4x4 in. sq. marked "J.N. 1st S.E. M.C. No. 1" 1 ft in the ground and build around it a mound of stones 2 1/2 ft high. Thence along E. side of claim

S. 48° 30' E. Variation 11° 53' E.

(Allowing for instrumental error as above set forth.)

Ascending

0.70 Wash running N. and ascend

4.08 1/2 = 269.61 ft To a cor. of the claim. It is also a cor. of the Hawk Eye Claim for which it is marked by a stake in a mound of stones the stake marked "S.W. Cor. Hawk Eye" To mark it for a cor. of the Toughnut 1st South Extension ^{of the Toughton} Mining Claim, Set a post 5 ft long 4x4 in. sq. marked "J.N. 1st S.E.M.C. No. 11. 1 ft in the ground and build around it a mound of stones 2 1/2 ft high, for a cor. of the Toughnut 1st South Extension ^{of the Toughton} Mining Claim. Thence continuing along E. side of claim and along line of the Hawk Eye Claim

S. 35° 49' E. Same variation

Ascending

3.00 To road from Contention Mine etc. to Doubleton bearing N. & S

4.09 1/2 = 270.27 ft to a cor. of the claim also a cor. of the Empire Claim, ^{Cor. no. 46} For the latter it is marked by a post in a mound

of the Toughton
Longwest 1st South Extension Mining Claim

Tombstone Mining District A.T.

Chs.

of stones the post marked "E. M. C. No 6" set a post at this point 5 ft long 4x4 in. sq marked "T.N. 1st S. E. M. C. No 11" 1 ft in the ground and build around it a mound of stones 2 1/2 ft high for a cor of the Longwest 1st South Extension of the Toughton Mining Claim. Thence continuing along E. side of claim and along boundary of the Empire Claim lot no. 446 S. 42° 13' E. Same variation

Descending

4.95 1/2 To a cor. of the Empire Claim marked by a post in a mound of stones, the post marked "E. M. C. No 7"

5.24 1/2 = 346.17 ft. To S.E. cor. of claim marked by a stake and mound of stones. I set a post 5 ft long 4x4 in. sq. marked "T.N. 1st S. E. M. C. No. 1V" 1 ft in the ground and build around it a mound of stones 2 1/2 ft high, for a cor. of the Longwest 1st South Extension of the Toughton Mining Claim. Thence along the S.E. end of the claim S. 41° 28' W. Same variation

Over uneven ground and accending

3.36 1/2 = 222.09 ft. To intersection with N.W. side-line of Tranquillity Claim lot no. 49 set a post 5 ft long 4x4 in. sq. marked "T.N. 1st S. E. M. C. No. V" 1 ft in the ground and build around it a mound of stones 2 1/2 ft high, for a cor. of the Longwest 1st South Extension of the Toughton Mining Claim. Thence along boundary of claim also the N.W. side line of the Tranquillity Claim lot no. 49 S. 54° 12' W. Same variation

Accending

3.60 Road bearing N & S. and descend

5.72 1/2 = 377.85 ft to a point a few lks. easterly from the original S.W. cor.

~~of the Roughcut~~
 Longcut 1st South Extension Mining Claim

Tombstone Mining District, A.T.
 mm. mm

(obs.)

of claim. This point gives a width of 600 ft in the direction of the end line of the claim - namely S. $41^{\circ} 28' W.$ - the limit allowed by law. Therefore at this point I set a post 5 ft long 4x4 in. sq. marked "J. N. 1st S.E. M. C. No V^{II}" 1 ft in the ground and build around it a mound of stones $2\frac{1}{2}$ ft high for a cor. of the ~~Longcut~~^{of the Roughcut} 1st South Extension Mining Claim.

Thence along W. boundary of claim

N. $42^{\circ} 13' W.$ Same variation

Ascending

1.15 = 75.90 ft. To intersection with E side line of Sulphurit Claim ^{Lot No. 48}, at which point I set a post 5 ft long 4x4 in. sq. marked "J. N. 1st S.E. M. C. No V^{II}" 1 ft in the ground and build around it a mound of stones $2\frac{1}{2}$ ft high for a cor. of the ~~Longcut~~^{of the Roughcut} 1st South Extension Mining Claim. Thence continuing along W. boundary of claim also along E. line of Sulphurit Claim ^{Lot No. 48} 1.30 $^{\circ} 46' W.$ Same variation

Ascending S. E slope

0.50 Road from Contention Mine etc. to Imbeline bearing N. E and S. W.

6.00 Top of hill and descend a little

7.50 = 498.30 ft To a cor. of the claim

It is also the N. E. cor. of the Sulphurit Claim ^{Lot No. 48} for which it is marked by a post in a mound of stones, the post marked "S. M. C. No. 6" It is also a corner of the North Extension of the Sulphurit ^{Lot No. 48} for which

of the Doughton
Toughnut 1st South Extension Mining Claim

Tombstone Mining District A.T.

Chs.

it is marked by a post (alongside of Sulphur post) in a mound of stones, the post marked "N. Ex. S. M. C. No 1" This post has just been set by myself in the survey of the last-named claim. It is 5 ft. long 4x4 in. sq. 1 ft. in the ground and a mound of stones 2 1/2 ft high built around it. I mark another side of the post "P. N. 1st S. Ex. M. C. No VIII." for a cor. of the ^{of the Doughton} Toughnut 1st South Extension ^{of the Doughton} Mining Claim.

Thence along W. boundary of claim and along boundary of North Extension Sulphur ^{Lot no. 71} Mining Claim ^{Lot no. 4} A. 64° 26' W. Same variation.

Descend steeply.

3.88 1/2 - 256.41 ft. To the N. W. cor. of the claim

This is also the S. W. cor. of the Doughton ^{Lot no. 4} Claim, for which it is marked by a post in a mound of stones the post marked "P. M. C. No. 3" It is also a cor. of the North

Extension of the Sulphur ^{Lot no. 71} for which it is marked by a post (along-side of Doughton) in a mound of stones. This post I have just

set in the survey of the North Extension ^{Lot no. 71} of Sulphur Mining ^{Lot no. 71} Claim and is a post 5 ft long 4x4 in. sq. marked "N. Ex. S. M. C. No. 11" set 1 ft

in the ground and around it is built a mound of stones 2 1/2 ft high. I mark another side of it, P. N. 1st S. E. M. C. No 1X for a cor. of the ^{of the Doughton} Toughnut 1st South Extension ^{of the Doughton} Mining Claim. Thence along N.

end of claim, which is also the S. end of the Doughton Claim ^{Lot no. 41}

of the Toughest
Doghouse 1st South Extension Mining Claim

Chs.

Tombstone Mining District A.T.
mm. mm

3.05

9.08-

I run
N. 41° 28' E. Same variation
Ascend steeply out of gulch.
Top of ridge and descend
599.28 ft to point of beginning

This claim contains $11 \frac{107}{1000}$ acres

From cor. No. 8 of the claim U. S.
Mineral Monument No 1 bears S.
5° 27' W. and is 44.56 chs. distant
from said corner.

Description of work done on claim
From a point on the N. end-line
of claim 5.53 chs. N. 41° 28' E. from
cor. No. 9 a shaft on the claim bears
S. 26° 48' E. 70.10 ft distant. This is
a double compartment 4x9 ft.
shaft 470 ft deep, finely timbered
from which a drift is run at
the 345 ft level. 130 ft. in length
Over the shaft is built a fine
shaft-house, covering large hoist-
ing machinery

Comparison of the bearings of lines
of the Doghouse 1st South Extensi-
on ^{of the Toughest} Mining Claim, with bear-
ings of lines of adjoining claims
that have been surveyed for
patent.

From cor. No 111 to No 111 the line
coincides with a line of the Em-
pire Claim ^{Lot No. 46} to make the bearing
of this line to be S. 42° 13' E. In
the field-notes of the Empire
Claim ^{Lot No. 46} it is given as S. 42° 02' E.
a difference of 11'

of the Toughnut
Toughnut 1st South Extension Mining Claim

Tombstone Mining District A.T.

chd.

From lots. No V to No VI the line coincides with a line of the Tranquillity ^{Lot no 49} make the bearing of this line to be S. $54^{\circ} 12' W$. In the field-notes of the Tranquillity ^{Lot no 49} it is given as S. $54^{\circ} 13' W$ a difference of $1'$

From lots. No VII to No VIII the line coincides with a line of the Sulphurct. ^{Lot no 48} make the bearing of this line to be N. $30^{\circ} 46' W$. In the field-notes of the Sulphurct ^{Lot no. 48} it is given as $30^{\circ} 45' W$ a difference of $1'$

From lots. No VIII to No IX the line coincides with a line of the N. Extension of the Sulphurct. ^{Lot no 41} the bearings are the same

From lots. No. IX to No. I the line coincides with a line of the Toughnut. ^{Lot no 41} make the bearing of this line to be N. $41^{\circ} 28' E$. In the field-notes of the Toughnut ^{Lot no 41} it is given as N. $41^{\circ} 52' E$. a difference of $24'$

All the differences with the exception of the Empire ^{Lot no 46} and Toughnut ^{Lot no 41} lines are slight. The Empire ^{Lot no 46} and Toughnut ^{Lot no 41} claims were surveyed for patent before the establishment of the U. S. Standard Meridian and probably by magnetic instruments.

The variation used in making the surveys is different from the Standard variation. All the bearings of the lines run by me are from an absolute meridian as determined by the solar instrument and are entirely independent of the un-

of the Toughton
Toughnut 1st South Extension Mining Claim

Tombstone Mining District, A.T.

cks.

certainties of the needle. The corners marking the above lines, the bearings of which do not agree with the bearings given in the field - notes of the former surveys are well established and there is no question about their identity.

General Description etc.

The ~~Toughnut~~ 1st South Extension ^{of the Toughton} Mining Claim is situated in the Tombstone Mining District Cochise County, Arizona Territory

The surface of the claim is hilly and rocky, with very little vegetation - no timber. It adjoins the celebrated Toughton Mine and other prominent claims.

The value of the work and improvements on the claim, as above described, is many times the amount of five hundred dollars.

March 8, 1881

Theodore F. White
U.S. Deputy Surveyor

FINAL OATHS FOR SURVEYS OF MINING CLAIMS & MILL SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of the ^{1st South Extension of the Tough Nut Mining Claim located in Tombstone Mining District, Cochise County, Arizona, showing the respective capacities in which they acted.}

<u>James Callies</u>	Chairman.
<u>John O'Connell</u>	Chairman.
<u>Henry Dickhoff</u>	Axeman.
	Flagman.

WE hereby certify that we assisted Theodore F. White, U. S. Deputy Surveyor, in surveying the ^{1st South Extension of the Tough Nut Mining Claim claimed by the Gila and Salt Mining Co., located in Tombstone Mining District, Cochise County, and in Township No _____ Range No _____ of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.}

<u>James Callies</u>	Chairman.
<u>John O'Connell</u>	Chairman.
	Axeman.
<u>Henry Dickhoff</u>	Flagman.

SWORN TO AND SUBSCRIBED before me this 9th day of March 1881

John R. Faull
Notary Public.

I, Theodore F. White, U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 10th day of February 1881, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the First South Extension of the Tough Nut Mining Claim claimed by the Gila and Salt Mining Co., located in Tombstone Mining District, Cochise County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

Theodore F. White, Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 12th day of March 1881

John R. Faull
Notary Public


AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, Elmer S. Daniels and R. H. Cawell
 of lawful age, being first duly sworn according to law, depose and say that we are acquainted with
 the First South Extension of the Tough
 Nut mining claim, situate in Tombstone
 Mining District, Cochise County, Arizona
 Territory, for which the Standard and Law Mining Co.
 has made application for survey prior to application for patent under the provisions of the Act of
 Congress approved May 10, 1872, and that the labor done and improvements made thereon by the
 applicant and its grantors exceed Five Hundred Dollars in value, and further that we are
 not personally interested in said mine.

Elmer S. Daniels.
 R. H. Cawell

TERRITORY OF ARIZONA,
 County of Cochise }
 SS.

SWORN AND SUBSCRIBED before me this
 day of March 1881.

John R. Howell,
 Notary Public.

"Toughnut 1st South Ex")

Notice. I the undersigned by virtue of the Congressional Law of May 10th 1872 have this day located and claim this mineral bearing quartz lode and mining claim commencing at the Southern extremity and monument of the Tough Nut being distant northwesterly from the monument on which this notice is placed 20 feet more or less three easterly along the southern boundary of the Tough Nut location 300 feet to monument of stone the N. E. corner thence southerly 300 feet more or less to monument of stone on northern boundary of Tranquillity being the S. E. corner thence westerly along the northern boundary of Tranquillity 600 feet or less to eastern boundary of the Sulphurite the S. W. corner thence northerly along the eastern boundaries of the Sulphurite and Survey locations 800 feet more or less to the South West corner of the Toughnut being the N. W. corner of this location thence easterly along the southern boundary of the Tough Nut 300 feet to point of beginning claiming all the privileges granted by the laws of Congress Territory and District. Dated on the ground in Tombstone District Pima County Arizona Territory June 30th A.D. 1878 To be known as the first South extension of the Tough Nut.

Hard Priest

Talley Ogden

W. C. Parsons

Filed and recorded at request of W. C. Parsons July 17th A.D. 1878 at 9⁵⁰ A.M.

A. W. Carpenter County Recorder.

Territory of Arizona
County of Pima } ss.

14

I, Sidney W. Carpenter, County Recorder, in
and for the County of Pima, do hereby certify that the
above and foregoing is a full, true and correct copy of
Location Notice of the Goughnut 1st South Ex. mine as
appears of record now in my office in Book D page
102. In witness whereof I have hereunto set my hand
and affixed my official seal at my office in Tucson
this eleventh day of November A.D. 1880.

Sidney W. Carpenter
County Recorder
By M. Read Deputy

U. S. Surveyor General's Office.

Tucson, Arizona, — April 16, 1881.

The foregoing field notes of the survey of the 1st South Extⁿ of
the Tough Nut Mining Claim — situate in
the Tombstone Mining District, Cochise
County, Arizona, claimed by the Girard Gold and
Silver Mining Company — ;
survey executed by Theodore F. White — Deputy
Surveyor, under instructions from this office, having been critically examined
and the necessary corrections and alterations made, the said field notes and
the survey they describe are hereby approved.

John W. Bassett,

Surveyor General.

