

**M
S
-
G
N**

0

0

2

7

0

LOT NO. 85**Field Notes,**

of the survey of the

*The Metallic Accident
Mining Claim*Situate in Tombstone mining districtCounty of Cochise and in Sec. 11, Tp. 20Range 22, of the Gila and Salt River Meridian.

Arizona.

Claimed by

*The Townsite Mining Company*Survey executed by A. J. Mitchell D. S.Under instructions dated April 29th 1881.Survey commenced May 1st 1881.Survey completed May 4th 1881.

PRELIMINARY OATHS

FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

WE, C. H. Pring and Geo. E. Mitchel
do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

C. H. Pring
Geo. E. Mitchel

Situation in Mining District of ...
Claimed by ...
...

SWORN to and subscribed before me, this 14th day
of May, 1881.

A. J. Mitchell
Notary Public
Tombstone

I, _____
do solemnly swear that I will well and truly perform the duties of _____
_____ according to instructions given me,
and to the best of my skill and ability.

SWORN to and subscribed before me this _____ day
of _____, 188_____

Field Notes of the Survey of the
Metallic Accident Claim

situated in Tombstone Mining
District Cochise County Arizona.
Claimed by The Townsite Mining
Company, and surveyed for
patent in accordance with the
instructions from Surveyor General
dated April 29th AD 1887.
and surveyed May 4th AD 1887
by A. J. Mitchell
U.S. D. M. S.
Tombstone

Field Notes of the Survey of the Metallic Accident Mining Claim, Tombstone District, Cochise County A.T.

chains

Having adjusted my Transit to agree with True Meridian laid down by Rostruge and Kelleher with variation $11^{\circ}53'E$ by Obs. to Polaris. I start at monument on East line of Claim and which bears $N79^{\circ}28'E$ var $11^{\circ}53'E$ dist $4.54\frac{1}{2}$ ch. from a post and monument placed on the ledge and on which Post is marked M.A.M.C. No 10. at point A I place a post 5 feet long $4" \times 4"$ planted 2 feet in ground with monument of stones and mark thereon M.A.M.C. No 1. Thence I run $S.10^{\circ}32'E$ var $11^{\circ}53'E$ along the East side line of Metallic Accident and West line of The Moonlight, and at

7.11
8.11
8.30
8.97
9.02
13.12

Shaft 10 feet deep bears $S.79^{\circ}28'W$ dist 280 ch.
Shaft 20 feet deep bears $S.79^{\circ}28'W$ dist 295 ch.
Shaft 10 feet deep bears $S.79^{\circ}28'W$ dist 300 ch.
Cut the line of Eulah Lot No 76. course $N15^{\circ}33'E$ dist 3.50 ch. to a Mont of Stone
Gulch course $N.W.$ and at (being the $N.W.$ cor. Park Math. Claim $S.19^{\circ}46'$)
Upon the $N.W.$ end line of Townsite Mining Claim ^{Lot No. 84} I place a post 5 feet long $4" \times 4"$ planted 2 feet in ground with monument of stones and mark thereon M.A.M.C. No 2. Continuing said $E.$ line the original corner of the Metallic Accident is dist 5.06 ch. from Post No 2. I run $S.47^{\circ}52'W$ var $11^{\circ}53'E$ along $N.W.$ end line of Townsite mine Lot No. 84. which mine has been surveyed for Patent

and at

0.08
4.41
4.62

I find Post marked T.S.M.C. No 7. being $4" \times 4"$. 5 feet long planted 2 feet in ground, and being the center end monument on $N.W.$ end line of Townsite Mining Claim ^{Lot No. 84} and at ^{cut the line of Eulah Lot No 76. course $S.19^{\circ}33'W$. Post makes course $S.19^{\circ}46'$}
I find Post marked 5 feet long $4" \times 4"$ planted 2 feet in ground with stone monument and marked thereon T.S.M.C. No 6. on which I mark

Field Notes of Survey of Metalliferous Accidents (continued)

0.12
2.95
M.A.M.C. No 3 This is the N.W. cor of the Townsite Mining Claim Lot No. 84. Thence I run S. 37° 30' E var 11° 53' E along W. line of Townsite ^{Lot No. 84} and at ^{cut. pt. line of Eulah Lot No. 76. Course N 79° 28' E var 11° 53' E} I place post 5 feet long, planted 2 feet in ground with monument of stones and mark thereon

1.93
M.A.M.C. No 4 This is at present made the S.E. corner. The original corner stands distant from this point 2.61 ch course N 79° 28' E var 11° 53' E. From Post No 4. I run S. 79° 28' W var 11° 53' E along S. end line of claim and at I place a post 5 feet long 4" x 4" planted 2 feet in ground and a monument of stones and mark thereon

4.54 1/2
M.A.M.C. No 5 This is the center of south end of claim and at 2.74 ch ^{along S. end of claim} cut W. line Eulah ^{Lot No. 76, course N 79° 28' E} and counting from Post No 5, at I place post 5 feet long 4" x 4" planted 2 feet in ground with stone monument and mark thereon
M.A.M.C. No 6 This is the S.W. corner.

16.38
Thence I run N. 9° 47' W var 11° 53' E along W. line of claim and E line of Red Jacket claim. and at gulch course N.W.

18.41
Post and monument being the S.E. cor of Red Jacket.

22.62
gulch course N.W. by W

22.72 1/2
I place post 5 feet long 4" x 4" planted 2 feet in ground, and monument of stones and mark thereon

4.23
M.A.M.C. No 7 The N.W. corner Thence I run N 79° 28' E var 11° 53' E along N end line of claim and at

I place post 5 feet long 4" x 4" planted 2 feet in ground and monument of stones and mark thereon

M.A.M.C. No 8 The center of N. End of claim

Field Notes of Survey of Metallin Accidents Continued

From this point the monument where notice is posted bears S. 10° 32' E var 11° 53' E dist. 4.54 1/2 ch and shaft 12 feet deep with 10 feet drift, bears the same, distance 4.93 ch and cut bears same, dist 5.08 ch. cut is 20 x 2 x 2 feet

Thence continuing same bearing along north end line of claim at
 8.77 I place a post 5 feet long 4" x 4" planted 2 feet in ground and stone monument and mark thereon M.A.M.C No 9 The N.E corner from this point the U.S. M M No 1 bears S. 32° 58' E var 11° 53' E dist 82.48 ch Thence I run S. 10° 32' E, along each side line of claim and W. line of The Sweet Nut No 2 and at

4.54 1/2 I close on Post No 1. The place of commencement enclosing an area of 18.95 acres ^{out of which 1.12⁹⁵ is claimed by Estab. leaving 17.83⁹⁵ clear} The whole area as originally located is not all included in this Survey. The above claim is situated about 1/4 mile South westerly of the village of Tombstone and the improvements consist of 4 shafts, respectively 12. 20. 10. and 10 feet deep 10 feet of drift and an open cut 20 x 2 x 2 feet The value of above improvements are is \$620⁰⁰ made by the present owners and their grantors

Surveyed this 4th day
 of May A.D 1887
 A J Mitchell
 U.S. D.M.S
 Tombstone

FINAL OATHS FOR SURVEYS OF MINING CLAIMS ~~AND~~ MILL SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of

The Metallic Accident Mining Claims located in Tombstone Mining District, Cochise County, Arizona, showing the respective capacities in which they acted.

L. H. Prigg Chairman.
Geo. E. Hitchel Chairman.
Axeman.
Flagman.

WE hereby certify that we assisted A. J. Mitchell U. S. Deputy Surveyor, in surveying The Metallic Accident Mining Claim claimed by The Townsite Mining Company located in Tombstone Mining District, Cochise County, and in Township No Range No of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

L. H. Prigg Chairman.
Geo. E. Hitchel Chairman.
Axeman.
Flagman.

SWORN TO AND SUBSCRIBED before me this 5th day of May AD 1881

A. J. Mitchell Notary Public Tombstone

I, A. J. Mitchell U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 29th day of April AD 1881, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of Land known as The Metallic Accident Mining Claim claimed by The Townsite Mining Company located in Tombstone Mining District, Cochise County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

A. J. Mitchell Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 6th day of May 1881

H. B. Maxson Notary Public for Cochise Co.



AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, G. E. Whitcher and C. C. Pring

of lawful age, being first duly sworn according to law, depose and say that we are acquainted with the Metallie Accidents

_____ mining claim, situate in Tombstone

_____ Mining District, Cochise County, Arizona

Territory, for which The Townsite and Mining Company

has made application for survey prior to application for patent under the provisions of the Act of Congress approved May 10, 1872, and that the labor done and improvements made thereon by the applicants and their grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Geo. E. Whitcher
C. C. Pring

TERRITORY OF ARIZONA, }
County of Cochise } SS.

SWORN AND SUBSCRIBED before me this 5th
day of May 1881

A. J. Mitchell
Notary Public
Tombstone

"Metallie Assident"

Notice: We the undersigned under the provisions of an act of Congress, approved May 10th 1872 have this day located and claim this silver bearing quartz ledge and mining claim, Commencing at a monument on the eastern boundary line (at right angles with the ledge from the monument on which this notice is placed distant easterly 300 feet and near western boundary of the Sweet Nut location. Said monument and notice being situate on the ledge on the South Bank of the Tough Nut Gulch distant Northerly from Sucky Cuss Camp about 3000 feet and from Northerly boundary of the Old Guard about 1500 feet) thence southerly and parallel with the ledge 1200 feet to a monument of Stone the S.E. Corner thence westerly crossing ledge at right angles 600 feet to monument of Stone the S.W. Corner thence Northerly and parallel to ledge 1500 feet to monument of Stone the N.W. Corner, thence Easterly crossing ledge at right angles 600 feet to monument of Stone, the N.E. Corner thence Southerly and parallel to ledge 300 feet to point of beginning claiming all the privileges granted by the laws of Congress, Territory and District. Dated on the Grand in Tombstone District

Pima County, Arizona Territory. July 11th A.D.
1878. To be known as the Metallic Accident
Ward Priest

Tolley Ogden

Filed and recorded at request of W.C. Parsons
July 17th 1878 at 12 o'clock M.

S.W. Carpenter County Recorder
By W.A. Mc Dermott Deputy.

TERRITORY OF ARIZONA, } ss.
County of Pima.

I, Chas. R. Drake, County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full true and correct copy of the Notice of Location of the Metallic Accident Mine - Tombstone Dist. Pima County U.S.


as appears of Record now in my Office in Book "C" Pages 436

Records of Mines

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson this 18th day of April A. D. 1881.

Chas R Drake

County Recorder,



Metallie Accident Mine Notice:

We the undersigned under the provisions of an act of Congress approved May 10th 1872 have this day located and claim this silver bearing quartz ledge and Mining Claim commencing at a monument on the eastern boundary line at right angles from the ledge from the monument on which the notice is posted distant easterly 300 feet and near Western boundary of Sweet Nut location said monument and notice being situated on the ledge on the South bank of the Toaghnut Gulch, distant northerly from Lucky Cuss Camp about 3000 feet and from Northern boundary of Old Guard about 1500 feet thence Southerly and parallel with the ledge 1200 feet to a monument of stones the S.E. Corner, thence westerly 600 feet to a monument of stones the S.W. Corner thence northerly and parallel to ledge 1500 feet to a monument of stones the N.W. Corner, thence Easterly crossing ledge at right angles 600 feet to monument of stones N.E. Corner. From this point

U.S. M.M. No 1 bears S 32°
58' E distance 82.48 chains then
southerly and parallel to ledge 300
feet to point of beginning.

Claiming all the privileges granted
by the laws of Congress, Territory and
District. The above claim is situated
in Tombstone District, Cochise Co., A.T.
And is known as the Metallic Accident
mine situated in Tombstone District,
Cochise Co., A.T. Which was located
by Ward Priest and Tully Ogden
and duly monumented by them on the
15th day of July 1878; and the
undersigned are the owners of
said mine by purchase from said
Ward Priest and Tully Ogden; and
this notice is recorded solely for the
purpose of defining more particularly
the locus of said mine as so
originally located and monumented,
by connecting said mine with
U.S. Mineral Monument.

Dated this 20th day of April A.D. 1881

The Town Site Mining Company
by their Agent

Franklin J. Clark

Recorded at request of F. J. Clark

Apr. 22, 1881 - 9 am

A. T. Jones
County Recorder

TERRITORY OF ARIZONA, }
COUNTY OF CACHISE. } ss.

I, H. T. JONES, County Recorder in and for the County of Cache, do hereby certify that the above and foregoing is a full, true and correct copy of A paper writing, purporting to be a Location Notice of the "Metallic Accident" Mine as appears of record now in my office in Book 1, Page 472-473.



IN WITNESS WHEREOF, I have hereunto set my hand, and affixed my official seal, at my office in Tombstone this 22 day of April A. D. 1881.

A. T. Jones
County Recorder.

Copy of Recd

of
Location

Notice

of
"Metallic accident"

Mines

U. S. Surveyor General's Office.

Tucson, Arizona, *May 28th* 188*1*

The foregoing field notes of the survey of the *Metallic*
Accident Mining *Claim* situate in
 the *Tombstone* Mining District, *Cochise*
 County, Arizona, claimed by
The Tombstone Mining Company
 survey executed by *A. J. Mitchell* Deputy
 Surveyor, under instructions from this office, having been critically examined
 and the necessary corrections and alterations made, the said field notes and
 the survey they describe are hereby approved.

John Masson

Surveyor General.