

M
S

-
0
0
3
1
8

LOT NO. 37

Survey No. 318.

Field Notes

of the survey of the

Goshen

Mining Claim

Situate in Patagonian Mountains no mining district,

County of Pima and in Sec. , Tp 23 S

Range 16 E of the Gila and Salt River Meridian.

Arizona.

Claimed by

Hugh White

Survey executed by

John H. Sturz

D. S.

Under instructions dated

January 21st

1882

Survey commenced

January 23^d

1882

Survey completed

January 25th

1882

PRELIMINARY OATHS

FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

W.E. Mart Malony and John Kelley

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

*Mart Malony
John Kelley*

SWORN to and subscribed before me, this 25 day

of January 1882

*J. H. Turner
Mart Malony
John Kelley*

I,

do solemnly swear that I will well and truly perform the duties of

according to instructions given me,

and to the best of my skill and ability.

SWORN to and subscribed before me this day

of 1882

Field - Notes

Survey of the "Goschen" Mining Claim
situated
in the Patagonia Mountains - no District
Pima Co. a. t.
claimed by

Lough White.

Survey began Jan 23rd 1882
" ended Jan 25th 1882

surveyed by

J. H. Shantz
M. S. Min. Dep't. Surv'

Jan. 23. 1882

Erection of U. S. Min. Mont. * in the Patagonia Mounts.

In compliance with instructions from the Surveyor Genl for Arizona, bearing date Jan 21st 1882 - to survey the "Goshen" Mining claim, claimed by Hugh White, which claim is situated in the Patagonia Mounts no district, Pima Co., and finding no monument of any U. S. Survey within legal distance from said claim, I herewith, Jan. 23, proceed to erect such ^{U. S. mineral} monument as follows:

I go on to a prominent hill to the North of the "Goshen" claim - where I plant a post of black oak, eight feet long, 4" x 4", marked U.S.M.M. *, one half foot in rocky ground, and build around it a monument of rocks, 6½ feet diam. at base and 4½ feet high.

From this monument I take following bearings: Variacion by Polaris $12\frac{1}{2}^{\circ}$ East to two bearing trees which I mark, each $\frac{B}{T}$ U.S.M.M. *
 1st black oak 9 inch diam. N $54\frac{1}{2}^{\circ}$ E $53\frac{1}{2}^{\circ}$
 2^d black oak 8 inch diam. N 66° W $40\frac{1}{2}^{\circ}$
 to Mount Wrightson N 30° W
 to Mount Baldy N 22° W
 both in the Santa Rita
 to highest point in the Huachuca Mounts $34\frac{1}{2}^{\circ}$ E.
 to center monument of Northern end of the "Goshen" claim, marked GNC
 $S43^{\circ}W$ 836 feet.

J. H. Thru
U. S. Dep. Min. Surv.

Identical with U. S. M. M. No. 3. established
March 10th 1882

Survey of the "Goshen" Mining claim

In compliance with instructions from the Surveyor Genl. of Arizona, bearing date Jan 21 1882, I the undersigned Dept'l M. Surveyor, proceed to the Initial Monument of the Goshen claim, and start my survey from there as follows:

Variation by Polaris $12\frac{1}{2}^{\circ}$ East
I plant a pine post $4' \times 4'' \times 4''$ marked GIM - one foot in lead ore of the vein, and build around it a mound of rocks, four feet at base and $2\frac{1}{2}$ feet high.

From here I take following bearings:
to SW corner of big open cut
 $314^{\circ} W$ 44 feet
to entrance of upper tunnel
 $342^{\circ} E$ 42 ft

From GIM I run
 450^{ft} $N 2^{\circ} W$

to Northwest center Mont. of this claim, where I plant a post of black oak, marked GNC, $4' \times 4'' \times 4''$ - one half foot in rocky ground and surround it by a mound of rocks 4 feet at base, 2 $\frac{1}{2}$ feet high
From this monument I take bearings:

To U.S. MM* $N 4^{\circ} 30' E$ 836 ft
to 1st black oak, 1 $\frac{1}{2}$ ins. diam.
 $140^{\circ} E$ 65 $\frac{1}{2}$ ft } mark both
2nd black oak 15 ins. diam } BT
 $142^{\circ} E$ 19 ft } GNC

Thence I run
 255^{ft} $S 88^{\circ} W$ to the Northwest corner of the Goshen claim, where I plant a post of pine 4 feet long $4' \times 4''$ marked GNW $1\frac{1}{2}$ foot in rocky ground and build around it a monument of rock 2 $\frac{1}{4}$ foot high, 4 foot base.

Thence I run
 1230^{ft} $S 0^{\circ} 30' E$
to the Southwest corner of this claim where I plant a pine post $4' \times 4'' \times 4''$, marked GSW, $\frac{1}{2}$ foot in rocky ground

and surround it by a mound of rocks
 $2\frac{1}{2}$ ft high 4 feet at base

Thence I run

219 ft S 84° 30' E

to Southcenter mont of this claim, where
I plant a pine post $4' \times 4'' \times 4''$ marked
GSC, one foot in a limestone crevice
and surround it by a mound of rocks
 $2\frac{1}{2}$ ft high 4 feet at base.

I take from here a bearing

S 23° W 190 ft

to the 10' prospect shaft on the "Fluse
W 2", a claim joining on the "Goshen"
at the South.

From GSC I run:

300 ft N 88° E

to Southeast corner of the "Goshen",
where I plant a pine post $4' \times 4'' \times 4''$
 $\frac{1}{2}$ foot on rocky ground and surround
it with a mound of rocks $2\frac{1}{2}$ ft high
4 feet at base

I take from here 2 bearings:

1st black oak 14 in diam. N 28° 30' E 132 1/2 ft

2^d black oak 21 in. diam. S 82 1/2° E 83 ft

I mark both BT. GSE.

Thence I run

(1251^{ft}) N 0° 30' W

mouth of Lower Tunnel at 530 ft 10 ft
to left.

1251 to N E corner of the Goshen, where
I plant a pine post $4' \times 4'' \times 4''$ mar-
ked GNE, one foot in the ground
and build around it a mound of rock
and earth 4 feet at base 2 ft high.

Thence I run

260 ft S 88° W

to Northcenter mont GNC - thus closing
the survey of the "Goshen".

Survey of the "Goshen"

Amount of work done:

This mine has been worked by Mexicans before it passed to grantors of present owners, the Mexicans made a big open cut - near to the GIM, 14 feet wide 20 feet deep and 30 feet long - also a small shaft at bottom and Nothernd of cut, 20 ft deep 4' x 6'.

The present owners and their grantors have run:

Upper tunnel 56 feet long x 6' x 4 $\frac{1}{2}$ '

A drift 18 ft x 6' x 4 $\frac{1}{2}$ '

Lower tunnel 15 ft x 6' x 4 $\frac{1}{2}$ '

A shaft at Southend of big cut, 10' x 10' x 10'.

I hereby certify that this work, excluding the above mentioned Mexican work, does amount to more than five hundred dollars U. S. C.

General Description.

The 'Goshen' is located about 4 miles North ^{west} of the town of Harshaw, on a prominent hill of quartzite and some limestone. The vein seems to lie flat - its strike is North and South and its dip about 45° West as far as present developments indicate.

Its ores are a ponderous body of more than 10 feet of carbonates and oxides of lead covered by limonite. Its ores contain little silver. Hundreds of tons of ore are on the dump.

This mine was formerly known as the "Fluxo".

The Area of said claim as surveyed by me is of 14 $\frac{49}{100}$ Acres

Harshaw, A.T. Jan 27 1882.

Pima Co. J. H. Steer U.S. Inv. Dep. S.C.

FINAL OATHS FOR SURVEYS OF MINING CLAIMS & MILL SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of the "Goshen" Mining claim located in Patagonia Mts., no Mining District, Pima County, Arizona, showing the respective capacities in which they acted.

Mark Maloney	Chairman.
John D. Kelley	Chairman.
	Axeman.
	Flagman.

WE hereby certify that we assisted U. S. Deputy Surveyor, in surveying the "Goshen" Mining claim claimed by Hugh White located in Patagonia Mts. no Mining District, Pima County, and in Township No. Range No. of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Mark Maloney	Chairman.
John D. Kelley	Chairman.
	Axeman.
	Flagman.

SWORN TO AND SUBSCRIBED before me this 25th day of January 1882.

*J. H. Turner
a Notary Public*

I, John H. Sturz, U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from the U. S. Surveyor-General for Arizona, bearing date the 21st day of January 1882, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the "Goshen" Mining claim

claimed by Hugh White located in Patagonia Mts. no Mining District, Pima County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

*John H. Sturz
Deputy Surveyor.*

SWORN TO AND SUBSCRIBED before me this 25th day of January 1882.

*J. H. Turner
a Notary Public*

Goshen

Location Notice. Notice is hereby given
that the undersigned in compliance with
the requirements of the Mining Act of
Congress approved May 10 1872. I have
this day located and claim fifteen(1500)
hundred linear feet along the course of this
lead lode or vein of mineral bearing quartz
and 300 feet in width on each side of the
middle of said lead lode or vein situated
in the Patagonia Mts. County of Pima Arizona
and more particularly described as follows
to wit: Commencing at this monument of stones
being the center of the Claim; thence 750 feet
Northeastly to a monument of stones; thence
three hundred 300 feet Northwestly to a mon-
ument of stones; thence Southwesterly 1500 feet
to a monument of stones; thence three hundred
(300) feet Southeastly to a monument of stones being
the center of South end of Claim; thence South-
westerly 300 feet to a monument of stones; thence
Northeastly 1000 feet to a monument of stones
thence Northwesterly 800 feet to center of north
end of claim; thence Southwesterly 750 feet
to place of beginning. This Claim lies about
two miles South of the ^{Sonora} Savieta Valley and
five North West of the French Mill site
in Patagonia Mountains and shall be

Known as the Goshen mine Located February
17th 1880

Ph^oD Malony

Witness

Locator 10

Matt Malony

Recorders Office Tucson Pima Co A.T. Gasben
mine Patagonia Mts. Feb^ry 12/80. Filed and
recorded at request of Matt Malony May 15
A.D.¹⁸⁸⁰ at 5 PM in Book H Records
mines Pages 350 & 354. J.W. Carpenter
County Recorder

By W.A. McDermott Deputy

Recorders office Pima Co at Jany 21st 1882
I have this day made the following note on
the margin of the original record of the mine in
Book H Page 350. No Records to wit. An inst-
rument regularly filed and recorded as the original
notice of Location of this mine was this day
presented to me and upon comparing it
with this record it appears that an error was
made in the name of this mine it being
recorded as Gasben instead of Goshen and
this note is made for correction of the records
Tucson Jany 21st 1882 Chas R Drake

County Recorder

Filed and recorded at request of Clos Saphine
Jany 21st A.D. 1882 at 10.10 A.M

Chas R Drake

County Recorder


TERRITORY OF ARIZONA, } ss.
County of Pima.

11

I, Chas. R. Drake, County Recorder in and for the County of Pi-
ma, do hereby certify that the above and foregoing is a full true and correct copy
of the Local Law Notice of the Gorken Mine

as appears of Record now in my Office in Book R Pages 796-797 & 798

IN WITNESS WHEREOF, I have hereunto set my
hand and affixed my official seal, at my office in Tucson
this 21st day of January A. D. 1882



Chas. R. Drake

County Recorder,

AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, D. — Snyder and S. J. Walker
 of lawful age, being first duly sworn according to law, depose and say that we are acquainted with
 the "Goshen" mining claim, situate in Patagonia Mountains
Pima Mining District, Pima County, Arizona
 Territory, for which Hugh White and —
 has made application for survey prior to application for patent under the provisions of the Act of
 Congress approved May 10, 1872, and that the labor done and improvements made thereon by the
 applicant.....and.....grantors.....exceed Five Hundred Dollars in value, and further that we are
 not personally interested in said mine.

D. Snyder
S. J. Walker

TERRITORY OF ARIZONA, }
 County of Pima } SS.

SWORN AND SUBSCRIBED before me this 25th
 day of January 1882.

J. H. Turner
 a Notary Public

20 scale

13

20 scale
100 minutes

702 xniy

0 B1 982440 3 83 H

BT Blackhawk
152 84 30

The N. S. M. M. was established some date by the same

John 83 to 88 1882 by
the Society of Quakers
dissolved under the
guidance of the Spirit

located in the "Galapagos Islands off the coast of Ecuador

"Goschen" Wine

map

GNW 8880W CNG 8880W GNE

8700865345
L. o. o. K. Y. i. n. d. u. m.

True North

Laprade hus.

255/r

June 7/70

The following table gives the dimensions of the different parts of the gun.

☆ MWSU

U. S. Surveyor General's Office.

Tucson, Arizona, February 13th 1882

The foregoing field notes of the survey of the "Gooseneck"

Mining Claims situate in
the Patagonia Mts. no Mining District, Pima
County, Arizona, claimed by Hugh Whitesurvey executed by John H. Sturz Deputy
Surveyor, under instructions from this office, having been critically examined
and the necessary corrections and alterations made, the said field notes and
the survey they describe are hereby approved*John Hasson*

Surveyor General.