

M  
S

-  
0 0 4 8 0

LOT NO. 142

Survey No 480

Field Notes

of the survey of the

ute t

Keeney Comb

Mining Claim

Situate in Tombstone mining district,

County of Occhise and in Sec. 20 S., Tp. 20 S.

Range 22 E. of the Gila and Salt River Meridian.

Arizona.

Claimed by A. C. Bilicke et al

Survey executed by H B Mayson U.S. D. S.

Under instructions dated April 7<sup>th</sup> 1883

Survey commenced April 14" 1883

Survey completed April 16" 1883

# PRELIMINARY OATHS

FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

WE, John Sullivan and H. E. Johnson

do solemnly swear that we will faithfully execute the duties of Chain Carriers: that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

John Sullivan  
H E Johnson

SWORN to and subscribed before me, this 14<sup>th</sup> day

of April — 1883

H B Mayson  
Notary Public, Cochise Co  
Arizona

I,

do solemnly swear that I will well and truly perform the duties of

according to instructions given me,

and to the best of my skill and ability.

SWORN to and subscribed before me this \_\_\_\_\_ day

of \_\_\_\_\_, 188\_\_\_\_\_

— Field Notes —

— of the Survey of the —

Honeycomb Mining Claim

situate in —

Tombstone Mining District  
Cochise County  
Arizona

Surveyed under instructions  
from U.S. Surveyor General  
J.W. Robbins, bearing date  
April 7th A.D. 1883 -

Surveyed April 14th  
and 16th A.D. 1883 -

H. P. Mayson  
U.S. Deputy  
Min' Surveyor

2

Having first compared  
my "Transit" with the Stan-  
dard Meridian established  
in Tombstone District,  
Jan 19-1881, under Direc-  
tions from U. S.  
Surveyor General, — I  
find the variation of  
the Needle to be:  $11^{\circ} 5' 3''$  East

I begin at center  
monument on east-end  
of Claim, where I set  
a post 4 in. square and  
5 ft. long marked "H.M.C. No 1"  
 $1\frac{1}{2}$  feet in the ground, and  
surrounded by most of  
rocks  $8 \times 8 \times 3$ . The same being  
on cropping of Ledge.

From this point, the  
Initial Mon't of Claim Bo  
 $N 47^{\circ} 18' W$  - 485 feet,

"Shaft no 3" Bo.  $N 47^{\circ} W$   
458 feet.

"Shaft no 4" Bo  $N 72^{\circ} 45' W$   
198 feet.

"Shaft no 5" Bo.  $N 84^{\circ}$   
W - 203. feet

Shaft No 6 - Rs  $186^{\circ}30'W$   
210. feet.

N.W. Corner (Post No 2)  
 of the "Accident M. C." Rs  
 $S27^{\circ}E$  - 234. feet.

Hence I run:-  
 $N42^{\circ}18'E$  -  
Var  $11^{\circ}58'E$  East

20. Cross Ravine Bo. East

250. Set post 4 in square, and  
 5 ft long marked "H.M.C. No 2" -  
 $\frac{1}{2}$  ft in the ground, and sur-  
 rounded by mount of rocks  
 $2 \times 2 \times 2$  ft. same being on south  
side line of the "Alloy M.C."

From this point, "N.W. cor."  
 of the "Accident M.C." Rs -  
 $S8^{\circ}50'W$

Hence I run:-  
 $N52^{\circ}45'W$  -  
Var  $11^{\circ}58'E$  East

485. Set post 4 in square, and  
 5 ft long marked "H.M.C. No 3" -  
 $\frac{1}{2}$  ft in the ground, and sur-  
 rounded by mount of rocks  
 $3 \times 3 \times 3$ . feet,

Feet-

Hence I run:-  
 $N 57^{\circ} 45' W$ -  
Var  $11^{\circ} 53' East$

383. Set post 4 in square, and 5 ft long, marked "M.M.C. No 4"-  
 $\frac{1}{2}$  feet in the ground and surrounded by mound of rocks 2x2x2 feet.

From this point, "U.S.  
M.M. No 6" Rs. S.  $18^{\circ} 39' W$ .

Hence I run:-  
 $S 42^{\circ} 18' W$ -  
Var  $11^{\circ} 53' East$

203. Set post 4 in square and 5 ft long marked "M.M.C. No 5"-  
 $\frac{1}{2}$  feet in the ground, and surrounded by mound of rocks 2x2x2 feet; same being over cropping of the ledge, and center mound of masonry end of Claim.

From this point, "U.S.  
M.M. No 1" Rs  $N 9^{\circ} 50' E$ -

Feet.

Cut - 2 x 2 x 2 ft. Ro S $57^{\circ}45' E$   
320 feet.

Shaft No 2: Ro S $57^{\circ}45'$   
E - 350, feet.

"Shaft No 1" Ro S $57^{\circ}45' E$   
378 feet.

Hence I run:  
S $42^{\circ}18' W$   
Var  $11^{\circ}53' East$

80. Cross Ravine Ro. North

277. Set post 4 in<sup>2</sup> square, and  
5 ft long marked "I.M.C. No 6" -  
1/2 feet in the ground and  
surrounded by round of  
rocks. 3 x 3 x 3 feet same being  
on north side line of the "Idaho M.C."

From this point, "U.  
S.M.M. No 6" Ro S $38^{\circ}30' E$  -

Hence I run:  
S $57^{\circ}45' E$  -  
Var  $11^{\circ}53' East$

Feet  
383.

Along side line of the "Idaho M.C."  
Set post 4 in square, and 5 ft  
long marked "H.M.C. No 7"  
1½ feet in the ground, and  
surrounded by mound of  
rocks 2 x 2 x 2 feet. -

From this point "W.  
S.M.M. No 6" Bo N 80° - W -  
188. feet.

Then down:-  
S 56° 15' E -  
Var 11° 53' East.

488'

Set post 4 in square, and  
5 ft long marked "H.M.C. No 8"  
1½ feet in the ground, and  
surrounded by mound of  
rocks 3 x 3 x 3 feet; same  
mound being N.E. corner  
of the "Idaho M.C."

From this point, "N.W.  
Cor (post no 2) of "Accident"  
M.C." Bo S 77° 40' E -

Then down:-  
N 42° 18' E  
Var 11° 53' East,

Feet

205.

Intersect-place of beginning.

This Claim contains 9<sup>35</sup>/<sub>100</sub> Acre, - clear without conflict,

### Description.

The Honeycomb mining Claim is situate upon the north and east slope of Military Hill, about two miles south of the City of Tombstone, all in Cochise County, Arizona Territory.

### Improvements

In this claim, consists of six shafts, and one cut.

"Shaft No 1" - is 8x8 ft on the surface and 4 ft deep.

"Shaft No 2" - is 4x6 feet on the surface, and 20. feet deep.

"Shaft No 3" - is 4x4, ft on the surface, and 6 ft deep.

"Shaft No 4" is 4x6, ft on the surface, and 12 feet deep.

"Shaft No 5" is 4x6, ft on the surface, and 10 ft deep.

"Shaft No 6" is 4x6, ft on the surface, and 14 feet deep.

The cut is 2x2, x 4, feet

### Remarks,

This Survey is Identical with Amended Location Notice furnished me by your Office.

I hereby certify that the improvements made upon this claim by the applicants, and their grantors, exceed in value the amount of Five hundred \$500 Dollars

H. P. Maxson  
U.S. Dep. Min., Surveyor

## FINAL OATHS FOR SURVEYS OF MINING CLAIMS &amp; MILL SITES.

A LIST of names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of

The Honeycomb Mining Claim  
located in Tombstone Mining district, Cochise  
County, Arizona, showing the respective capacities in which they acted.

John Sullivan	Chairman.
H. E. Johnson	Chairman.
	Axeman.
	Flagman.

WE hereby certify that we assisted H. B. Maxson  
U. S. Deputy Surveyor, in surveying The Honeycomb Mining Claim  
claimed by A.C. Billock et al  
located in Tombstone Mining District, Cochise County,  
and in township No 20-S Range No 22-E of the Gila and Salt River base and meridian,  
Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and  
faithfully executed, and the boundary monuments planted according to the instructions furnished by the  
Surveyor General.

John Sullivan	Chairman.
H E Johnson	Chairman.
	Axeman.
	Flagman.

SWORN TO AND SUBSCRIBED before me this 16<sup>th</sup> day  
of April - 1883

H. B. Maxson  
Notary Public, Cochise Co  
Arizona

I, H. B. Maxson U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from the U. S. Surveyor-General for Arizona, bearing date the 7<sup>th</sup> day of April - 1883, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of land embraced within the boundaries of the Honeycomb Mining Claim claimed by A.C. Billock - et al - located in Tombstone Mining District, Cochise County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

H. B. Maxson Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 23<sup>rd</sup> day

of April 1883

A. J. Fetter  
Notary Public

in and for Cochise County  
A. J. Fetter



## AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, John Sullivan and H. E. Johnson  
 of lawful age, being first duly sworn according to law, depose and say that we are acquainted with the  
 Honeycomb mining claim, situated in \_\_\_\_\_  
 Tonabstone Mining District, Cochise County, Arizona  
 Territory, for which A. C. Billick & Co.  
 has made application for survey prior to application for patent under the provisions of the Act of  
 Congress approved May 10, 1872, and that the labor done and improvements made thereon by the applicant  
 and his grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

John Sullivan  
 H. E. Johnson

TERRITORY OF ARIZONA,  
 County of Cochise } ss.

SWORN to and subscribed before me, this 10th day

of April - 1883

H. B. Marson  
 Notary Public. Cochise Co.  
 Arizona.




Filed and recorded at request of H. S.  
Salmon May 2d<sup>nd</sup> 1878. at 9 o'clock  
A.M. H. A. Carpenter  
County Recorder

14

Territory of Arizona,) } ss.  
County of Cochise. )

H. A. T. JONES, County Recorder in and for the County  
of Cochise, do hereby certify that the above and foregoing is a full, true and  
correct copy of An instrument.

as appears of record now in my office in Book 3, Page 752  
Recd from transcribed

**I**N **WITNESS** **WHEREON**, I have hereunto set my  
hand, and affixed my official seal, at my office in  
Tombstone this 5 day of April A. D. 1882  
  
  
H. A. T. Jones  
County Recorder.

Field copy  
Honey comb  
Mine

## "Honey Comb" mine

### Notice of Location

Notice is hereby given  
 that in pursuance of an act of Congress dated May 10<sup>th</sup> 1872 we the under  
 signed have this day located and  
 claimed 4 15007 fifteen hundred  
 linear feet of this ledge lode or deposit  
 of mineral bearing ore with three hundred  
 feet on each side thereof situated  
 and described as follows to wit:  
 Commencing at this notice and monument  
 of stones which is set at discovery  
 shaft and running 750 seven hundred  
 and fifty feet in a southerly direction  
 to a monument of stones & from this notice  
 and monument of stones 750 in a north  
 erly direction to a like monument of stones  
 said claim is situated due half  
 on the southerly slope & runs near the  
 summit of a limestone mountain  
 the northerly slope of which the "Silver  
 Plum" mine is on & is south  
 westerly of the Grand Central lode  
 about one & a half miles in  
 Tombstone District Pima Co A. S.  
 dated on the ground this the 17<sup>th</sup> day  
 of May 1878. This claim shall be  
 known as the "Honey Comb" mine  
 witness } H. D. Salmon  
 J. E. Walker

Magnetic Variation of the needle  
at 11053' East.

April 6<sup>th</sup> 1883

A. G. Biliwick

F. Rogers

W. C. Davis

Dr. R. Sonney

16

Recorder's Office,

TOMBSTONE, Cuchise Co., A. T.

Filed and recorded at request of

Al Biliwick

April 6 A. D. 1883

at 9:30 A. M.


Book 6 Rec of Minis

Pages 496

Agrees

County Recorder.

close



U. S. Surveyor General's Office.

Tucson, Arizona, May 3<sup>rd</sup> 1883

The foregoing field notes of the survey of the Horseshoe Comb  
Mining Claim situate in  
the Tombstone Mining District, Cochise  
County, Arizona, claimed by A. C. Bilcke et al

survey executed by H. B. Mayson Deputy  
Surveyor, under instructions from this office, having been critically examined  
and the necessary corrections and alterations made, the said field notes and  
the survey they describe are hereby approved.

J. W. Robison  
Surveyor General.