

MS -

00500

# **POOR QUALITY**

**The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.**

LOT NO. 50SURVEY NO. 500Field Notes

of the survey of the

BluffMining ClaimSituate in Marshaw mining district.County of Pima and in Sec. , Tp. 23 S.Range 16 E., of the Gila and Salt River Meridian.

ARIZONA.

Claimed by The Marshaw Mining Company ofNew YorkSurvey executed by Wm. S. Edwards as D. S.Under instructions dated July 9" 1880Survey commenced April 27. 1883Survey completed April 27. 1883

PRELIMINARY OATHS FOR SURVEYS OF MINING CLAIMS  
AND MILL SITES.

WE, Jas. G. Best and Ebenezer Lakes

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true lengths of all lines that we assist in measuring, to the best of our skill and ability.

J. G. Best  
E. Lakes

SWORN AND SUBSCRIBED before me this 26<sup>th</sup>

day of April 1883

J. H. Linner  
Notary Public

I, Francis A. Lamont & Myron D. Cooley

do solemnly swear that I will well and truly perform the duties of Assman and  
Flagman according to instructions given me, and  
to the best of my skill and ability.

F. A. Lamont

M. D. Cooley

SWORN AND SUBSCRIBED before me this 26<sup>th</sup>

day of April 1883

J. H. Linner  
Notary Public

Field Notes  
of the  
Survey of  
the  
Bluff Mining Claim  
Harshaw Mining District  
Pima County A.T.  
Claimed by  
The Harshaw Mining Co.  
of New York  
Surveyed April 27<sup>th</sup> 1883  
Under instructions from  
the U.S. Surveyor General  
Dated July 9<sup>th</sup> 1883  
Wm. Edward  
U.S. Asst. Surveyor

4

# Field Notes of the Official Survey of

The Bluff Mining Claim Harsaw  
Mining District Prince Co. A.T.

Survey commenced April 27<sup>th</sup> - 1883.

## Instrument used

Buff and Burger Transit No 235  
four inch Magnetic needle, Com-  
pass Circle graduated to thirty  
minutes - Outer Circle six inches  
in diameter graduated to fifteen  
minutes, reading by two minutes  
to single minutes

Mag. Variation  
 $13^{\circ} - 40' E$

By observation on a tree at  
East end Elongation

Commences at the West  
center of claim, which is also  
the East center of the Hermosa  
Mining claim, marked by a  
stake set in a monument of  
rock, which I replace with  
a 4x4 inch pine post four  
feet long set on the solid  
rock marked on two sides  
H.M.C. E.C. No I - B.M.C.W.C. No I

surrounded by a monument of  
rock. From this point a Juniper  
tree 24 in. diam. blazed and marked  
H.M.C. E.C. No I - B.M.C.W.C. No I

brass g.  $65^{\circ} 27'$  dist. 16.4 feet  
A white Oak tree with two trunks  
14x12 ins. diam blazed & marked

H.M.C. E.C. No I - B.M.C.W.C. No I

brass g.  $54^{\circ} E.$  distant 56.5 feet  
From this corner I run

Field notes of the Official Survey of the  
Bluff Mining Claim, Harshaw

5

Mining District Penit Co., A. T.

N. 30° - 55' S

- 50 ~~Blacksmith shop bears~~  
~~distant 65 feet~~
- 100 Crops trail to Revolution Tunnel  
 Ground descending
- 300 To the North West corner of  
 claim and the North East corner  
 of the Stinson Mining claim Lot No 49  
 marked by a stake set in a  
 monument of rock, which I re-  
 place by a 4x4 inch pine post  
 five feet long, set one and one-  
 half feet in the ground marked

B.M.C.N.W. NO II    H.M.C.N.E. NO II

surrounded by a monument of  
 rock four feet at base and  
 two feet high - A White Oak tree  
 blazed and marked B.M.C.N.W. NO II  
H.M.C.N.E. NO II bears f.  $72^{\circ} - 10' S$   
 distant 41 feet. Black Oak tree  
 blazed & marked B.M.C.N.W. NO II  
H.M.C.N.E. NO II. bears f.  $7^{\circ} - 50' E$   
 distant 55.7 feet.

From this corner I run

S. 80° - 15' E.

Var  $13^{\circ} - 40' E$

- by forward and back sight  
 Ground descending
- 750 On Road from Protection  
 Tunnel to Mill
- 900 Crops Gulch and around  
 Gulch runs Northerly
- 1500 To the North East corner  
 of claim marked by a stake  
 set in monument of rock  
 which I replace by a 4x4 inch  
 pine post five feet long  
 set one & one-half feet in the

# Field Notes of the Bluff Surveying

8

First claim Harshaw M. Dis. Pima Co., A.T.

ground marked B.M.C.N.E. No III  
 surrounded by a monument of  
 rock four feet at base and  
 two feet high. A black Oak  
 10 ins. in diam blazed & marked  
B.M.C.N.E. No III bears S.  $60^{\circ} 20' E.$   
 distant 27.2 feet - No other trees  
 near. From this corner I run

S.  $3^{\circ} 55' E.$   
Var.  $13^{\circ} 40' E.$

By forward & back sight

Ground ascending  
 200 Top of ridge  
 300 To the East Center of claim  
 marked by a stake set in a  
 monument of rock, which I  
 replace by a 4x4 inch, four post  
 five feet long set one and one  
 half feet in the ground marked  
B.M.C.W.Cen. No II surrounded  
 by a monument of rock four  
 feet at base and two feet high  
 No trees near. From this  
 corner I run on same course

S.  $3^{\circ} 55' E.$   
Var.  $13^{\circ} 40' E.$

By forward & back sight

55 Head of small Gulch running  
 North West  
 75 Crop Andrews' Toll-road  
 200 To the South East corner of  
 claim marked by a stake set  
 in a monument of rock which  
 I replace by a 4x4 inch four  
 post five feet long set one &  
 one half feet in ground

Field notes of the Official Survey of

Point the Bluff Mining Claim, Hanshaw  
Mining District, Pima Co. A. S.

marked B.M.C. S. E N<sup>o</sup> IV surrounded by a monument of rock four feet at base and two feet high no trees near From this corner I run

N. 80° - 15 ft  
Var 13° - 45 E.

by forward and back sight

- 345 Ground descending to Gulch Cross Kinnasa Gulch above where it is joined by the Protection Gulch
- 1460 Cross the road from bin to Mill
- 1500 To the South West corner of claim which is also the South East Corner of the Kinnasa Mining Claim <sup>Loc No 49</sup> marked by a stake set in a monument of rock, which I replace by a 4x4 inch Pine post, marked B. M. C. S. W. N<sup>o</sup> VI H. M. C. S. E. N<sup>o</sup> VI. five feet long set one and one-half feet in the ground surrounded by a monument of rock four feet at base and two feet high A white Oak tree 10 in. diam blazed & marked B. M. C. S. W. N<sup>o</sup> VI - H. M. C. S. E. N<sup>o</sup> VI brans N. 56° E dist. of post - 3 feet White Oak 15 ins diam, blazed & marked B. M. C. S. W. N<sup>o</sup> VI - H. M. C. S. E. N<sup>o</sup> VI brans S. 45° E. distant 58 feet A Juniper tree 14 ins. diam. Blazed & marked B. M. C. S. W. N<sup>o</sup> VI H. M. C. S. E. N<sup>o</sup> VI brans S. 58° - 10° W. distant 25 feet From this corner I run

Field Notes of the Official Survey of the

Bluff Mining Claim Harshaw,  
Mining Dist. Pima Co. A.T.

S. 80 - 55' N.

Var 13° 40' E.

by forward & back sight

50 Across Protection Gulch running  
East by North & over road  
100 Cross trail from protection  
Tunnel to Blacksmith shop  
300 To the West Centre of claim  
and the place of beginning  
Containing  $20 \frac{0}{100}$  Acres

From the North West corner  
of claim the U.S. Min. Monument  
do I bear N. 73° 16' W distant  
1732 feet

Location of Works

Commences at the Initial  
monument and runs  
S. 80 - 15' E.  
Var. 13° 40' E.

50 Shaft 52 feet deep with  
cross cuts and drifts from  
bottom

This work was done by the  
present owner or their grant-  
ors and I hereby certify that  
the value of said improvements  
exceeds the sum of five  
hundred dollars

General Description

This Claim lies to the East  
of the Firmosa Mining Claim Lot No 49  
and is joined on the North by

Field Notes of the Survey of the

6  
9

Bluff Mining Claim Harshaw,  
Mining District Pima Co. A.T.

the Revolution No 2 It is  
cut on the East end by the  
Hornosa Gulch & the Protection  
Gulch runs along the South  
side of claim

The East end of claim is com-  
paratively bare while the  
balance of the claim has a  
good growth of Oak, Juniper  
and manzanita

The claim is situated about  
one-quarter of a mile South  
East from the Town of Harshaw

Huf. Edward  
Huf. Asst. Min. Surveyor

Survey Completed April 27<sup>th</sup> 1883

## FINAL OATHS FOR SURVEYS OF MINING CLAIMS &amp; MILL SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of The Bluff

Mining claim  
located in Harsaw

Mining District, Pima

County, Arizona, showing the respective capacities in which they acted.

Jas G. Best  
Eben S. Oakes  
Francis A. Lamont  
Myron D. Cooley

Chairman.  
Chairman.  
Axeman.  
Flagman.

WE hereby certify that we assisted Wm. J. Edward  
U. S. Deputy Surveyor, in surveying The Bluff Mining Claim

claimed by The Harsaw Mining Co. of New York  
located in Harsaw — Mining District, Pima County,  
and in Township No. — Range No. — of the Gila and Salt River base and meridian,  
Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and  
faithfully executed, and the boundary monuments planted according to the instructions furnished by the  
Surveyor General.

J. G. Best  
E. S. Oakes  
F. A. Lamont  
M. D. Cooley

Chairman.  
Chairman.  
Axeman.  
Flagman.

SWORN TO AND SUBSCRIBED before me this 27<sup>th</sup> day  
of April 1883.

J. H. Turner  
Notary Public

I, Wm. J. Edward U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from John Wasson, U. S. Surveyor-General for Arizona, bearing date the 9<sup>th</sup> day of July 1882, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of Bluff Mining claim

claimed by The Harsaw Mining Co. of New York  
located in Harsaw — Mining District, Pima County,  
Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and  
I do further solemnly swear that all the corners of said surveys have been established and perpetuated in  
strict accordance with the instructions furnished me, and that the foregoing are the true and original field  
notes of such surveys.

Wm. J. Edward

Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 27<sup>th</sup> day  
of April 1883.

J. H. Turner  
Notary Public

Citizen Print.

## AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, Myron W. Cooley and Francis A. Lamont  
 of lawful age, being first duly sworn according to law, depose and say that we are acquainted with  
 the Bluff —  
 mining claim, situate in Harshaw  
 Mining District, Pinal County, Arizona  
 Territory, for which the Harshaw Mining Co of New York  
 has made application for survey prior to application for patent under the provisions of the Act of  
 Congress approved May 10, 1872, and that the labor done and improvements made thereon by the  
 applicant ~~5~~ and ~~the~~ grantors exceed Five Hundred Dollars in value, and further that we are  
 not personally interested in said mine.

M. W. Cooley  
 F. A. Lamont

TERRITORY OF ARIZONA,  
 County of Pinal } S.S.

SWORN AND SUBSCRIBED before me this 24<sup>th</sup>  
 day of April 1883

J. H. Turner  
 Notary Public

"Bluff Mine"

Location Notice. Notice is hereby given that the undersigned in compliance with the requirements of the mining act of Congress approved May 10<sup>th</sup> 1872 have this day located and claim Fifteen hundred linear feet along the course of this lead lode or vein of mineral bearing quartz and three hundred feet in width—on each side of said the middle of said lead lode or vein situated in the Marshaw Mining District County of Pima Arizona and more particularly described as follows to wit Commencing at this monument of stones being the center of the westerly end of claim and upon which this notice is posted thence Northwesterly 300 feet to a monument of stones thence Easterly fifteen hundred feet to a monument of stones thence southerly three hundred feet to a monument of stones being the center of the easterly end of claim thence southerly three hundred feet to a monument of

stones thence westerly fifteen hundred feet put to a monument of stones  
 thence northerly three hundred feet to the place of beginning.  
 This claim is adjoining and East  
 of the Kernosa Mine located  
 and shall be known as the Bluff  
 Mine Located July 2<sup>nd</sup> A.D. 1879.

Saml Hughes  
 W.S. Stevens

Filed and Recorded at Request of  
 W.S. Edwards July 9 A.D. 1879 at  
 10.30 a.m.

J. Mcarpenter

County Recorder

By Hanson Thomas

Deputy

Territory of Arizona  
 County of Pima 3 S.S.

J. Mcarpenter

County Recorder in and for the  
 County of Pima do hereby certify  
 that the above and foregoing is  
 a full true and correct copy of  
 the Location Notice of the Bluff  
 Mine as appears of record now  
 in my Office at Tucson in Book

"F" Records Wines pages 400 & 401  
In witness whereof I  
have hereunto set my  
hand and affixed my  
Official seal this the  
8<sup>th</sup> day of July A.D. 1880  
Waukegan  
County Recorder

Survey 5-00

Bluff Mq. clastic

*Harshaw M. District*

Pina Co.

*Nermonosa Gulch*

$19^{\circ} 44'$

Hernosse  
Lot No 40

Lot 50

Hand-drawn elevation profile diagram showing a steep, rocky cliff face. The vertical axis is labeled '15000' at the bottom. A horizontal baseline is marked with '5500', '5000', and '5500'. An angle of 'N. 80° - 15' is indicated between the vertical axis and the top of the cliff. A curved orange line labeled 'Road to mill' follows the top of the cliff.

~~300' N. 3° 55' W. 300'~~

۱۴۸

Road to mill

— 1 —

نیز مکانیزم کوئی نہیں  
کوئی نہیں

U. S. Surveyor General's Office

Tucson, Arizona, June 5<sup>th</sup> 1883

The foregoing field notes of the survey of the "Bluff"

Mining Claim situate in  
the Harshaw Mining District, Pima  
County, Arizona, claimed by The Harshaw Mining  
Company  
survey executed by Wm. S. Edwards Deputy  
Surveyor, under instructions from this office, having been critically examined  
and the necessary corrections and alterations made, the said field notes and  
the survey they describe are hereby approved.

J. M. Jones  
Surveyor General.