

M

S

0

0

5

1

4

LOT NO 52

SURVEY NO 514

Field Notes

of the survey of the

Head Center

Mining Claim

Situate in Copper Basin mining district.

County of Gavapai and in Sec. nn, Tp. nn ^{13N}

Range nn ^{3N}, of the Gila and Salt River Meridian.

ARIZONA.

Claimed by The Copper Basin Copper Company

Survey executed by J. S. Ingalls - us. D. S.

Under instructions dated January 8th 1883

Survey commenced June 6th 1883

Survey completed " " 1883

PRELIMINARY OATHS

FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

WE, Cornelius Davis and William Randall

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

*Cornelius Davis
William Randall*

SWORN to and subscribed before me, this 5th day

of June 1883

*J. Harpster
Notary Public*

Isaac A Bradshaw

do solemnly swear that I will well and truly perform the duties of

Flagman

according to instructions given me,

and to the best of my skill and ability.

Isaac A Bradshaw

SWORN to and subscribed before me this

5th

day

of June 1883

*J. Harpster
Notary Public*

Head Center

Field Notes of the Survey of the
Head Center Mining Claim
Situated in Copper Basin Mining
District Yavapai County W. S.
Claimed by the Copper Basin
Copper Company.

Surveyed under instructions
received from J. W. Robbins U.S.
Surveyor General of State
January 8th 1880.

Survey commenced June 6th 1883.

Survey completed June 6th 1883.

Initial point monument of
location situated on middle of
outcropings of vein and bearing
noice of location.

Direction of vein from this monument
 $N 43^{\circ} 0' W.$

Magnetic variation as obtained by
direct observation on the sun
with Burt Solar Transit

$14^{\circ} 20' E$ ast.

Beginning at the initial monument
an oak post 4x4 inches 4 feet long
set $1\frac{1}{2}$ feet in ground and built
around by stone mound 3 feet at
base and $1\frac{1}{2}$ feet high marked
with young H.C. No 1 (no bearings
obtainable) and run thence as follows.

$N 46^{\circ} 0' E$

Variation $14^{\circ} 20' E$ ast

to the north easterly corner of claim
a timber post 4x4 inches 4 feet
long set $1\frac{1}{2}$ feet in ground and
built around by stone mound
3 feet at base and $1\frac{1}{2}$ feet high
marked with young H.C. No 2
(no bearings obtainable) hence.

$N 43^{\circ} 0' W$

Variation $14^{\circ} 20' E$ ast.

to center of grecch 30 feet wide
running south west.

- 2
- | | |
|------|--|
| feet | |
| 710 | to centre of fresh 20 feet wide
running South west. |
| 995 | intersect the south easterly end
line of the Bronze statue mining
claim, at a point N $32\frac{1}{2}$ ^o E 323 feet
from the south easterly corner
of said claim. |
| 1500 | To the North westerly corner of
claim. A Juniper post 4x4 inches
4 feet long set 1 $\frac{1}{2}$ feet in ground
and built around by stone mound
3 feet at base and 1 $\frac{1}{2}$ feet high
marked with gouge H.C. N ^o 3
(no bearings obtainable hence.)
$S. 46\frac{1}{2}^{\circ} W$ |
| | Variation 14° 20' East. |
| 300 | To monument at centre of North
westerly end of claim a Juniper
post 5x5 inches 4 feet long set
1 $\frac{1}{2}$ feet in ground and built
around by stone mound 3 feet
at base and 1 $\frac{1}{2}$ feet high marked
with gouge H.C. N ^o 4. And from
which a development shaft 4x
6 feet 6 feet deep bears S $43\frac{1}{2}^{\circ}$ E
7 $\frac{1}{4}$ feet distant, (no other bearings
obtainable). |
| 458 | intersect the southerly side line
of the Bronze statue mining
claim, at a point N $57\frac{1}{2}$ ^o W. 599
feet from the south easterly corner
of said claim. |
| 600 | To the south westerly corner of claim
a Juniper post 4x4 inches 4 feet
long set 1 $\frac{1}{2}$ feet in ground and
built around by stone mound
3 feet at base and 1 $\frac{1}{2}$ feet high.
Marked with gouge H.C. N ^o 5
(no bearings obtainable) Hence
$S 43\frac{1}{2}^{\circ} E$ |
| | Variation 14° 20' East |
| 1180 | To centre of ravine 30 feet |

Feet wide running fourth.
 1500 To the fourth Easterly corner of
 Claim a Juniper post 4x4 inches 4
 feet long set $1\frac{1}{2}$ feet in ground
 and built around by earth mound
 3 feet at base and $1\frac{1}{2}$ feet high.
 Marked with gongs H.C. No 6. and
 from which W. J. Mineral Monument
 Mt Copper Basin Mining District
 bears S $79\frac{3}{4}^{\circ}$ W 2998 feet distant
 (no other bearings obtainable) hence
 $N 46\frac{1}{2}^{\circ} E$

Variation $14^{\circ} 20'$ East.

300 To the place of beginning.
 Total area 20. 66 acres
 Less area in conflict with the
 Bronze Statue mining claim ^{for own} ~~not~~ 57
 Claimed ^{4x84 acres}
 leaving net area 15. 79 acres
 The improvements made on this
 claim by the claimants or their
 grantees consist of a shaft
 4x6 feet 6 feet deep and represents
 an expenditure of \$75. This claim
 is situated in Copper Basin about
 10 miles westerly from Precont.
 The formation of the country is
 Porphyry scattering Basalt Pile and
 Juniper timber is found on the
 claim with underbrush of
 Manzanita and scrub oak

G. J. Sugars
 left W. J. Mineral Surveyor.

FINAL OATHS FOR SURVEYS OF MINING CLAIMS & MILL SITES.

A LIST of names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of The Head Center Mine

located in Copper Basin Mining district, Yavapai
County, Arizona, showing the respective capacities in which they acted.

Oruelus Davis Chainman.
William Randall Chainman.
Isaac A Bradshaw Axeman.
Flagman.

WE hereby certify that we assisted J. Dugalls
U. S. Deputy Surveyor, in surveying The Head Center Mine

claimed by The Copper Basin Copper Company
located in Copper Basin Mining District, Yavapai County,
and in township No Range No of the Gila and Salt River base and meridian,
Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments planted according to the instructions furnished by the
Surveyor General.

Oruelus Davis Chainman.
William Randall Chainman.
Axeman.

Isaac A Bradshaw Flagman.

SWORN TO AND SUBSCRIBED before me this 8th day

of June 1883

J. T. Carpenter
Notary Public

J. Dugalls, U. S. Deputy Surveyor, do solemnly swear that, in pur-
suance of instructions from the U. S. Surveyor-General for Arizona, bearing date the 8th day of
January 1883, I have well, faithfully and truly, in my own proper person, and in
strict conformity with the instructions furnished by the Surveyor-General and the laws of the United
States, surveyed all those portions of The Head Center Mine.

claimed by The Copper Basin Copper Company
located in Copper Basin Mining District, Yavapai County,
Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and
I do further solemnly swear that all the corners of said surveys have been established and perpetuated in
strict accordance with the instructions furnished me, and that the foregoing are the true and original field
notes of such surveys.

J. Dugalls Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 11th day

of June 1883

J. T. Carpenter
Notary Public



Head Center.

Notice of location.

Of the Head Center mining claim.

In accordance with the provisions of an "Act of Congress" of the United States of America, approved May 10, 1873, and the amendments thereto; the undersigned claims for mining purposes, the vein or ledge called the Head Center, situate about 10 miles westerly from Prescott, A. T., in Coopers Basin Mining District, Yavapai County, Arizona Territory.

Said claim is bounded and described as follows, to wit:

commencing at a monument on the vein, running thence in a North Easterly direction at right angles, with the vein Three Hundred (300) feet to a monument; thence North Westerly parallel with the vein Fifteen Hundred (1500) feet to a monument; thence South Westerly at right angles with the vein Six Hundred (600) feet to a monument; thence South easterly parallel, with the vein Fifteen Hundred (1500) feet to a monument; thence North easterly at right angles with the vein Three Hundred (300) feet to the place of beginning.

Description.

This vein or ledge is situated North of the "Bonnie Doon" claim, located under the name of May Bean in Copper Basin, and about three miles West of Government Springs, between Government Road and Skull Valley.

Isaac A. Bradshaw

Witness

C. C. Bean,

Copper Basin Mining District,
Yavapai County.

Arizona Territory.

December 15th 1882.

Filed and recorded at request of
J. H. Carpenter, December 29th A. D.
1882, at 11.25, o'clock, A. M. In
Book 15 of Mines, Pages 359-360.
Records of Yavapai County, Arizona

William Wilkerson

County Recorder

By J. H. Carpenter

Deputy.

Territory of Arizona }
 County of Yavapai }
 ss.

I, William Wilkerson
 County Recorder of Yavapai County,
 in the Territory of Arizona, and
 Custodian of Records thereof, do
 hereby certify the above and foregoing
 to be a full, true, and correct
 transcript of the Location Notice of
 the Head Center Mining Claim,
 situated in Copper Basin Mining
 District, County and Territory aforesaid
 and located, December 15th 1882, by
 Isaac A. Bradshaw, as the same
 appears of record in Book 15
 of Mines, pages 359-360, now
 in my office.

In witness whereof I have
 hereunto set my hand and
 affixed my official seal at
 Prescott, Arizona, this 29th
 day of December, A.D. 1882.

William Wilkerson


County Recorder

By D. S. Bechtel

Deputy

Certified Copy.
of the Head Center
Mining Claims.

PLAT
OF THE
HEAD CENTRE MINING CLAIM
SITUATED IN COPPER BASIN MINING DIST. YAVAPAI CO. A.T.
CLAIMED BY THE COPPER BASIN COPPER CO.,
SURVEYED UNDER INSTRUCTIONS RECEIVED FROM
T.W. ROBBINS, U.S. SUR. GEN'L. OF DATE JANUARY 8th 1889,
R.J. F. SINGALIS U.S. DEPMNL. SUR,
JUNE 6th 1889.




U. S. Surveyor General's Office.

Tucson, Arizona, July 9th, 1883.

The foregoing field notes of the survey of the Head Center

Mining claim situate in
the Copper Basin Mining District, Yavapai
County, Arizona, claimed by The Copper Basin
Copper Company.
Survey executed by F. S. Ingalls Deputy
Surveyor, under instructions from this office, having been critically examined
and the necessary corrections and alterations made, the said field notes and
the survey they describe are hereby approved.


J. W. Root
Surveyor General.

Affidavit of Five Hundred Dollars Improvements.

Territory of Arizona } ss.
county of Yavapai }
Cornelius Davis and
W H Smith of lawful age, being first duly sworn according
to law, deposed and say that they are acquainted with the Head
Cutter mining claims in Copper Basin
mining district, county and Territory aforesaid for
which the Copper Basin Copper Company has made
application for patent under the provisions of the Act of Congress approved May 10,
1872, and that the labor done and improvements made thereon by the applicant and his
grantors exceed five hundred dollars in value.

Cornelius Davis
W H Smith

Subscribed and sworn to before me, this 15th day of
September A. D. 1873.

J H Carpenter
Notary Public.

Form I.

U. S. Mining Act, May 10, 1872.

Affidavit of Five Hundred Dollars Improvements.

Territory of Arizona
County of Yavapai } ss.

E J Bennett being first
duly sworn according to law deposes
and says: That he is a Deputy U. S.
Mineral surveyor: That under instructions
received from the Surveyor
General of Arizona dated July 18th 1883
he examined the Head Cut Mining
Claim Copper Basin Mining District
Yavapai County Arizona Territory
and known as Lot No 52. Claimed
by The Copper Basin Copper Company
and surveyed by F S Dugalls U. S. Dep.
Min Surveyor and hereby certifies the
improvements made on this claim
by the claimant and its
agents to consist of a shaft
4 x 6 x 35 ft deep. bearing from Corner
No 1. At 43 $\frac{1}{2}$ ° W. 30 feet distant: a
shaft 4 x 6 x 10 ft deep. bearing from
Corner No 1. At 43 $\frac{1}{2}$ ° N. 72 8 feet distant
a cut 8 x 12 x 20 ft deep bearing from
shaft last above mentioned, At 60° E.
146 feet distant: a cut 8 x 10 x 12 ft
deep bearing from same shaft, At
45° E. 150 feet distant; and that said
improvements represent an expenditure
of Five Hundred Dollars.

- Subscribed and sworn to before me E J Bennett
this 15th day of September AD 1883 u.s. Deputy min. Surveyor

J H Carpenter Notary Public