

M  
S  
-

0  
0  
5  
7  
7

LOT NO. 15-2

SURVEY NO. 577

Field Notes

of the survey of the

"Triple E"

Mining Claim

Situate in Tombstone mining district.

County of Cochise and in Sec., Tp. 20 S.

Range 22 E., of the Gila and Salt River Meridian.

ARIZONA.

Claimed by O. W. Leach

Survey executed by C. S. Batterman U.S. D. S.

Under instructions dated May 15" 1883

Survey commenced June 17" 1883

Survey completed " " 1883

# PRELIMINARY OATHS

FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

I, J. W. Bartholomew,  
do solemnly swear that we will faithfully execute the duties of Chain Carrier, that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of my skill and ability.

J. W. Bartholomew

SWORN to and subscribed before me, this 11<sup>th</sup> day

of June 1883

W. C. Penney

Dep. Clerk

I,

do solemnly swear that I will well and truly perform the duties of .....  
according to instructions given me,  
and to the best of my skill and ability.

SWORN to and subscribed before me this ..... day

of ..... , 188.....

Field Notes  
of the Survey of the  
Triple & Ex Mining Claim  
In Tombstone Mining District  
Cochise County  
Arizona Territory.

Claimed by C. W. Leach -  
Surveyed by C. S. Batterson U.S.  
Deputy Mineral Surveyor under  
instructions from the Surveyor General  
of State May 15 - 1883

Survey commenced June 17 - 1883  
Survey completed June 17 - 1883

Description of Survey -  
Beginning at the initial point mentioned  
in location notice and marking the North  
easterly end corner of claim, where I set  
a post 4 ft by 4" x 4" in a mound of  
stone and earth. (This post adjoins on  
the S. W. Side - a post of the Memimac  
Mining Claim - Lot No 5, Post No 4)  
and marked with a marking tool XXX No 1  
Thence: - S  $58^{\circ} 39' E$

Var  $11^{\circ} 47' E$

301.14 Along N. E. End line of Triple & and S. W.  
end line of Memimac (Lot No 5-1) mining  
claims to location now, where I set  
a post 4'-4" x 4" in a mound of rock +  
earth - Post marked with tool - XXX No 2  
and adjoins on S. W. Memimac M. C. No 5,  
Thence: -

S  $48^{\circ} 18' W$

Var  $11^{\circ} 47' E$

81.30 To post in line marked C. M. C. No 2 - being  
S. W. Cor. of Clipper Mining Claim Lot  
No 105 - Descending

1108.70 To Location now, where I set a post  
4'-4" x 4" in a mound of stone and earth

(2)

4

Post marked with tool XXX N<sup>o</sup> 3  
being S. E. Cor of Triple Ex Mining Claim  
whence 1/4 Sec. Cor. 1/2 mile North of  
the S. W. Cor of T. 20 S. - R. 22 E. G.D.R.  
N - bears S 34° 41' - 05" W - 20333.80 ft.  
and S. S. Min. Mon. N<sup>o</sup> 2 bears N 83° 23' 09" E  
10471.15 ft distant -  
Thence:-

N 58° 39' W -

Var 11° 47' E

299.79 Along S. W. end line to Soc. mon, where  
I set a post 4'-4"x4" in a mound of  
stone and earth - Post marked with  
tool XXX N<sup>o</sup> 44 being S. W. End, Center  
whence open cut with tunnel 4 ft long  
by 7'x5' bears N 23° 00' E 330.00 ft and  
N 52° 41' E - 12.70 ft to shaft 6'x6'-3' deep  
N 52° 41' E - 32.00 ft to shaft 6'x6'-8' deep  
N 52° 41' E - 70.00 ft to shaft 6'x6'-8' deep  
also incline to N. W. 6'x6'-45" bears N 69° 10' E  
417.00 ft distant  
Thence

N 58° 39' W

Var 11° 47' E

300.30 Along S. W. end line of Triple Ex to Soc. mon.  
where I set a post 4'-4"x4" in mound of  
stone and earth - Post marked with  
tool XXX N<sup>o</sup> 5 being S. W. Cor of XXX  
mining claim  
Thence

N 48° 17' E

Var 11° 47' E

1158.79 Along N. W. side line of Triple Ex to Soc.  
monument, where I set a post 4'x4"x4"  
in mound of earth and stone. This post  
joins on the S. W. - the S. W. Cor Post N<sup>o</sup> 3  
of Merrimac Mining Claim (lot N<sup>o</sup> 51)  
Post marked XXX N<sup>o</sup> 6 being N. W.  
Cor of XXX Mining Claim.  
Thence

S. 58° 39' E

Var 11° 47' E

299.54 Along N. E. End line of Triple Ex and  
S. W. End line of Merrimac (Lot 51)  
mining claims To Place of beginning  
- Area of  
- Containing 15.29 acres -

~ Tabulation of Proceeding Notes ~							
West	East	Bearing	Distance	Northing	Southing	Eastings	Westings
1	1	S 58° 39' E	301.14			156.68	257.17
2	2	S 48° 18' W	1158.70			770.80	865.18
3	3	N 58° 39' W	600.09	312.20			512.48
4	5	N 48° 17' E	1158.79	771.12			864.63
5	6	S 58° 39' E	299.54			155.84	255.81
		Totals	1083.32	1083.32	1377.61	1377.61	

This claim is located on undivided Gov. Land.  
and is bounded on the N. E. by Merrimac Mining  
Claim Lot No 51 - on the S. E. by Clipper Mfg  
Claim Lot No 105 and by unknown claim

On the S. W. by the Jonathan Mfg Claim  
and on the N. W. by the Maine Mfg Claim.

The Survey as made, corresponds to the location  
movements as found on the ground.

The improvements made upon  
this claim by claimants or grantors  
consists of a shaft 6' x 6'- 6' deep  
a shaft 6' x 6' by 8' deep - a shaft  
6' x 6' by 8' deep & a tunnel 4 ft deep  
with necessary approaches, and an  
incline shaft 6' x 6' by 15' deep - and I  
herby certify that the value of these  
improvements exceeds the sum of five  
hundred dollars -

There have been no improvements  
made by other parties on this ground  
excepting a well -

1/4 sec 31

$\frac{1}{4}$  sec cor, m. lim Dec 31 - 8,208 R 22.

$\frac{1}{4}$  sec. br - sec 36 x 31 -

Instruments used, a Keller and Brightly Transit and Steel tape -

Dat. and Courses taken by deflection from U. S. established Meridian, passing through U. S. Min. Mow. No. 2 -

Owing to rocky character of ground it was found impracticable to set posts in hole.

By notes sent me from U. S. Sur. Gen's. Office, the bearing of the S. W. end line of the Merrimac (lot No. 5) is  $S\ 82^{\circ}\ 15' E$  while it should be (see page 3 pp 1)  $S\ 58^{\circ}\ 39' E$

The diff being  $23^{\circ}\ 36'$  or within 2' of twice the variation, consequently I suppose the var to have been taken west instead of East.

Course No. 2 -  $S.\ 48^{\circ}\ 18' W$  along side line of Clipper (lot No. 105) differs from notes from Sur. Gen's. Office by  $3^{\circ}\ 37'$ . This diff. I can not explain as the bearing  $S\ 48^{\circ}\ 18' W$  is correct.

C. S. Batterson  
U. S. Dep. Min. Sur.  
Tombstone A. T.  
November 1<sup>st</sup> 1883

7

FINAL OATHS FOR SURVEYS OF MINING CLAIMS & MILL SITES.

A LIST of names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of Triple X - Mining Claim located in Toulstone Mining district, Cochise County, Arizona, showing the respective capacities in which they acted.

J. W. Bartholomew Chainman.  
Chainman.

J. W. Bartholomew Axeman.  
Flagman.

I ~~do~~ hereby certify that we assisted U. S. Deputy Surveyor, in surveying the Triple X Mining Claim

claimed by C. W. Beach located in Toulstone Mining District, Cochise County, and in township No. 20 S Range No. 22 E of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

J. W. Bartholomew Chainman.  
Chainman.  
Axeman.  
Flagman.

SWORN TO AND SUBSCRIBED before me this 3<sup>d</sup> day  
of July 1880

Y. C. Penney  
Deputy Clerk

I, C. S. Batterman U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from the U. S. Surveyor-General for Arizona, bearing date the 15<sup>th</sup> day of May, 1883, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of the Triple X Mining Claim

claimed by C. W. Beach located in Toulstone Mining District, Cochise County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

C. S. Batterman Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 3<sup>d</sup> day

of July 1883

Y. C. Penney  
Deputy Clerk

## AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, J. H. Tippett and James D Martin  
 of lawful age, being first duly sworn according to law, depose and say that we are acquainted with the  
 XX X Thribble X Y mining claim, situated in Tombstone  
 Mining District, Cochise County, Arizona  
 Territory, for which Chas W Leach and  
 has made application for survey prior to application for patent under the provisions of the Act of  
 Congress approved May 10, 1872, and that the labor done and improvements made thereon by the applicant  
 and grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

James D Martin  
 J. H. Tippett


TERRITORY OF ARIZONA,  
 County of Cochise } ss.

SWORN to and subscribed before me, this 30th day

of June 1883

A. Dowse

County Recorder  
 Cochise Co AZ



# PLAT of the TRIPLE EX MINE

*Claimed by C.W. Leach  
Scale 200 ft = 1 inch*

*C. S. Batterman U.S. Dep. Sur.*

*T. 20 S - R. 22 E - G and S. R. J.R.*

*Tombstone District  
Cochise County  
A.T.*

300  
 299.79  
 30  
 600.00  
 0.09

9A

TERRITORY OF ARIZONA, }  
County of Pima. } ss.

I, Chas. R. Drake, County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full true and correct copy  
of Location Notice of the Trible XX XXX Mine

as appears of Record now in my Office in Book C Records of Mines Pages 359.

IN WITNESS WHEREOF, I have hereunto set my  
hand and affixed my official seal, at my office in Tucson  
this 14<sup>th</sup> day of May A. D. 1883.

Chas. R. Drake

County Recorder,



## Brookside Ex XXX Mine

Notice this is to certify that I the undersigned have this day located and staked on this ledge or bed eleven hundred (1100) linear feet. Commencing here at this notice at the southern boundary of the Miner mine and running (100) eleven hundred feet in a southerly direction to the northern boundary of the Brother Jonathan mine and three hundred feet on each side of the center of the vein with all dips spurs and angles.

This claim is situated in Gombstone district Penna County A.S. and has as described above and shall be known as the Brookside Ex XXX mine. Gombstone district Penna Co. A.S. June 10th /18

John Keatzinger

Witness James Bladé

Filed and recorded at request of John Keatzinger June 13<sup>rd</sup> 1878 at 8 A.M.

S.W. Carpenter

County Recorder

By W.A. M<sup>o</sup> Bennett

Deputy.

Visible by

# Triple X (XXX)

## RE-LOCATION NOTICE.

NOTICE IS HEREBY GIVEN, That the undersigned, in compliance with the requirements of the Mining Act of Congress approved May 10, 1872, has this day located and claim ~~the~~  
~~W.M.Y.D.~~ hundred linear feet along the course of this lead, lode, or vein of mineral bearing quartz and ~~350~~ feet in width on each side of the middle of said lead, lode, or vein, situate in the ~~Sandstone~~ Mining District, County of ~~Cochise~~ — Arizona, and more particularly described as follows, to-wit:

COMMENCING at this monument of stones, being the center of the ~~south~~ end of claim, and upon which this notice is posted; thence S.  $70^{\circ}$ - $36'$  E.  $350$ ,  $40$  feet to a monument of stones; thence S.  $36^{\circ}$ - $20'$  W.  $1159$ ,  $70$  feet to a monument of stones; thence N.  $70^{\circ}$ - $36'$  W.  $299$ ,  $60$  feet to a monument of stones, being the center of ~~south~~ end — end of claim; thence N.  $70^{\circ}$ - $36'$  W.  $300$  feet to a monument of stones; thence N.  $36^{\circ}$ - $20'$  E.  $1159$ ,  $70$  feet to a monument of stones; thence S.  $70^{\circ}$ - $36'$  E.  $350$ ,  $40$  feet to place of beginning.

THIS CLAIM was located by John Knobell, Surveyor, #1878 and is now re-located by the undersigned, the present owner, in order to define its position for the purpose of securing the claim's survey for a patent. The claim adjoins the south end of the Merriam Lode No. 51, therefore surveyed for a patent, and lies South  $88^{\circ}$  more or less West from the U.S. Mineral Monument No. 2, on Sulphur Cross Hill, and about 10,500 feet therefrom;

and shall be known as the Triple X Mine.

Re-located March 22d, 1883

C.W. Seach

Owner and Relocator

Trippie 84

Marion's Office

TOMBSTONE, Cochise Co., A. T.

Filed and recorded at request of  
B. H. Leach.

April 30 A. D. 1883

at 4.30 P M.

Book 6. Rec of Minns

Pages 518

A. N. Jones

County Recorder.

U. S. Surveyor General's Office

Tucson, Arizona, January 30<sup>th</sup> 188<sup>th</sup>

The foregoing field notes of the survey of the Triple E  
Mining Claim situate in  
the Limestone Mining District,  
County, Arizona, claimed by C W Leach

survey executed by C S Batterman Deputy  
Surveyor, under instructions from this office, having been critically examined  
and the necessary corrections and alterations made, the said field notes and  
the survey they describe are hereby approved.

Royal E Johnson  
Surveyor General.