

M
S
-

0
0
5
7
9

LOT NO. 154

SURVEY NO. 579

Field Notes

of the survey of the

"Maine"

Mining Claim

Situate in Terrystone mining district.

County of Cochise and in Sec., Tp. 20 S.

Range 22 E., of the Gila and Salt River Meridian.

ARIZONA.

Claimed by C. W. Leach

Survey executed by C. S. Batterman U.S. D. S.

Under instructions dated May 15 1883

Survey commenced Oct 22 1883

Survey completed " " 1883

PRELIMINARY OATHS

FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

◆◆◆

I, B. H. Dunshee and _____
do solemnly swear that I will faithfully execute the duties of Chain Carrier; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of my skill and ability.

B. H. Dunshee

SWORN to and subscribed before me, this 26th day

of October 1883

Jevicke's
Notary Public

I, B. H. Dunshee _____

do solemnly swear that I will well and truly perform the duties of Chain Carrier and Notary Public according to instructions given me, and to the best of my skill and ability.

B. H. Dunshee

SWORN to and subscribed before me this 26th day

of October 1883

Jevicke's
Notary Public

Field Notes
of the Survey of the
Maine Mining Claim -

in the Tombstone Mining District Cochise
County Arizona Ter

Claimed by C. W. Beach -

Surveyed by C. S. Batterson U.S.
Deputy Marshal Surveyor under instruc-
tions from the Surveyor General
of date May 15 - 1883.

Survey commenced Oct 27 - 1883 -
Survey finished Oct 27 - 1883 -

Description of Survey -

Beginning at the Initial monument
mentioned in the location notice and
marking the N.E. end corner of claim, where
I set a post 4' by 4" x 4" in a mound of stone
and earth - Post marked with tool No. No 1
U.S. Min. Mon. No. 2 bears $S 87^{\circ} 12' E$ - 10247.964
 $\frac{1}{4}$ Sec cor. $\frac{1}{2}$ mile north of S. W. cor. of
T. 20 S - R. 22 E bears $S 33^{\circ} 05' N$ - 21051.52 ft.

Thence:-

$S 83^{\circ} 05' E$

var $11^{\circ} 47' E$

304.13 Along N. E. end line of Maine and S. side line
of Uncle Sam mining claims, to loc. mon
then I found a post 5' by 4" x 4" painted
white and marked U. S. M. C. No 2. This
post I marked with tool M. No 2 -
the same being N. E. cor of the Maine
and S. E. cor of Uncle Sam and on side
line of Merrimac Lot No 51

Thence:-

$S 31^{\circ} 26' W$

var $11^{\circ} 47' E$

263.60

Along C. side line of Maine & W. side
line of Memimac Lot 5, to Soc. mon.
where I found a post 4' by 4" x 4" in a
mound of stone and earth, Post marked
M. M. C. N^o 3, also a post 4' by 4" x 4" in
same mound, and marked XXX N^o 6.
This last post I marked for the Maine
N^o 3.

Thence

 $S. 48^{\circ} 17' W$ Var $11^{\circ} 47' E$

1158.79

Along S. E. side line of Maine and N. W.
side line of Triple Ex Mining Claims, to
Soc. mon. where I found a post 4' by
4" x 4" in a mound of stone and earth
and marked XXX N^o 5 also B. J. N^o 6.
This post I marked for the Maine
N^o 4.

Thence

 $S 64^{\circ} 20' W$ Var $11^{\circ} 47' E$

85.00

Along S. side line of Maine and N. side
line of Bro Jonathan Mining Claims, to
Soc. mon. where I set a post 4' by 4" x 4"
in a mound of stone and earth and mark
it N^o 5. the same being the S. E. cor
of the Maine mining claim.

Thence

 $W 83^{\circ} 05' N$ Var $11^{\circ} 47' E$

834.13

Along S. W. ~~Side~~ End line of Maine to
Soc. mon. where I set a post 4' by 4" x 4"
in a mound of stone and earth, Post
marked N^o 6 - being S. W. end center
of claim.

Thence

 $W 83^{\circ} 05' N$ Var $11^{\circ} 47' E$

834.13

Along S. W. End line of Maine to Soc. mon.
where I set a post 4' by 4" x 4" in a mound
of stone and earth - Post marked N^o 7
being S. W. Cor of Maine mining claim.

Thence

$N 46^{\circ} 15'E$

Var $11^{\circ} 47'E$

1493.79

Along N. W. side line of Maine to Soc. line.
where I set a post 4 by 4" x 4" in a
mound of stone and earth and mark
same M. N^o 8, being N. W. cor. of Maine
mining claim.

Thence

$S 83^{\circ} 05'E$

Var $11^{\circ} 47'E$

364.13

Along N. C. end line of Maine and S. side
line of Uncle Sam mining claims, to
Post marked M. N^o 1. being place of
beginning,
Containing
Area - 19.19 Acres -

- Tabulation of Proceeding Notes -

No. of course	Post former	Bearing	Distance	Porting	Southing	Castling	Wresting
1	1	$S 83^{\circ} 05'E$	304.13		36.62	301.91	
2	2	$S 31^{\circ} 26'W$	263.60		224.92		137.47
3	3	$S 48^{\circ} 17'W$	1158.79		771.09		864.95
4	4	$S 64^{\circ} 28'W$	85.00		36.75		76.64
5	5	$N 83^{\circ} 05'W$	668.26	80.48			663.40
6	7	$N 46^{\circ} 15'E$	1493.79	1032.76		1079.06	
7	8	$S 83^{\circ} 05'W$	364.13		43.86	361.49	
		Totals	1113.24	1113.24	1742.46	1742.46	

This claim is located on undivided Gov.
Land - in T. 20 S. R. 22 E. S. & S. R. M.

Improvements made upon this
claim by claimants and grantors consists
of a discovery shaft (A on Plat) 4' x 6' 6'
deep - $S 36^{\circ} 41'W$ - 902.40 ft thence
 $U 53^{\circ} 19'W$ 83.00 ft from Post M. N^o 1.
A shaft 6' x 6' - 10' deep - $S 36^{\circ} 41'W$ = 902.04
feet, thence $U 54^{\circ} 10'E$ - 326.00 ft from Post
M. N^o 1.

An incline 6' x 6' - 35' deep - $S 36^{\circ} 41'W$ 902.04

feet - thence $211^{\circ}39' E$ - 199.70 feet from Post MT. JR² 1.

A shaft 6x6' - 10 ft deep - $S 36^{\circ}41' W$ 902.04 ft, thence $216^{\circ}17' N$ - 133.17 ft from Post MT. JR² 1 -

A shaft 6x6' - 9 ft deep - $S 36^{\circ}41' W$ 902.04 ft - thence $N 07^{\circ}14' N$ 91.00 ft from Post MT. JR² 1

A Tunnel 12 ft long with necessary approaches - $S 36^{\circ}41' W$ 902.04 feet thence $N 47^{\circ}51' N$ - 58.30 feet from Post MT. JR² 1 -

An decline 300 ft deep 6x6' with about 300 ft of drifts - with whim etc at surface - $S 36^{\circ}41' W$ 902.04 feet thence $2163^{\circ}18' E$ - 63.50 ft from Post MT. JR² 1

An open cut 10x12x10' - $S 36^{\circ}41' W$ 902.04 feet, thence $S 84^{\circ}15' E$ - 41.70 ft from Post MT. JR² 1.

And I hereby certify that the value of said improvements exceeds the sum of five hundred dollars.

There have been no improvements made by other parties on this claim -

Instrument used, a Keller and Bright's transit, and steel tape,

Deg. and Courses taken by deflection from U.S. Standard Meridian, through U.S. M. Way. JR² 2.

The rocky character of the ground prevents the posts being set in the ground.

Survey agrees with notice of location a certified copy of which is appended.

C. S. Batterson
U.S. Dep. Min. Sur.

Tombstone November 2 - 1883.

FINAL OATHS FOR SURVEYS OF MINING CLAIMS & MILL SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of The Maine Mining Claim, located in Tombstone Mining District, Cochise County, Arizona, showing the respective capacities in which they acted.

Chainman.
Chainman.
Axeman.
Flagman.

B. H. Dunshee

WE hereby certify that we assisted
U. S. Deputy Surveyor, in surveying

C. S. Batterson
The Maine mining claim

claimed by C. W. Seach

located in Tombstone Mining District, Cochise County,
and in Township No. 20 S Range No. 22 E of the Gila and Salt River base and meridian,
Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and
faithfully executed, and the boundary monuments planted according to the instructions furnished by the
Surveyor General.

Chainman.
Chainman.
Axeman.
Flagman.

B. H. Dunshee

SWORN TO AND SUBSCRIBED before me this 29th day
of Oct 1883

W. J. Diamond
Clark Dist Court

I, C. S. Batterson, U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from the U. S. Surveyor-General for Arizona, bearing date the 15th day of
May, 1883, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of The Maine mining claim

claimed by C. W. Seach

located in Tombstone Mining District, Cochise County,
Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and
I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

C. S. Batterson

Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 29th day
of Oct 1883

W. J. Diamond
Clark Dist Court



AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

W^e, Jⁿ Tippett and James D Martin
 of lawful age, being first duly sworn according to law, depose and say that we are acquainted with the
 "Maine" mining claim, situated in Tonalea
 Mining District, Cochise County, Arizona
 Territory, for which Chas W Leach and
 has made application for survey prior to application for patent under the provisions of the Act of
 Congress approved May 10, 1872, and that the labor done and improvements made thereon by the applicant
 and grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

James D Martin
 J. H. Tippett.

TERRITORY OF ARIZONA,
 County of Cochise } ss.

SWORN to and subscribed before me, this 30th day

of June 1883
 A. Jones
 County Recorder
 Cochise Co AZ

~~State of Arizona~~ Main Mine
Re-LOCATION NOTICE.

NOTICE IS HEREBY GIVEN, That the undersigned, in compliance with the requirements of the Mining Act of Congress approved May 10, 1872, ~~doe~~ this day ^{of} located and claimed ~~the~~ ~~474.555~~ hundred linear feet along the course of this lead, lode, or vein of mineral bearing quartz and ~~350~~ (~~more or less~~) feet in width on each side of the middle of said lead, lode, or vein, situate in the ~~Southern~~ ~~line~~ Mining Dist. ict, County of ~~Cochise~~ ~~Arizona~~, and more particularly described as follows, to-wit:

COMMENCING at this monument of stones, being the center of the ~~south~~ ~~northeast~~ end of claim, and upon which this notice is posted; thence ~~N. 56°-15' E. 2.35 S. 56°~~ feet to a monument of stones; thence ~~S. 56°-32' E. 7.4 S. 0~~ feet to a monument of stones; thence ~~S. 39°-28' W. 14.4 S. 56°-32' W. 3.00~~ feet to the ~~monument of stone~~ center of ~~south~~ ~~northeast~~ end of claim; thence ~~N. 56°-32' W. 3.00~~ feet to a monument of stones; thence ~~N. 34°-32' S. 0.00~~ feet to a monument of stones; thence ~~N. 56°-15' S. 33.5 S.~~ feet to place of beginning.

THIS CLAIM ~~was located by J. W. Easton and H. A. Hart June 7th, 1878~~ and is now re-located by the undersigned, the present owner, to connect its location with the Mineral Claim last made on the first hill, distant about 110 feet above & west of N. 45°-45' East. This claim is bounded on the North by the Steele San mining claim, on the East by the Martin mining claim and on the South by the State of Maine No 2 Mining claim.

and shall be known as the ~~State of Maine~~ Mine.

Re-Located March 22d 1883

C. W. Leach

Owner and Relocator

Marine

Recorder's Office,

STONE, Cachise Co., A. T.

and recorded at request of

H. Reach

April 30 A. D. 1883 3.

4. 30 P. M.

Rec of min

5/7.

A. J. Jones

County Recorder.

TERRITORY OF ARIZONA, } ss.
County of Pima.

I, Chas. R. Drake, County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full true and correct copy
of Location Notice of the Maine Mine.

as appears of Record now in my Office in Book C^{Records of Mines} Pages 423.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson this 14th day of May A. D. 1883.

A large, circular red wax seal impression, likely made from a metal seal, is positioned in the lower-left corner of the document. It has a serrated edge and a textured, mottled appearance characteristic of old wax seals.

Chas R Drake

County Recorder,

Maine Mine

Mining notice this is to certify
 that we, the undersigned do this
 day locate and claim 1500 linear
 feet on this ledge or vein of mineral
 bearing starting with 300 feet on the
 west side of the ledge and about 1150
 feet on the east side or all the
 ground between the vein and the
 western boundary of the Brother Jonathan
 mine and is described as follows
 commencing at a monument or discov-
 ery hole, where this notice is posted
 mining 400 feet in a north-easterly
 direction to the southern
 boundary of the Uncle Sam mine
 thence 1100 feet in a southwesterly
 to a monument of stone on top of
 the hill. This claim shall be known
 as the Maine mine Limestone
 Pine Co. A.S. June 7. 1878

Witness / Located by

A.H. Hanson / G.W. Cushing 750 feet

H.H. Holt 750 feet

Filed and recorded at request of H.H.
 Holt July 15th 1878 at 8 A.M.

S.W. Carpenter County Recorder

By J.H.B. Jenkins Deputy.

Maine.

10560

2
6280

1 Relocation Notice.

2
 3 Notice is hereby given that the undersigned in
 4 compliance with the requirements of the Mining
 5 Act of Congress approved May 10th 1872 I have
 6 this day located and claim Fifteen Hundred
 7 linear feet along the course of this lead lode
 8 or vein of mineral bearing quartz and three
 9 hundred feet in width on each side of the
 10 middle of said lead lode or vein situated
 11 in the Tombstone Mining District County of
 12 Cochise Arizona and more particularly
 13 described as follows to wit:

14 Commencing at initial monument No 1,
 15 being center of the North end of claim and
 16 upon which this notice is posted: thence
 17 $883^{\circ}05' E$ 304.13 ft to corner monument No 2
 18 bring S.W cor of Uncle Sam mining claim.
 19 Thence $831^{\circ}23' W$ 265 ft to corner No 3 bring
 20 S.W. cor of Merrimac Mining claim and
 21 N.W cor of XXX Mining claim. Thence 848°
 22 $17' W$ 1158.70 ft to corner No 4 bring S.W. cor
 23 of XXX and N.W corner of Pro Jonathan
 24 Mining claim. Thence $864^{\circ}23' E$ 90. ft to
 25 corner No 5 bring S.E. corner of Maine.
 26 Thence along South end $N 83^{\circ}05' W$ 334.13 ft
 27 to monument No 6 the South end center of
 28 claim. Thence $N 83^{\circ}05' W$ 334.13 ft to corner
 29 No 7 the S.W corner of the claim. Thence
 30 North Easterly 1500 ft to corner No 8 bring

No W corner of Maine. Thence S 83°-05' E.
364¹³ ft to place of beginning. Bounded on
the North by Uncle Sam, on the S East by
Merrimac, xxx, and Bro Jonathan - on the
South by Maine No 2 Mining claims and
on the N W by unknown grounds. This
mine shall be known as the Maine mine.
In order to more fully comply with the
requirements of Sec 2324 of the Mining Laws
of the U. S relative to the record and locus
of Mining claims a former location dated
July 5th 1878 and recorded in Book 1, page
258 Transcribed records of mines is hereby
amended by substituting the above notice
which is placed upon said mine this 25th
day of October A.D. 1883.

C. W. Leach.

Filed and recorded at request of C. Leach
Oct 25. 1883. at 11 A.M.

A. G. Jones
County Recorder

Book. 7. pp. 32 }
Rec. Mines }

Territory of Arizona,
County of Cochise.

H. A. T. JONES, County Recorder in and for the County
of Cochise, do hereby certify that the above and foregoing is a full, true and
correct copy of an instrument.

as appears of record now in my office in Book 7, Page 32.

Records of Mine.

IN WITNESS WHEREOF, I have hereunto set my

hand, and affixed my official seal, at my office in
Tombstone this 26 day of Oct A. D. 1882

as follows

County Recorder.

PLAT
OF THE

MAINE MINE

Claimed by C.W. Leach

Scale 200ft=1inch

C.S. Batterman U.S. Dep. Sur.

T.20S.-R.22E.-G. and S.R.M.
Tombstone District,
Cochise County A.T.

JX H 6° 15' E - 1493.79 ft

M.N. 70 334.13 ft

N 83° 05' W

M.N. 6 334.13 ft

M.N. 4 334.13 ft XXX N. 5° S

M.N. 5 334.13 ft B.J. N. 6

Uncle Sam

M.N. 8

S 83° 05' E - 304.13 ft

M.N. 1 S 87° 12' E 10247.96 ft To U.S.M.M. 2

S 83° 05' E - 304.13 ft Q.M. N. 2

M.N. 3

S 31° 26' W - 263.60 ft

M.M.C. N. 3

Merrimac
Lot 52

Var. N 11° 47' E

Triple E

S 48° 17' W - 1158.79 ft

Area 19.19 Acres
MAINE

Shaft 85 ft Cut

Shafts S 36° 41' W - 902.04 ft

Incline

S 48° 17' W - 1158.79 ft

Shaft

Bro Jonathan
Set 70 15 3

U. S. Surveyor General's Office.

Tucson, Arizona, January 30th 1884

The foregoing field notes of the survey of the "Maine"

Mining Claim situate in
the Tombstone Mining District, Cochise
County, Arizona, claimed by C. W. Leach

survey executed by C. S. Batterson Deputy
Surveyor, under instructions from this office, having been critically examined
and the necessary corrections and alterations made, the said field notes and
the survey they describe are hereby approved.

Royal Johnson
Surveyor General.