

M
S
-

0
0
5
8
0

LOT NO. 37SURVEY NO. 580

Field Notes

of the survey of the

"Leviathan"Mining ClaimSituate in Weaver mining district.County of Gavapai and in Sec. approx., Tp. NRange 57 W, of the Gila and Salt River Meridian.

ARIZONA.

Claimed by Charles P. StantonSurvey executed by Edward N. Wilton — U.S. D. S.Under instructions dated June 11th 1883Survey commenced " 28 " 1883Survey completed " " 1883

PRELIMINARY OATHS

FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

WE, Thomas Hodge and Edward B Campbell

do solemnly swear that we will faithfully execute the duties of Chain Carriers: that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Thomas Hodge

Edward B Campbell

SWORN to and subscribed before me, this 28 day

of

June 1883

A. Wade
Justice of the Peace

I, Edward Hilton

do solemnly swear that I will well and truly perform the duties of As. Deputy Surveyor of Mineral Lands according to instructions given me, and to the best of my skill and ability.

Edward Hilton
As Deputy Surveyor of
Mineral Lands

SWORN to and subscribed before me this

28 day

of

June, 1883

A. Wade
Justice of the Peace

(*See Back)

3
Affidavit of Edward B.
Campbell, Sworn and
Subscribed to before me
a Justice of the peace
of the County of Yavapai
Territory of Arizona
the 28th day June
A.D. 1883

L. P. Stanton
Justice of the peace

4

Street

Field Notes

of the Survey of the
Lemathau Mining Claim
in the Weaver District
Yavapai County
Arizona

Surveyed by Edwd H. Williams,
Deputy Mineral Surveyor
by order instructions from the
Surveyor General dated,
11th June 1883.

Survey commenced 21st May 1883
Completed 26th Aug 1883
~~The survey completed 28th June 1883,~~

Description of Survey

Beginning at the initial
monument mentioned in
location notice and run
- King the Westerly end
centre of the claim, where
I set a post and granite
rock marked L. M. N. I. $1\frac{1}{2}$
feet in the ground, braced with
mass of stone
Thence N 25° W
Variation 15° 31' E.

300

ascending a ridge to N.W.
corner of claim where I set
a post and granite rock, $1\frac{1}{2}$
feet in the ground, each
marked L. M. N. II, and under
these in the hole a portion
of an old cast iron pipe from
a stamp mill

To working shaft and hoistings

Front

walks of the Marcus Mine $N 3\frac{3}{4}^{\circ}$
W. distance 3211 feet
To Mineral Mountain No. I. due
North distance 710 feet
Vulture Peak S. 8° W.
Thence N 65° E

Variation 15° 31' East

200 To edge of hill and descend
Mountain Post and granite
rock back marked L. M. N.
750

III

1329 Cross Wash that runs down
just inside Mountain No. I.
1430 By same wash
1470 Leave wash & cross small
hill
1500 N.E. corner of claim, in centre
of before mentioned wash
Set Post and granite rock
back marked L. M. N. IV
No bearings available
Thence S 25° E

Variation 15° 31' East

300 Ascending very steep hill
To Mountain for easterly
end corner of claim Set
a post 2" + 4" + 3 $\frac{1}{2}$ ' placed 1 $\frac{1}{2}$
feet in the ground marked
L. M. N. IV - (R. Wilton)

402 Crest of the spur of the mountain
in which the ledge is situated

500 Ledge crops out and shows a
wall of quartz 3 1/4 feet high
to the southward and eastward
and continues up the spur
500 feet beyond the boundary
of the claim - then descend

600 To S.E. corner of claim Set
a post 2" + 4" + 3 $\frac{1}{2}$ ' placed 1 $\frac{1}{2}$
feet in the ground & marked
L. M. N. VI

No bearings available

Yank

- Ghence S. 65° W
Variation 15° 31' East
- 362 Cross ridge and descend,
Cross a spur of the Nue
beating S. 16° W.
- 570 Cross deep gulch between
S. 15° W. —
- 674 Set Post 2x4x3½ set 1½ feet
in the ground & marked
L. M. N. VII
- 750 Cross Road leading to the
buildings & tunnel
- 926 Top of Central Spur in
which the ledge is situated
S. W. corner of claim. I set
a post 2x4x3½ - 1½ feet in
the ground with pile of
stones marked L. M. N. VIII
- 1000 No bearings available
Ghence N. 25° W (N. 25° W) ~~W. 100~~
- 1300 Variation 15° 31' E at
- 225 Cross Wash that runs from
the N.E. corner & crosses
center of ledge 18 feet inside
initial monument
- 300 Close in on initial
monument, the place of
beginning, the chaining
being 299:98 feet or about
2½ inches short

Improvements
Made upon this claim
by the claimant C. P. Stanton

From monument N. III, marked
L. M. N. III S. 39° 07' E - dish
200 feet to mouth of tunnel
inside of the approaches

Tunnel 55 feet long 6 feet
high and 4½ feet wide -
the approaches are 30 feet long
outside of tunnel

There is a Wiggs inside of
Tunnel 6 feet wide, 6 feet deep
and 8 feet long, extending later-
ally across the Tunnel -

On same course 270 feet dist
two open cuts over Tunnel
extending longitudinally along
the ledge - one $30' \times 8' \times 11'$.
the other $10' \times 6' \times 7'$

"From monument No. III course
S. 27° W distance 400 feet
open cut no 3 - $60' \times 40' \times 8'$ deep

On same course 490 feet dist
open cut no 2 - $42' \times 30' \times 8'$ deep

"From monument No. III

Course S. 15° W 275 feet dist
open cut No. 1 - $18' \times 12' \times 12'$ deep

On line from corner No. 2
to corner No. 3 - 400 feet, and 50
feet depth at right angles
open cut No. 6 - $10' \times 6' \times 6'$

"From same point on line
and 200' feet depth open
cut No. 7 - $20' \times 80' \times 7'$

On the line from corner
3 to corner 4 - 250 feet - and
75 feet depth at right angles
open cut No. 8 - $40' \times 20' \times 8'$
and inclined shaft $4 \times 6 \times 12'$
on same line at 400 feet.
Surface cut No. 5, on spur
of hill $60' \times 40' \times 3'$ - this
cut is along the slope of
the hill, just inside and
parallel to boundary line -
15 feet inside the line

On same line and at 500 feet
distance - 20 feet to the right
at right angles, a shaft
 $4' \times 6' \times 20'$. -

On same line from Cor 3
West - at 1180 feet-distance
open cut west - 40' x 20' x 10'
This cut is on and across
the line

Total amount of solid
rock excavation 2527 Cubic
Yards

In centre of claim between
monuments III and VII are
situated a mess house and
kitchen 60' x 20' - and a black
smith's shop, both dilapidated -
the former a frame building
the latter part frame & part
brush covered

The road is excavated in
the side hills

Total area of claim
 $20\frac{66}{100}$ acres

No other claim adjacent

Instruments used a Gurley
transit with illuminated
telescope - and a 100 foot
chain.

On 24 May 1883 from
Cor No. 1 or N.W. corner I
laid down a meridian
from the lower passage of
Polaris over the meridian
on the 26 May 1883, I laid
down another meridian
from the eastern elevation
of Polaris, and they both
agreed giving the variation
to be 10° 31' East. —

On the true meridian line
from corner lot. or N.W. corner

At a distance of 710 feet
is United States Mineral
Monument No. 1 Aparite
Rock marked U.S. M.M. N^o. 1
with a pile of Rock & Beet
high adjacent

Edward H. Wilton,
U.S. Deputy Mineral Surveyor

Stanton
Jasper County, N.Y.
10th July 1883.

Territory of Arizona 3d.
County of Yavapai 3d.

Personally appeared before me, Edward H. Wilton a United States Deputy Surveyor of Mineral Lands for the District of Arizona, who being duly sworn deposes and says - that - under instructions from the United States Surveyor General for the District of Arizona dated Tucson C. V. 11th June A. D. 1883 he made a Survey of the Leviathan Mine, (in Patent,) situated in the Weare Mining District, Yavapai County Territory of Arizona, and owned or claimed by Charles P. Stanton and that he is satisfied that Five hundred dollars (\$500⁰⁰) worth of work has been done on said Mine. And that the assessment work since its relocation on the 4th January 1877 amounts to over Nine hundred dollars. And the Depoent further avers that the work done on aforesaid claim is as follows: One Tunnel (55) fifty five feet.

long by (6) six feet high and by
"Four Tons half feet wide (4½)
Accumulating to (1485) one thousand
four hundred and eighty five cubic
feet of solid rock excavation.
Approach to Yemmel (30) Thirty feet
long breadth of Yemmel and (10)
Ten feet deep, and (8) eight feet
wide accumulating to (1700) Thirteen
hundred cubic feet of solid rock
excavation; a wing in Yemmel
(6) six feet deep by (6) six feet wide
and (8) eight feet long, accumulating
to (288) Two hundred and eighty eight
cubic feet of solid rock excavation.
Two open cuts over Yemmel amounting
to (3060) Three thousand and sixty cubic
feet of solid rock excavation; open
surface cut no. 1. (2592) Two thousand
five hundred and ninety two cubic feet
of solid rock excavation; open surface
cut no. 2. (11,340) eleven thousand, three
hundred and forty cubic feet of solid
rock excavation; open surface cut
no. 3. amounting to (21,600) Twenty one
thousand six hundred cubic feet
of solid rock excavation; open
surface cut no. 4. amounting to (8000)

eight thousand cubic feet of Solid Rock excavation; open surface cut no 5, amounting \$ (7200) Seven thousand two hundred cubic feet of Solid Rock excavation; open surface cut no 6. amounting \$ (300) Three hundred cubic feet of Solid rock excavation; open surface cut no 7. amounting \$ (4200) Four thousand two hundred cubic feet of Solid Rock excavation; open surface cut no 8. amounting \$ (6400) Six thousand four hundred cubic feet of Solid Rock excavation and Two shafts amounting \$ (576) Nine hundred and seventy six cubic feet of Solid Rock excavation; amounting in all \$ (2527) Two thousand five hundred and twenty seven cubic yards of Solid Rock excavation done on the claim; or thereabouts. And deposes further says that from all the evidence that he can hear or become acquainted with, that most if not all the work done on the aforesaid claim, was performed or paid for by the aforesaid

Declarant Charles P. Stanton
Howard H. Wilton
U.S. Deputy Surveyor of
Mineral Lands.

Subscribed and sworn
to before me - a Justice
of the peace of Yavapai
County Territory of Arizona
This tenth day of July A.D. 1883.

C. P. Stanton
Justice of the peace

FINAL OATHS FOR SURVEYS OF MINING CLAIMS & MILL SITES.

A LIST of names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of The Leiathee Mining Claim located in The Weaver Mining district, Gavapai County, Arizona, showing the respective capacities in which they acted.

Thomas Hodges Chainman.
Edward B. Campbell Chainman.
W. H. Marks Axeman.
W. H. Marks Flagman.

WE hereby certify that we assisted Edward H. Wilton, U. S. Deputy Surveyor, in surveying The Leiathee Mining Claim claimed by Charles P. Stanton located in The Weaver Mining District, Gavapai County, and in township No. 44 Range No. 44 of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Edward B. Campbell Chainman.
Thomas H. Hodges Chainman.
W. H. Marks Axeman.
W. H. Marks Flagman.

SWORN TO AND SUBSCRIBED before me this 1 day
of July 1883

Alvado
Justice of the Peace

I, Edward H. Wilton, U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from the U. S. Surveyor-General for Arizona, bearing date the 11th day of June 1883, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of The Leiathee Mining Claim claimed by Charles P. Stanton located in The Weaver Mining District, Gavapai County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

Edward H. Wilton Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 1 day
of July 1883

Alvado
Justice of the Peace

Affidavit of Edward B.
Campbell, Sworn and
Subscribed to before
me a Justice of the
Peace of Meeker District
County of Yavapai
Territory of Arizona
This tenth day of July
A.D. 1883

C. P. L. Coulton
Justice of the peace

AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, Wells H. Bates and Thomas Hailey,
 of lawful age, being first duly sworn according to law, depose and say that we are acquainted with the
 Leviathan Mining Claim
 mining claim, situated in the Glaser
 Mining District, Yavapai County, Arizona
 Territory, for which Charles P. Stanton
 has made application for survey prior to application for patent under the provisions of the Act of
 Congress approved May 10, 1872, and that the labor done and improvements made thereon by the applicant
 - and his grantor do not exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

Wells H. Bates
 Thomas Hailey
 Murky

TERRITORY OF ARIZONA,
 County of Yavapai } ss.

SWORN to and subscribed before me, this 1 day

of July 1883

Alvado
 Justice of the Peace

Leviathan

Notice

I the undersigned locate
and claim fifteen hundred (1500) feet of
mining ground on this gold and silver
bearing Quartz lode.

Commencing at this Notice and
Monument, which is placed on the lode
at a ravine or gash and running East
from thence fifteen hundred (1500) feet
on the lode.

I also claim three hundred feet on
each side from the middle of said
vein for mining purposes.

This is a relocation of a claim which
was called the Devil's mine. It is
located according to the provisions of
the 5th section of an Act of Congress
to promote the development of the
Mining Resources of the United States
approved May 10th 1872.

This claim or mine is situated
about one mile west from Antelope
Creek on the back bone of a ridge
or hog back running west in Weaver
Mining District, Yavapai County, Territory
of Arizona, and is to be known as the
Leviathan Claim or lode.

Weaver Mining District - January 4th 1877.

James A. Bright

Filed for record at the request of Lehal, P.

1 Stanton May 9th 1877, at 1^o o'clock
 2 P.M. and duly recorded in Book E. S.
 3 of mines, Records of Yavapai County
 4 Arizona, at folios 409-410.

5 William Welkerson
 6 County Recorder

7
 8
 9
 10 Territory of Arizona } ss
 11 County of Yavapai }
 12

13 I, Harley H. Leatter,
 14 County Recorder of the County of
 15 Yavapai in the Territory of Arizona,
 16 do hereby certify the foregoing to be
 17 a full true and correct copy of the
 18 Notice of Location of the Leviathan
 19 Mining Claim, in Weaver Mining
 20 District, in said County and Territory,
 21 as the same appears of Record in the
 22 office.

23 In witness Whereof I have
 24 herein set my hand and
 25 affixed my official Seal
 26 this 8th day of June A.D. 1883

27 Harley H. Leatter
 28 County Recorder



29 Put on Record of Bright & Stanton
 30
 31
 32

U. S. Surveyor General's Office

Tucson, Arizona, January 30th 1884

The foregoing field notes of the survey of the *Leonard*

Mining *Claim* situate in
the *Weaver* Mining District, Yavapai
County, Arizona, claimed by *Charles P Stanton*

survey executed by *Edward H Wilton* Deputy
Surveyor, under instructions from this office, having been critically examined
and the necessary corrections and alterations made, the said field notes and
the survey they describe are hereby approved.

Royal E Johnson
Surveyor General.

PLAT
of the
LEVLA THAN
Mining Claim
Weaver District
Garfield County
Arizona

Surveyed by Charles P. Stanton
Searched by Edw^t H. Wilson, U.S. G.S.
28^m June 1888
Scale 200 feet = 1 inch
Variation 15° E.

Due North to N.W. corner
200 feet due East N.E. corner
300 feet due West N.W. corner
150 feet due South N.E. corner

