

M  
S  
-

0  
0  
6  
1  
5

LOT NO. 52

SURVEY NO. 615

*Field Notes*

of the Survey of the

"Keystone State"

Mining Claim

Situate in Cochise Mining District.

County of Cochise and in Sec. approx, Tp. 18S

Range 22 E., of the Gila and Salt River Meridian.

ARIZONA.

Claimed by Edward Hudson et al

Survey executed by Solon M. Allis U.S. D. S.

Under instructions dated September 20 1883

Survey commenced " 22 " 1883

Survey completed " 22 " 1883

# PRELIMINARY OATHS

FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

WE, Louis Bernard and John Simpson

do solemnly swear that we will faithfully execute the duties of Chain Carriers: that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Louis Bernard  
J. Simpson

SWORN to and subscribed before me, this 22<sup>nd</sup> day

of September 1883

Solon W. Allis  
Notary Public, Pima Co. A.T.

I, Walter Douglas,

do solemnly swear that I will well and truly perform the duties of Flagman

according to instructions given me,

and to the best of my skill and ability.

Walter Douglas

SWORN to and subscribed before me this 22<sup>nd</sup> day

of September, 1883

Solon W. Allis  
Notary Public, Pima Co. A.T.

— FIELD NOTES —

of the Survey of the  
KEYSTONE STATE

MINING CLAIM

In the Bachis Mining District Gachis County  
Arizona-

Claimed by Edward Hudson, B. S. Peck  
and John Woods -

Surveyed by Solon M. Allis U. S.  
Deputy Mineral Surveyor  
Under Instructions from the Sur-  
veyor General, of date Sept 20  
1883 -

Buck

Field Notes  
 of the Survey of the  
 Keystone State Mining Claim  
 In the Cache Mining District Cache Co.  
 Arizona  
 Claimed by Edward Hudson, B. G. Peel  
 & John Woods.  
 Surveyed by Solon McAllis U.S.  
 Deputy Mineral Surveyor, under  
 instructions from the Surveyor  
 General of date Sept 20. 1883.  
 survey begun Oct. 22. 1883  
 " completed " "

### Description of Survey.

Beginning at the Initial Mark,  
 mentioned in location notes and  
 marking the South Easterly end corner  
 of claim, where I set a post 5 ft  
 long  $4 \times 6$ " sq - 1 $\frac{1}{2}$  ft in the ground  
 and surrounded same with  
 mound of stones. Post marked  
K. S. S. N<sup>o</sup> 1. Shaft N<sup>o</sup> 1 bears N $74^{\circ}6'W$  dist 73 ft  
 U. S. Min. Mon N<sup>o</sup> 1 bears S $28^{\circ}45'W$ .  
 Large Limutton ledge in place marked  
K. S. S. N<sup>o</sup> 1. bears. S $89^{\circ}44'E$  6 ft -  
 thence. S $89^{\circ}44'E$ .

Var  $12^{\circ}14'E$  -

300 To Loc. Mon - where I set a pins  
 Post 5 ft long  $4 \times 6$ " sq - 1 $\frac{1}{2}$  ft in  
 the ground. and surrounded the  
 same with mound of stones,  
 Post marked K. S. S. N<sup>o</sup> 11  
U. S. Min. Mon N<sup>o</sup> 1 bears. S $31^{\circ}15'W$ .  
 This line also the Northern End  
 boundary line of Peabody N<sup>o</sup> 8 Mining  
 Claim -  
 thence N $7^{\circ}46'W$

Var  $12^{\circ}14'E$

1500 To Loc. Mon - where I set a pins  
 post 5 ft long  $4 \times 4$ " sq 1 $\frac{1}{2}$  ft in  
 the ground and surrounded the  
 same with mound of earth and

Foot

stones

Post marked K.S.S. N<sup>o</sup> III

U.S. Mininal Mon N<sup>o</sup> 1 bears.

S 23° 30' W. No other bearings available.  
Hence N 89° 44' W

Var 12° 14' E

300 To Loc Mon - ~~for~~<sup>N</sup> Westly End  
center of claim - where I set a  
post 5 ft long 4x4" sq 1 $\frac{1}{2}$  ft  
in the ground. and surrounded  
same with mound of Earth  
and stones. Post marked K.S.S. N<sup>o</sup> IV.

A smooth round hill about ten miles  
dist bears. N 39° 14' E

Top of Limestone Peak bears. N 58° 31' W.  
U.S. Min Mon N<sup>o</sup> 1 bears. S 21° 30' W.  
Hence N 89° 14' W (Same course)

Var 12° 14' E

300 To Loc Mon - where I set a post  
5 ft long, 4x4" sq 2 ft in the  
ground, and surrounded the  
same with mound of Earth & Stones  
Post marked K.S.S. N<sup>o</sup> V  
N.E. loc mon Delta Mining claim  
bears. N 7° 46' W Dist 6 ft.  
U.S. Min Mon N<sup>o</sup> 1 bears. S 19° 15' W.  
Hence S 7° 16' E

Var 12° 14' E

1340 At Interset Easterly Side line of  
Peabody Mining Claim <sup>Lot No 39</sup> as located

1406 To point opp shaft N<sup>o</sup> 5 - 2 ft left  
of line -

1425 To point opp shaft N<sup>o</sup> 6 - 20 ft left  
of line -

1470 1494 1500 Center of Gulch running Easterly -  
S.E. corner of Delta mining claim  
To Loc Mon - where I set a post  
4 ft long 4x4" sq 1 $\frac{1}{2}$  ft in the ground  
and surrounded the same with  
mound of stones.

To Post marked K.S.S. N<sup>o</sup> VI.

This monument also marking the  
Intersection of true side lines

Feet

and End line of Peabody Mining  
Claim No 39 where said lines  
make an angle 383 feet distant  
from N.W. End of Peabody claim -

U.S. Mineral Monument No 1

Bear S  $25^{\circ}30'W$  dist 5630 feet.

N. Limestone ledge in place  
marked K. S. S. N<sup>o</sup> VI bears N  $7^{\circ}46'W$   
Dist 5 ft

Shaft N<sup>o</sup> 4 bears N  $17^{\circ}E$  Dist 110 ft

" N<sup>o</sup> 3 " N  $17^{\circ}30'E$  " 80 ft

A. Shaft N<sup>o</sup> 2 not made by claimants  
bears N  $32^{\circ}44'E$  dist 57 ft.

Thence S  $89^{\circ}44'E$

Var  $12^{\circ}14'E$ .

70

To center of Gulch running S.E.

140

Intersect with side line of Peabody  
Mining claims, <sup>Lot No 395</sup> N  $34^{\circ}W$  463 ft

to N.E. corner of said claims -

300

To Monument and Post K.S.S. N<sup>o</sup> 1  
the place of beginning.

Area -

Total Area of claims 20.30 A.

Conflict with Peabody not claimed <sup>160.89 ft.</sup>

Net Area 20.29+ Acres

Note: The South End boundary line of  
Keystone State intersects the N.E. side  
line of the Peabody claim 3 feet S.E.  
of corner as established by official  
survey of same. The 160 sq ft thus  
shown as conflict is not claimed  
by the Keystone

### - Location -

This claim is located about  $\frac{1}{4}$  of  
a mile North of the Town of Johnson  
Lachiss Mining District, Lachiss  
Co. A.T. and is bounded on the  
West by the Delta and on the  
South by the Peabody & Peabody  
No 1. Mining Claims -

### Improvements

Made upon this claim by claimants or grantors consist of a air shaft

N<sup>o</sup> 1 4x4' 4 ft deep.

N 70° 40' W. 73 ft from Post K.S.S.

N<sup>o</sup> 1

A shaft N<sup>o</sup> 3 - 5x7 - 10 ft deep.

N 17° 30' E <sup>80ft</sup> from Post K.S.S. N<sup>o</sup> VI

A shaft N<sup>o</sup> 4 - 5x7 - 4 ft deep

N 17° E 110 ft from Post K.S.S. N<sup>o</sup> VI.

A shaft N<sup>o</sup> 5 - 5x7 - 17 ft deep.

N 7° W 91 ft from Post K.S.S. N<sup>o</sup> VI.

I hereby certify that the value of said improvements exceeds the sum of four hundred dollars  
Improvements made by other parties who attempted to jump this claim consist of

1 shaft 5x7 - 10 ft deep no 2

N 32° 44' E 57 ft from

Post K.S.S. N<sup>o</sup> VI.

Instruments used a Buff & Berger Transit and Steel chain -

Var found by obs on Polaris -

Solon M. Allis

U.S. Deputy Mineral Surveyor.

Tucson Sept. 26. 1883 -

7

FINAL OATHS FOR SURVEYS OF MINING CLAIMS & MILL SITES.

A LIST of names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of The - Key Stone State Mining Claims located in Cochise Mining district, Cochise County, Arizona, showing the respective capacities in which they acted.

Louis Bernard Chainman.  
John Simpson Chainman.  
Walter Douglass Axeman.  
Walter Douglass Flagman.

WE hereby certify that we assisted Solon M. Allis U. S. Deputy Surveyor, in surveying The Key Stone State Mining Claims claimed by Edward Hudson B. D. Peel & John Woods located in Cochise Mining District, Cochise County, and in township No.      Range No.      of the Gila and Salt River base and meridian, Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

Louis Bernard Chainman.  
J. Simpson Chainman.  
Walter Douglass Axeman.  
Walter Douglass Flagman.

SWORN TO AND SUBSCRIBED before me this 22<sup>nd</sup> day  
of September 1883.

Solon M. Allis  
Notary Public Phoenix A. J.

I, Solon M. Allis U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from the U. S. Surveyor-General for Arizona, bearing date the 20<sup>th</sup> day of September 1883, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of The Key Stone State Mining Claims claimed by Edward Hudson - B. D. Peel & John Woods located in Cochise Mining District, Cochise County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

Solon M. Allis Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 26<sup>th</sup> day  
of September 1883.

C. W. Clegg,  
Notary Public,  
Pima County,  
Arizona.

## Location Notice

Notice is hereby given that the undersigned in compliance with the requirements of the Mining Act of Congress approved May 10. 1872 have this day so located and claimed 1300 hundred linear feet along the course of this lead lode or vein of mineral bearing quartz, and 300 feet in width on each side of the middle of said lead lode or vein situated in the Cochise Mining District Arizona and more particularly described as follows to wit: commencing at this monument of stones being the center of the S. E. end of claim and upon which this notice is posted; thence N.  $73^{\circ} 30'$  E. 300 feet to a monument of stones; thence N.  $16^{\circ} 30'$  W. 1300 feet to a monument of stones; thence S.  $73^{\circ} 30'$  W. 300 feet to a monument of stones being the center of the N. W. end of claim; thence S.  $73^{\circ} 30'$  W. 300 feet to a monument of stones; thence S.  $16^{\circ} 30'$  E. 1300 feet to a monument of stones; and thence N.  $73^{\circ} 30'$  E. 300 feet to place of beginning. This claim is situated in the Dragoon mountains about  $3\frac{1}{2}$  miles north easterly from Lyons Springs about a quarter of a mile from the town of Johnson and the southerly end of the claim is about 300 feet N.  $73^{\circ} 30'$  E. of the hoisting works or shaft on incline no. 1.

on the Peabody mining claim a patented mine being lot No. 39 in said District; this is a relocation to correct manifest errors in the original notice of location made Nov. 15<sup>th</sup> 1879 and recorded in Book G. Records of Mines of Pinac County A. S. Since transcribed to Cochise County and shall be known as the "Keystone State Mine". Relocated September 7, 1883.

Edward Hudson } Owner as  
B. L. Peel              ) Our interests  
John Woods            ) may appear  
                            from the records.

Filed and recorded at request of P. L. Styles  
Sept. 18. A. D. 1883 at 3 P. M.

A. S. Jones  
County Recorder.

BOOK 7 pp. 8 & 9  
Rec. of Mines }



Territory of Arizona,) } ss.  
County of Cochise. }

10

H. A. T. JONES, County Recorder in and for the County  
of Cochise, do hereby certify that the above and foregoing is a full, true and  
correct copy of the Relocation Notice of the  
Keystone State Mine

as appears of record now in my office in Book 7, Page 8 & 9

Records of Mines

IN WITNESS WHEREOF, I have hereunto set my

hand, and affixed my official seal, at my office in  
Tombstone this 19 day of Sept A. D. 1882.

A. T. Jones

County Recorder.



Keystone State.  
LOCATION NOTICE.

11

NOTICE IS HEREBY GIVEN, That the undersigned, in compliance with the requirements of the Mining Act of Congress approved May 10, 1872, have this day located and claim .....  
~~1500~~ ~~Fifteen~~ hundred linear feet along the course of this lead, lode, or vein of mineral bearing quartz and ~~Three~~ <sup>300</sup> ~~Hundred~~ feet in width on each side of the middle of said lead, lode, or vein, situate in the ~~Cochise~~ Mining Dist. ict, County of ~~Pima~~ Arizona, and more particularly described as follows, to-wit:

COMMENCING at this monument of stones, being the center of the ~~East End~~ of claim, and upon which this notice is posted; thence ~~N. W.~~ ~~Three Hundred~~ 300 feet to a monument of stones; thence ~~S. W.~~ 1500 - feet to a monument of stones; thence ~~S. E.~~ ~~Three Hundred~~ 300 feet to a monument of stones, being the center of ~~West~~ end of claim; thence ~~S. E.~~ 300 feet to a monument of stones; thence ~~N. W.~~ 300 feet to place of beginning.

THIS CLAIM is situated in the Dragon Mountains about  $3\frac{1}{2}$  miles from Lyons Springs

and shall be known as the ~~Keystone State~~ Mine.

Located November 15, 1879

Edw Hudson  $\frac{1}{2}$

And Norman  $\frac{1}{4}$

Chas P Mc Kenney  $\frac{1}{4}$

by Dr. Hermann, Berlin  
Dr. W. Geyser County Doctor  
Dec. 9, 1870 to Dr. M.  
Child and record in favor of Dr. W. Geyser

TERRITORY OF ARIZONA, }  
County of Pima, } ss.

I, CHAS. R. DRAKE, County Recorder in and for the County of Pima, do hereby  
certify that the above and foregoing is a full true and correct copy *of Location Notice*

*of the Keystone State Mine*


as appears of Record now in my Office in Book *G Records of Mine* Page *477*.

IN WITNESS WHEREOF, I have hereunto set my hand and  
affixed my official seal, at my office in Tucson, this *20<sup>th</sup>*  
day of *September A. D. 1883*

*Chas R Drake*  
County Recorder.

*By Anthony Coenen*  
*Diply*





U. S. Surveyor General's Office

Tucson, Arizona, March 24<sup>th</sup> 1884

The foregoing field notes of the survey of the Keystone State  
Mining Claim situate in  
the Cochise Mining District, Cochise  
County, Arizona, claimed by Edward Hudson Et al.

Survey executed by Solon M. Allis Deputy  
Surveyor, under instructions from this office, having been critically examined  
and the necessary corrections and alterations made, the said field notes and  
the survey they describe are hereby approved.

Royal L. Johnson  
Surveyor General.