

M
S

-
0
0
6
3
5

PRELIMINARY OATHS,

FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.

WE, Thos Wheeler and R.C. Shaw

do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

Thos Wheeler
R. C. Shaw

SWORN to and subscribed before me, this 6th day

of May 1884

H. B. Maxson

Notary Public

I, Geo W. Conwell

do solemnly swear that I will well and truly perform the duties of

Surveyor

according to instructions given me,

to the best of my skill and ability.

Geo W. Conwell

SWORN to and subscribed before me this 6th day

of May 1884

H. B. Maxson

Notary Public

Field Notes
of the Survey of the
"Mary A" Mine Claim
situate in
Tombstone Mining Dist.
Cochise County
Arizona

Claimed by —
— M. B. Clapp.
Surveyed by H. B. Maxson
U.S. Dep. Min. Surv.
Under Instructions from
U.S. Surveyor General
Johnson of date April
28th 1884.

Survey Executed,
May 6th & 7th,
1884,

Fees

Beginning at the initial
Mou. mentioned in Loc.
Notice, and marking the
westerly end center of the
Claim, where I set a granite-
stone 18x8x6 ins. upright in the
ground, and surround same
with row, of rocks.

Stone marked "M. A. M. C. No 1"
Same Mou. being "E. End. Crust" 1st Ex Mary A. M. C."

From this point "N. S. W.,
M. No 7" 30° West 900. ft.

Cupsals. on Court House
in Tombstone, Arizona,
Rd S 35° 45' W.

Huachuca Peak. Rd, "S
S 45° 30' W.

There N 9° 30' E-
Var 12° East

15. Cross Trail Rd. East.
226. To Loc. Mou. where I set a
Post 4x4 ins; 5 ft long; 1 1/2
ft in the ground; and
surround same with mou.
of rocks.
Post marked "M. A. M. C. No 3;"

No bearings available.

Same mou. being "N. E. Cr."
of "1st Ex Mary A." Mining Claim

Feet

Hence S 83° 15' E
Var 12° East

508 Cross Rail Rd. Northeast

1394 To Loc. Mon., where I set a
Post 2x4 in., 5 ft. long, 1½ ft.
in the ground, and surrounded
same with row. of stones
Post marked "M.A.M.C. No 3"

No other bearings available.

Hence S 9° 30' W
Var 12° East

26. Cross Ravine Rs Northeast.

300. To Loc. Mon., for East end Crit.
of Claim, where I set a granite
stone 24x14x6. inns - 1 ft in the
ground, and surrounded the
same with row. of stones
Stone marked "M.A.M.C. No 4";
and same being situated
on crossings of the Main
Ledge. No other bearings available

Hence S. 9° 30' W. (Same Course)
Var 12° East

Fee-
300.

To Loc. now, where I set a Post
4x4 ins. 5ft long; 1 $\frac{1}{2}$ ft in the
ground, and surround the
same with rows of rocks.
Post marked "M. A. M. C. No 5";
no other bearings available

Thence N 81° 00' W.
Var 12° East,

485, Intersect - now, of rocks 2x2 x
2 ft. same being the "N. E.
Cor. of the Rambler M. C."

785 Intersect - now, of rocks 2x
2x2 ft, same being center
of north end of the Rambler
Mining Claim.

From this point, a "Cut"
Bo N 37° E. - 95 ft.

"Shaft No 6" Bo N 37° E. - 145 ft.

"Shaft No 5" Bo N 37° E. - 190. ft.

"Shaft No 4" Bo N 37° E. - 238. ft.

Feet-

Main Shaft, on main
legs Bo $N 37^{\circ} E$ - 340. ft -

Or dump, Bo $N 36^{\circ} E$ - 340. ft -

"Shaft No 2" Bo $N 37^{\circ} E$ - 370. ft -

"Shaft No 3" Bo $N 37^{\circ} E$ - 408. ft.

1085, Intersect-mon. of rocks. 2×2
 $\times 2$. ft. same being "N. M. Cox"
of "Rambler m. C."

1085 To Loc. mon. where I set a
Post: 4×4 ins; 5 ft long; $1\frac{1}{2}$ feet
in the ground, and surround
same with anon. of rocks
Post marked "M A, M C, No. 6;"
Same mon. being also. A. E.
Cox of "1st Extra Mary A. m. C."

From this point "U. S. m. m.
No 7" Bo. $N. 70^{\circ} 10' W.$

Thence $N 9^{\circ} 30' E$
Var 12° East

Feet
300.

To mon. and stone "m. a. m
C. No 1" and place of digg-
ing, which mon. is situated
on center of crossings of
Main Ledge.

Area:-

17.78 acres, clear without-
conflict.

Location.

This claim is situated, on
the top of a high ridge of hills
extending westerly from the
summit of the Dragoon
Mountains, which summit
extends northwesterly & southerly
and runs through the east-
end of this claim. Said
summit of the Dragoon Mts
is the east-boundary of the
Globestone min. Dist.

This Claim is about 14.
miles northeasterly from
the City of Globe, in
Cochise County, Arizona,
and is about one half mile
south of the middle of Dy-
amon's Pass,

Improvements

Made upon this Claim by
Claimants, or their grantors
consist of six shafts, and
a Cut.

"Shaft No 1" is 4 x 6 ft. and
100. ft deep.

"Shaft No 2" is 4 x 6, feet,
and 10. ft deep

"Shaft No 3" is 4 x 6, feet, and
10. ft deep.

"Shaft No 4" is 4 x 6, ft. and
10. ft deep.

"Shaft No 5" is 4 x 6, ft. and
10. ft deep.

"Shaft No 6" is 4 x 6, ft. and
40. ft deep.

The Cut is 4 ft wide, 20 ft
long, and 8. ft high at
its face.

The croppings of the Main ledge, show very plainly, nearly the whole length of the claims. The main shaft is sunk upon this ledge, but the remainder of the shafts were sunk upon a spur, or cross ledge.

This Survey is identical with the Amended Location notice, of Claim,

There being no Public Surveys, within two miles, and no "U.S. Min. Roots," possible to connect my Survey with accuracy, I established "U.S. M. M. M. 7" with which to connect this Survey, the report of which is herewith attached.

I hereby certify that the value of the improvements made upon this claim by Claimants, or Grantors exceeds the sum of Five Hundred (\$500.00) Dollars.

Instruments used:— "Lind
Gurley Transit" and steel
Chain,

Variation of needle obtained
by observation on Polaris

C. H. B. Maxson
U.S. Geographer, Surveyor,

FINAL OATHS FOR SURVEYS OF MINING CLAIMS & MILL SITES.

A LIST of the names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of
 "Mary A" Mining Claim
 located in Tombstone Mining District, Cochise
 County, Arizona, showing the respective capacities in which they acted.

Tho. Wheeler Chainman.
 R.C. Shaw Chainman.
 Axeman.
 Jno. M. Conner Flagman.

WE hereby certify that we assisted
 U. S. Deputy Surveyor, in surveying
 "Mary A" Mining Claim
 claimed by W.B. Clapp
 located in Tombstone Mining District, Cochise County,
 and in Township No. Range No. of the Gila and Salt River base and meridian,
 Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and
 faithfully executed, and the boundary monuments planted according to the instructions furnished by the
 Surveyor General.

Tho. Wheeler Chainman.
 R.C. Shaw Chainman.
 Axeman.
 Jno. M. Conner Flagman.

SWORN TO AND SUBSCRIBED before me this 7th day
 of May 1884

H.B. Maxson
 Notary Public Cochise Co. Ariz

I, H.B. Maxson U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from the U. S. Surveyor-General for Arizona, bearing date the 28th day of April 1884, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of land embraced within the boundaries of the "Mary A" Mining Claim claimed by W.B. Clapp located in Tombstone Mining District, Cochise County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

H.B. Maxson Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 28th day
 of May 1884

A. J. Mitchell
 Notary Public



AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, Thos Wheeler and R.C. Shaw

of lawful age, being first duly sworn according to law, depose and say that we are acquainted with the
Mary A" —

mining claim, situate in
Tombstone Mining District, Cochise County, Arizona
Territory, for which M.B. Clapp and

has made application for survey prior to application for patent under the provisions of the Act of
Congress approved May 10, 1872, and that the labor done and improvements made thereon by the applic-
licant and his grantor do exceed Five Hundred Dollars in value, and further that we are not per-
sonally interested in said mine.

Thomas Wheeler
R.C. Shaw.

TERRITORY OF ARIZONA,

County of Cochise } ss.

SWORN AND SUBSCRIBED before me, this

day of May 1884

H.B. Maxson
notary Public

Territory of Arizona,
County of Cochise.

{ ss.

H. A. T. JONES, County Recorder in and for the County
of Cochise, do hereby certify that the above and foregoing is a full, true and
correct copy of an instrument purporting to be the
Location Notice of the Mary A. Mine
as appears of record now in my office in Book 7, Page 96

Prescribed Records of Mines

IN **W**ITNESS **W**HEREOF, I have hereunto set my
hand, and affixed my official seal, at my office in
Tombstone this 25 day of April A. D. 1882

A. T. Jones

County Recorder.

Mary A.

Location Notice. Notice is hereby given that the undersigned, in compliance with the requirements of the Mining Act of Congress approved May 10, 1872 have this day located and claim 1500 linear feet along the course of this lead lode or vein of mineral bearing quartz and 300 feet in width on each side of the middle of said lead lode or vein situate in the Tombstone Mining District Pima County Arizona and more particularly described as follows ^{towit}
 Commencing at this monument of stone bring the center of West end of claim and upon which this notice is posted thence North 300 feet to a monument of stone thence North East 1500 feet to a monument of stone bring the center of east end of claim thence South 300 feet to a monument of stone thence South west 1500 feet to a monument of stones, thence North 300 hundred feet to place of beginning. This claim is situated on the West slope of the Gagooon Mountains and about 14 miles North from the Town of Tombstone and shall be known as Mary A mine. Located Dec 3^d 1879.

Witness

on the ground.

Thos. J. Rogers & Saml Strand

Filed, and recorded at request of Chensorgan & Walker Jan'y 19th A.D. 1880 at 9 A.M.

Andrew Neenan

James H. Dennitt.

S. W. Carpenter Recorder

By E. A. Gerke Deputy.

Book 7. pp. 96. }
Rev. Minus. Transcribed }.

For the purpose of more fully complying with the requirements of the Mining Laws, of the United States, and to more fully define its boundaries, notice is hereby given, that the Location Notice, and record, of the "Mary A" mining Claim, situated in the Dragoon mountains, $\frac{3}{4}$ of one mile south of the middle of "middle Pass" ^{Cochise Co. Ar.} is hereby amended by adding to it the following:—

Beginning at center mott on west end of claim, from which "Highest Peat" in Huachuca Mt., Bo $S34^{\circ}30'W$; and Cupalo on Court House, in Tomb stone. A.T. - Bo $S35^{\circ}45'W$; the boundary line runs thence, $N9^{\circ}30'E$. 225 feet to mott of rocks. From this point, the "charcoal camp" Bo North $\frac{1}{2}$ mile, thence $S83^{\circ}15'E$. 1344 ft, to a mott of rocks. Thence $S9^{\circ}30'W$. 300 ft, to mott of rocks. 600 ft to mott of rocks. Thence $N81^{\circ}W$. 185 ft, intersect center north end "Rambler M.C." 1885 ft to mott of rocks, thence, $N9^{\circ}30'E$. 300 ft to place of beginning.

(Mag. var needle 12° East)

M G Clapp owner

Recorder's Office,
TOMBSTONE, Cachise Co., A. T.

Filed and recorded at request of

M. O. Clapp

Jan 7 A. D. 1884


at 2 P.M.

Book 7 Rec of Minn

Pages 247

A. G. Jones

County Recorder.



U. S. Surveyor General's Office

Tucson, Arizona,

June 9, 1884

The foregoing field notes of the survey of the Mary A.

Mining Claim situate in
the Gombstone Mining District, Cochise
County, Arizona, claimed by M. B. Clapp

survey executed by H. B. Mayson Deputy
Surveyor, under instructions from this office, having been critically examined
and the necessary corrections and alterations made, the said field notes and
the survey they describe are hereby approved.

Royal Johnson
Surveyor General.