

M  
S  
-

0  
0  
6  
4  
2

LOT NO..... 58.

SURVEY NO..... 642.

*Field Notes*

of the Survey of the

"Cave."

Mining Claim.

Situate in ..... Warren Mining District.

County of Cochise and in Sec. — app't., Tp. 23S

Range ..... 24 E., of the Gila and Salt River Meridian.

ARIZONA.

Claimed by Horace Jones

Survey executed by J. H. Hadley D. S.

Under instructions dated January 30<sup>th</sup> 1884

Survey commenced February 9<sup>th</sup> 1884

Survey completed June 21<sup>st</sup> 1884

*Cave M. Co.*

## PRELIMINARY OATHS

FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

WE, *H. C. Stillman* and *John W. Blair*

do solemnly swear that we will faithfully execute the duties of Chain Carriers: that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

*H. C. Stillman*  
*J. W. Blair*

SWORN to and subscribed before me, this 9<sup>th</sup> day

of February 1884  
*Sol Rosenberg*  
Notary Public.

I,

do solemnly swear that I will well and truly perform the duties of

according to instructions given me,  
to the best of my skill and ability.

SWORN to and subscribed before me, this \_\_\_\_\_ day

of ..... 1884

# PRELIMINARY OATHS

FOR SURVEYS OF MINING CLAIMS AND MILL SITES.

WE, A. Gillman

and Ben Williams

do solemnly swear that we will faithfully execute the duties of Chain Carriers: that we will level the chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability.

A. Gillman

Ben Williams

SWORN to and subscribed before me, this 21<sup>st</sup> day

of June, 1884

Sol Lwensberg

Notary Public.

I,

do solemnly swear that I will well and truly perform the duties of

according to instructions given me,

and to the best of my skill and ability.

SWORN to and subscribed before me this day

of                   , 188

First.

Field Notes  
of the Survey of the  
Cave Mining Claims,  
in the Warren Mining District, County  
of Cochise, Arizona.

Claimed by Horace Jones.

Surveyed by Jas. H. Hoadley, U. S.  
Deputy Mineral Surveyor, under in-  
structions from the Surveyor General,  
of date Jan. 30<sup>th</sup> 1884.

Survey Commenced Feb. 9<sup>th</sup> 1884.

Survey Ended June 21<sup>st</sup>, 1884.

Description of Survey.

Beginning at the Initial Mon-  
ument, mentioned in location notice,  
from which point the center of a  
shaft on this claim bears

S. 55° 30' E.

Var. 12° 5' E.

25. and the West End Center of the Hob-  
brook Patent Survey bears

S. 55° 30' E. (Same Course)

Var. 12° 5' E.

125. at which point I set a post 4x4-4 ft.  
long, in the ground, and surrounded  
same with a mound of stones, post  
marked

C.I.M. 1

Thence N. 34° W.

Var. 12° 5' E.

620. to location monument at <sup>North</sup> West End Cen-  
ter of the Claim at which place, I  
set a post 4x4-4 ft. long in the ground  
and surrounded same with a mound  
of stones, post marked

C.I.M. 2.

Oak tree 18 in. in diameter marked  
C.M. 2. B.T. bears N. 6° 35' W. 6.6 ft.

Field Notes, Survey Cave. Mining Claim.

Feet.

- |        |   |
|--------|---|
|        | Thence N. $84^{\circ} 45' E.$<br>Var. $12^{\circ} 5' E.$  |
| 97.3   | to South West corner of Rucker Mining Claim, and post $4 \times 4 - 4\frac{1}{2}$ ft. long set in the ground, and surrounded by a mound of stones. post marked<br><b>C.M. 3.</b><br>and on the reverse side<br><b>R.M. VI.</b><br>from which post the U. S. Mineral Monument No. 1. bears<br>$N. 22^{\circ} 5' E.$<br>Var. $12^{\circ} 5' E.$ |
| 285.7  | to said monument.<br>No bearing trees available.<br>Thence S. $55^{\circ} 35' E.$<br>Var. $12^{\circ} 5' E.$  |
| 450    | cross dry gulch.  |
| 575    | cross dry gulch.  |
| 584.3  | to North West corner of Holbrook Mining Claim and location monument and post $4 \times 6"$ - set in the ground and surrounded by a mound of stones and marked<br><b>C.M. 4.</b><br>and on the reverse side<br><b>H.N.W.</b><br>Oak tree $1\frac{1}{2}$ in. in diameter marked<br><b>C.M. 4 B.T.</b> bears S. $26^{\circ} 45' E.$              |
| 38 ft. | Thence along West End line of the Holbrook Mining Claim<br>S. $25^{\circ} 35' W.$<br>Var. $12^{\circ} 5' E.$  |
| 295.3  | to the West End center of the Holbrook Mining Claim and post marked<br><b>C.M. 5.</b><br>and on the reverse side<br><b>H.W.C.</b><br>large prominent rock marked X bears<br>S. $49^{\circ} 55' E.$ 38 ft.   |

6

Field Notes Survey Gav Mining Claim.

First

- |       |   |
|-------|---|
|       | Thence S. $25^{\circ}35'W$ (Same course)<br>Var. $12^{\circ}5'E$ .  |
| 162.1 | to the intersection of West End line<br>of Holbrook Mining Claim with the<br>North East side line of the Baxter<br>Mining Claim, at which point I<br>set a post $4 \times 4$ " - 4 ft. long and sur-<br>rounded same by a mound of stones<br>said post marked<br><b>C.M. 6.</b> |
|       | of large prominent rock marked XX<br>bears S. $76^{\circ}35'W$ . 75 ft.   |
|       | Thence following the North East side<br>line of the Baxter Mining Claim<br>$N 31^{\circ}50'W$<br>Var. $12^{\circ}5'E$ .   |
| 120   | to summit of low point,   |
| 230   | cross dry gulch,  |
| 280   | cross dry gulch,  |
| 300   | cross dry gulch,  |
| 579.6 | to a post $4 \times 4$ " set and monumented<br>as the N.E. corner of the Baxter Min-<br>ing Claim, and marked,<br><b>C.M. 7</b>   |
|       | and on the reverse side<br><b>B.M. No. 6.</b>   |
|       | No bearing trees available.   |
|       | Thence following the North End<br>line of the Baxter Mining Claim<br>S. $80^{\circ}39'W$<br>Var. $12^{\circ}5'E$ .  |
| 115.2 | to the intersection of the North End<br>line of the Baxter Mining Claim<br>with the East End line of the<br>Atlanta Mining Claim, at which<br>point I set a post $4 \times 4$ " - 4 ft. long<br>and surrounded same by a mound<br>of stones, post marked.<br><b>C.M. 8.</b>     |

from which point the East End, Central  
stake of the Atlanta Mining Claim  
bears S.  $8^{\circ}30'E$  -  $1\frac{1}{2}$  ft.

tract.

# Field Notes Survey Cave Mining Claim

No other points available as bearings.  
 Thence following the East End line  
 of the Atlanta Mining Claim

TV  $8^{\circ} 30' W.$

Naz.  $12^{\circ} 5' E.$

140

at which point I set a post  $4 \times 4 - 4$  ft.  
 long and surrounded same by a mound  
 of stones, post marked

C.M. 9.

Oak tree 8 in. in diameter marked

C.M. 9.B.T. bears  $N. 81^{\circ} 5' E.$  52 ft.

The location monument which should  
 be near this place has been destroyed  
 or removed, and I am unable to  
 find any trace of the same.

Thence  $N. 25^{\circ} 35' E.$

Naz.  $12^{\circ} 5' E.$

135

to post before described and marked

C.M. 2.

Thus closing the Survey of the Claim

Area

4.75 acres.

## Location

This claim is located on the North  
 slope of the Hill to the South of  
 Mule Pass Creek, and one quarter ( $\frac{1}{4}$ )  
 of a mile Easterly from the Smelter  
 of the Copper Queen Mining Co.  
 and is bounded as follows:-

On the  
 North by the Ellie Dividend and  
 Wedge Mining Claims, on the South  
 East by the Holbrook Mining  
 Claim,<sup>Rot No. 53</sup> on the South West by the  
 Baxter Mining Claim,<sup>Rot No. 52</sup> and on the  
 North West by the Atlanta and  
 Ellie Mining Claims.

The Country

# Field Notes Survey of Cane Mining Claim

rock is limestone and in various places shows croppings of Copper and Iron.

From Station C. M. 3. S.  $20^{\circ} 25'$  E

242 ft. to crossings of Copper and Iron.

From station C. M. & N. 30° W. 111.  
feet to crossings of copper and iron  
and N. 48° 20' W 247 feet to crossings  
of copper and iron

and N.  $38^{\circ} 5'$  or 180 ft to cappings  
of copper and iron

From Station C. M. 2 N. 28° 30' E.  
42.1 feet to S. E. corner of the Copper  
Queen Mining Claim, at Stake marked  
C. 2. M. C. S. E. Cov.

From Station C. M. 3 N. 24° 25' E.  
8.7 feet to S. E. corner of the General  
Mining Claim, <sup>Lot No. 57</sup> and post marked  
C. IV.

From the workings and the course and direction of the crossings I am led to believe that the line of ore body will cross the N. W. end line of the claims - The surface at Station C. M. 2. and along the greater portion of the N. W. end line is covered with drift to such a depth that it is impossible to determine to a certainty, but a line drawn through the crossings and the Copper Queen workings and crossings would cross the N. W. end line. and from an experience of  $3\frac{1}{2}$  years in the mines of this district the direction and form of the ore bodies, I cannot arrive at any other conclusion

The ore bodies found in this portion of the district are of the class known as "deposits", having the same

Field Notes, Survey of Cane Mining Claim

general direction, at in some places very narrow, and in others widening to over one hundred feet.

They never appear on the surface in a continuous line, but so far they have been connected in the workings - and from this fact and the others before mentioned - ie, their direction, and the direction and workings of the ore body on the Cane mining claim - The ore body must cross some portion of the N. W. End line of Cane mining claim

Improvements & Workings

The improvements upon this claim consist of 4 shafts and a tunnel.

From Post marked C. M. S. 51° 45' W.  
98.5 feet to Shaft No 1 - 4' x 6' and  
10 feet deep,

and S. 31° 15' W. 109.4 feet to  
Shaft No 2. said shaft being 4' x 6' and  
40 ft. deep,

and N. 55° 30' W. 100 ft. to shaft  
No 3. said shaft being 4' x 6' and 410  
feet deep

From post marked C. M. 4. S. 60° 25' W.  
109 ft. to mouth of open cut and tunnel  
having a course of S. 40° 25' W.

18.5 ft. length of open cut

30. ft. length of tunnel

48.5 ft. total length

Said tunnel having an average  
size of 4. x 6.6 feet.

All these improvements were made  
by the proprietor of the Cane Mining  
Claim or his Grantors. And I  
hereby certify that the value of said  
improvements exceeds the sum of  
five hundred dollars (\$ 500.00)

From post marked C. M. 8  
N. 58° 5' E. 30 feet to a shaft-

Field Notes Survey Cave Mining Claim -

$3\frac{1}{2} \times 6$  - 10 ft deep said shaft sunk  
by the locators of the Ellie Mining  
Claim.

There are no other improvements  
or workings

Instruments used - A Gurley  
Transit and steel chain

Variation and courses taken  
magnetic

Variation of the needle taken  
on Feb. 9, 1884 by the North Star  
and found it to be  $12^{\circ} 5' E$

J. W. Woodley  
Al S. Dept. Min. Surv.

Bisbee July 17<sup>th</sup> 1884.

## FINAL OATHS FOR SURVEYS OF MINING CLAIMS &amp; MILL SITES.

A LIST of the names of individuals employed to assist in running, measuring or marking the lines and corners described in the foregoing field-notes of the survey of Cave  
Mining Claim  
located in Warren Mining District, Cochise  
County, Arizona, showing the respective capacities in which they acted.

H. C. Stillman Chainman.  
John W. Blair Chainman.  
Axeman.  
Flagman.

WE hereby certify that we assisted J. H. Headley  
U. S. Deputy Surveyor, in surveying The Cave Mining  
Claim  
claimed by Horace Jones  
located in Warren Mining District, Cochise County.  
and in Township No \_\_\_\_\_ Range No \_\_\_\_\_ of the Gila and Salt River base and meridian, Arizona, and that said survey has been in all respects, to the best of our knowledge and belief, well and faithfully executed, and the boundary monuments planted according to the instructions furnished by the Surveyor General.

V. Kelley Chainman.  
J. W. Blair Chainman.  
Axeman.  
Flagman.

SWORN TO AND SUBSCRIBED before me this 15<sup>th</sup> day  
of February 1884.

Sol Lornenberg  
Notary Public

I, J. H. Headley, U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from the U. S. Surveyor-General for Arizona, bearing date the 30 day of January 1884, I have well, faithfully and truly, in my own proper person, and in strict conformity with the instructions furnished by the Surveyor-General and the laws of the United States, surveyed all those portions of The Cave Mining Claim,

claimed by Horace Jones  
located in Warren Mining District, Cochise County, Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and I do further solemnly swear that all the corners of said surveys have been established and perpetuated in strict accordance with the instructions furnished me, and that the foregoing are the true and original field notes of such surveys.

J. H. Headley, Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 15<sup>th</sup> day  
of February 1884.

Sol Lornenberg  
Notary Public



## FINAL OATHS FOR SURVEYS OF MINING CLAIMS &amp; MILL SITES.

A LIST of names of individuals employed to assist in running, measuring, or marking the lines and corners described in the foregoing field-notes of the survey of The Cave  
Mining Claim  
located in Warren Mining district, Cochise  
County, Arizona, showing the respective capacities in which they acted.

<u>H. C. Stillman</u>	Chainman.
<u>Ben Williams</u>	Chainman.
	Axeman.
	Flagman.

WE hereby certify that we assisted J. H. Hoadley  
U. S. Deputy Surveyor, in surveying the Cave Mining Claim  
claimed by Horace Jones  
located in Warren Mining District, Cochise County,  
and in township No \_\_\_\_\_ Range No \_\_\_\_\_ of the Gila and Salt River base and meridian,  
Arizona, and that said Survey has been in all respects, to the best of our knowledge and belief, well and  
faithfully executed, and the boundary monuments planted according to the instructions furnished by the  
Surveyor General.

<u>H. C. Stillman</u>	Chainman.
<u>Ben Williams</u>	Chainman.
	Axeman.
	Flagman.

SWORN TO AND SUBSCRIBED before me this 21<sup>st</sup> day  
of June 1884

Sol Rosenberg  
Notary Public.

I, J. H. Hoadley, U. S. Deputy Surveyor, do solemnly swear that, in pursuance of instructions from the U. S. Surveyor-General for Arizona, bearing date the 31<sup>st</sup> day of  
January 1884, I have well, faithfully and truly, in my own proper person, and in  
strict conformity with the instructions furnished by the Surveyor-General and the laws of the United  
States, surveyed all those portions of The Cave Mining Claim.

claimed by Horace Jones  
located in Warren Mining District, Cochise County,  
Arizona, as are represented in the foregoing field-notes as having been surveyed under my directions; and  
I do further solemnly swear that all the corners of said surveys have been established and perpetuated in  
strict accordance with the instructions furnished me, and that the foregoing are the true and original field  
notes of such surveys.

J. H. Hoadley Deputy Surveyor.

SWORN TO AND SUBSCRIBED before me this 21<sup>st</sup> day

of June 1884

Sol Rosenberg  
Notary Public.



## AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

We, John Ambrose and J.W. Howell  
 of lawful age, being first duly sworn according to law, depose and say that we are acquainted with the  
 Cave Warren mining claim, situated in  
 Mining District, Cochise County, Arizona  
 Territory, for which Horace Jones and — — —  
 has made application for survey prior to application for patent under the provisions of the Act of  
 Congress approved May 10, 1872, and that the labor done and improvements made thereon by the appli-  
 cant and his grantor does exceed Five Hundred Dollars in value, and further that we are not per-  
 sonally interested in said mine.

John Ambrose  
 J.W. Howell

TERRITORY OF ARIZONA,  
 County of Cochise } ss.

SWORN to and subscribed before me, this 10<sup>th</sup> day

of February 1884

Sol Lowenberg  
 Notary Public



Notice of location of the "Pave" Mining claim Notice  
is hereby given that the undersigned having  
complied with the laws of the United States and  
the local customs laws and regulation has this  
day located 800 feet more or less of this ledge vein  
or deposit of Mineral bearing rock with all  
its dips spurs and angles situated in the Warren  
Mining District Cochise County Arizona together  
with surface ground and more particularly  
described as follows to wit: Beginning at a  
monument of stones on which this notice is  
posted and from which the center of a shaft  
on this claim bears S  $55^{\circ} 30'$  E 25 feet said  
shaft is 4' x 7' x 36 and the West end corner  
monument of the Holbrook patent survey  
bears S  $55^{\circ} 30'$  E 125 feet thence N  $34^{\circ} W$  620  
feet to a monument of stones thence  $70^{\circ} E$  125  
feet to the Southeast corner of the Baxter  
claim thence S  $57^{\circ} E$  590 feet to the northwest  
corner of said Holbrook patent survey thence  
following the West end line of said Holbrook  
patent survey S  $25^{\circ} 30'$  W 460 feet to its inter-  
section with East side line of the Baxter  
patent Survey to a monument of stones thence  
along said east side line of said Baxter  
Survey N  $32^{\circ} W$  580 feet to a monument of  
stones thence S  $84^{\circ} 30' W$  128 feet along the  
North end line of said Baxter survey to the  
East corner Monument of the Atlanta  
thence following the east end line of  
said Atlanta survey patent N  $8^{\circ} 56' W$  145  
feet to a monument of stones thence

N $25^{\circ} 30' E$  128 feet to a monument before obtained  
as above described thus closing the claim

This claim is bounded on the Southeast by  
the Holbrook Mining Claim and upon  
the South West by the Butler and Atlanta  
Claims (all of which have been surveyed for  
patent), about one fourth ( $\frac{1}{4}$ ) of a mile South  
west of Copper Queen Smelter and shall  
be known as the "Cave" Mining Claim

Dated on the ground this 22<sup>nd</sup> twenty second  
day of June ad 1882

W. H. Holmes }  
H. E. Briggs }  
Joseph Russell

Horace Jones

Filed and recorded at request of Horace  
Jones June 23 1882 at 10, 15 am

At Jones County Recorder

Territory of Arizona,  
County of Cochise.

15A

H. A. T. JONES, County Recorder in and for the County  
of Cochise, do hereby certify that the above and foregoing is a full, true and  
correct copy of any instrument purporting to  
be the location notice of the  
Cave Mine

as appears of record now in my office in Book 5, Page 113

Recorder of Mines

**I**n **W**ITNESS **W**HEREON, I have hereunto set my

hand, and affixed my official seal, at my office in  
Tombstone this 14<sup>th</sup> day of Jan A. D. 1882

*A. T. Jones*

County Recorder.

Cave Mine

The


Cave Mining Claim.

Warren Mining District  
Cochise County  
Arizona

J.H. Hadley

U.S. Dept. Min. Surveyor.

Bisbee June 22, 1884.



From Sta C.M. 1 N. 30° W. 1' 11' 10'	Croppings Copper and Iron.
" " " S 55° 30' E. 125. "	W. Centre Holbrook Claim.
" " " " 25. "	Centre Shaft N° 3.
" " " 2 N. 6° 35' W. 6.6 "	Oak, 18" Diam. Marked, C.M. 2 B.T.
" " " 4 S. 26° 45' E. 33. "	Oak 12" Diam. Marked C.M. 4 B.T.
" " " 5 S. 60° 25' W. 109. "	Mouth Open Cut and Tunnel.
" " " 3 S. 20° 25' E. 242. "	Croppings, Copper and Iron.
" " " 5 S. 51° 45' W. 9 3.5 "	Shaft 3" 1/4 x 6. 10.
" " " 8 31° 15' W. 109.4 "	Shaft 1 1/2" 2.4 x 6. 40.
" " " N 55° 30' W. 100. "	Shaft N° 3 4 x 6. 40.
" " " 8 79° 55' E. 38. "	Large Rock Marked X
" " " 6 S. 76° 35' W. 75. "	Large Rock Marked XX
" " " 2 S. 2° 30' E. 1.5 "	E. Centre Slope Atlanta.
" " " 9 N. 31° 5' E. 52. "	Oak 8" Diam. Marked C.M. 9 B.T.
" " " 8 N. 58° 5' E. 30. "	Ellie Shaft, 3/2" 6. 10.
" " " 1 N. 48° 20' W. 247. "	Croppings, Copper and Iron.
" " " 1 N. 38° 5' W. 180. "	Croppings, Copper and Iron.
" " " 2 N. 28° 30' E. 42.1 "	S.B. Cor. Copper Queen M.C.
" " " 3 N. 24° 25' E. 8.7 "	S.B. " General M.C.

U. S. Surveyor General's Office

Tucson, Arizona, August 2, 1884

The foregoing field notes of the survey of the Cave  
Mining Claim situate in  
the Warren Mining District, Cochise  
County, Arizona, claimed by Horace Jones.

survey executed by J. H. Hoadeley Deputy  
Surveyor, under instructions from this office, having been critically examined  
and the necessary corrections and alterations made, the said field notes and  
the survey they describe are hereby approved.

Royal C. Johnson  
Surveyor General.