(4-683.)

Mineral Survey No. 878

Lot No. 38

Prescock Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF
Congres Goes mining C:
KNOWN AS THE
Conserva
Congres
Mining District,
Yanapai County, asizma
Section, Township/0//_, Range 6 //
Surveyed under instructions dated Dec 19 4, 1888,
by C. B. Fraster
by U. S. Deputy Mineral Surveyor.
Claim located March 25-4 , 1884.
Survey commenced January 12 4 1889
Survey commenced January 12 th, 1859. Survey completed January 12 th, 1889.
(12202—2,000.) o 6—160

PRELIMINARY OATHS,

FOR SURVEYS OF MINING CLAIMS AND MILL-SITES.

We, Thas Woodlock and WE Bake
do solemnly swear that we will faithfully execute the duties of Chain Carriers; that we will level the
chain upon uneven ground, and plumb the tally pins, whether by sticking or dropping the same; that
we will report the true distance to all notable objects, and the true lengths of all lines that we assist in
neasuring, to the best of our skill and ability. Thos Woodlock W.E. Bolwo
SWORN to and subscribed before me, thisday
OBFal Of January 1889 Cell Faster Volan Dubbi
I, Sully do solemnly swear that I will well and truly perform the duties of Hymnes
to the best of my skill and ability. Jos Bishof
SWORN to and subscribed before me, this 12 day of January 1889 lessosse Volag Rust

3

Fut Field Notes of the Rusrey of the Congress Mining Clarian in the Martinez Mining Westrick. Havabai County Anzon Claimed by Congress Gold Mining Company Surreyed by le BFoster les. Deputy Mineral Curreyor under Instructions from the U.S. Surreyor General of date December 19 \$ 1888. Survey Commenced Jany 12 1889 Description of Rurrey Deginning at the Initial Mon. Mentioned in Location Motice and Marking the E. Center end of Claim Where I mark I.M. C.NO. projecting above surface 3. ft. high by 3 ft. oguare and on flat lop of faid morked rock build Mound of Stones. U.S. Min. Mon Not bear N 73°30'W 3198 ful Thence \$ 25° 15' & 200 To Road bears now & 250 " Sulch flows &. 300 To lac. mon where Iset one foot in the ground a granite rock 26 × 16 × 16 × 14 ins

4

and surrounded same with mound of stones. Rock marked & No2. Thenced 64° 45' West Ya 14° 20' East. 40 To Gulch flows S. 100 " Road bears nn E & D.W. levo, loc. mon. where, I set a slate rock 20×16×16 ins. one foot in ground and surrounded same with mound of stones. Rockmarked (no 3. Thener N 83° 15' West Ta 14° 20' East 30 To Road bears nand S. 760 " loc. mon. where I mark C No H on granite boulder projecting above surface 2 x 2 x 2 feet and sperrounded saske with mound of stones. Thence \$1 250 15' M Ta 140 20' Cast 300 To lac. mon. at It centirend of claim, where I pet a granite rock 24×24×6 ins one foot in ground and surrounded sake with mound of stones. Kock marked (no 5. Thence N 250 15' M Lame Course'y
Ya 14° 20' East
300 To bo mon where I mark C No 6 on granite boulder projecting above surface 2 ft high by 3x2 ft and surrounded same with mound of stones. Thence & 830 15' & Va 140 20' East 900 To loc. mon, where Iset a slate stone 24x12x12 ins. one footin ground and surrounded some with mound of stones. Rock marked Moy. Over Jolac, mon. where I pet a granite stone

18 × 18 × 18 ins one foot in ground and surrounded some with mound of stones. Rock marked & No 8. Thence \$250 15' 6. 300 To mon. and rock J. M. C. No 1. place of beginning. Total and Nex Area of Claim 20.02 Acres. Lacation. This claim is located in Martinez. Mining District, Gavapai County. Arizoda, and is on unsurveyed fland. Improvements Made upon this claim by claimant or grantons consist of: I have of boulder J. M. C. Do 1. extending westerly 15 H long. Shaft 30ft dup by 10x8 Ht beans & 64° 45' N, 50 ft from boulder IMC no 1. A cut 6x6x6 ft hears & 640 Hoft 100 ft drow houlder IM C No 1. That 100 ft deep by 6 x H ft heard of 64°45' N 440 ft from boulder IM C A Cut 8 x8 x8 ft heard \$ 65° 45' N 620 ft from boulder IM C No 1. A skaft 600 ft deep by 6x6 ft heard S 61° 45 N 710 ft from boulder IM C No 1. A shaft 225 ft deep by 6x6 ft hears S 750 Th 870 ft from boulder IM C No. 1. Westend of open cut 100 ft longby 4X 4 ft bears & 790 Tr 1050 ft from boulder. IM C No.1. In addition to the above there is a Hoisting Works and numerous drifts gyd wifnzes. Thereby curtify that the value of

Said improvements exceeds the Sum of fine thousand dallars. There have been no improvements made by other parties on the claims

This Claim is larveyed in exact accordance with the original Cacation Monuments as found established on the ground as field notes and accompanying Plat of Rurrey. The aut-crap of the Veri Tuns along through the Middle of the claim as originally located and Chown by Shafts and cuts nated in above field notes.

Instruments used a Gurley Valor Fransit and 50 ft Steel chain

Var and Courses determined by use of Jolar apparatus

January 12t 1889. le B. Foster. USS et. Min. Curreyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

	A list of the names of the individuals employed by Co. 19 Franker
Un	nited States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
	rners and boundaries described in the foregoing field notes of the survey of the mining claim
	Congress Gold Mining Company
	own as the Congress
	d showing the respective capacities in which they acted.
	Thas Word look, Chainman.
	WE Baken, Chainman.
1	Jas. Bishab , Arman.
	, Flagman.
	FINAL OATHS OF ASSISTANTS.
	We, Thas Woodlock. W & Baker
and	Jos Bishop, do solemnly swear that we assisted
Ce	United States Deputy Mineral Surveyor, in marking the corners and
sur	rveying the boundaries of the mining claim of
	Congress Gold Mining Company
	Congress Gold Mining Company , known as the
	Congress Gold Mining Company
in :	Congress Gold Mining Company , known as the
	Congress Gold Mining Company , known as the, represented
his	Congress Gold Mining Combany , known as the, represented the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his bel acc	known as the presented the foregoing field notes as having been surveyed by said deputy mineral surveyor and under direction; and that said survey has been in all respects, to the best of our knowledge and ief, faithfully and correctly executed, and the corner and boundary monuments established cording to law and the instructions furnished by the United States Surveyor-General for
his bel acc	congress Gald Mining Company , known as the , represented the foregoing field notes as having been surveyed by said deputy mineral surveyor and under direction; and that said survey has been in all respects, to the best of our knowledge and ief, faithfully and correctly executed, and the corner and boundary monuments established fording to law and the instructions furnished by the United States Surveyor-General for
his bel acc	congress Gald Mining Company , known as the , represented the foregoing field notes as having been surveyed by said deputy mineral surveyor and under direction; and that said survey has been in all respects, to the best of our knowledge and ief, faithfully and correctly executed, and the corner and boundary monuments established cording to law and the instructions furnished by the United States Surveyor-General for Many Monday Mon
his bel acc	congress Gald Mining Company , known as the , represented the foregoing field notes as having been surveyed by said deputy mineral surveyor and under direction; and that said survey has been in all respects, to the best of our knowledge and ief, faithfully and correctly executed, and the corner and boundary monuments established fording to law and the instructions furnished by the United States Surveyor-General for Show Mondowski, Chainman.
his bel acc	known as the presented the foregoing field notes as having been surveyed by said deputy mineral surveyor and under direction; and that said survey has been in all respects, to the best of our knowledge and ief, faithfully and correctly executed, and the corner and boundary monuments established fording to law and the instructions furnished by the United States Surveyor-General for the state of the state o
his bel acc	congress Gald Mining Company , known as the , represented the foregoing field notes as having been surveyed by said deputy mineral surveyor and under direction; and that said survey has been in all respects, to the best of our knowledge and ief, faithfully and correctly executed, and the corner and boundary monuments established fording to law and the instructions furnished by the United States Surveyor-General for Show Mondowski, Chainman.
his bel acc	, known as the

AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

WE, CARandall and Chas O Allen
of lawful age, being first duly sworn according to law, depose and say that we are acquainted with
the Congress.
mining claim, situated in
Mining District, Javapar County, Arizona Territory, for which Congress Sold and Mining Company
Territory, for which Congress Sald and Mining Company
ha made application for survey prior to application for patent under the provisions of the act
of Congress approved May 10, 1872, and that the labor done and improvements made thereon by
the applicant and further that exceed Five Hundred Dollars in value, and further that
we are not personally interested in said mine.
Contandale.
Chas O. allew
MED DIFFORM OF A RIZONA
TERRITORY OF ARIZONA.

County of Harufac's
Sword

Sworn to and subscribed before me this

Lacury , 1889. Cel Foster Notory Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I. Coldenation , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for
Decimer 19, 1888, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Congress Sold Minny known as the company Mino situate in Martinez Mining District, Javapai County, Angord in Section Township No. Bayer No.
known as the
eongress Mino
Situate in Mining District,
Javapur County, Frizand in Section
, rownsmp No
and designated as Survey No. , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or fraction grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
6018 Fast
U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said le Blacker,
U. S. Deputy Mineral Surveyor, before me
a Molary Oublie this 9 15
day of Fabruary 1889
Subscribed and sworn to by the said Color of offer, U. S. Deputy Mineral Surveyor, before me Henry Thadrens a Molary Sublice this 9 this day of February 1889. Watary Tublice Wolary Publice
Berry J. andrews.
The Palli
(1205-2,000.) o 6-154

Congress. notice of Location Know all Wen by these Presents: That we the undersigned have this day located Fifteen Houndred (500) linear feet of this vein or lode bearing precious whetals with all dips, spure angles and variations with surface ground three hundred (300) feet on each side of the center of vein with all mineral deposite contained therein, and all time ber yroung within the limits of said claim and all water and water privileges thereon or appurtenant thereto under and according to the provisions of the united States hining Laws under which it is herated.

This claim commences at this monunent and notice placed apon the ledge and runs Fifteen Houndred feet in a Mesterly direction and feeth in a Southerly direction along the leage The exterior boundaries are as follows my, bournessing at a monument of Stone on South boundary line, distant three hundred (300) feet in a southerly direction from dis covery monument, thence in a Mesterly direction parallel with the leage Fifteen hundred feet to monument of Stone at SW corner of claim, thence in an northerly direction at right angles across the leage Six hundred (600) feet to monument of

stone at h. The corner of claims there in a Easterly direction frarallel with the ledge Fifteen Hundred (1500) feet to moument I stone at h. E. corners claim them at right angles across the ledge in a couth erly direction Six hundred (600) feet to monument of Stone at S. h. corner of claim, thence in a northerly direction parallel with the ledge to mornment on West boundary and place of beginning This ledge may be more generally described as situated orbout one and a half miles north west of Frinks Ranch in plantines hining District, Marapai bounty arthona Territory and Shall be known as the bongress himing blaim Dated on the ground this 25th day of march 1884. J. W. Dougherty. Dennis May. Recorded at the request of The Dough-ert, april 19th a D. 1884, at 45 minutes

påst 2 Pm. in Book 19 Mining Records I sfavapar levunt, Artjona, pages 5964 5597.

He Hourt Recorder

Territory of Arizona. County of Yavapai.

To the Country of Yavapai, in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the original Location.

Motice of the Dongress. Lode Mining Claim situate, laying and being in the Martinea.

Alexang District in Marapai locunty.

Arizona Servitory as the same appears of ...

record in this Coffice.

County Recorder.


Tavapailoo. a.G.

Location Notice

"bongress"

Moining Claim

Cocation notice "bougress" Hoining Claim



Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,
Tucson a.T.
Jucson a.J. June 24 <u>4</u> , 1889.
I, U. S. Surveyor General for any oua,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of Cougnes Boil Mining Co
, known as the
Cuigns mine situate in Marting mining district, Yanapai County, Anzona,
situate in Marting mining district,
Yanapai County, anyona,
in Section, Township No, Range No
, designated as Survey No.
executed by CBF os ten, U. S. Deputy Mineral
Surveyor, Jany 12 4, 1889, under my instructions dated
Decuber 19 4, 1888, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
John Hire
U. S. Surveyor General for anyona.