Mineral Survey No. 9/0.

Lot No. 40

FIELD NOTES

15063 b -2500

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

W. Q. a (4	breepe an	1088	p. Palarel
do solemnly swear that w			
that we will level the cha			
either by sticking or dro			
notable objects, and the t			
of our skill and ability, a	and in accordance with	instructions given us,	in the survey of
the Mining Claim of	6.4.5	hompron	
Empine	11= 2 -		
situate in 22 a in Section 32 7 + 34, Tow	elahas -		mining district,
mohane	County	and a second	Ferritory
in Section \$ 2.7+34 Tow	rnshin No 2 6 M Ba	nge No 18 West	
in section 22, 10w	nsmp 10. 5 5 . 5 . , 10		
	(66)	1. almork	L, Chainman.
		TAMI	
		I Deff. wy	, Chainman.
	Subscribed and sworn	n to by the above-name	ed persons before
	me this G	day of Jama	y , 1890
		6 / 9. (god	men Oxles
		day of Jama	In encar
			/
truly perform the duties			
according to instructions			
of the Mining Claim of			
known as the			······································
more fully described in the	ne preceding amdavit.		
			Axeman.
		n to by the said	
		before me this	day of
		, 18 '.	
1 6: 70	Jones	do golomniy	awaan that T will
well and truly perform th			
duties, according to instru			
survey of the Mining Clai	im of	The best of my skin a	d –
survey of the Mining Clar			noon
0		do	
known as the		2/10	
more fully described in th	nfr: a	<i>Y</i> /2 2 .	,
and the same of th	ne preceding affidavit.		
	ne preceding affidavit.		
	ne preceding affidavit.		
	ne preceding affidavit. Subscribed and sworn	If former to by the said	I, Flagman.
	ne preceding affidavit. Subscribed and sworn	If former to by the said	I, Flagman.
	ne preceding affidavit. Subscribed and sworn	If former to by the said	I, Flagman.
	subscribed and sworn		J, Flagman. - J

Field Notes of the Chancey of the Emprire Me v. Mining Claim. District. Mohave Comby Origina Versitory Elaimed by 6.05. Thompson Und. Dept min. Imveyor modes mot metions from the Inneyer General of date Decb. 18 Th 1889. Immer commenced Jany 32,890 " completed " 5 th " Description of Gervey. ment on northbormday line of clam, mentioned in location Motice, Enhere (1 vet a post dift. long, 4 mo. die 1/2 feet in fromd and ummonded some evith mound of stones Port marked 6. No g. I. Cocation monment and for marked . C. Mos. U. M. at centre of claim bean S. 47°50 W. Jimipar tree 1 ft. dia. marked E. M. z. I. B.P. bean N. 22°55'W. Thence S. 42°10'E. Var. 14° 20. E. 650 to bottom of deep ravine beas h. E.S. 750 to loc. show where I wet a shoot 4x4 im. 4ft. long 1/2 ft. in ground and some evith monned of stones; Foot marked 6. Me 2. II. Knestmil Ift high 18 im. dia.

marked E. Nez. B.P. bears n. 79° 20 E. Thence S. 47° 50'W. Var. 140 30 E 600 To lac. mon. where O ver a speak 4x4im. 4 ft. long, 1/2 ft. in ground and unrounded same evith mound of Tones, For marked 6. 1/2 2.111. Procestrumb 2 ft. high, ift. dia. manked E. No k. III. B.P. bean Sio'10'W. Car. to Sacs. 2-3-34 and 45, Tps 23 and 24. M. R. 18W. bean S.835 E. 5165 ft. [Cor. stake to sees 26-27-04 and 05. Tp. 24 n. R. 18 W-could not be formal on the ground - from # 7640 E 724 1 n. Ed. Cor. Schenectady mine Bean S. 400 E. 948 ft. Thence M. 42 10'W. Ela-. 14° 20 E. To enagon read, bean Mand S. to Empire creek bean Mevand S.E. to Evagon road Baco Meland SE. 750 1000 to evert bank of creek and loc. 1500 mon. evhare O est a spoot 4x42 Left. long. 1/2 It in ground and commanded come evith mound of stones; Post marked E. No 2. TV. mo. dia. marked E. Moz. IV B.P. bean N. 39° 40'W. 82 ft. Thence N. 47 0 50 E. Jan. 140 40 E. to enggon road. bean Mana S. To Loc. more where I bet a heat 4x4. ms . dia . 4ft. long, 1/2 ft in ground and amounded some evich mound of stones. Foot marked E. H- 2.V.

Simpertree 10 mm. dia marked E. No 2. I. B.P. bean N. 70°40'W. 47ft. Top of highest Peak north of Empire 10 2 mine bear 12 270 20 E. Thence S.42°10'E. Car. 140 20 E. 750 to loc. mon marked E. M. 2. I. and place of beginning. Chea. Votal area of claim 20.66. acrel Jocotron. Fin claim is located in Secsoly and 27. To 24 M. R. 18 EV. Comprovemento made upon this claim by claiment or granton con. bist of a trimel 60 ft. long, S. 43010' E. 15 for from Post marked E. He z. V. M. Shaft 4'x y'. 80 ft deep, with Sevels at Bottom, N. 42° 10' W. 51 It. from post marked E. Nº 2. V. M. O Improvements made by other parties consist of a shafe 42 x 8', 190 for deen S. 80° 05 E. 573 for from host marked 6. 90° 8. II Instruments used, a Feller and Brightley Francis with volor attachment and soft. steel

Variation and comment taken by

-			
/		Galaration at 1 and an inch	
		volor apparath and vernier	
7	- 18	0.177	
		Vingman Q. J. Jany 10 \$ 1890	
		Ti.	
		John of James 100	
			-
•			
1			

AFFIDAVIT OF FIVE HUNDRED DOLLARS IMPROVEMENTS.

---- 0----

TERRITORY OF ARIZONA,) SS.

County of Mohave.

SWORN to and subscribed before me, this-----

day of Jannay --- 1880.
6 J. Gedman De corde
By O. F. Knencer Deputy

Jan Madden

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by OF.


corners and boundaries described in the foregoing field notes of the survey of the mining claim
of E. C. Thompson
known as the Omfring Me 2
and showing the respective capacities in which they acted.
Q. J. Phrape, Chainman.
G. Phrepe, Chainman. S. S. Wolf, Chainman. , Axman.
, Axman.
E. The game, Flagman.
FINAL OATHS OF ASSISTANTS.
We. Q. g. Shrope - J. D. Evel
and E. H. Jones , do solemnly swear that we assisted O. F United States Deputy Mineral Surveyor, in marking the corners and
, United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of O. F. Romphoon
, known as the Confine
, known as the 6 mfm. , represented
me 2 , represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Conjugation of Chainman. Asyman . Asyman . Flagman.
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Conjuments. Asyman. Subscribed and sworn to by the above-named persons before me
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Conjuments. Asyman. Subscribed and sworn to by the above-named persons before me
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Conjugation of Chainman. Asyman . Asyman . Flagman.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, O. L. T. Thence , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Orizona Common, dated
December 19 4, 1889, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of 6. F. D. Bompson
known as the
Smhine Ho & mining claim, situate in Waslassa Mining District,
situate in Wasla har Mining District.
Mohave County Grisons in Sections
Mohave County, Grijono Vent, in Sections 27. and 4., Township No. 24 11; Range No. 18 W.
and designated as Survey No. 9/0, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
U.S. Deputy Mineral Surveyor.
U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said
U.S. Deputy Mineral Surveyor, before me & J. Godman
Country Recorder this 5th
day of 2 ans 1890.
Subscribed and sworn to by the said
E Lodman Court Read
Mounty Recorder

Wallapai Dist, Empire 2 2 notice of Socation Anow, all mently these Presents, That I the undersigned have this day located fifteen hundred (500) linear feet of this Vin or lode, bearing precious metals, with all dips. Spurs, angles and variations with Surface groundthree hundred 300) feet on Each Side of the Centre of Vin. with all mineral deposits Contained therein And all timber growing within the limits of Said Claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the United States mining laws. under Which it is located, This Claim tommences at this monument and notice placed upon the ledge. And runs Seven Kundred of ifty feet in a westerly direction and Seven Kundred and fifty feet in a Easterly direction along the ledge, The Exterior boundaries are as follows, towit. Commencing at a monument of Stone on north boundary line dist ant three hundred (300) feet in a northerly direction from Discovery monument, thence in a wroterly direction parallel with the ledge you feet to monument of Stone at M. W. Corner of Claim. Thence in an Southerly direction at right angles across the ledge Six hundred (log) feet to monument of Stone at I. M. Corner of Claim. Thence in a Easterly direction parallel with the ledge fifteen hundred (500) feet to monument of stone at S. E. Corner of Claim, thence at right angles across the ledge in a northerly direction Dix hundred (loo) feet to monument of thone at N. E. Corner of Claim. Thence in a Westerly direction parallelwith

the ledge 750 feet to monument on north boundary and place of beginning. I his ledge may be more generally described as Stuated About I'r mile north west of the Schuykill mine and about 1/4 mile north of the town of Chloride and formally known as the Empire mine, In Wallapai Mining District Mohow County, Orizona Verritory and I hall by Known as the Empire No 2 mining Claim, Dated on the ground, this 25th day of July E, F. Thompson For Centre of Claim) Recorded at the request of E, F, Thompson July 30th ad 1889 at 20 minutes past 10 Deloek a.M.,
EJ Godman Younty Recorder Territory of arizona? SS, County of Mohaw ? J. E. J. Godman Country Recorder in and for mohow County, arizona Verritory, Do hereby Certify that the above and foregoing is a full, true and Correct Copy of the Toxation notice of the Empire No. 2 Mining Claim as the Same appears Mining Records of mohow County arizona Verritory In Witness Whereof. I have hereunto Set my hand and affixed my official seal this 10th day of December ad 1889 & Godman County Recorder



Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,
Office of U.S. Surveyor General,
Sueson. areyona
January 30 7/18 9.0.
, 1887.0
I, U. S. Surveyor General for Augora,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of J. H. Mottella Soiz
Etiperie No. D., known as the
- 0/17/12/2 0/0. Q.
situate in Hohave Wallahai mining district, Hohave County, aryonia, Territory
Hohave County aregoria, Serretory
in Section \$ 27+34, Township No. 24, M, Range No. 18. WES
, designated as Survey No.
executed by J. Ruerre , U. S. Deputy Mineral
Surveyor tour coary 25-1/2, 18 90, under my instructions dated
Dec 13 th, 1884, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
Payalo Jahnson
U. S. Surveyor General for Wryviia.