(4—683.)

Mineral Survey No. 978

Lot No. 51.

Mescott ____Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF
1100141
— M. W. Olark —
KNOWN AS THE
- Machon
1 Vorde Mining District,
Cavahai - county, arizona -
Section , Township 16 M , Plange 2 E
Surveyed under instructions dated [227 28, 189]
Oby Co. Doster,
U. S. Deputy Mineral Surveyor.
Claim located Unil 23. 7d
Survey commenced October 1 = 1891.
Survey commenced OCTO COTO (1897). Survey completed OCTO (1897).

o 6—160

15063 b-2500

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

	6.1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
	do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of
	the Mining Claim of Methelans
	, known as the
	situate in Serde mining district,
	Mayafa County, Arzona, in Section, Township No. Range No.
	James Nicholo, Chainman.
1	Subscribed and sworn to by the above-named persons before
y.	me this 29 day of Deplant, 1891.
	Halary Public
	truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of
	known as the, more fully described in the preceding affidavit.
	Harry Bormansweman.
	Subscriped and sworn to by the said Harry
	Gorman before me this 29 day of
	deptember, 1891.
	6B Faster
-	J. , do solemnly swear that I will
	well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the
-	survey of the Mining Claim of
	known as the, more fully described in the preceding affidavit.
	, Flagman.
1	Subscribed and sworn to by the said before me this day of
L	before me thisday of, 18
	, 10

of the surrey of the Fraction Mining Claim Situate in' Verde Mining District Havapai County Arizona Claimed by W.A. Clark. Sepuly Mineral Surveyor under instructions from the U.S. Surveyor Eleneral of date July 28 1891 Ourrey Commenced Oct 1891 " Completed Oct 1st 1891 Reginning at the Initial Mon. Mentioned in location notice and marking a northerly point on the last Orde boundary of Claim, it being also on the west side boundary of the I make House M. C. where I let a Danel stone 20×18×8 ins 1 ft in ground and Surrainded Same With Mound of Stone is marked of m. F. No1. U. S. Min Mon. No 1 bro \$20 W 3784 fut. Thence A 33° W Va 140 15 East 195 to Pleasant Spring Creek flows & N.E. 420 to point where I set a Sand Stone 24×10×4 ins Ift in ground and lerrounded Jame with Mound af flones.

Some is monked F. No 2 original los Mon, not found Thur & 72° 30' W Va 14° 15' East 160 to point where I intersect the last Dide toundary line of the I von King Mr. 6: unsurreyed and where I let a fond None 20×8×3 ins , ft in ground and Surrounded dame with mound of Otoms Stone is marked & No. 3. A Cedar 10 ins dia fro S 140W 151/2 ft tree is blazed and manked F. No.3. 18. 9. Original loc Mon for 8 4 2°30'W 35ft There & 3005 6. Va 140 15 East 198 to Cleasant Spring Creek flows ENE 3393 to loc mon marking . E. Cor to From King M. C. where I mark I. No 4. on N.W. Cor of a dand stone projecting above lunface I ft high ed dame wit Mound of Stones. Thence of 12°30' W 149 to point where I intersect the last Is de toundary mi of the I get a Dand Som 16 x 12 x 8 ins. 1 ft. in ground and Derrounded Jame With mound of Stones Som is manked F. No. 5. No original loc mon found There & 38° 6° Va 140 15 East Dini runs along last Dide bound any line of GiftM.C. Lot No 44

is on unsorreyed lands. Improvements made upon this claim by Claimant or grantoss Conseit of a large open Cut 800 ft. long with an average width of 15 feet and an average depit of 4/2 ft. Northerly end of Jaid Cut bis. 14°W 240 ft from Mon J. m. & No! Said Cut extends South easterly through O. end line of claim fast West of the O.E. Corner. Ulso an apin. Cut 25 ft long by 3 by 2 ft deep on Nyo. W. 165 ft from Mon J. M. I No 1. and I thereby Certify that the Value of I and improvements by ceeds the I um of your Gundred dollars. There have been no improve -meght made by other porties on this claim. Transit and 50 ft Otel Chair. Var aut Courses determined by Observation of Poland. November 10 1891. 6 13 Forter Mineral Juryon

Affidavit of Five Hundred Dollars Improvements.

We, James Nichals and Frank Canavan
of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the mining claim, situated in
Arizona Territory, for which U.A. Clark
ha A made application for survey prior to application for patent under the provisions of the Act of
Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the
applicant and first grantor exceed Five Hundred Dollars in value, and further that we are not
personally interested in said mine.
James Nichola Frank Camaran
County of Jarabas
SWORN to and subscribed before me, this day
O. B. Faster 1898 Colony Public

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
685
A list of the names of the individuals employed by 1975
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of WAClark
known as the Fraction
and showing the respective capacities in which they acted.
Frank Canaran, Chainman.
Harry Gorman, Axman.
, Flagman.
FINAL OATHS OF ASSISTANTS.
1 1.1 1
We James Wichols Frank Canavan
and Tany Jonnan do solemnly swear that we assisted less
Hollie United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of.
W. A. Clark
Traction, known as the, represented
Fraction , represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction, and that gold answer has been in all requests to the heat of any browledge and
his direction; and that said survey has been in an respects, to the best of our knowledge and
his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established
belief, faithfully and correctly executed, and the corner and boundary monuments established
belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for factorial for the state of the
belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for factorial for the state of the
belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for furnished by the United States Surveyor-Gen
belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for furnished by the United States Surveyor-Gen
belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for furnished by the United States Surveyor-Gen
belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for furnished by the United States Surveyor-Gen
belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for furnished by the United States Surveyor-Gen

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, Color of the Mineral	
Surveyor, do solemnly swear that, in pursuance of instructions received from the United	
States Surveyor General for , dated , 189, I have, in strict conformity to the laws of the	
United States, the official regulations and instructions thereunder, and the instructions	
of said Surveyor General, faithfully and correctly executed the survey of the Mining	
Claim of W.A. Celar 16	
situate in Section Mining District, Solvential County, Agrical Mining District, County, Agrical Mining District, Mining District, County, Agrical Mining District, Range No. And designated as Survey No. 978, August Market Mining District, and designated as Survey No. 978, August Mining District, and designated as Survey No. 978, August Mining District, and designated as Survey No. 978, August Mining District,	
Fraction,	
situate in Mining District,	
Javapa County, Arzona, in Section	_
C, Township No. Range No.	
and designated as Survey No. 9 / 8 / Survey No. 9 / 8 / Auto 100 /	
in the foregoing field notes, which accurately show the boundaries of said mining claim	
as distinctly marked by monuments on the ground, and described in the attached copy	
of the location certificate, which was received by me from the Surveyor General with	
said instructions, and that all the corners of said survey have been established and per-	
petuated in strict accordance with the law, official regulations and instructions there-	
under; and I do further solemnly swear that the foregoing are the true and original	
field notes of said survey and my report therein, and that the labor expended and	
improvements made upon said mining claim by claimant or figure grantors	
are as therein fully stated, and that the character, extent, location and itemized value	
thereof are specified therein with particularity and full detail, and that no portion of	
said labor or improvements so credited to this claim has been included in the estimate	
of expenditures upon any other claim.	
619 4	
U. S. Deputy Mineral Surveyor.	
2 Constitution of the control of the	
Subscribed and sworn to by the said 694 after	
U. S. Deputy Mineral Surveyor, before me W. C. Fash	24
a Holory Public this 10 10	
day of November, 1891.	
W. Costan	
With a lo	
· 6-154	

TERRITORY OF ARIZONA, ss. County of Pavapai.

I, CHARLES H. AKERS, County Recorder in and for said County and Territory, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Ciraclion" Mining Claim rect copy of the Aure of people of many Claim Room of Boom of Mining Claim Room of Mining Claim

Records of Yavapai County, Arizona.

Ju Witness Whereof, I have hereunto set my hand and affixed my official seal this Day of Wor HA. D. 189/

County Recorder.

FRACTION.

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS: - That I the undersigned, have this day located 1500 feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground 300 feet on each side of vein, with all mineral deposits contained therein, and all timber and water thereon or appurtenant thereto, according to the provisions of the United States Mining Laws. The Exterior boundaries are as follows:-

Commencing at a monument of stone est boundary line which is the initial monument; thence in a northerly direction parallel with the ledge 1500 feet to monument at N. E. corner; thence in a westerly direction at right angles across the ledge 600 feet to monument at N. W. corner; thence in a southerly direction parallel with the ledge 1500 feet to monument at S. W. corner; thence at right angles across the ledge in an easterly direction 600 feet to monument at S. E. corner; thence in a northerly direction parallel with the ledge 1000 feet to monument on east boundary and place of beginning.

This claim is in Verde Mining District, Yavapai County, Arizona, and may be more generally described as situated between the Gift and Smokehouse Lodes, embracing all the ground lying between them, and shall be known as the FRACTION Mining Claim. Dtaed on the ground this twenty third day of April, 1891.

W. A. CLARK.

Recorded at request of EL. Preston, April 27" A. D. 1891, at 9 - 20 O'clock A. M. in Book 32 of Mines, pages 126 and 127. Records of Yavapai Cou nty, Arizona.

CHARLES H. AKERS.

(L. S.)

County Recorder.

Ву

IMFNO1 PLAT FNO6 ANNOSN 72°30 E 2315 ofthe FRACTION MINING CLAIM LOT NO 42

In Verde Mining District

Yavapai County Arizona

Claimed by W.A. Clark

Surveyed by CBFoster U.S.D.S.

Oct 187/89/

Contains 7.64 Acres

Va 14º15'E Scale 200 st tolin

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General,	
Mason. Muzon	11
January 12 1892	J.
I, U. S. Surveyor General for arezona Territory,	
do hereby certify that the foregoing and hereto attached Field Notes and Return of the	
Survey of the Mining Claim of	/
, known as the	
- Traction -,	
situate in TTCO. mining district,	
Javapai = county, arizona =,	
in Section , Township No. , Range No. ,	
and, designated as Survey No. 978- Lot 17-31.	
executed by O. Hostor, U. S. Deputy Mineral	
Surveyor, October 1 st	
1 1 0 C Th	
Surveyor, October 1 st, 1891, under my instructions dated fully 28 m, 1891, have been critically examined and the	
necessary corrections and explanations made, and the said Field Notes and Return, and	
the Survey they describe, are hereby approved. A true copy of the copy of the location	
certificate filed by the applicant \for survey is included in the field notes.	
U. S. Surveyor General for any ond.	
U. S. Surveyor General for and ond	
o 6—1c2	