(4-683.)

# Mineral Survey No. 1146

Lot No.

Prescott

Land District.

## FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

6.N. Ellis	
KNOWN AS THE	1-
Ouse Mountain I	ode
Walker	Mining District,
Gavapai County, a	uzona
Section Unsurveyed Township 12 /2	//
Surveyed under instructions dated July	//, 1894
by OCI	Babbier.
	U. S. Deputy Mineral Surveyor.
Claim located Febry 25 1878 ramended &	lune 25", 1894.
Survey commenced July 19 12	, 1894
Survey commenced July 19 120 Survey completed July 19 150	, 1894
o 6—160	

Address of Claimant
6. M. Ellis
Prescott
. A. T.

7390 b-2 n

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE W. S. Mors	w and
do solemnly swear that we will well	ll and faithfully execute the duties of chain carriers;
that we will level the chain upon	even and uneven ground and plumb the tally-pins,
	e same; that we will report the true distance to all
	h of all lines that we assist in measuring, to the best
	cordance with instructions given us, in the survey of
the Mining Claim of	
6.W. Ellis	, known as the
Oine ?	Mountain Lode, known as the
situate in Walker	mining district.
Yavakai	County, Arigona, 12 M., Range No. 1 W. & + S. R Mur.
in Section Township No.	12 h Bange No 1 W & + & R. Mer
A country in the coun	, //
	Mmoros , Chainman.
7 3AH L	V
18/1	, Chainman,
Subscril	bed and sworn to by the above-named personX before
me	bed and sworn to by the above-named personX before this 19 that day of Lucy, 1894
	Sulletten motory &
	Multin
	, do solemnly swear that I will well and
	n, in the establishment of corners and other duties,
	and to the best of my skill and ability, in the survey
of the Mining Claim of	
known as the	
more fully described in the precedi	ng affidavit.
	, Axeman.
Subscrib	bed and sworn to by the said
	before me this day of
	, 18 .
	, do solemnly swear that I will
	of flagman, in the establishment of corners and other
	ven me and to the best of my skill and ability, in the
survey of the Mining Claim of	
known as the	,
more fully described in the precedir	
	"Flagman.
Subscrib	ped and sworn to by the said
	before me this day of
	10

Leet Suv. No. 11 46 Pine mountain Lode Beginning at Cor. No. 1 a cross chiseled ow ledge of granite 6 ins above the general surface chishled /1146 whence the S.E. Cor. Dec. 32 Two. 13 M. R. IW Sila & Salt River. Mer. hears 164° 186 2850 ft. XB.R. 1/1146 chiseled on a ledge of granite, 2 ft above the general bluface bears 854356 28.71 ft. Thence 1 59 W To Cor. No. 2. agrante stone 30 ×10 ×12 mis set 18 ries in the ground with mound of stones, chiseled 7/1146 whence center of a trus besed chaft 32 x7 ff 100 ft deep bears \$ 57° 206 Thence S31°W To Cor. No. 3 a granite strue 28 × 10 × 6 ins set 18 vies in the ground with mojund of stones chireled 3/1146, whence the discovery shaft bears 1274°366 434.98 HT. Theuce & 59°6 Road 20 ft wide Course 25°W To end center monument and location notice To witness corner a granuto stone 26 x10 X 8 ins set 18 ins in the ground with mound of stones, chiseled N.C. 4/146 where center of a chaft 4x6 ft 40ft deep bears h 54°38'W 218.5 ft. Road course h 45 M + 85962 of wide To Car no. 4 in road, 600

Theuce h 31°6 Teil To side of road Course Soy & To Cor No. 1 the place of beginning Naciation at all corners - 14°6 area 20.66 Facies Containing Localive This claims is located on misuryed lands. Expenditure of Xive Aundred Dollars I certify that The value of the labor and improvements whow this claim placed therem by claimant and his grantois is not less than five hun dred dollars and that said improvemento consist of the discovery duals 32, ×7 ft on the vein 200 ft deep which Hears from Cn. No. 3 /2 74° 36 6 43 4.98 ft. Value = \$ 2 90000 a shaft 3 ± x7 ft 50 ft deep, which bears from Cor. ho. 4 /218° W 355 ft Nalue \$ 50000 a chaft 32 x 7 ft 55 ft deep which bears from Co. no. 4 / 28°W 238 ft. Value = \$5,0000 a shoft 3 i ft x7 ft, 60 ft deep which hears from Cor. 20.4 /213°50 6 720 ft Value = \$600,00 a shaft 4x6 ft 40 ft deep which hears from Cor. 20. 4 /255°30'W 273 ft Vulue - 3400 00 atumnel 5x7 ft on the verex 125 filming course h 25°6, The entrance to which bears from Cor. No. 1854°20 W 668 ft. Nalue = \$ 100000 an engine house 20x20 ff course of side 1/10 6 The S.W. corner of which Hears from Cov. No. 3 127206 379 ft

Value \$ 30000

Other Europroveneeds

a shaft 3½ ×7, ft 100 ft deep timbered
which bears from Cov. No. 2 \$57° 20 80 4 ft

a chaft 4×6 ft 50 ft deep timbered
which bears from Cov. No. 2 \$37° 30 63 15 ft

a chaft 4×6 ft 60 ft deep tim bered,
which fears from Cov. No. 2 \$31° 30 6

335 ft.

a chaft, 5×6 ft 60 ft deep, tim bered
which fears from Cov. No. 2 \$1° W333 ft.
Claimanto to these shafts are unknown.

The survey was made with a Buff of Berger mountain transit. The Courses were deflected from The line meridian as determined by order of servations. The distances were measured with 500 \$50 ft steel takes.

E.C. Babbut Dep. M.S. Mins. Sur. July 18 15 1894

# FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

A list of the names of the individuals employed by O.C. Babbetts
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of C.W. Ellis
known as the Price Mountain Colle
and showing the respective capacities in which they acted.
W.S. Morse , Chainman.
, Chainman.
, Axman.
, Flagman.
FINAL OATHS OF ASSISTANTS.
We, I, h. S. Marse.
and , do solemnly swear that we assisted & C Bulhing
United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of
C.W. Ellis
, known as the
Once mountain lode , represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
arizona MIRA
Mhworsz-, Chainman.
, Chainman,
Axman .
Flagman.
Subscribed and sworn to by the above-named persons before me
this 19 day of Jul Curtur
(AMOO, v the
Votare Rule:

### FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, C.C. Babbuy, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for arizona, dated
Auly 11to , 1874, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Prie Morgetain, known as the
me morgana,
situate in Walker Mining District,
Govapai County, Arzgra, in Section mesuryed, Township No. 12 12, Range No. 1 19 9 + 8-12. Neer.
and designated as Survey No. // 46 , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
of expenditures upon any other claim.
ac Bablin
U. S. Deputy Mineral Surveyor.
O. S. Depung Inter at San vegor.
688111
Subscribed and sworn to by the said 6. 6. Sallitt  U.S. Deputy Mineral Surveyor, before me 4. 10. Outter Cu
U. S. Deputy Mineral Surveyor, before me W. W. Culter. Co.
U. S. Deputy Mineral Surveyor, before me W. N. Cutten. a. Ca. Polary Ruleie this 19 to day of July , 18 94.
day of July , 18 94.
Holary Pulie
Notary Vulie

Pine Mountain.

Notice.

The undersigned locate and claim (1500) feet on this ledge.

COMMENCING at this monument and running (300) feet Westerly
to a monument marked S.W.corner; thence (1500) feet Northerly to a
monument marked N.W.corner thence (600) feet Easterly to a monument marked N.E.corner; thence (1500) feet Southerly to a monument
marked S.E.corner; thence (300) feet Westerly the initial Monument

Situated on Upper Lynx Creek one half mile west of the Creek and East of Spruce Mountain known as the "Pine Mountain"Lode".

In Walker Mining District Yavapai County Arizona. February 25th.1878.

#### S.A. Davidson.

Filed for record at the request of R.E.Elliott, March 28th.A.D. 1878, at 11 o'clock A.M. and duly recorded in Book F.6, of Mines Records of Yavapai County Arizona at page 420.

By W.C. Foster,

William Wilkerson,

County Recorder.

Deputy.

TERRITORY OF ARIZONA, I ss; County of Yavapai.

I, Alex. O. Brodie, County Recorder in and for said County and Custodian of the Records thereof do hereby certify that the above and foregoing is afull, true and correct copy of the Notice of Location of the Pine Mountain Mining Claim as the same appears of recrod in Book F.6 of Mines at page 420, Records of Yavapai County Arizona.

Gievn under my hand and seal of office this 2nd .day of July,

A:D.1894.

Au OBrodie

County Recorder.

NOTICE is hereby given that the undersigned have located and do nereby locate and claim by right of discovery 1500 linear feet on the Pine Mountain lode or vein, together with 300 ft., in width of surface ground on each side of said vein at the surface 1500 on said lode running N 31 E. from the location monument and notice at the South end center of the claim,

Said mining claim is situated in Walker Mining District Yavapai County Arizona, and is bounded and described as follows;

Beginning at Cor.No., l a post in mound of stones; thence S. 59° E.300 ft to location monument, 600 ft to cor.No.2, a post in Mound of sones, thence N.31° E., 1500 ft to Cor.No.3, whence a cross chiseled on ledge of rock bears S.54° 35′ E.23.71 thence N.59° W.300 t., to N.end center a mound of stones, 600 ft to cor.No.4, a post in mound of stones, thence S.31° W.1500 ft. to cor.No.1, place of beginning.

This amended or additional notice is made for the purpose of more definitely locating the claim by metes and bounds and is without waiver of any rights claimed under the original location as recorded in Book F.6, Page 420 of the Records of Yavapai County.

Date of Discovery Feb.25, 1878.

C.W.ELLIS

Date of location Feb.25, 1878.

Recorded at request of W.S.Morse, June 25th., A.D. 1894, at 10,55, o'clock A.M. in Book 41 of Mines pages --- Records of Yavapai County

Arizona. (L.S.) Alex.O.Brodie,


County Recorder.

TERRITORY OF ARIZONA, I ss;
County of Yavapai.

I, Alex. O. Brodie, County Recorder in and for said county and Custodin of the Records thereof do hereby certify that the above and foregoing is a full, true and correct copy of the Amended Notice of Location of the Pine Mountain Mining Claim, as the same appears of record in Book 41 of Mines at pages---Records of Yavapai County Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal, this 25 day of June A.D. 1894.

COUNTY RECORDER.



By & C. Babbers
Depus Min Sur.

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

### Department of the Interior,

I, U. S. Surveyor General for District of anyona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of C. W. Eleis
, known as the
Pine Mountain lode
situate in mining district,
yavapai County, arizona
in Section Township No. /2 N., Range No. / W. J. & B. P. M.
, designated as Survey No. // 46
executed by E. C. Babbitt , U. S. Deputy Mineral
Surveyor, July 19 th, 1894, under my instructions dated
July 11 the 1894, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificates filed by the applicant for survey is included in the field notes.
Lin Atuanning

U. S. Surveyor General for\_\_\_

0 6-1(2