

**MS.**

**0**

**1**

**1**

**8**

**1**

(4-683.)

Mineral Survey No. 1181

Lot No. \_\_\_\_\_

Prescott

Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

S. S. Kennedy

KNOWN AS THE

Nellie

Hassayampa

Mining District,

Yavapai

County, Arizona

Section unsurveyed, Township 12 S, Range 1 W 1/2 S R. M.

Surveyed under instructions dated June 20, 1895,

by E. C. Rabbit,  
U. S. Deputy Mineral Surveyor.

Claim located January 1st 1894  
relocates June 2 - 1895., 18

Survey commenced June 28<sup>th</sup>, 1895.

Survey completed June 28<sup>th</sup>, 1895.

o 6-160

8020 b-3 m

Address of claimant

Prescott

Arizona

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

W. E. \_\_\_\_\_ and *J. C. Warren* \_\_\_\_\_,

do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of *S. S. Kennedy* \_\_\_\_\_,

\_\_\_\_\_ , known as the

*Nellie Lode*

situate in *Hassayampa* \_\_\_\_\_ mining district,

*Yavapai* \_\_\_\_\_ County, *Arizona* \_\_\_\_\_,

in Section *unswayed* \_\_\_\_\_, Township No. *12 S.* \_\_\_\_\_, Range No. *1 N 4 + 1 B. W.* \_\_\_\_\_.

*C. E. Warren* \_\_\_\_\_, Chainman.

\_\_\_\_\_, Chainman.

Subscribed and sworn to by the above-named persons before me this *28* day of *June*, 189*5*

*Charles W. Akers*  
*Notary Public*

I, \_\_\_\_\_, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of \_\_\_\_\_

known as the \_\_\_\_\_,

more fully described in the preceding affidavit.

\_\_\_\_\_, Axeman.

Subscribed and sworn to by the said \_\_\_\_\_

\_\_\_\_\_ before me this \_\_\_\_\_ day of \_\_\_\_\_, 18 \_\_\_\_\_.

I, \_\_\_\_\_, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of \_\_\_\_\_

known as the \_\_\_\_\_,

more fully described in the preceding affidavit.

\_\_\_\_\_, Flagman.

Subscribed and sworn to by the said \_\_\_\_\_

\_\_\_\_\_ before me this \_\_\_\_\_ day of \_\_\_\_\_, 18 \_\_\_\_\_.

Feet  
 Ser No 1181  
 Nellie Lode  
 Beginning at Cor. No. 1  
 Identical with Cor. No. 1 of the amended location, a granite stone 26 x 10 x 10 ins set 18 ins in the ground with mound of stones, chiseled 7/181 whence U.S.L. No. 1181 bears  $N 69^{\circ} 11' W 962.46$  ft.  
 A pine tree 30 ins dia. blazed and marked B.S. 7/181 bears  $N 21^{\circ} 33' W 16.95$  ft.

Thence  $S 82^{\circ} 40' W$   
 302.24 To end center monument  
 604.48 To Cor. No. 2

Identical with Cor. No. 2 of the amended location, a granite stone 26 x 6 x 8 ins set 18 ins in the ground with mound of stones, chiseled 7/181 whence a pine tree 24 ins dia. blazed and marked B.S. 7/181 bears  $N 46^{\circ} 11' W 8$  ft.

1500 Thence  $N 14^{\circ} 19' W$   
 To Cor. No. 3

Identical with Cor. No. 3 of the amended location a granite stone 24 x 8 x 10 ins set 18 ins in the ground with mound of stones, chiseled 3/181 whence an oak tree 6 ins dia blazed and marked B.S. 3/181 bears  $N 68^{\circ} 52' E 10$  ft.

Thence  $N 82^{\circ} 40' E$   
 302.24 To end center monument  
 604.48 To Cor. No. 4

Identical with Cor. No. 4 of the amended location, a granite stone 28 x 8 x 10 ins set 18 ins in the ground with mound of stones chiseled 4/181 whence an oak tree 24 ins dia. blazed and marked B.S. 4/181

Set bears  $S 3^{\circ} 27' E$  9.9 ft.

1500 To Cor. No. 1 the place of beginning  
Stake  $S 14^{\circ} 19' E$   
Variation =  $13^{\circ} 30' E$

### Area

Total and net area of claim 20.662 acres

### Location

This claim is located in unreserved Tract  
12 S. R. 1 W. T. 14 & Salt River, Nev.

Expenditure of Five Hundred Dollars  
I certify that the value of the labor and  
improvements upon this claim, placed  
thereon by the claimant and his grantors  
is not less than five hundred dollars  
and that said improvements consist  
of a shaft 22 ft deep  $4 \times 7$  ft timbered  
which bears from Cor. No. 4  $S 15^{\circ} 56' W$  553 ft  
Value = \$250<sup>00</sup>

A shaft 25 ft deep  $4 \times 6$  ft which bears  
from Cor. No. 4  $S 25^{\circ} 55' W$  445 ft.  
Value = \$250<sup>00</sup>

A Tunnel  $5 \times 6$  ft on the vein 80 ft  
long course  $S 30^{\circ} 30' E$  the entrance to  
which bears from Cor. No. 4  $S 51^{\circ} W$   
375 ft Value \$800<sup>00</sup>

### Other Improvements

a shaft caved in depth and size un-  
known.

### Instrument

The survey was made with a moun-  
tain transit. The courses were deflected from  
the true meridian as determined by solar  
observations. The distances were measur-  
ed with a 500 ft steel tape.

E. C. Rabbit  
Dep U. S. Min. Sur.

June 28 1895

Description of U.S. L.M. 1181

This monument is a pine post 8 ft long six inches square, set 2 ft in the ground on bed rock and surrounded by a mound of stones 6 ft wide at the base and 3 ft high. The post is marked U.S. L.M. 1181 and in the mound of stones, is a stone 12 x 10 x 8 ins chiseled U.S. L.M.

1181. From the monument a pine tree 10 ins dia. flagged and marked B.T. U.S. L.M. 1181 bears S 15° 30' E 45.7 ft.

An oak tree 8 ins dia flagged and marked B.T. U.S. L.M. 1181 bears N. 43° 15' E 35.4 ft. x B.R. U.S. L.M. 1181

chiseled on a granite boulder 3 ft high 4 x 6 ft bears N. 73° 30' E. 25.1 ft.

The highest point of the west end of Bradshaw Mt. bears S. 3° 30' E.

Tulliver Mt bears S. 28° 15' W.

Mt Ynnow bears N. 26° E.

This monument is situated on the summit of the divide between Crook Canon and Hassayampa Riv. and about 15 miles in a southeasterly direction from Prescott

It is erected because there is no locating monument within 2 miles of sur. No 1180 Hellie lode; nor corner of the public survey within the same distance.

E. C. Rabbitt  
Dep. U.S. Min. Sur.

June 28, 1895

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by E. C. Babbitt  
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines  
 corners and boundaries described in the foregoing field notes of the survey of the mining claim  
 of S. S. Kennedy  
 known as the Nellie Lode  
 and showing the respective capacities in which they acted.

....., Chainman.  
E. C. Warren....., Chainman.  
 ..... , Axman.  
 ..... , Flagman.

## FINAL OATHS OF ASSISTANTS.

We, E. C. Warren  
 and E. C. Babbitt, do solemnly swear that we assisted  
E. C. Babbitt, United States Deputy Mineral Surveyor, in marking the corners and  
 surveying the boundaries of the mining claim of S. S. Kennedy  
 known as the Nellie Lode, represented  
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under  
 his direction; and that said survey has been in all respects, to the best of <sup>my</sup> ~~our~~ knowledge and  
 belief, faithfully and correctly executed, and the corner and boundary monuments established  
 according to law and the instructions furnished by the United States Surveyor-General for  
Arizona

....., Chainman.  
E. C. Warren....., Chainman.  
 ..... , Axman  
 ..... , Flagman.

Subscribed and sworn to by the above-named persons before me  
 this 28 day of June, 1895

Charles W. Akers  
Notary Public



FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, E. C. Babbitt, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated June 20, 1895, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of S. S. Kennedy, known as the Nellie Lode, situate in Hassayampa Mining District, Yavapai County, Arizona, in Section Unsurveyed Township No. 12 S., Range No. 1 W. G. & S. R. M. and designated as Survey No. 1181, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

E. C. Babbitt  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said E. C. Babbitt  
U. S. Deputy Mineral Surveyor, before me Charles W. Akers  
Twenty eighth day of June, 1895, this 28th day of June, 1895.

Charles W. Akers  
Notary Public





N E L L I E .

NOTICE OF LOCATION.

KNOW ALL MENBY THESE PRESENTS

THAT we the undersigned, have this day located Fifteen Hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is Located.

This claim commences at this monument and notice placed upon the ledge, and runs 100 feet in a Northerly direction and 1400 feet in a Southerly direction along the ledge.

The Exterior boundaries are as follows, viz;

Commencing at a Monument of Stone on West boundary line, distant Three Hundred (300) feet in a Westerly direction from Discovery monument; thence in a Northerly direction parallel with the ledge 100 feet to Monument of Stone at N.W. corner of claim; thence in an easterly direction at right angles across the ledge Six Hundred (600) feet to Monument of Stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1500) feet to Monument of Stone at S.E. corner of claim; thence at right angles across the ledge in a westerly direction Six Hundred (600) feet to Monument of Stone at S.W. corner of claim; thence in a Northerly direction parallel with the ledge 1400 feet to Monument on West boundary and place of beginning.

This ledge may be more generally described as situated one and one half miles west of Palace Station and three miles south of Senator Mines, in Hassayampa Mining District, Yavapai County Arizona Territory, and shall be known as the N E L L I E Mining Claim.

DATED ON THE GROUND this First day of January 1894.

BEN F. PETERS

A. B. SPENCE.

ANNIE PETERS

E. WARREN.

Recorded at request of A. B. Spence Feby., 23d., A. D. 1894, at 2, 30 o'clock

P.M. in Book 39 of Mines at page 124, Records of Yavapai County Arizona.

Alex. O. Brodie,  
County Recorder.

(L.S.)

TERRITORY OF ARIZONA, §  
                                  §ss;  
County of Yavapai. §

I, F. A. Tritle, County Recorder in and for said County and Custodian of the Records thereof, do hereby certify that the above and foregoing is a full, true and correct copy of the Notice of Location of the "NELLIE" Mining Claim, as the same appears of record in Book 39 of Mines at page 124 Records of Yavapai County Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 5<sup>th</sup> day of June A.D. 1895.

*F. A. Tritle*  
=====

County Recorder.

*F. A. Tritle*  
By\* \* \* \* \*

Deputy.



NeXllie.

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS:--

That the undersigned have this day <sup>ye</sup> located 1500 linear ft of this vein or lode, with all dips, spurs, angles and variations, with surface ground 300 ft in width on each side of the center of vein at the surface, 432 ft running N.12° 19' W. from center of discovery shaft and 1158 ft running S. 14° 19' E. from said discovery shaft.

Said lode is situated in Hassayampa Mining District, Yavapai Co. Arizona and is bounded and described as follows

Beginning at cor. No. 1 a monument of stone whence a pine tree 30 ins. dia. blazed and marked B.T. bears N.21° 33' W. 16.95 ft; thence S. 82° 40' E. 302.24 ft., to <sup>end</sup> said center a monument of stones; 604.48 to cor No. 2, a monument of stones; thence N.14° 19' W. 1500 ft to cor No. 3, a monument of stones; thence N.82° 40' E. 302.24 ft to end center a monument of stones; 604.48 ft to cor No. 4, a monument of stones whence an oak tree 24 ins. dia blazed and marked B.T. bears S.3° 27' E. 9.9 ft; thence S.14° 19' E. 1500 ft to cor No. 1 the place of beginning.

This relocation is made without waiver of any rights claimed under the original location as recorded in Book 39 page 124, of the Records of said Yavapai Co.,. This claim is know\_ as the NeXllie.

Date of re-location June 3rd., 1895.

S.S.KENNEDY.

Recorded at request of E.C.Babitt, June 5<sup>th</sup> A.D. 1895, at 9,05 o'clock A.M. in Book 42 of Mines pages 122-3, Records of Yavapai County Arizona.

By M.O.Archibald,  
Deputy.

(Seal.)

F.A.Trittle,  
County Recorder.

TERRITORY OF ARIZONA, §  
County of Yavapai. § ss;

I, F. A. TRITTLE, County Recorder in and for said County and Custodian of the Records thereof, do hereby certify that the above and foregoing is a full, true and correct copy of the Notice of Location of the N E L L I E "Mining Claim as the same appears of record in Book 42 \*\*\*\*\* of Mines at pages 122-3, Records of Yavapai County Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 5<sup>th</sup> day of June A. D. 1895.

*F. A. Trittle*

\*\*\*\*\*

County Recorder.

*F. A. Trittle Jr.*

By° . . . . .

Deputy.



(4-687.)

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona

August 16, 1895.

I, U. S. Surveyor General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of J. J. Kennedy

\_\_\_\_\_ , known as the

Kellie

situate in Massayampa mining district,

Yavapai County, Arizona

in Section \_\_\_\_\_, Township No. \_\_\_\_\_, Range No. \_\_\_\_\_

\_\_\_\_\_ , designated as Survey No. 1181

executed by E. C. Cabbitt, U. S. Deputy Mineral

Surveyor, June 28<sup>th</sup>, 1895, under my instructions dated

June 20, 1895, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificates filed by the applicant for survey is included in the field notes.

Lewis H. Manning

U. S. Surveyor General for Arizona

o 6-162

Var 13° 30' E

41.04  
55.53  
61.71

COR. NO. 3

N 82° 40' E

N end cent. mon

604.48 FT

COR. NO. 4

TUNK

S 51° W 375'

SHAFT.

S 25° 55' W 495'

SHAFT.

S 22° 50' W 495'

S 15° 56' W 553'

SHAFT.

U.S.L.M.  
1181

N 14° 19' W 1500 FT

SUR. NO. 1181 NELLIE

S 14° 19' E 1500 FT

N 6° 11' W 962.46 FT

COR. NO. 2

S 82° 40' W

604.48 FT

COR. NO. 1

S end cent. mon

June 28 '95