(4-683.)

### Mineral Survey No. 1195

Lot No.

#### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF adstone Fraction \_ Surveyed under instructions dated Oct. 25 Claim located left, 26 " Survey commenced DEC. 5" Dre 5-9. Survey completed ....

Address

T

Address.
Ed N. Mills
Ott, in fact for
Mclease Mining Company

Present.

auguste

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

18000
WE, J. Coleman and
do solemally swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins,
either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of
Hadston Fraction, known as the
situate in Buy Buy mining district,
Jarapui County, Cirizma,
situate in Bry Bry mining district,  favulate in County, Crysta , in Section , Township No. , Range No
Moleman, Chainman.
, Chainman.
Subscribed and sworn to by the above-named persons before
me this day of December, 1895.
Edwin G. Wager Notwig Public.
Notary Parlic -
I,, do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties,
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of
known as the,
more fully described in the preceding affidavit.
Axeman.
Subscribed and sworn to by the said
before me this day of
, 10
I, J. Coleman, do solemnly swear that I will
I, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other
duties, according to instructions given me and to the best of my skill and ability, in the
Th. Man 1 1 11 10
survey of the Mining Claim of the Me leube Muning Company
known as the Gladslove Franklove,
known as the Hallslime Frankling, more fully described in the preceding affidavit.
known as the Hallslime Frankling, more fully described in the preceding affidavit.
known as the Hallslime Frankling, more fully described in the preceding affidavit.
known as the fluidslave franchism, more fully described in the preceding affidavit.  Subscribed and sworn to by the said following the said follow
known as the fluidslave franchism, more fully described in the preceding affidavit.  Subscribed and sworn to by the said following the said follow
known as the Haulslowe Franklows, more fully described in the preceding affidavit.  Subscribed and sworn to by the said Holeman.
known as the fluidslave franchism, more fully described in the preceding affidavit.  Subscribed and sworn to by the said following the said follow

12324 b-1 m

Survey No 1195

Feet

# Gladstone Fraction Lode

Beginning at Most with come Mich is the point of intersection of fine 2-3 of Gladstone; Invey No 11859 with line 3-4. Dink to Rise, Surry No 813. Where is let a pine put 4"x 4 x 5" hong ne frund and surrounded by more, of threes, port marked G. F. 10 1-1195. A + on. Cyanide rock in place, marked B.R. G. F. No 1-1195 bears \$29015 1/14.5

Thence A 65° E

491

Along hime 3-4 g enroy No 813 to Or. No 2. Identical with tocation Comer. and also with cir. No 4 of Luvey No 8/3. A price pert 4x4x5 Try set in ground and emounded by mon y stones, put mucked G.F. No 2-1195 U.S. M.M. NoI beaux N 37°52 & 9346,9

> Thence S 37° 30' E Vav. 14° E

100

To Car 1/0 3. Identical with freation Cerner, A pine fort 4"x4" x5 True set in ground and surrounded by mon, of stones. put muked g. F. No 3- 9195. A + on prophyry nek in place, marked B.R. G. J. 1803-1195 teme S 21° 25 & 70 Jut

Survey No 1195 Feet Flunce & 65° H Nev. 14° & To Cer. No 4. the point of intersection with line 2-3 of Survey 10 1159. Identical with breation monument A pine port 4x4x5 long, set mi ground and surrounded by mon. of Mines, post murked G. F. Wo 4-A + on prophyry wek in place Murked B. R. G. F. no 4-1195 beues 5 2° 35 & 36.5 Jut, Cov. no 2. Survey No 1159 Gladstone tode bears S 37° 30 & 100 fut. Thence N37°301 Vav. 140 E 100 To Cer. No 1- the place of beginning survey of exterior boundaties. Containing 1.1 acres Localion This claim is breated on unauverful land, in Big Buy Mining Destrict-Javapui les. Augune. I certify that the vulue of the luever and improvements done for the development of this claime, done by the claiment and its grantors, is not less true fir hundred dolears and said improvements consist of. Two levels run from the working Most of the Snik & Rese, The Mclecebe Mining Co claimants, The upper or 150 Foot level runs to the forks The Gledslove vine, The tower For & 30 foot level hees not get

Sung 1101195 Gladstone sin. Duid levels are 340 jut mi length- from where they lever the main levels on the Snito to Rise. A level on Gladstone Fraction 4×6×12 in length in the South fish of Gleedsline vine, which is la constinuation of the 150 foot level leading to working shoft on Snik to Rise. Nalue \$1,20.00 Instrument The survey was much with a Gurley Notes Hussich, ho courses were deflicted from to true merician ces determined by volue observations, to destunces in meusmul with a 100 foot due Chein. J.J. Fierher (14. S. Dep. min . Serveyor Inscott Dre. 6= 1895.

5

# FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals employed by
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the line
corners and boundaries described in the foregoing field notes of the survey of the mining clain
of the Meloabe Mining Company
of the Meloabe Mining Company known as the Gladsline Fraction
and showing the respective capacities in which they acted.
J. Colonnes, Chainman.
, Axman.
Moleman, Flagman.
FINAL OATHS OF ASSISTANTS.
and , do solemnly swear that we assisted J. J. First
and do solemnly swear that we assisted J. J. Fine
surveying the boundaries of the mining claim of the me leave mining C
surveying the Boundaries of the mining often of
lynown ag tho
, known as the
, known as the
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and unde
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge an
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for any own.
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for any own.
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for any one.  ———————————————————————————————————
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for any one.  ———————————————————————————————————
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for any own.
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for any one.    J.
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for any one.    J.
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for any one of the surveyor and under the description of the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for any of the surveyor and under the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for any of the surveyor and under the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for any of the surveyor and the surveyor and under the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor and under the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor and the surveyor according to the survey of the survey

o 6—167

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Manual dated
States Surveyor General for
United States, the official regulations and instructions thereunder, and the instructions
Claim of the Millocobe Mining Company
Claim of Me Mochine Claim of Marketine Trucking known as the
Hailstone Hucking.
situate in Big Bug Mining District,  Gounty, August in Section  Township No. Range No.
Javapai County, augur in Section
, Township No. , Range No. ,
and designated as Survey No. 1195 as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or ils grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
114.1
J. Tither
U. S. Deputy Mineral Surveyor.
A bit
Subscribed and sworn to by the said All ther
U. S. Deputy Mineral Surveyor, before me A Duary Mattager
this 74
day of Squeenler, 1890
SHOULDE
The same
0 6-164

# Affidavit of Five Hundred Dollars Improvements.

We J. Eoleman and It I Hall
of lawful age, being first duly sworn according to law, depose and say: that we are acquainted
with the Gludslove Fraction mining claim, situated in
Big Buy Mining district, Javapai County, Arizona Territory, for which to Me Care Mining Company
Arizona Territory, for which to Me locate munny Company
hamade application for survey prior to application for patent under the provisions of the
Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon
by the applicant and s grantor 2 exceed Five Hundred Dollars in value, and further
that we are not personally interested in said mine.  I. I. Cleman
J. J. Sleman WT. Pall
TERRITORY OF ARIZONA,
TERRITORY OF ARIZONA,  County of Javapan 88.
SWORN to and subscribed before me, this
5 th day of December 1895

#### NOTICE OF LOCATION.

We the undersigned have this day located and claimed in compliance with the Mining Acts of Congress approved May 10"1872, and all subsequent Acts, fifteen hundred linear feet on the Gladstone Fraction together with 50 feet on each side of center, where this notice is placed.

This claim being situated on the south side of Galena Gulch and joins the Gladsgone on the North end line, and runs parallel with the Sink to Rise. The Exterior boundaries are as follows.

Beginning at this Monument and Notice, thence N.37° 20 W.50 feet to the intersection of the North end line of the Gladstone with the south side line of the Sink to Rise; thence N.65° E.1500 feet or less to the N. E.corner of Sink to Rise; thence S.37° 20 E.100 feet to N.E.corner; thence S.65° W.1500 feet or less to the S.E.corner of claim; thence N.37° 20 W. 50 feet to place of beginning. This claim is about 300 feet south-east of the McCabe Quartz Mill in Big Bug Mining District, Yavapai County Arizona, and is known as the GLADSTONE FRACTION.

Dated on the ground this 26"day of Sept, 1894.

MC. CABE MINING CO.

By J. Fisher, Agent.

Recorded at request of Ed W.Wells, May 10" A.D.1895, at 1,25 o'clock P.M. in Book 42 of Mines, pages 33-34, Records of Yavapai County Arizona.

By H.R. Tritle, (Seal.) F.A.Tritle,

Deputy.

\_\_\_\_\_,

County Recorder.

TERRITORY OF ARIZONA, \$ \$ss;
County of Yavapai. \$


I,F.A. Tritle, County Recorder in and for said County and Custodian of the Records thereof, do hereby certify, that I have compared the above and foregoing with and that the same is a full, true and correct copy of the Notice of Location of the Gladstone Fraction Mining Claim as the same appears of record in Book 42 of Mines pages 33-34, Records of Yavapai County Arizona.

Given under my hand and Seal of Office this 22"day of October 1895.

By J. a. Jitely

Din G. D. E

County Recorder.



Surveyed Dec. 5# 1895 67 J. Fisher U.S. Dep. Min. Surveyor

### Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

### Department of the Interior,

Office of U.S. Surveyor General,

Tucson, anis

April 8", 1896
I, U. S. Surveyor General for District of auzona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of the uccale lining
Campany.
, known as the
Gladstone Fraction,
situate in Dig Ong mining district,
yavapai County, arizana,
in Section, Township No, Range No
, designated as Survey No. // 95
executed by J. J. Fisher, U. S. Deputy Mineral
Surveyor, 19ec. 5", under my instructions dated
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
George J. Roskinge
U. S. Surveyor General for angona.

# UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 1195 ARIZONA STATE OFFICE

#### NOTICE OF CANCELLATION OF MINERAL SURVEY

The GLADSTONE FRACTION lode, Mineral Survey No. 1195, located in sections 29 and 30, Township 13 North, Range 1 East, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"GLADSTONE FRACTION lode, M.S. 1195, was canceled October 16, 2008, by memo 9605 (956) M.S. 1195, which is now a part of the original field notes."

October 16, 2008

Date

Stephen K. Hansen Chief Cadastral Surveyor of Arizona