Mineral Survey No. 1201

Lot No.

Present Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF
Frunk R Biedler
MI, M. KNOWN AS THE
Molher Lode
Weaver Mining District,
Janapai County, auzme
Section, Township, Range5 W
Surveyed under instructions dated Mrs. 194, 1895,
by J. J. Fisher
by J.J. Villiam,
O. S. Deputy Mineral Surveyor.
Claim located May 1st, 1894
Claim located vicey , 1894
Claim located May 1 st., 1894 Survey commenced Dec. 23 st., 1895. Survey completed Dec. 23 st., 1895.
A50 137
Survey completed , 187°.
· 6-160 Address,
Hemdon and Uomis
14128 b-2500
an meys for the viewer
26 Chanceys for Frank R Biedles Onscott
anzma

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

The Baldida	P. 11)
do solemnly swear that we will well and faith that we will level the chain upon even and either by sticking or dropping the same; the notable objects, and the true length of all line of our skill and ability, and in accordance with the Mining Claim of	Ifully execute the duties of chain carriers; uneven ground and plumb the tally-pins, at we will report the true distance to all es that we assist in measuring, to the best the instructions given us, in the survey of
Molho Lode	, known as the
situate in Wavev	mining district,
in Section , Township No. ,	y, augme,
in section, Township No,	Range No.
J. Harris	Buldridge Chainman.
Bel of	Robt James, Chainman.
Subscribed and swo	orn to by the above-named persons before
me this &	day of December, 1895
	0266ole/
Work James	notary Lisblie
truly perform the duties of axeman, in the est	, do solemnly swear that I will well and
according to instructions given me and to the	best of my skill and ability, in the survey
of the Mining Claim of Jinush	N Wiedler
known ag the Marketin of	-/a
known as the <i>VVVVVVV</i> Xymore fully described in the preceding affidavit.	,
	Robt James, Axeman.
Subscribed and swo	orn to by the said
Adol	before me this 23 day of
Jzee	inters, 1895.
	a Hotoole.
1 7 & Baldridge	do solemnly swear that I will
well and truly perform the duties of flagman, in	a the establishment of corners and other
duties, according to instructions given me and	to the best of my skill and ability, in the
survey of the Mining Claim of House	
known as the Mollie Lo	de
more fully described in the preceding affidavit.	ill,
To the processing unique to	J. Buldwidge, Flagman.
Blook Subscribed and swo	rn to by the saidbefore me this 23 day of
Dre	belove me this 204 day of
EVELIC S	F3/1/2/
0 6-145	Notary Public

Duny Nº 1201 Feet Molher Lode Beginning at Cir. No1. The north east Corner of the claim. Identical with the location mon. A granite stine 6x 12 x 36 ins, set in ground and surrounded by a mon. of stones, stone marked M. L. No1-1201. A + on granite bowlder, marked B. B. M. L. 1861-1201 bears S 38° 22' 4 63,5 Cor. No 1- Survey No 1112. Juniper Locle Vingenia Gold Mining and Willing Co. Clamunts becaus It 22° the 700 feet. There It 87º 15 11 Vav. 14° & For Cor. No 2. I derelied with ev. of 1470 The Exculion, A granile stre 12 × 30×36 ries. set sil ground and surrounded by min. of Mines, time mureel M. E. 102-11201- H+ on granit wek in place, marked B. R. M. L. 1102 -1201- beaux 5 56° 25' 26' There & 2º 45 W Nav. 14° & To Cer. M. 3, Identical with toe. A granili stone 6x10x36 ms, set in Istound and sumounded by min. of Mines, More marked M. L. No 3-A + on granile stone in place, mused B.R. W.L. No 3-1201 bears 523° 35 W . U.S. L. M. No 1112 W.D. Lears A 5º 18 &

3124.8

Survey No 1201 Feet Molhte Lode There S 87° 15 & Nav 14° & To Cer, No4, Identical with he. 1470 A grunile stine 6 x 15 x 36 ris. set in ground and survended by mon. of Money. Ume marked W. E. 104-1201- A + on grunile rock in place, marked B.R. M.L. 104-1201 beaux 1 61028 4 15 Rich Hile beaux 5 45° 30 E about 4 miles. Antelope Mr. bears A 41° 45 E about 1/2 miles Thence A 2° 45 E To Cor. No 1- the place of beginning the survey of exterior franchines. Containing 20,24 acres. Location This claim is treated on unsurveyed hand, in Waarr Mining District Jarrepui les ang me. Expendeline of Fin Amilied Dollers I certify that the value of the Labor and improvements upon this claim, placed thereon by the claiment and his granders is not less than five termedical colones and had said mapore ments consist of A shaft 4x6 jut in to clear, timbered in rock. 331 feet deep. Shaft deps 14° from The horizontal + hears N 55°30'6, from cor. No 3. distant 500 ft. Ille 3318,00

Sung 10/201 Molher Lode Instrument The more was made with a Genley Solve musit, The courses were deflicted from the true meridian as dellumined by whan observations The destruces were mensioned with a 100 foot steel chaine. Meste Jun. 37 1896.

FINAL OATHS FOR SURVEYS.

A list of the names of the individuals employed by
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of Hours Of Bredler
known as the Molhes Locle
and showing the respective capacities in which they acted,
Chainman.
Wobb, James, Chainman. Pobb, James, Chainman. Pobb, James, Axman. J. Baldwelge, Flagman.
Axman.
J. J. Waldudge, Flagman.
FINAL OATHS OF ASSISTANTS.
We, J. Baldreleje
we, J. Baldwelge and Jubb. Jumes, do solemnly swear that we assisted. United States Deputy Mineral Surveyor, in marking the corners and
Julie Julie States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of Frank Reseller
, so we will also of the mining claim of
*
Mother Lode , known as the , represented
Wolf ande
, represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Bulblinger, Chairman.
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Chairman. Again Manual, Chairman,
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Chairman. Again Manual, Chairman,
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Bulblinger, Chairman.
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Below Manner Chainman. **Release** Reference Ref
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Below Manner Chainman. **Release** Reference Ref
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Chainman. Haleber Hames, Aman. The Baldericket, Flagman.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, J. Hisher
U. S. Denuty Mineral
Surveyor do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Classic , dated , dated
, 18/5, I have, in strict conformity to the laws of the
states, the ometal regulations and instructions thereunder, and the instructions
of Said Surveyor General faithfully and convertly executed the
Claim of Man O O O Ledles
Mother Lode , known as the
Mother Lode, mont as the
situate in Mining District, Surface County, Cagnus, in Section Township No. Range No.
Janepue County augure in Satis
, Township No. — Bange No. — , in Section
and designated as Survey No. 1201, as represented
in the foregoing field notes, which accurately all the state of the foregoing field notes which accurately all the state of the state o
in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments as the
as distinctly marked by monuments on the ground, and described in the attached copy of the location cortificate which
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or the grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
4 4 7 1
J. J. Mill
U. S. Deputy Mineral Surveyor.
Subscribed and sweet 1 1 11
Subscribed and sworn to by the said
U. S. Deputy Mineral Surveyor, before me Alas Reg
this 3240
day of January, 1896
· 6-154
United States Land Office.
PRESCOTT, ARIZ.

Affidavit of Five Hundred Dollars Improvements.

We If Baldridge and Robb James
of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the
Mining district, Jumpie County, Arizona Territory, for which Trunk R Bieller
Arizona Territory, for which Frunk R Bieller
hamade application for survey prior to application for patent under the provisions of the
Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon
by the applicantand kes grantor exceed Five Hundred Dollars in value, and further
that we are not personally interested in said mine,
T.J. Baldridge
Robt James
- 1000 James
TERRITORY OF ARIZONA,
County of Juvepue \ 88.
SWORN to and subscribed before me, this
Moloole 23th day of Dreember 189 5
Fill All
Holary Sublie
france.

Mother Lode,

Motice of Location,

Know all Men by thise Presents:

That I, the indusigned, hore located fiftien hundred (1500) linear feet of this crin or loke, braving precious nutals, with all dips, spurs, angles and variations, with surface ground thrus hundred (300) feet on each side of the center of vin, with all mineral deposits contained there in, and all timber graving writhin the limits of said claim; and all water and water frivileges thereon or appurtuant thereto, under and according to the provisions of the mining facus of the United States, under which it is located.

This claim communes at this mounted and notice placed upon the ledge, and runs fifteen hundred (1500) feet in an Easterly direction along the ledge.

The exterior boundaries are as fallows, viz: Commencing at this monument and notice and uning there lundred (300) feet in a Sautherly direction to monument at S. W. corner of claim; thence in an Easterly direction parallel with the ledge fifteen lundred (1500) feet to monument at S. E. corner of claim; dune in a Northerly direction at right angles across the dedge six hundred (600) feet to monument at N. E. corner of claim; there at N. E. corner of claim; there are the dedge six hundred (600) feet to monument

TE	County of Yavapai. Ss.
	County of Yavapai.
	F.A. Taite. I, ALEX. O. BRODIC, County Recorder in and for said County and Territory, and Custodian of the
Re	ords thereof, do hereby certify that I have compared the above and foregoing with, and the same is a
fu	1, true and correct copy of the notice of location of the Maltur
4	obe Mining Claim, as the same appears of
1	cord in Boax 40 of Mines, pages og 1-2

Records of Varanai County Arizona

the love in a Westvely direction fighten hum - dred (1500) feet to mount at n. w. corner of clavin; thence at right angles across the ledge in a Southuly direction three hundred (300) feet to mount upon the ledge and place of beginning. This lidge may be more guerally described a situated 1000 feet Sautherly from the South west end of the Juniper Mine, in Weaver Mining District, Yarapai Caunty, Auguna Twitory, and shall be known as the Matter Gode Muning Clarine. Dated on the ground this 1st day of May, 1894; Witness: John E. Rathwell & Frank R. Buller Witness: Ges. C. Stealy Recorded at uguest of bora L. Forbes, May 24" a. O., - 1894, at gælser a.M., in Boar 40 of Mines, pages 591-2, Rievres af Yavapai Caunty, Auzona.

By M. O. Archibald (Real) Club, O. Brokie

Deputy, Call, Caunty Recorder. 1

O Cor. Not-1117 Lote. N 87° 15' W 1470' Shaft. Mother Lode 15 E 1470 S 87°

> Surveyed Dec 23rd 1895 by J.J. Jishu U.S. Dep. Min. Surveyor.

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, anizona

Len Huanning

U. S. Surveyor General for anyona.

February 1st, 1896. I, U. S. Surveyor General for District of any on a do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Frank R. Biedler known as the Mother Lade, situate in _____ mining district, yavapai County, arizona, in Section ______, Township No. _____, Range No. _____ , designated as Survey No. / 20/. executed by J. J. Fishen, U. S. Deputy Mineral Surveyor, Dec. 2315, under my instructions dated Nov. 19", 1895, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

0 6-102