MINERAL SURVEY NO. 1208 A & B

Claims	M & B Des. Page No.	Imps. Page No.	Loc. Notices Page No.
Bay State Burtis	7 2	16 15	4
Daisy Mount Hope	48	15 16	3 5
Peacock	3	15 15	9
Uphill Wellington	11	16	6
Western Slope Wilson	10	16 16	8
Peacock M.S.	13	-	2

Mineral Survey No. 1208 arB

Lot No.
Land District.
FIELD NOTES
OF THE SURVEY OF THE MINING CLAIM OF
The Red Rock, Contra Contra
The Dea Rock, Ceopper Company of Chicago
KNOWN AS THE
Mes. Muiras Ormen no. 1208 a 473.
Section Township No. 1208 a. 478, Mining District, County, argona Range
Mining District,
County, Wregons
Section Township Range
Surveyed under instructions dated 10 e c. 9, 1891,
by Lewis Walfley
U. S. Deputy Mineral Surveyor.
Claim located , 18 .
Survey commenced Dec. 16 a, 1891
Survey completed Dec. 25 ⁻⁴ , 1891
Rentes Lade located May 14 1889- Beach " re-located Juny 3- 1896-
Deaceck " He located for 3- 1896-
14128 b-2500 B. Atrati " July 20t - 1882
Mount Nape" " Jan el , 855-
Motion Blape" " Ton 10-1885
Willington Of 10th 1881

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General,

Tueson, arizona December 30, 1895. I, U. S. Surveyor General for District of anizona do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of The Red Rock Capper lompany of chicago Cearner, Daily, Day State, namet Hope, Western Scape, Well-migton, Wilson, uphill Butis lodes , Peacack Mill-site situate in Gilver Bell mining district, Pina County, anjaira, in Section , Township No. , Range No. , designated as Survey No. /208 a r O. executed by Lewis Walfley , U. S. Deputy Mineral Surveyor, Dec. 16-25", 1895, under my instructions dated Dec. 9", 1895, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes. Levi Huanning U. S. Surveyor General for anyond.

0 6-162

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

O mu Drum
WE, Jareple Puette and Journe J. Levregole
do solemnly swear that we will well and faithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of The Rock Copper
compens as Chiasans known as the
Placuak, Dais, Bo State Maret Hope Nesting state Willes to Mileon, Uplied
Compen of Clicago, known as the Claent, Dair, By that Mout Hope, Medin slope, Millington, Milgon, Uphille situate in Reacack mile sete Sur. 10.12 mining district,
County, Usegoua,
in Section, Township No, Range No
for, I sette, Chainman.
MH, Drum, Chainman.
Subscribed and sworn to by the above-named persons before me this 16 day of Dec., 189
C 9-111
Sivis Walgler notar Rublic
I, Innes O finispter , do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties.
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of the Red Rock Copper
known as the Minimal Juny Ko. 120 f. a +13,
more fully described in the preceding affidavit.
James A. Sahmyoun, Axeman.
Axeman.
Subscribed and sworn to by the said
Subscribed and sworn to by the said fund of bee, 1890
C. O. II.
June Myly
I, Janus J. Lingston, do solemnly swear that I will
well and truly perform the duties of flagman, in the establishment of corners and other
duties, according to instructions given me and to the best of my skill and ability, in the
survey of the Mining Claim of the last feach luffer
survey of the Mining Claim of The Reg Pack Ruffers known as the Muneral Survey No 1208 arro.
more fully described in the preceding affidavit.
N 22 2 Civilian
Subscribed and sworn to by the said funco D.
Subscribed and sworn to by the said function is
fwinfsten before me this 16 day of Dee, 1890.
Five Molyly Rubing
Noting "Culling

Feet.

MINERAL SURVEY NO. 1208 A.

UPHILL LODE.

Beginning at corner No. 1, which is identical with the N.W. corner of the location.

A redwood post 5 ft. long, 4 ins. square, and marked 1-1208 A., from which,

U. S. L. M. No. 1204 bears S. 15° 30 W., distant 479.1 feet.

Corner No. 13-1205 A., of the Wear lode, belonging to the Atlas Mining Company, of Chicago, bears S. 84°03 W., 276.3 feet distant.

> Thence S. 18° 12' E. Var. 13° 50' E.

Along rocky northeasterly mountain slopes.

1500. To corner No. 2.

> A redwood post 5 ft. long, 4 ins. square, set 2 ft. in the ground in a mound of stone, marked 2-1208 A., being also N.W. cor. of Peacock lode, Survey 1208.

Bohoquivari Peak bears S. 4°40' W.

Pichacho Peak hears N. 30° 50' R.

Top Superstition Mts. bears N. 9° 26' F.

Thence N. 80°38'E. Var. 13°50'E.

Along the northerly end line of Peacock lode.

607.2 To cor. No. 3.

> A redwood post 5 ft. long, 4 ins. square, and marked 3-1208 A., in a mound of stones 3 ft. high.

> > Thence N. 18° 12'W., Var. 13° 50' E.

A shaft on the Uphill lode, at right angles to side 640. line, 107 ft. distant, 80 ft. deep.

N. W. cor. of Burtis lode, being cor. No. 5-1208 A. 1153.4

Feet.

(2)

1500.

To corner No. 4.

Ardum post 5 ft. long, 4 ins. square, in mound of stone, marked 4-1208 A.,

Thence S. 80°38'W. Var. 13°50'E.

329.2 S.E. cor. of Wear lode, No. 14-1205 A. hears S. 0°48 F, distant 166 ft.

607.2 To cor. No. 1, and place of beginning.

BURTIS LODE

Beginning with corner No. 5-1208 A., which is the N.W. corner of this location.

A redwood post 5 ft. long, 4 ins. square, marked 5-1208 A., in a mound of stones, 3 ft. high, from which,

Cor. No. 4-1208 A., hears N. 18°12'W. distant 346.6 ft.

Thence N. 80°02'E. Var. 13°50'F.

590.7 To cor. No. 6.

A redwood post 5 ft. long, 4 ins. square, marked 6-1208 A., in a mound of stone, 3 ft. high.

Thence S. 16° 57'F. Var. 13° 50'F.

Along southwesterly rocky moungain slopes.

1470. To cor. No. 7.

A redwood post marked 7-120% A., in a mound of stone 3 ft. high, being also cor. No. 16-1208 A. Daisy lode.

Thence S. 80°02'W. Var. 13°50'E.

Along the N. end line of the Daisy lode.

558.2 To cor. No. 8.

A redwood post 5 ft. long, 4 ins. square, marked

	Feet.	(3)	
		8-1208 A., in a mound of stone, 3 ft. high, and	
		being also Wor. No. 13-1208 A. of the Daisy lode	
		of this survey.	0
		Thence N. 18°12'W. Var. 13°50'E.	
	-	Along the east side line of the Peacock lode.	
	320.6	To cor. of Peacock and Uphill lodes, being cors.	
		3 & 9 of 1208 A., and along Uphill E. side line.	
	629.3	A shaft at right angles to line on Burtis lode,	
		55 ft. dist. and 22 ft. deep.	
The second second	1474.	To cor. No. 5, and place of beginning.	
		Peacock lode	
-		Beginning at cor. No. 9 of this survey, identical	1
-		with the N.F. cor. of this location.	
		A redwood post 5 ft. long, 4 ins. square, marked	
		9-1208 A., in a mound of stones, being also S.F. cor	
		of the Uphill lode, cor. No. 3-1208 A.	
		Thence S. 80°38'W. Var. 13°50'E.	
		Along the S. end line of the Uphill lode.	
	300.	At right angles to this line from this point the E.	
		end of an open cut 30 ft. long, 6 ft. deep, bears	
	280 ft. distant.		
		At 450 ft. distant is a shaft 30 ft. deep.	
	325.	At right angles to line, distant 280 ft. is an	
	,	incline shaft 20 ft. deep.	
1	607.2	To cor. No. 10.	
		A redwood post 5 ft. long, 4 ins. square, marked	
		10-1208 A., in a mound of stones, 3 ft. high, being	
		also cor. No. 2-1208 A. of the Uphill lode.	
	6	More fully described as Cor. No. 2-1208 A. of	
		this survey.	
	1		

Feet. Thence S. 18º 12 E. Var. 13 50 E. Along southwesterly steep and rocky Mt. slopes. To cor. No. 11. 1486.1 A redwood post 5 ft. long, 4 ins. square, marked 11-1208 A., in a mound of stone, 3 ft. high, being also Cors. 32-1208 A., and 35-1208 A. Thence N. 80°38'E. Var. 13°50 F. Along the N. end line of the Western Slope lode. 607.2 To cor. No. 12. A redwood post 5 ft. long, 4 ins. square, marked 12-1208 A., in a mound of stone, 3 ft. high, also being Cor. No. 31-1208 A. Thence N. 18º12 W. Var. 13° 50' E. Following the west line of the Daisy lode. 80 feet at right angles to line on the Peacock lode, 90. a 30-foot tunnel, and 15 ft. inside tunnel, and shaft 100 ft. deep, cr. of tunnel northwesterly. Shaft on Daisy, described in Daisy lode. 176. A shaft at right angles 105 feet dist. on Peacock lode 693. 40 ft. deep. A shaft 40 ft. east on Daisy. 723. Cor. Nos. 8-1208 A., of Burtis, or Cor. No. 12-1208A 1165.5 of Daisy lodes, and along Burtis west side line. To cor. No. 9, and place of heginning. 1486,1 Daisy lode. Beginning at cor. 13 of this survey. Being identical with the N.W. cor. of the location A redwood post 5 ft. long. 4 ins. square, marked

13-1208 A. in a mound of stones, being also Cor.

Feet. (5) No. 8-1208 A of this survey. Thence S. 18'12'E. Var. 13'50 E. Along the east side line of the Peacock lode. A shaft at right angles 115 ft. dist., 15 ft. deep. 525. 125 ft. dist. 10 ft. deep, shaft. Botth shafts in 535. ore. A shaft 40 ft. dist., 70 ft. of drift at bottom, at p 861. right angles to this line at this point. All three of above works on Daisy lode. S.E. cor. Peacock and N.W. cor. of Western Slope 1165.5 lodes being cors. Nos. 12-1208 A: and 31-1208 A. And along easterly side line of Western Slope lode. Bank of Arroyo Creek, course westerly. 1344. To cor. No. 14, in centre of Arroyo. 1469.8 I therefore place the monument 12 ft. N. 18° 12 W. A redwood post 5 ft. long, 4 ins. square, and marked 14-1208 A. W.C., also 27-1208A. W.C., also 30-1208 A. W.C. Thence N. 80°02 E. Var. 13° 50' F. and up arroyo. North of line and 150 ft. distant.

From this cor. the Daisy tunnel bears 50° to the

Tunnel 150 ft. Bistanix long, Gr. northerly. And a shaft bears 46°N. of line 160 ft. dist. Latter being just north of arroyo.

To cor. No. 15. 570.9

> A redwood post 5 ft. long, 4 ins. square, marked 15-1208 A. in a mound of stone, 3 ft. high.

Being also the N.F. cor. of the Mt. Hope and the N.W. cor. of the Bay State and S.W. cor. of the Wilson lodes, and Cors, 26-1208 A., 21-1208 A., and

History.

(6) Feet. 20-1208 A. of this survey. Corner on N. edge of arroyo. Thence N. 18°42 W. Var. 13°50 E. Leave arroyo. 565.5 Top steen ridge. To N.W. cor. Wilson lode, cor. 17-1208 A. of this sur-601.5 vev. 1470.8 To cor. No. 18: A redwood post 5 ft. long, 4 ins. square, marked 16-1208 A., in a mound of stone, 3 ft. high. Being also cor. 7-1208 A. of this survey. Thence S. 80°02'W. Var. 13°50 F. To cor. No. 13, and place of beginning. 558.2 WILSON LODE. Beginning at cor. No. 17. A redwood past 5 ft. long, 4 ins. square, marked 17-1208 A., in a mound of stone, 3 ft. high, cors 7-16 A. h. N. 18042 M. 869. 3 ft. dist. Thence N. 75° 30 E. Var. 13° 50' F. A'shaft at right angles to line, 125 ft. dist. 15 ft. 444. deen. Cross road, hears N. and Sily, to Silver Bell camp. 790. To cor. No. 18. 1031. A redwood post 5 ft. long, 4 ins. square, marked 19-1208 A., in a mound of stones, 3 ft. high. N.F. cor. of dwelling house of Silver Bell camp bears N. 12°48 W. S.F. cor. of hoarding house hears N. 12 37 E. a

few hundred yards distant.

Feet.

(7)

Thence S. 18°42'E. Var. 13°50'F.

601.5 To cor. No. 19.

A redwood post 5 ft. long, 4.ins. square, marked 19-1208 A., in a mound of stones, heing S.E. cor. of location.

Thence S. 75°30' W. Var. 13°50' F.

512.9 To N.E. cor. of Bay State lode, being cor. No. 22-1208 A. of this survey.

1031. To cor. No. 20.

A redwood post 5 ft. long, 4 ins. square, marked 20-1309 A., in a mound of stone, 3 ft. high.

Being also the S.E. cor. of Daisy lode, or N.W. cor. of Bay State lode, or cors. 15-1208 A., and 21-1208 A., of this survey, and cor. 26-1208 A.

Thence N. 18°42'W. Var. 13°50'E.

565. To to p of ridge.

601.5 To cor. No. 17, and place of beginning.

BAY STATE

Beginning at cor. No. 21.

Being the N.W. cor. of location.

A'redwood post 5 ft. long, 4 ins square, marked 21-1208 A., in a mound of stones, 3 ft high.

Being also cors. 15-1208A., 20-1208 A., and 26-1208 A., of this survey.

The cor. being in an arroyo on the north side.

Thence N. 75° 30'E. Var. 13° 50'E.

Up an arroyo.

(8) Feet. To cor. No. 22. 519.1 A redwood post 5 ft. long, 4 ins. square, merked 22-1208 A., in a mound of stone, 3 ft. high. Being in an arroyc on the south side. Thence S. 30°55'E. Var. 13° 50' E. At right angles to line 210 ft. dist. is a tunnel 75 750. ft. long, course MMEXMERXXXX Northwesterly. N.W. cor. of Florence lode. Owners unknown 843.7 To cor. No. 23. 1500. A redwood post 5 ft. long, 4 ins. square, marked 23-1208 A., in a wound of stone, 3 ft. high. Thence S. 75°30' W. Var. 13°50'.F. To cor. No. 24. 613.4 A redwood post 5 ft. long, 4 ins. square, marked 24-1208 A., in a mound of stone, 3 ft. high, and being also cor. No. 25-1208 A., of this survey, S.E. cor. of Mt. Hope lode. Thence N. 27° 25' W. Var. 13°50' H. Along east side of the Mr. Hope lode. Cross a road to mines on Bay State lode. 200. A shaft 127 ft. dist. at right angles to line 250 340. ft. deep, on Bay State. Top of ridge, E. and Westerly. 806. At right Engles to line 180 ft. dist. west end of 900. an open out 80 ft. long, 6 ft. deep To cor. No. 21, and place of beginning. 1476.4

MT. HOPE LODE.

Beginning at cor. No. 25.

Being the S.F. cor. of location.

Feet (9) A redwood post 5 ft. long, 4 ins. square, marked 25-1208 A., in a mound of stone; 3 ft. high, and being also the S.W. cor. of the Bay State lode, and cor. No. 24-1208 A. of this survey. Thence N. 27°25'W. Var. 13° 50 F. Along the west side line of the Bay State lode. At right angles to line and distant 152 ft. a shaft 150. 35 ft. deep. Road bears E'ly and Wily. 200. Top of high ridge F. and Westerly. 806. 1460. Cross road, and arroyo, course westerly. 1478.4 To cor. No. 26. A redwood post 5 ft. long, 4 ins. square, marked 26-1208 A. and in a mound of stone, 3 ft. high, 15-20-21 being also cors. 1208 A. of this survey. Thence S. RO'02'W. Var. 13 50 E. Along the S. end line of the Daisy Lode. To cor. No. 27. 570.9 This point coming in the bed of the arroyo I place a redwood post 5 ft. long, 4 inc. square, marked 27-1208 A. W.C. in a mound of stones, 3 ft. high, 12 ft. N. 18 12 W. above the water wash, being the W.C. also to cors. 14 and 30, survey 1208 A. Thence S. 25°56 E. Var. 13° 50' E. Leaving wash and Mt. Hope and along the E. side line of the Western Slope loce. Cor. No. 24-1208 A. and S.F. cor. of Western slope 1198.8 lode. Cross an arroyo course westerly. 1337. Cross a road running to mines on Bay State and Mt. Hope

1392.

lodes.

Feet. (10) 1465.1 To cor. No. 28. A redwood post 5 ft. long, 4 ins. square, marked 28-1208 A., in a monument of stones, 3 ft. high. Thence N. 80°02'E. Var. 13°50'E. Along and up an arroyo. 610.2 To cor. No. 25, and place of beginning. WESTERN SLOPE LODE Beginning at cor. No. 29, being the S.E. cor. of the location. "A redwood post 5 ft. long, 4 ins. square, marked 29-1208 A., in a monument of stones, 3 ft. high, and from which the S.W. cor. of Mt. Hope lode bears S. 25°56 E. distant 266,3 ft. Therice N. 25°56'W. Var. 13°50 F. Along the west side of Mt. Hope lode. To cor. No. 30 in an arroyo witnessed by a redwood 1198.8 post 5 ft. long, 4 ins. square, marked 30-1208 A., W.C. in a mound of stone, 3 ft. high, N. 18°12 W. 12 ft. o point, heing also W.C. for cors. 14 and 27, survey 1208 A. and Crs. brs. E. and Westerly. Thence N. 18°12'W. Var. 13°50'F. Along the west side of the Daisy lode. 304.3 To cor. No. 31. A redwood bost 5 ft. long, 4 ins. square, marked 31-1208 A., in a mound of stones, 3 ft. high. Being also S.F. cor. of Peacock lade, cor. No. 12-1203 A. of this survey.

Thence S. 80°38 W.

Var. 18°50'F.

Feet. (11) Along the S. end line of the Peacock lode. 607.2 To cor. No. 32. A redwood post 5 ft..long, 4 ins. square, marked 32-1208 A., in a movind of stones. 3 ft. high, Being also N.E. cor. of Wellington lode and cors. Nos. 11 and 35 survey 1208 A. of this survey. Thence S. 24°14 E. Var. 13°50 F. Along the E. side line of the Wellington lode. 330. Cross road in arroyo course westerly. 845. At right angles to line a tunnel, mouth 20 ft. distant, course southerly, 120 ft. long. To cor. No. 33. 1500. A redwood post 5 ft. long, 4 ins. square, marked 33-1208 A., in a mound of stones, 3 ft. high. Being also S.F. cor. of Wellington lode, Cor. 34-1208 A. of this survey. Thence N. 80°38'E. Var. 13° 50' E. Along rocky S'ly Mt. slopes. 611. To cor. No. 29 and place of beginning. WELLINGTON LODE. Beginning at cor. No. 34, being the S.E. cor. of the location. A redwood most 5 ft. long, 4 ins. square, marked 34,1208 A., in a mound of stones, 3 ft. high.

Thence N. 24°14 W. Var. 13°50 E.

33-1208 A., of this survey.

520.

Along the west side line of the Western Slope lode.

At right angles to line dist. 130 ft., a shaft

Being also S.W. cor. of Western slope lode, cor.

-	
Feet.	(12)
	35 ft. deep.
1180.	cross road in an arroyo course westerly.
1500.	Te cor. No. 35.
	A redwood post 5 ft. long, 4 ins. square, marked
	35-1208 A., in a mound of stone, 5 ft. high,
	being also cor. No. 32-1208 A., of this survey.
•	Thence S. 80° 38′ W.
077	Var. 13°50 F.
611.	To cor. No. 36.
	A redwood post 5 ft. long, 4 ins. square, marked
	36-1208 A. in a mound of stone, 3 ft. high.
	Thence S. 24°14'F. Var. 13°50'E.
90.	Cor. No. 3-1208 R. of the Peacock Mill-site, and
	along the easterly end of M.S.
253.	Cross road in an arroyo course westerly.
258.	Cor. No. 2-1208 B. of the Peacock Mill-site.
1.040.	At right angles to line, distant 200 ft. to west end o
	an open cut, 10 ft. long, 5 ft. deep.
1160.	At right angles to line an open cut 10 ft. long,
	distant 195 ft.
1250.	At right angles to line an open cut 8 ft. long, all
	easterly and westerly, distant 190 ft.
1500.	To cor. No. 37.
	A redwood post 5 ft. long, 4 ins. square, marked 37-
	1208 A., in a mound of stones, 3 ft. high.
	Thence N. 80° 38'F. Var. 13°50'F.
611.	To cor. No. 34, and place of heginning.
	Area of Uphill lode
	Area in conflict with Wear lode and excluded
	Net area of Uphill
	Area of Burtis lode

(13) Feet. Area of Peacock Inde---- 20.47 acres Area of Daisy lode-----Area of Wilson lode---- / 4.20 Area of Bay State lode----- 18.70 Area of Mt. Hone lode----- 19.09 Area of Western Slope lode---- 19.7/ Area of Wellington lode----20.33 Net area of lode claims ----- /71.15 ac SURVEW NO. 1208. B. PEACOCK MILL-SITE. Beginning at cor. No. 1. Which is identical with the S.F. cor. of the location. A redwood post 5 ft. long, 4 ins. square, marked 1-1208 B., in a mound of stones, 3 ft. high. Being alse cor. No. 1 of survey 1207. U.S. L.M. No. 1204 hears NO°44 W. dist. 3580 ft. S.W. cor. of Peacock lode hears N. 50° 42 E., dist. 1586.6 ft. Mt.St. Rosa bears S. 77° W. Thence N. 29°35'F. Var. 13°50'F. 1023.7 To cor. No. 2. A redwood post 5 ft. long, 4 ins. square, marked, 2-1208 B., in a mound of stone, 3 ft. high, and being the intersection of the westerly side line of the Wellington lode, and in an arroyo just at the

0

Along the westerly side line of the Wellington lode.

Thence N. 24° 14' W.

Var. 13°50 E.

S. edge and alongside a road.

(14) Feet. cross road, bears westerly, in an arroyc. 10. To cor. No. 3. 167.5 A redwood post 5 ft. long, 4 ins. square, marked 3-1208 R., in a mound of stone, 3 ft. high, and 90 ft. S. 24° 14' F. of cor. No. 36-1208 A. of this survey. Thence S. 53°41' W. Var. 13 50 E. cross road in an arroyo. , course mesterly. 170. cross same road and same arroyo, course southerly. 1010. To cor. No. 4. 1380.3 A redwood post, & ft. long, 4 ins. square, marked 4-1208 B., in a mound of stone, 3 ft. high, on the west side of arroyo, and at the intersection of the northerly end line of the Wauconda lode. Thence N. 72°12 F. Var. 13°50'F. Along the Northerly end line of the Wauconda lode. Cross arroyo, course southerly. 20. Cross road, course southerly. 70. To cor. No. 1 and place of heginning. . 346.6 ---------------4.99 acres. 'Area On the mill-site there is a road leading to the mines and not less than 800 ft. of 3 in. wingwater pape.

Variation at all the corners 13°50'F.

The surveys of these lodes and the mill-site are within their respective locations.

LOCATION.

This claim is located in the Silver Bell Mining

Feet.

(15)

District, Pima County, Arizona, and about twenty miles southwesterly from Red Rock Station on the S.P.R.R. and on unsurveyed land.

EXPENDITURE.

I hereby certify that the value of the labor and improvements upon this claim, placed thereon by the claimant or their granters is not less than five hundred dollars and that said improvements consist of

A shaft on the Uphill lode, 80 ft. deep.

A shaft on the Burtis, 22 ft. deep,

On the Peacock lode the following:

An open cut 30 ft. long, 6 feet deep,

Value . . . \$150.00

A shaft 30 feet deep,

Value. . . . \$250.00

An incline shaft 20 feet deep,

Value. . . 3150.00

A tunnel 30 ft. long.

Value. . . \$200.00

A shaft in tunnel 100 ft. deep,

Walue. . . 1900.00

A shaft 40 feet deep.

On the Daisy lode, the following:

A shaft 15 ft. deen,

value. . . \$100.00

A shaft 10 ft. deep, all in ore.

(16)

A shaft 70.ft. deen,

Value. . . \$700.

On the Wilson lode, a sheft 15 ft. deep,

On the Pay State lode, a tunnel 75 ft. long,

Malue, . . . 8700.00

A shaft 250 ft. deep,

An open cut, 80 ft long,

Value. . . \$400.00

on the Mt. Hope lode,

A shaft 35 ft. deen,

Value . . . 8300.00

On the Western Slone, a tunnel 120 ft long,

Value, . . . \$1000.00

On the Wellington lode, a shaft 35 ft. deep,

three open cuts,

Value \$200.00

The survey was made with a Young and Sons Mountain

Transit with Smith's solar attachment, and courses

were deflected from true meridian as determined by sol

ar observation. Distances were measured with a 500

ft. steel tape, and a 50-foot tape.Dec.16-25'95.

Lewis Wolfley.

U. S. Peputy Mineral Surveyor.

Tucson, December 25, 1895.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Lewis Nalply
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of the Coffee Ren Back Coffee Company Clucay known as the U. S. Muiral Diny No. 1208 a. N
and showing the respective capacities in which they acted.
hielle Puette Chainman.
meelle Puette, Chainman. Mu Drum, Chainman.
James S. Surefatere, Axman.
FINAL OATHS OF ASSISTANTS.
We, Joseph Puette, Mu Drum
We, Joseph Puette, Mu Drum and James S. Surgeton, do solemnly swear that we assisted Lewis
Molfly, United States Deputy Mineral Surveyor, in marking the corners and
Walfly, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of The Reack Cuffeer
Company of Chicago uphill. Dainy.
D. Rutin Minor B. Obull known as the
Mt. Stape. Western Olaps, as Willington Luder, represented
Peacock, Pointis, Millor, Bay Challe known as the Mt. Hape, Western Olaps, as Willington Ludis, represented and His Reacock Med in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
ariepura
Chainman.
James D. Sidingston, Arman.
Janes S. Mingston, Flagman.
Subscribed and sworn to by the above-named persons before me
this 25 day of December, 189 5.
this 25 day of Deemler, 1895. Lewis Walfley Robbie
Ant. Rich
a c-167

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, deces Dolfley, U. S. Deputy Mineral Surveyor, do solemnly swear that in pursuance of instructions received from the United
States Surveyor General for
Jeo 9 , 1897, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Mu Red Wee of Carlines
Lucaso P. 1. Dia
Uplier Poutis. Daisy Peacock. Witom Bo state known as the Westing Place M. Hope & Allington Fedio & Peacock Med. situate in Silvery Bell
situate in Seller Rell
Arina County Con is a in
situate in Sell Mining District, County, Congress, in Section Township No. Range No.
and designated as Survey No. 1208 a + 10, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate which was received by me for the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
dewes Halfley
U. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said due to the
U. S. Deputy Mineral Surveyor, before me U - 1 Lury
U. S. Deputy Mineral Surveyor, before me U. S. Deputy Mineral Surveyor, before me U. S. Surveyor
day of December, 1890;
New VI. Manning
Levi H. Manning 71. S. Surveyor Benera
January Comments of the Commen

Affidavit of Five Hundred Dollars Improvements.

We Joseph Puette and Janes S. Cronigston
of lawful age, being first duly sworn according to law, depose and say: that we are acquainted
with the Servey Uo 1208 ax B, of mining chiem, situated in
Mining district, Prince County,
Arizona Territory, for which Hu Red Ruck Caffer Company
y Chicago
ha made application for survey prior to application for patent under the provisions of the
Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon
by the applicant and if grantor sexceed Five Hundred Dollars in value, and further
that we are not personally interested in said mine.
James D. Staineyson
Jahran Jahan Jahran Jahran Jahran Jahran Jahran Jahran Jahran Jahran Jah
TERRITORY OF ARIZONA
County of Ping 88.
SWORN to and subscribed before me, this
25th day of December 1890
Lewis Walfley
Lewis Walfley Rublig

TERRITORY OF ARIZONA,
County of Pring 88.
Juste Puetto and James S. Siriegitere of said
County and Territory, being first duly sworn, each for himself and not one for the other,
deposes and says; that he is well acquainted with the land of the Reacock
mill-site claim, situated in Ailer All
Mining District, Gila and Salt River Meridian, in the County of Prina and Territory of Arizona, claimed by
Orina and Territory of Arizona, claimed by Hu
Rue Rack Capper Company of Clicago Juney 20 12 0 f. B.
applicant for United States patent therefor; that he is well acquainted with the
character of said described land included within the boundary lines as officially
surveyed by Rewis Walfley United States Deputy Mineral
Surveyor, having frequently passed over the same; that his knowledge of such land is
such as to enable him to testify understandingly with regard thereto; that there is not
to his knowledge, within the limits thereof, any vein or lode of quartz or other rock in
place bearing gold, silver, cinnabar, lead, tin or copper, or any deposit of coal; that
there is not within the limits of said land, within his knowledge, any placer, cement,
gravel or other valuable mineral deposit; that no portion of said land is claimed under
the local customs or rules of miners or otherwise; that no portion of said land is worked
for minerals during any part of the year by any person or persons; that said land is
essentially non-mineral land, and that there is within the boundaries of said claim
improvements, to-wit: Not les Man 1300 feet of voad
to the Mining group. and not less than 300 ft
improvements, to-wit: Not less than 1300 feet of road of the Minip group. and not less than 300 ft of of of of 3 inch mater pipe
and that he has no interest whatever in said described mill-site claim.
fos. (netto)
fos, Thette
Inbecribed and Iworn to before me this 21 day
of December A. D. 189 , and I hereby certify that

the foregoing affidavit was read to the said such the foregoing affidavit was read to the said such that deponents are reputable persons to whose affidavits full faith and credit should be given.

Lewis Melfery Notary Public

Territory	of Arizona,) SS
	County of Pima.	1

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the Location notice

of the Burtis Maine Silver Bell Dist- dated may 14-1889 by 26K leole - -

as appears of record now in my office in book QQ Record nines pages 429

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 9 th day of Dee

A. D., 189 5

loha sa shibee

County Recorder.

"BURTIS". Location Notice.Notice is hereby given, that the undersigned in compliance with the requirements of the Mining Act of Congress, approved May 10, 1872, has this day located and claimed 1500 hundred linear feet along the course of this lead, lode, or vein of mineral bearing quartz and 300 feet in width on each side of the middle of said lead, lode or vein, situate in the Silver Bell Mining District, County of Pima, Arizona, and more particularly described as follows, to-wit:-

commencing at this monument of stones, being the center of Southerly end of claim, and upon which this notice is posted; thence Easterly 300 feet to a monument of stones; thence Northerly 1500 feet to a monument of stones; being—thence Westerly 300 feet to a monument of stones, being the center of North end of claim; thence Westerly 300 feet to a monument of stones; thence Southerly 1500 feet to a monument of stones; thence Southerly 1500 feet to a monument of stones; thence Easterly 300 feet to place of beginning.

This claim is West of the Uphill Mine - and North of the Daisy Mine and shall be known as the Burtis Mine.

Located May 14th, 1889.

H. K. Cole

Filed and recorded at the request of John Gardner, May 15th, A.D. 1889 at 9.30 A.M.

C. A. Shibell, County Recorder.

Book A.A. Record of Mines, Page 429.

Certified Copy Location Notice Burlis Moure Socaled May 14. 1889. Red Rock Sopher Company of Chicago Colainant Territory of Arizona, ss County of Pima.

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the amended

notic of Location of the Burtis Maine, Silver Bus wish. Duted January 3-1890

Bell wish. Dated January 3 - 1890

as appears of record now in my office in book aa. Read mines pages 668

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 9- day of December

A. D., 189 5

Chus a shilee

County Recorder.

"BURTIS" - Amended Location Notice. Notice is hereby given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10, 1872, has this day located and claimed fifteen hundred linear feet along the course of this lead, or lode, or vein of mineral bearing quartz and Three Hundred feet in width on each side of the middle of said lead, or lode, or vein situated in the silver Bell Mining District, County of Pima, Arizona, and more particularly described as follows, to-wit:

Commencing at this monument of stones, being the center of South end of claim, and upon which this notice is posted; thence East Three Hundred feet to a monument of stones; thence Northerly 1500 feet to a monument of stones; thence West 300 feet to a monument of stones, being the center of North End of claim; thence West 300 feet to a monument of stones; thence South 1500 feet to a monument of stones; thence East 300 feet to place of beginning.

This claim is Situated North of the Daisy Mine, and is an extension northerly of said Daisy Mine and lies East of and parallel to the Peacock & Uphill Mines and about half a mile in a South Easterly direction from the Atlas Mining Companys Smelter and shall be known as the Burtis Mine.

Located January 3d 1890.

H.K. Cole.

Witness, E.L. White

Filed and recorded at the request of H. K. Cole, January 4th, A. D. 1890, at 10.45 A. M.

Chas A. Shibell, County Recorder.

Book A.A. Record of Mines, Page 668.

Certific de Copy amended Liveation Notice. " Burtis Moun Svetter anivary 3. 1890. Red Rock Copper Company of Chicago blaniant

Territory	of Arizona,	
		SS
	County of Pima.)

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

of the Peacock mill Site Silver Bell Dist-Dated Deumber 7-1895 -

appears of record now in my office in book 1. Mill Sites pages 764

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 9 t day of December

A. D., 189 5

Chas ashibell

County Recorder.

" PEACOCK MILL-SITE" Location Notice. Notice is hereby given that the undersigned, in compliance with the requirements of the Mining Acts of Cengress, have this day located and claimed this Mill-Site of Five acres of land, together with all water and water-rights therein and therson, and all water privileges connected therewith, and situated in the Sidver Bell Mining District, Pima County, Arizona and more particularly described as follows:

Commencing at this monument of stone being situated about N.49.30 E. 307 ft. from center of bored well on Wauconda lode claim, being the N.E. corner of said Wauconda lode claim and the S.E. corner of this mill-site, thence about N.36.45 E. 919 ft to a stone monument on the westerly side of the Wellington lode claim and about 414 ft from the N.W. corner of said Wellinton lode claim, beingthe ME. corner; thence about N. 19.30 W. along and identical with the westerly line of the Wellington lode claim about 249 ft to a stone monument being the N. ... corner; thence about S. 36.45 W. about 1177.8 ft to a stone monument on the Northerly end line of the Wauconda lode claim; thence about S. 83.10 E. about 239 ft along and identical with the Northerly line of the Wauconda lode claim to the point of beginning.

This Mill site shall be known as the Peaceck Mill Site in connection with the Peacock lode claim,

Located this Seventh day of December A. D. 1895.

Red Rock Copper Company of Chicago

witness.

By Joseph M. Locke, Agent.

G.W. Edwards

Filed and recorded at request of Joseph M. Locke, December 9. 1895 at 330- P.M. Chas A. Shibell, County Recorder.

Book 1. Millsites. Page 764

eTerritory of Arizona, r County of Pima.)

3 C

ar

r

0

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the Location notice

SS.

July 20-1882, -

las appears of record now in my office in book N. Reus do mines pages 578

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 9 - day of Deecuber

A. D., 189 5

Chao ashibere County Recorder.

" DAISY" . Notice of Location. Notice is hereby given that the undersigned having complied with the requirements of Chapter Six of Title Thirty-two of the Revised Statutes of the United States, and the local customs, laws and regulations has located 1500 linear feet on the lode, situated in Silver Bell Mining District, Pima County, and described as follows: A.T. This Claim commences at this Notice which is posted in a Monument of Stone, in a conspicuous place on the Ledge, at the Southern boundary of the Claim, and running thence Three hundred (300) Feet in a Easterly direction to a Monument of Stone and Stake marked South Eastern cor: thence Fifteen Hundred (1500) Feet in a Northerly direction to a Monument of Stone and a Stake marked North East cor; thence (300) Feet in a Western direction to a Monument of Stone and Stake marked Northern Center Monument boundary; thence Three Hundred (300) Feet in a Western direction to a Monument of Stone and a Stake marked North Western cor; thence Fifteen Hundred (1500) Feet in a Southern direction to a monument of Stone and Stake marked South Western cer; thence Three Hundred (300) Feet in a Easterly direction to the place of beginning. This claim may be more generally described as situated North of the Highland Chief and East of the Peacock Mine, and shall be known as the Daisy Mine Claim and the - Dated on the ground this Twen-C.C. Soult F. S. Grout tieth day of July 1882. Filed and recorded at request of Lyman Wakefield, Sept 16th A.D. 1882 Chas R. Drake County Recorder. at 10.55 A.M.

Book N. Records of Mines. Page 578.

Certified Copy. Location Notice Peacock Millsite Red Rock Coppen Company of Chergo. Clamaux.

BEALTH THE RESERVE THE THE PARTY OF THE PART	
30	
Territory of Arizona,	
County of Pima.) ss.	
County of Pima.)	
I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby	y
tify that the above and foregoing is a full, true and correct copy of the Location note	ic
1) Joseph Selver Well Desh Bated	ر
of the Bay State claime Silver Bell Dish Dated Juny 1 - 1885	
	-
	-
appears of record now in my office in book W Reund min pages /	
IN WITNESS WHEREOF, I have hereunto set my hand and affixed my officia	1
seal, at my office in Tucson, this 9 day of Dec	<u>.</u>
A. D., 189 5	
Chas a Shilver	
County Recorder.	
Congress /	

"BAY STATE". Notice of Location. Notice is hereby given that the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10th, 1872, have this day located and claim Fifteen hundred linear feet along the course of this lead, lode or vein of mineral bearing quartz, and 300 feet in width on each side of the middle of said lead, lode or vein, situate in the Silver Bell Mining District, County of Pima, Arizona, and more particularly described as follows, to-wit:

Northwestern end of the claim, and upon which this notice is posted; thence North Easterly 300 feet to a monument of stones; thence South Easterly 1500 feet to a monument of stones; thence South westerly 300 feet to a monument of stones; thence South westerly 300 feet to a monument of stones, being the center of the South eastern end of claim; thence Southwesterly 300 feet to a monument of stones; thence Northwesterly 1500 feet to a monument of stones; thence Northwesterly 300 feet to the place of beginning.

This claim lays west of the Southern Beauty and cerners on the Daisy on the South east cerner of it, and shall be known as the Bay State Mine.

Located January 1st 1885.

F. S. Grout

Filed and recorded at request of F. S. Grout Jany 2nd A. D. 1885, at 12.55 P. M.

A. B. Sampson, County Recorder.

Book W. Records of Mines. Page 1.

Certified bopy Socation Artice. "Day State Mue! Red Rock Copper Company of Greage Clamant

POOR

QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

Territory	of Arizona,)
	County of Pima.)

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the Location notice of the Mount Hope Claim Silver Bell Dist.

Dated January 1-1885

as appears of record now in my office in book W. Reund minus pages 2.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this find day of the company of the com

Chas a shiber

5

THUOM HOPE" . Notice of Location. Notice is hereby given, That the under-_signed, in compliance with the requirements of the Mining Act of Congress, approved May 10, 1872, have this day located and claim fifteen hundred linear feet along the sourse of this lead, lode or vein of mineral bearing quartz, and three hundred feet in width on each side of the middle of said lead, lode or vein, situate in the Silver Bell Mining District, County of Pima, Arizona, and more particularly described as fellows, to-w it:

Commencing at this monument of stones, being the center of the North western end of the claim, and upon which this notice is posted; thence North Easterly 300 feet to a monument of stones; thence South Easterly 1500 feet to a monument of stones; thence Southwesterly 300 feet to a monument of stones, being the center of the South Eastern end of claim; thence South westerly 300 feet to a monument of stones; thence Northwesterly 1500 feet to a monument of stones; thence North Easterly 300 feet to the place of beginning.

This claim joins the South east end of the Daisy and lays west of the Bay State - and shall be known as the Mount Hope Mine. Located January 1st 1885. F. S. Grout Filed and recorded at request of F.S. Grout Jany 2nd A. D. 1885, at 12.55 P.M. A. B. Sampson, County Recorder.

Book W. Records of Mines. Page 2.

Certified bopy L'a alevir Avhee Mount Stope Mine Red Rock bopper leversany of Chicogo Claunant. Territory of Arizona,

County of Pima.

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

of the Wellington claim Silver Bece sish sated

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this 9-t day of Dec

A. D., 189 5

lohus astichece County

County Recorder.

34

Credition Solite. Wellington Some. Rev Rock bopper Company of threago Clarmant.

County of Pima.

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby

certify that the above and foregoing is a full, true and correct copy of the Notice of Location

of the Western Slope claim, Dilver Bell Dist,

Dated Jany 10 - 1885

as appears of record now in my office in book W Reundo of Mines pages 72

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 9 - day of Dee

A. D., 189 5

Chasashibue

"WESTERN SLOPE". Location Notice. Notice is hereby given, That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10, 1872, have this day located and claim 1500 hundred linear feet along the dourse of this lead, lode or vein of mineral bearing quartz and 300 feet in width on each side of the middle of said lead, lode or vein, situate in the Silver Bell Mining District County of Pima, Arizona, and more particularly described as follows, to-wit: Commencing at this manument of stones, being the center of North western end of claim, and upon which this notice is posted; thence north easterly 300 feet to a monument of stones; thence South Easterly 1500 feet to a monument of stones; thence South westerly 300 feet to a monument of stones, being the center of South eastern end of claim; thence Southwesterly 300 feet to a monument of stones; thence Northwesterly 1500 feet to a monument of stones; thence North easterly 300 feet to place of beginning.

This claim is west of the Mount Hope mine and East of the Wauconda and shall be known as the Western Slope Mine.

Located January 10th, 1885.

F.S. Grout

Filed and recorded at request of F. S. Grout 19th Feb, A. D. 1885, at 9 A. M.

A. B. Sampson County Recorder.

Book W. Records of Mines. Page 72.

Certified loopy Location Artice Mesterni Slope Mure, Red Rock Jopher Company of Phieogra Clarinaix

Territory	of Arizona,)
	County of Pima.	\ \ \

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the Location notice of the Wilson claim Selver Bell Dish, Dated april 19-1889.

as appears of record now in my office in book Z Records mines pages 248

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this 2 — day of

A. D., 189.5

lohas a Shibeec

dersigned in compliance with the requirements of the Mining Act of Congress, approved May 10, 1872, have this day located and claim 1500 hundred linear feet along the course of this lead, lode or vein of mineral bearing quartz, and 300 feet in width on each side of the middle of said lead, lode or vein, situate in the Silver Bell Mining District, County of Pima, Arizona, and more particularly described as fellows, to-wit:

Eastern end of claim, and upon which this notice is posted; thence
Southerly 300 feet to a monument of stones; thence Westerly 1500 feet
to a monument of stones; thence Northerly 300 feet to a monument of
stones, being the center of Western end of claim; thence Northerly 300
feet to a monument of stones; thence Easterly 1500 feet to a monument
of stones; thence Southerly 300 feet to place of beginning.

This claim is East of the Daisy and South of the Fawn. Zand shall be known as the Wilson Mine.

Lecated April 7th 1887.

Wm Klug

F. S. Grout

Filed and recorded at request of William Klug 11th April A. D. 1887, at 10.15 A. M. A. B. Sampson, County Recorder.

Book Z. Records of Mines. Page 248.

certified Copy e alion Notice Vilson Mine Red Rock Opper Company of Checago Clarinaux,

Territory of Arizona,

County of Pima.

I. Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy of the Location Notice of the Peacock claim Silver Bell Dish, Dated July 20 - 1882 -

as appears of record now in my office in book N. Reund Mines pages 577.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official

seal, at my office in Tucson, this 9 - day of Dec

A. D., 189 5

lohas a shibell

Territory of Arizona,

County of Pima.

I, Chas. A. Shibell, County Recorder in and for the County of Pima, do hereby certify that the above and foregoing is a full, true and correct copy. of the Location

Notice of the Maphiel' Maining claime sated Jamey 1-1890. by Hok bole. Silver Bell Dich —

as appears of record now in my office in book all' Record of mines pages 669

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, at my office in Tucson, this 9 day of Deember

A. D., 189 5

lohus ashibeel

"UPHILL".Location Notice. Notice is hereby given That the undersigned, in compliance with the requirements of the Mining Act of Congress, approved May 10, 1872, has this day located and claimed 1500 linear feet along the course of this lead, or lode, or vein of mineral bearing quartz and Three hundred feet in width on each side of the middle of said lead, or lode, or vein situated in the Silver Bell Mining District, County of Pima, Arizona, and more particularly described as follows, towit:- Commencing at this monument of stones, being the center of the Southern End of claim, and upon which this notice is posted; thence East Three hundred feet to a monument of stones; thence Northerly 1500 feet to a monument of stones; thence West 300 feet to a monument of stones, being the center of Northern end of claim; thence West 300 feet to a monument of stones; thence East 300 feet to a monument of stones; thence East 300 feet to place of beginning.

This claim is an extension Northerly of the Peacock Mine, with its side lines parallel to the extension of side lines of said Peacock Mine, and lies west of and parallel to the Burtis Mine, and South Easterly of the Wear & Caledonia Mines of the Ablas Mining Co Group and shall be known as the Uphill Mine.

Located January 1st 1890.

H.K. Cole

witness

E.L. White.

Filed and recorded at request of H.K.Cele, January 4th. A.D. 1890, at 10.45 A.M. Chas A. Shibell, County Recorder.

Book AA. Record of Mines, Page 667.

Certified bopy. Vocation Notice. Uphil Moine. Socaled January 1. 1890. Red Rock Coppen Company of Presign " PEACOCK". Notice of Location. Notice is hereby given that the undersigned, having complied with the requirements of Chapter Six of Title Thirty-Two of the Revised Statutes of the United States, and local customs, laws and regulations has located 1500 linear feet on the lode, situated in Silver Bell Mining District Pima County, and described as follows: A. T. This Claim commences at this Notice, which is posted in a monument of stone, in a conspicuous place on the ledge at the Southern boundary of the Claim, and running thence Three hundred (300) Feet in an Eastern direction to a Monument of Stone and a Stake marked South Eastern cor.; thence Fifteen Hundred (1500) Feet, in a Northern direction to a Monument of Stone and a Stake marked North Eastern cor; thence Three Hundred (300) Feet in a Westerly direction to a Monument of Stone and a Stake marked Northern Center Monument boundary; thence Three Hundred (300) Feet in a Westerly direction to a Monument of Stone and a Stake marked Northwestern cor.; thence Fifteen Hundred (15.00 Feet in a Southerly direction to a Monument of Stone and a Stake marked South Western cor.; thence Three Hundred (300) Feet in a Easterly direction to the place of Beginning.

This claim may be more generally described as situated lying Nortk of the Key Stone and North East of the Stone House owned By Soult and Grout, and shall be known as the Peacock Mine Claim and the -- Dated on the ground this Twentieth day of July 1882.

C. C. Soult F.S. Grout

Filed and recorded at request of Lyman Wakefield Sept 16th A.D. 1882 at 10.55 A.M. Chas R. Drake, County Recorder.

Book N. Records of Mines. Page 577.

Certifie bopy. Costrou chotice Peacock Mine" Rex Rock loopper Company of Priego Claimant.