

**MS**

**0**

**1**

**2**

**2**

**6**

(4-683.)

Mineral Survey No. 1226

Lot No. \_\_\_\_\_

Prescott

Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Mrs M. A. Carier, M. L. Olden and J. M. Campbell

KNOWN AS THE

Cross Cut

Cherry Creek

Mining District,

Yavapai

County,

Arizona

Section 14N, Township 3E, Range unsurveyed.

Surveyed under instructions dated July 10, 1896

by J. J. Fisher

U. S. Deputy Mineral Surveyor.

Claim located April 10<sup>th</sup>, 1890.

Survey commenced July 23, 1896.

Survey completed July 24, 1896.

o 6-180

Address.

14128 b-2500

Wm Munds att in fact for Claimants

Jerome

Arizona

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, W. L. Williams and James Le Barge,  
do solemnly swear that we will well and faithfully execute the duties of chain carriers;  
that we will level the chain upon even and uneven ground and plumb the tally-pins,  
either by sticking or dropping the same; that we will report the true distance to all  
notable objects, and the true length of all lines that we assist in measuring, to the best  
of our skill and ability, and in accordance with instructions given us, in the survey of  
the Mining Claim of Mrs M. A. Carrier, M. L. Olden  
J. M. Campbell, known as the  
Cross Cut  
situate in Cherry Creek mining district,  
Yavapai County, Arizona,  
in Section \_\_\_\_\_, Township No. \_\_\_\_\_, Range No. \_\_\_\_\_.

W. L. Williams Chainman.  
James Le Barge Chainman.

Subscribed and sworn to by the above-named persons before  
me this 23 day of July, 1896

J. J. Fisher  
Notary Public

I, W. L. Williams, do solemnly swear that I will well and  
truly perform the duties of axeman, in the establishment of corners and other duties,  
according to instructions given me and to the best of my skill and ability, in the survey  
of the Mining Claim of Mrs M. A. Carrier, M. L. Olden and  
J. M. Campbell  
known as the Cross Cut,  
more fully described in the preceding affidavit.

W. L. Williams Axeman.

Subscribed and sworn to by the said W. L.  
Williams before me this 23 day of  
July, 1896

J. J. Fisher  
Notary Public

I, James Le Barge, do solemnly swear that I will  
well and truly perform the duties of flagman, in the establishment of corners and other  
duties, according to instructions given me and to the best of my skill and ability, in the  
survey of the Mining Claim of Mrs M. A. Carrier M. L. Olden  
and J. M. Campbell  
known as the Cross Cut,  
more fully described in the preceding affidavit.

James Le Barge Flagman.

Subscribed and sworn to by the said James  
Le Barge before me this 23 day of  
July, 1896

J. J. Fisher  
Notary Public



Cross Creek  
Survey No 1226

Feet

Beginning at West Center end Monument, Identical with west center end mon. of the location.

A mon. of stones 2x2 feet base and 2 feet high. Mon. situated on the north west slope of the mountain about 500 feet south of Ella Gulch.

Thence N 28° 30' E  
Var. 13° 50' E

300

To corner No 1, slope of side of mountain down 26°. Orig. loc. corner, a monument of stones 2 feet high built upon a granite boulder 6x6x5 feet above ground bears N 28° 30' E 75'

A granite stone 12"x14"x30" set 18" in ground and surrounded by a mon. of stones, 3 foot base and 3 feet high, stone marked C.C. No 1-1226

At on a granite boulder 6x8x20 feet above ground, chiseled B.R. C.C. No 1-1226 brs. S 66° 8' W 14.7 feet

Cor. No 2, Ella Lode Survey No 833 brs N 26° 40' W 547 feet.

U.S. M.M. No 1. C.D. brs N 33° 27' W 3249.4 feet.

Thence S 61° 30' E  
Var. 13° 50' E

600

To top of ridge, slope 20° up, ridge runs nearly at right angles to course of river.

1375

Snow slope 15° to spring gulch width 20 feet, course East.

1500

To cor. No 2, Identical with loc. mon.

A mon. of stones 2x2x2 feet

A granite stone 4"x6"x30", set 15" in the ground and surrounded by a mon. of stones 3 foot base and 3 feet high.

Cross bear  
Survey No 1226

Feet Stone chiseled C.C. No 2-1226.  
A + on a granite boulder 3x3x2 feet  
above ground, chiseled B.R. C.C. No 2-  
1226 hrs. N 6° 45' E 71 feet.

Thence S 28° 30' W  
Var 13° 50' E

300 To East center end monument  
East center end mon. of the location  
A mon. of stones 2x2 feet base and 3 feet  
high bears S 61° 30' E 4 feet.

Ercted a mon. of stones 3x3 feet base  
and 3 feet high. at East center end.

600 Same course to Cor. No 3.

Location mon. destroyed.

Chiseled + for center point on granite  
rock in place 2x3x2 above ground  
and chiseled C.C. No 3-1226. Along  
side built a mon. of stones 3 feet on  
base and 3 feet high.

A + on granite rock in place, marked  
B.R. C.C. No 3-1226 hrs N 26° 20' E 34.7

Thence N 61° 30' W  
Var. 13° 50' E

637 To Spring gulch, 20 feet wide, course E,

1100 To top of ridge. Course of ridge N.E. & S.W.

1500 To Cor No 4. Slope down 20° from top  
of ridge.

Original mon. destroyed.

A granite stone 6x8x36, set 18" in ground  
and surrounded by mon. of stones  
Stone chiseled C.C. No 4 1226

A + on granite rock in place, chiseled  
B.R. C.C. No 4-1226 hrs S 1° 45' W 26.5

San Francisco Peak hrs, N 21° 25' E

Bill Williams Mt, hrs N 14° 5' W

Jerome hrs. about N 38° W 14 miles.

Thence N 28° 30' E  
Var 13° 50' E

300 To west center end. down slope 26°

5

Cross Cut  
Survey No 1226

Foot to the place of beginning survey  
of exterior boundaries.  
Containing 20.66 acres

Location

This claim is located on unswayed  
land, on the east slope of the Black  
Hills range in Cherry Creek Mining  
District, Yavapai Co Arizona.

Expenditure of Five Hundred Dollars  
I certify that the value of the labor  
and improvements upon this claim  
placed thereon by the claimants and  
their grantors, is not less than five  
hundred dollars and that said im-  
provements consist of.

No. 1. An open cut at west center end  
of claim, the face of which bears from  
west center end mon.  $S 61^{\circ} 30' E$  5 feet  
cut, 5 x 20 feet, 12 foot face, which  
cuts the vein.

Value \$100.00

No. 2. A tunnel, the mouth of which  
bears from cor. No. 1,  $S 36^{\circ} 50' E$  575 feet  
course of tunnel  $S 53^{\circ} 30' W$  68 feet to face  
tunnel 4 x 6.

Value \$680.00

No. 3. An open cut which runs  $N 61^{\circ} W$   
from center of tunnel, at the mouth, 90 feet  
average width 35 feet, average height  
of breast of cut 12 feet. And  $S 61^{\circ} E$  23  
feet from center of mouth of tunnel,  
average width 15 feet, average height  
of breast of cut 8 feet.

Value \$3000.00

The vein at this part of the claim  
is broken over and lies almost

## Cross level

Feet

Survey No 1226

horizontal. at the east and west  
center ends it stands with a dip  
of about  $60^\circ$  from the horizontal.

## Instrument

This survey was made with a  
Gurley Solar Transit. The courses  
were deflected from the true meridian,  
which was ascertained by the method  
of the Solar Compass.

The distances were measured  
with a 100 foot steel chain.

Presented

July 31, 1896

J. J. Fisher

U. S. Dep. Min. Surveyor

# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher  
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines  
 corners and boundaries described in the foregoing field notes of the survey of the mining claim  
 of Mrs M. A. Currier, M. L. Olden and J. M. Campbell  
 known as the Cross Cut  
 and showing the respective capacities in which they acted.

- W. L. Williams, Chainman.
- James Leburge, Chainman.
- W. L. Williams, Axman.
- James Leburge, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, W. L. Williams  
 and James Leburge, do solemnly swear that we assisted J. J. Fisher  
Fisher, United States Deputy Mineral Surveyor, in marking the corners and  
 surveying the boundaries of the mining claim of Mrs M. A. Currier  
M. L. Olden and J. M. Campbell  
 known as the

Cross Cut

, represented  
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under  
 his direction; and that said survey has been in all respects, to the best of our knowledge and  
 belief, faithfully and correctly executed, and the corner and boundary monuments established  
 according to law and the instructions furnished by the United States Surveyor-General for  
Arizona

- W. L. Williams, Chainman.
- James Leburge, Chainman.
- W. L. Williams, Axman.
- James Leburge, Flagman.

Subscribed and sworn to by the above-named persons before me  
 this 25 day of July, 18 96

J. J. Fisher  
 Notary Public



(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 10<sup>th</sup>, 1896, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Mrs M. A. Carrier, M. L. Olden and J. M. Campbell, known as the Cross Cut, situate in Cherry Creek Mining District, Yavapai County, Arizona, in Section \_\_\_\_\_, Township No. \_\_\_\_\_, Range No. \_\_\_\_\_, and designated as Survey No. 1726, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher  
U. S. Deputy Mineral Surveyor, before me P. W. Sullivan  
Notary Public this 31<sup>st</sup>  
day of July, 18 96.

P. W. Sullivan  
Notary Public



# Affidavit of Five Hundred Dollars Improvements.

We W. L. Williams and James Lebarge

of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the Cross Creek mining claim, situated in

Cherry Creek Mining district, Yavapai County,

Arizona Territory, for which Mrs M. A. Currier, W. L. Olden

and J. M. Campbell

have made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicants and their grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

W. L. Williams  
James Lebarge


TERRITORY OF ARIZONA,  
County of Yavapai } ss.

SWORN to and subscribed before me, this

25 day of July 1894

J. J. Fisher  
Notary Public

S. J. Fisher



CROSS CUT

NOTICE OF LOCATION.

The undersigned have this day located fifteen (1500) hundred feet of this Quartz Ledge as a gold and silver mine. Running in an easterly direction with three (300) hundred feet on each side the center of the vein.

Including all dips, spurs <sup>and alleys</sup> &c. Bounded to wit; Commencing at this location monument, running three (300) hundred feet southerly, thence fifteen (1500) feet easterly, thence six (600) hundred feet northerly, thence fifteen (1500) hundred feet westerly, thence three (300) hundred feet southerly to location monument.

To be known as the CROSS CUT Mine. Location and corner monuments being erected of stone. Situate about one half mile south of the Supply Mine, and about eleven hundred feet North West of the Gulch Mines, Location monument Cherry creek Mining District. Black Hills Yavapai Co. Arizona Territory, April 10" 1880.

J. D. WINNINGHAM  
Wm. MUNDS  
L. M. OLDEN  
J. M. CAMPBELL

Recorded at request of <sup>a</sup> James Loy May 24" 1880, at 9 o'clock A.M. in Book I.9 of Mines Records of Yavapai County Arizona, at pages 287-288.

William Wilkerson,  
County Recorder.

#####

TERRITORY OF ARIZONA, §  
  § ss;  
County of Yavapai. §

I, F. A. Tritle, County Recorder in and for said County and Custodian of the Records thereof, DO HEREBY CERTIFY, that I have compared the above and foregoing, with and the same is a full, true and correct copy of the Notice of Location of the "CROSS CUT" Mining Claim, as the same appears of record in Book I.9, of Mines pages 287-288, Records of Yavapai County Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official Seal this 2nd., day of July A. D. 1896.

*F. A. Tritle*

County Recorder.



(4-687.)

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona

November 17<sup>th</sup>, 1896.

I, U. S. Surveyor General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the

Survey of the Mining Claim of Mrs. M. A. Carrier

M. L. Elden, and J. M. Campbell

....., known as the

Crass Cut

situate in Cherry Creek mining district,

Yavapai County, Arizona,

in Section ....., Township No. ...., Range No. unsurveyed

....., designated as Survey No. 1226

executed by J. J. Fisher, U. S. Deputy Mineral

Surveyor, July 23-24<sup>th</sup>, 1896, under my instructions dated

July 10<sup>th</sup>, 1896, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicants for survey is included in the field notes.

George J. Roskrige

U. S. Surveyor General for Arizona