

MS.

0

1

2

3

5

(4-683.)

Mineral Survey No. 1235

Lot No. _____

Prescott

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

W.C. Bashford and R. H. Bunnister

KNOWN AS THE

Snow Peak and Snow Peak No. 2.

Pine Grove

Mining District,

Yavapai County, Arizona Territory

Section _____, Township 10 N, Range 7 W

Surveyed under instructions dated Aug. 21, 1896

by J. J. Fisher
U. S. Deputy Mineral Surveyor

Claim located Jan. 1st 91. & Nov 26. 91, amended Aug. 8, 1896

Survey commenced Sep. 2, 1896.

Survey completed Sep. 3, 1896

o 6-160

Address of claimants

W.C. Bashford and
R. H. Bunnister

Prescott
Arizona

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, O. F. Binkley and B. W. Hall,
do solemnly swear that we will well and faithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins,
either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claim of W. C. Bashford and R. A. Bunnister
Crown Point and Crow Point No. 2, known as the
situate in Fine Grove mining district,
Javapai County, Arizona
in Section _____, Township No. _____, Range No. _____.

O. F. Binkley, Chainman.

B. W. Hall, Chainman.

Subscribed and sworn to by the above-named persons before me this 31 day of August, 1896.

J. J. Fisher
Notary Public

I, O. F. Binkley, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of W. C. Bashford and R. A. Bunnister
known as the Crown Point & Crow Point No. 2, more fully described in the preceding affidavit.

O. F. Binkley, Axeman.

Subscribed and sworn to by the said O. F. Binkley before me this 31 day of August, 1896.

J. J. Fisher
Notary Public

I, B. W. Hall, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of W. C. Bashford and R. A. Bunnister
known as the Crown Point & Crow Point No. 2, more fully described in the preceding affidavit.

B. W. Hall, Flagman.

Subscribed and sworn to by the said B. W. Hall before me this 31 day of August, 1896.

J. J. Fisher
Notary Public



Survey No 1235
Crown Point Lodge

Feet.

Beginning at Initial mon. situated
on river. a mon. of stones 2x2x2 feet.

Thence S 18° 15' W
Var. 14° E

944

To south center end mon. a mon. of stones
3x3 feet 2.5 feet high, which is also the south
center end mon. of Crown Point No 2.

A pine post 4" sq. 4' long, set 18" in ground,
and surrounded by mon. of stones, post
marked S.C.E. C.P. No 1235, same post
marked N.C.E. C.P. No 2, - No 1235

Thence S 71° 45' E
Var. 14° E

300

To Cor. No 1.

An oak post 4" sq. 4' long, set 2 feet in
ground and surrounded by mon. of
stones, post marked C.P. No 1-1235 and
same post marked C.P. No 2, - 2-1235
for the north-east corner, Cor No 2. of Crown Point
No 2. of this survey.

A + on an oak tree 10" diam, blazed and
scribed B.T. C.P. No 2, No 2-1235 br. N 72° 3' E
59 feet.

A + on an oak tree 12" diam,
blazed and scribed B.T. C.P. No 1-1235 br.
N 50° 40' W 58.8 feet.

U.S. M.M. No 1, P.Y. br. S 31° 41' E 2990 feet.

Thence N 18° 15' E
Var. 14° E

1415

To Cor No 2.

A pine post 5" sq. 4' long, set 20" in ground
and surrounded by mon. of stones, post
marked C.P. No 2-1235.

A + on a pine tree 30" diam, blazed and
scribed B.T. C.P. No 2-1235 br. S 7° 15' E 44.

A + on a pine tree 24" diam, blazed and
scribed B.T. C.P. No 2-1235 br S 29° 10' W
54 feet.

Survey No 1235
Crown Point Lode.

Fut

Cor. No 4, Jolley Crow Survey No 1232, br.
N $33^{\circ} 57' E$ 310 fut.

Thence N $71^{\circ} 45' W$
Var. $14^{\circ} E$

300

To north-center end.

An oak post 5" diam, 4 feet long, set
18" in ground and surrounded by
mon. of stones, post marked N.C.E.
C.P. No 1235.

600

Same course, to cor. No 3.

An oak post 4" sq. 4' long, set 18" in
ground and surrounded by mon. of
stones. Post marked C.P. No 3-1235.

A + on an oak tree 8" diam, blazed and
scribed B.T. C.P. No 3-1235 br, N $62^{\circ} 25' W$
26 fut. A + on an oak tree 8" diam.
blazed and scribed B.T. C.P. No 3-1235 br.
S $78^{\circ} 55' W$ 21.5 fut.

Thence S $17^{\circ} 37' W$
Var. $14^{\circ} E$

1415.3

To Cor. No 4.

A pine post 4" sq. 4' long, set 18" in
ground and surrounded by mon. of
stones. Post marked C.P. No 4-1235.

Same post marked C.P. No 2, No 3-1235
for Cor. No 3 of Crown Point No 2. of this
survey.

A + on an oak tree 17" diam. Blazed
and scribed B.T. C.P. No 4-1235 br.
N $13^{\circ} 15' E$ 52 fut.

A + on an oak tree 10" diam. Blazed and
scribed B.T. C.P. No 2, No 3-1235 br
S $3^{\circ} 55' W$ 16.2 fut.

Cor. No 3. Lot No 42. Green Mountain
Lode. Bradshaw Mining District br.
S $56^{\circ} 41' W$ 549.6 fut.

5

Survey No 1235
Crown Point Lodge

Feet

Thence S $71^{\circ}45'E$
Var. $14^{\circ}E$

285 To south-center end post, the place of beginning survey of exterior boundaries.

Crown Point No 2 Lodge.

Beginning at the South-East cor. of claim, Cor. No 1.

An oak post 5" diam. 4' long, set 18" in ground and surrounded by mon. of stones, post marked C.P. No 2. No 1-1235.

A + on a spruce tree 24" diam. Blazed and scribed B.T. C.P. No 2, No 1-1235 by N $57^{\circ}35'E$ 39 feet.

A + on a pine tree, Blazed and scribed B.T. C.P. No 2, No 1-1235 by, N $63^{\circ}30'W$ 51 ft.

Cor. No 4, Consolidated Lodge Survey No 1232 by, N $34^{\circ}56'E$ 743.5 feet.

U.S. M.M. No 1-P.G. by, S $56^{\circ}9'E$ 2465 ft.

Thence N $23^{\circ}10'E$

Var. $14^{\circ}E$

1269 To Cor. No 2, which is also Cor. No 1, C.P. of this survey. Corner described above.

Thence N $71^{\circ}45'W$

Var. $14^{\circ}E$

300 To north-center end and initial mon. also south-center end of Crown Point of this survey.

585 To Cor. No 3, which is also Cor. No 4, C. Point of this survey. Cor. described above ✓

Survey No 1235
Crown Point No 2. Tode

Feet

Thence S 22° 19' W

Var. 14° E

1268

To Cor No 4

Orig. loc. mon. by N 71° 45' W 44 feet, a mon. of stones 2 x 2 feet on base and 2 feet high. The orig. loc. mon. being on the ground claimed by an adjoining claim the corner was established so as not to conflict.

A pine post 4" sq. 4' long, set 18" in ground and surrounded by mon. of stones, post marked C.P. No 2. No 4-1235

A+ on a pine tree 8" diam. Blazed and scried B.T. C.P. No 2. No 4-1235 by S 71° 45' E 11.1 feet.

A+ on an oak tree 10" diam. Blazed and scried B.T. C.P. No 2. No 4-1235 by S 21° W 20 feet.

Thence S 71° 45' E

Var. 14° E

256

To well-center end.

An oak post 5" diam. 4 feet long, set 18" in ground and surrounded by mon. of stones, post marked S.C.E. C.P. No 2. 1235.

556

To cor. No 1. the place of beginning survey of exterior boundaries.

The survey of Crown Point and Crown Point No 2. Tode, are identical with the locutions, excepting line 3-4 and cor. No 4. of Crown Point No 2.

Note. - The disagreement of the field notes with the location certificate of the Crown Point Tode, with regard to length of claim and course of line 3-4 is due to errors in the latter.

Survey No 1235

Area

Area Crown Point Lode 19.24 acres,
 Area Crown Point No 2 Lode 16.70 acres. ✓
 Total Area Lode claimed. 35.94 acres
 84

Location

This claim is located on unsurveyed land on the north slope of Del Puerto Mt. in Pine Grove Mining District, Yavapai County, Arizona.

Expenditure of Five Hundred Dollars

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than five hundred dollars, and that said improvements consist of:

No 1. Discovery open cut, which bears from the north-center end of Crown Point. S 18° 15' ^W 471 feet 18 x 25 feet 6 feet average depth.
 Value \$250.00

No 2. Shaft on center line between Crown Point and Crown Point No 2, which bears from S.C.E. part of Crown Point S 71° 45' E 10 feet. 4 x 6 feet, 44 feet deep. 1/2 to be credited to Crown Point lode and 1/2 to Crown Point No 2. lode.
 Value \$440.00

No 3. Shaft. The mouth of which bears from S.C.E. part of Crown Point lode N 18° 15' E 50 feet. 4 x 6 x 45.
 Value \$450.00

Survey No 1235

No 1. Discovery shaft of Crown Point No 2.
 4 x 6 feet, 25' deep, the mouth of
 which bears from N.E. part of
 Crown Point No 2. S 23° 10' W 410 feet
 Value \$250.00

Instrument

This survey was made with a Gurley
 Solar Transit. The courses were deflected
 from the true meridian as determined
 by direct solar observations, and also
 as determined by observations on
 Polaris at its eastern elongation.
 The distances were measured with
 a 100 foot steel chain.

Prescott Sep. 22. 1896. J. J. Fisher
 U.S. Dep. Min. Engineer.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of W. C. Bushford and R. H. Bunnister
 known as the Crown Point and Crown Point No. 2.
 and showing the respective capacities in which they acted.

- O. F. Binkley , Chainman.
- B. W. Hall , Chainman.
- O. F. Binkley , Axman.
- B. W. Hall , Flagman.

FINAL OATHS OF ASSISTANTS.

We, O. F. Binkley
 and B. W. Hall , do solemnly swear that we assisted J. J. Fisher
Fisher , United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of W. C. Bushford and R. H. Bunnister

..... , known as the Crown Point and Crown Point No. 2. , represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona

- O. F. Binkley , Chainman.
- B. W. Hall , Chainman.
- O. F. Binkley , Axman .
- B. W. Hall , Flagman.

Subscribed and sworn to by the above-named persons before me
 this 7 day of September , 1896.

J. J. Fisher
 Notary Public



(4-686.)


FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Aug. 21, 1896, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of W. C. Bashford and R. H. Bannister, known as the Brown Point and Brown Point No. 2, situate in Price Grove Mining District, Yavapai County, Arizona, in Section _____, Township No. _____, Range No. _____, and designated as Survey No. 1235, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher
 U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher
 U. S. Deputy Mineral Surveyor, before me W. H. Allister a
Notary Public this 24th
 day of September, 1896

W. H. Allister
 Notary Public



o 6-164

Affidavit of Five Hundred Dollars Improvements.

We O. F. Binkley and B. W. Hall

of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the Crown Point and Crown Point No 2 mining claim, situated in Pine Grove Mining district, Yavapai County, Arizona Territory, for which W. C. Bushford and R. H. Bunnister

have made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and their grantor do exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

O. F. Binkley

B. W. Hall

TERRITORY OF ARIZONA,


County of Yavapai

} ss.

SWORN to and subscribed before me, this

7 day of September 1896

J. J. Fisher
Notary Public



CROWN POINT.

Notice of Location.

KNOW ALL MEN BY THESE PRESENTS:

That E. Zimmerman the undersigned have this located 1500 feet of this vein or lode bearing precious metals with all dips spurs angles and variations with surface ground 300 feet on each side of vein with all mineral deposits contained therein and all timber and water thereon or appurtenant thereto according to the provisions of the United States Mining Laws

The exterior boundaries are as follows: Commencing at this Monument and Notice and running 300 feet in an easterly direction to monument side thence in a southerly direction parallel with the ledge 1000 feet to monument at S.E. corner thence at right angles across the ledge in a westerly direction 600 feet to monument at S.W. corner thence parallel with the lode in a northerly direction 1500 feet to monument at N.W. corner thence at right angles across the ledge in an easterly direction 600 feet to north east corner; thence south to place of beginning.

This claim is in Pine Grove Mining District Yavapai County Arizona and may be more generally described as situated on the Bradshaw Mts. and about two thousand feet south west of the Old Reliable Gold Works and parallel with the Wild Flower Ledge and shall be known as the Crown Point Mining Claim. Dated on the ground this First day of January Midnight 1891.

Witness J.R. Liston

Ed. Zimmerman

Recorded at the request of W.C. Bashford Jan. 5th. A.D. 1891 at 10-30 o'clock A.M. in Book 31 of Mines Pages 106 & 107 Records of Yavapai County Arizona

By J.W. Akers

(LS)

Charles H. Akers

Deputy

County Recorder

TERRITORY OF ARIZONA §
 § S.S.
 County of Yavapai §

I, F.A. Tritle County Recorder in and for said County and Territory and Custodian of the Records thereof do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the Notice of Location of the Crown Point Mining Claim as it appears of record in Book 31 of Mines Pages 106-107 Records of Yavapai County Arizona.

In Witness Whereof I have hereunto set my hand and affixed my official seal this 25 day of July A.D. 1896

F. A. Tritle

(Seal) County Recorder.

CROWN POINT NO 2 .

Notice of Location.

Know all men by these presents:

That we the undersigned have this day located 1500 feet of this vein or lode bearing precious metals with all dips spurs angles and variatios with surface ground 300 feet on each side of vein with all miner-al Deposits contained therein and all Timber and Water thereon or appurtenant thereto according to the provisions of the United States Mining Laws .

The exterior boundaries are as follows:
 Commencing at this monument and Notice and running 300 feet in an easterly direction to monument at N.E. corner thence in a southerly direction parallel with the ledge 1500 feet to monument at S.E. corner thence at right angles across the ledge in a westerly direction 600 feet to monument at S.W. corner thence parallel with the lode in a northerly direction 1500 feet to monument at N.W. corner thence at right angles across the ledge in an easterly direction 300 feet to place of beginning.

This claim is in Pine Ridge Mining District Yavapai County Arizona and may be more generally described as situated south extension of Crown Point and about 1-4 of a mile west of the Sobronje and running parallel with that claim and shall be known as the Crown Point No. 2 Mining Claim.

Dated on the ground this 26th. day of November 1891

Edward Zimmerman

George Liston

Recorded at the request of Robt. Connell Nov. 28th. A.D. 1891 at 7-45 Oclock P.M. in Book 32 of Mines pages 636 Records of Yavapai County Arizona.

By F.A. Tritle Jr.

Deputy

Charles H. Akers.

(L.S.)

County Recorder.

TERRITORY OF ARIZONA §
 County of Yavapai § S.S.

I, F.A. Tritle County Recorder in and for said County and Territory and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with and the same is a full true and correct copy of the Notice of Location of the Crown Point No. 2 Mining Claim as it appears of record in Book 32 of Mines Pages 636 Records of Yavapai County Arizona.

In Witness Whereof I have hereunto set my hand and affixed my official seal this 25 day of July 1896.

F. A. Tritle

(Seal)

County Recorder.

KNOW ALL MEN BY THESE PRESENTS, That *we W.C. Bashford and*

U.H. Brunster of the County of Yavapai, and Territory of Arizona

do hereby certify that on the *8* day of *August*, 1891, we have discovered, located and claimed and by these presents do hereby locate and claim, by the right of discovery and amended location in compliance with the Mining Acts of Congress, approved May 10th 1872 and all subsequent Acts, and with local customs

laws and regulations, *1500* linear feet and horizontal measurement on the *Green Point* lode, vein, ledge or deposit, along the vein thereof with all its dips angles and variations, as allowed by law, together with *300* feet on each side of the middle of said vein at the surface, so far as can be determined from present developments, and all veins, lodes, ledges or deposits and surface ground within the lines

of said claim, *471* feet running *N 18° 15' E* from center of discovery, *Mon.* and *1029* feet running *S 18° 15' W* from center of discovery, *Mon.* said discovery *Mon.* being situated upon said lode, vein, ledge or deposit

and within the lines of said claim in *Pine Grove* Mining District, County of Yavapai and Territory of Arizona, described,

by words and bounds as follows, to wit: *Beginning at Cor No 1*
to S. E. cor. of claim, thence N 18° 15' E 1500 feet to mon
of stones, thence N 71° 45' W 600 to mon. of stones,
thence S 17° 41' W 1000, 6 feet, to mon. of stones.
thence S 71° 45' E 585 feet to cor. No 1, the place
of beginning. Situate in Broadshaw Mts and
about 250 feet west of Wild Flower Lode claim
and parallel with it.

This being the same lode originally located on the *5* day of *Jan.* 1891, and recorded on the *5* day of *Jan.* 1891 in Book *31*, page *106-107* in the office of the Recorder of Yavapai County, this further and amended certificate of location is made without value of any previously acquired rights, but for the purpose of correcting any errors in the original location, description or record.

Said lode was discovered the *1* day of *January*, 1891, by *W.C. Bashford* and *U.H. Brunster*.
Date of location *Jan 1 - 1891*
Date of amended certificate *Aug*

8 1896

Recorded at request of W.C.Bashford, Aug 15 A.D. 1896, at 3,35 o'clock P.M.
in Book 44 of Mines, pages 576-578, Records of Yavapai County Arizona.

By H.R.Tittle,
Deputy.

(Seal.)

F.A.Tittle,
County Recorder.

YAVAPAI COUNTY ARIZONA
RECORDED
AUG 15 1896

Crown Point
No. 2.

Territory of Arizona,)
County of Yavapai.) S.S.

KNOW ALL MEN BY THESE PRESENTS, That *W. C. Burkford*
and *R. H. Bunnister* of the County of Yavapai and Territory

of Arizona the undersigned have this *8* day of *Aug.*, 1896
amended, located and claimed, and by these presents do... amend,
locate and claim, by right of discovery and amended location
in compliance with the Mining Acts of Congress, approved May
10th 1878 and all subsequent Acts, and with local customs, laws
and regulations... *1269* linear feet and horizontal

measurement on the *Crown Point No 2* lode, vein ledge or
deposit, along the vein thereof with all its dips, angles and
variations, as allowed by law, together with *300* feet
on each side of the middle of said vein at the surface, so far
as can be determined from present developments, and all veins,
lodes ledges or deposits and surface ground within the lines
of said claim.. *1269* feet running *S 23° 10' W*

center of discovery *Mon. at north center end of claim*
~~from center of discovery~~ *Mon.* said discovery

being situate upon said lode, vein ledge or deposit and within
the lines of said claim in *Pine Grove* Mining District
County of Yavapai and Territory of Arizona, described by metes

and bounds as follows, to wit: *Beginning at Cor No 1, the S.E. Cor.*
of claim. Thence N 23° 10' E 1269 feet to Cor. No 2, a mon. of stones.
also, Cor. No 1 Crown Point lode, Thence N 71° 45' W 585 feet to Cor. No 3,
a mon. of stones. Thence S 23° 49' W 1271.7 feet to Cor. No 4, a mon.
of stones. Thence S 71° 45' E 600 feet to Cor. No 1. Place of beginning
Situate in Bradshaw Mts, and adjoining Crown Point lode
on the South and East of Consolidated lode and Sabronj
Lode

this being the same lode originally located on the *26* day
of ~~November~~ *Nov* 1891, and recorded on the *28* day of *Nov*, 1891
in Book *32* page *636* in the office of the Recorder
of Ya vapai County, the further and amended certificate of
location is made without waiver of any previously acquired
rights, but for the purpose of correcting any errors in the
original location, description or record.

Said lode was discovered the *26* day of *Nov* 1891 } *W. C. Burkford* Seal
Date of location. *Nov 26 - 1891* } *R. H. Bunnister* Seal
Date of amended certificate. *Aug 8* } Seal.
1896.

Recorded at request of W.C.Bashford, Aug 15th A.D.1896, at 3,35 o'clock P.M.
in Book 44 of Mines pages 578-579, Records of Yavapai County Arizona.

By H.R.Trittle,
Deputy.

(Seal.)

F.A.Trittle,
County Recorder.

TERRITORY OF ARIZONA, §
County of Yavapai. §
§ss;

I, F.A.Trittle, County Recorder in and for said County and Custodian of
the Records thereof, DO HEREBY CERTIFY, that I have compared the above and
foregoing with, and the same is a full, true and correct copy of the Amended
Notices of Location of the "CROWN POINT" and "CROWN POINT No.2., Mining
Claims, as the same appear of record in Book 44 of Mines pages 576-577-
578-579, Records of Yavapai County Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my Official
Seal this 18th day of August A.D.1896.

H. A. Trittle

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona

November 3rd, 1896

I, U. S. Surveyor General for District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of W. C. Bashford and R.

N. Burmister,

known as the

Crown Point and Crown Point No 2,

situate in Pine Grove mining district,

Yavapai County, Arizona,

in Section _____, Township No. _____, Range No. unsurveyed

designated as Survey No. 1235

executed by J. J. Fisher, U. S. Deputy Mineral

Surveyor, Sept 2 - 3 -, 1896, under my instructions dated

August 21, 1896, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

George J. Roskruge

U. S. Surveyor General for Arizona