## Mineral Survey No. 1267

Lot No.

Consecuti Land District

#### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF Smith and Lama Hamilton vapiei County, augune Township 10 /Y, Range 44 Gt S, M Surveyed under instructions dated luy 6-, 1897, Claim located Jun. 17-1877 and april 12, 1892 Survey completed alay /5 , 187%.

o 6-160 Address, , 187%. Hundon and Norris ally, for claimants Priscott anyma

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

	WE, a. N. Braper and Longe Millier
	do solemnly swear that we will well and faithfully execute the duties of chain corriers:
	that we will level the chain upon even and lineven ground and plumb the tally ping
	of dropping the same: that we will report the true distance to all
	rotable objects, and the true length of all lines that we assist in measuring to the best
	of skill and ability, and in accordance with instructions given us in the survey of
	the Mining Claim of J. M. Smilh and Lama Hamilton
	of the property of the parties of th
	situate in Asum mining district,
	Sultana & Rentucky
	situate in Mean mining district
	in Section , Township No. , Range No. , mining district,
	in Section Gounty, Gounty,
	Range No, Range No
	CHDrahy, Chainman.
/	J.J. Fisher, Chainman.
	Chainman.
	Subscribed and sworn to by the above-named persons before
	Mula methis 14 day of Comment 1937
	34 mis now many of day of 187
	1 1 - way 10 4 19 00
	My comments 14 day of any, 1897  24 price may 10 4 1900  G f. Flisher  May Price
	To a the transfer
	I, do solemnly swear that I will well and
	perform the duties of axeman. In the establishment of corners and other duties
	according to instructions given me and to the best of my skill and ability in the survey
	according to instructions given me and to the best of my skill and ability in the survey
	of the Mining Claim of A.M. Smith and Lune Hamilton
	of the Mining Claim of A.M. Smith and Lance Hamilton
	of the Mining Claim of
	of the Mining Claim of A.M. Smith and Lance Hamilton
	known as the
	of the Mining Claim of
	known as the
	known as the
<i>/</i> **	known as the
	known as the
The same of the sa	known as the
	subscribed and sworn to by the said day of  My communication of the Mining Claim of the preceding affidavit.  Subscribed and sworn to by the said day of the Mining Claim of the preceding affidavit.  Subscribed and sworn to by the said day of the said day
	subscribed and sworn to by the said day of  When the sword of the Mining Claim of the
	subscribed and sworn to by the said day of  My communication of the Mining Claim of the preceding affidavit.  Subscribed and sworn to by the said day of the Mining Claim of the preceding affidavit.  Subscribed and sworn to by the said day of the said day
	known as the more fully described in the preceding affidavit.  Subscribed and sworn to by the said the more fully described in the preceding affidavit.  Subscribed and sworn to by the said the more fully day of the methin the more fully described and sworn to be fore methin the more fully day of the fore methin the more fully form the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of the form the duties of my skill and ability, in the survey of the Mining Claim of the form the duties of my skill and ability, in the survey of the Mining Claim of the form the duties of my skill and ability, in the survey of the Mining Claim of the form the
	known as the more fully described in the preceding affidavit.  Subscribed and sworn to by the said the more fully described in the preceding affidavit.  Subscribed and sworn to by the said the more fully day of the methin the more fully described and sworn to be fore methin the more fully day of the fore methin the more fully form the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of the form the duties of my skill and ability, in the survey of the Mining Claim of the form the duties of my skill and ability, in the survey of the Mining Claim of the form the duties of my skill and ability, in the survey of the Mining Claim of the form the
	known as the more fully described in the preceding affidavit.  Subscribed and sworn to by the said day of the Mining Claim of the Mining Claim of the preceding affidavit.  Subscribed and sworn to by the said the day of the said the preceding affidavit.  I, the multiple the day of the said the preceding affidavit.  I, the multiple the day of the said the preceding affidavit.  I, the multiple the day of the said the preceding affidavit.  I, the multiple the day of the said the preceding affidavit.  I, the multiple the day of the said the preceding affidavit.  I, the multiple the day of the said the preceding affidavit.  I, the multiple the day of the said the preceding affidavit.  I, the multiple the said the preceding affidavit.  I, the said the
	known as the more fully described in the preceding affidavit.  Subscribed and sworn to by the said Axeman.  Subscribed and sworn to by the said Axeman.  Subscribed and sworn to by the said Axeman.  Note that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of Axeman and the preceding affidavit.
	known as the more fully described in the preceding affidavit.  Subscribed and sworn to by the said Axeman.  Subscribed and sworn to by the said Axeman.  Subscribed and sworn to by the said Axeman.  Note that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of Axeman and the preceding affidavit.
	known as the
	known as the
	known as the more fully described in the preceding affidavit.  Subscribed and sworn to by the said Annual Manual M
<i>J. J.</i>	known as the more fully described in the preceding affidavit.  Subscribed and sworn to by the said day of the Mining Claim of truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of
5.	known as the more fully described in the preceding affidavit.  Subscribed and sworn to by the said Annual Manual M
15.	According to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of
15.	According to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of
5.	According to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of
5.	According to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

12324 b-1 m

Survey Nº 1267

Feet

Sultained Forle

Beginning at North west cor. I claim.
Identical with hi N. W. cor. of the breation.

A granili sline 4x 8"x 2", set I fort in

Johns, sline marked by mon. I

Same sline marked on opposite side

K. No 2-1267 for the S. W. cor. I hi

Kentucky bode of this survey.

A + on granili brock in place, marked

B. R. S. No 2-1267, Same rock marked

B. R. K. No 2-1267, Des. N 16° 1 & 77 Jut.

U.S. L.M. No 1124 W.D. bes. N 10° 32 &

7 5 7 0 Jut.

No oblice bearings available

Thence & 16° 1'W Var. 14° E

1500

Jo box. No 2.

Orig. Lec. mm. brs. N 34° 35 th 10 fut.

A mon. of stones 2 × 2 fut on base

and 3 flect high,

borner points on graniti were mi

place. Chiseled a + for comer point

and along side & Nº2-1267.

Arhusous peak brs A 73° 45 E

Highest print of Rich Hier bes. & 20°

15 th about 1500 feet

Along side of corner point I built

a mon. of stones 3×3 feet on base

and 3 flet high.

Thence & 34° 30 &

Fav. 14° &

To smith centir end, The initial

mon, y the freation, Identical

will-brune.

Let a granili time 12"×18"×36", & froh

200

Jut in ground and survended by mon,

I Mones, show marked J. M. S. Nº 1267

Cut + on apex of show for come point,

A + on granite foodde 16×12×10' about

Ground, marked B.R. J.M. S. Nº 1267

bus, A 30' it 30 Jut.

bus, A 30' it 30 Jut.

Jdenlical with S. E. comer of the freation

A granite show 8×10°×2°, set 1 Frot in

(2/

Identical with S. E. comer of the breating A granile stone 8"× 1"0 × 2" S. set 1 fort in granile stone 8"× 1"0 × 2" S. set 1 fort in granile stone summended by snow, of things, Stone marked & No3.-126 y. Comer points visable from south Centic end but indecessable with nistrument. It no bearing a From South centic end offset around low No3, No 16° 1 & 300 fut on endichine to point. Thence S 34° 30 & 300 fut to point on each side him at N 16° 1 & 300 fut

Thence NV 16° 1° E Van. 14° E

From point on least side from at

A 16° 1' & 300 fut from ber. No3,

For ber. No 4,

Identical with N. E. Comer of the fore.

A granile stine 8' x8' x 30°, Let 1 fort nie

growned and surrounded by mon, 9

Mines, More marked 8, No4-1267.

Quel on opoposite side 16, No3-1267

for the S. E. Cer. 9 Kenticky frede 9

A + on of granile week in place,

Marked B. B. S. No4-1267 bis, V15°

37' & 67 feet, A + on granile week in

place marked B.R. & No3-1267 bis,

A 5° 58' & 83 feet,

Johnsons Cerek bis, N 78° &

Sultana Lode Test Theree N 34° 30 W Nav. 140 & To north- center end mon. I denticul 300 with mult center end of the heating, A granile stone 6"x 10 x 3", set 1 Frot Til grund and purrounded by more. I Showed, Alme marked St.C. E. S No 1267, Same Nine marked S.C.E K.M. 1267. for Soult-center end of Kentucky tole of this survey. I the marked B. P. N. C. E 5 No 1267 bes N 4° 23 Mg5' A + in grunile wek in place, marked B. R. S.C. E. K 170/267 Les. Nr 25, 33 & 65 Sume Course to Cor. No1, to Place of beginning amony of exterior Hundaries. Containing 15,943 acres, Kenlicky Lode Degrining at Initial mon. at north Center lud of claim. I chentical with Initial mon. The treation, Initial mon ! bull on grunite boulder in place Cut + for center point and I.M. 12 no 9267. Hung side brill-a mon. of Mones, 2/x 2 get in base And D. 5 Just high. No bearings available.

(4) Survey No 1267 Here N 34° 30 th Var. 14° E Let Jo Cer, No1. 300 Orig too, mon, bus NH3°39 & 30' a mon, of dines 2x2 fect on buse and 2. Tut Suigh. berner point is on to east face of a Cinical grunite bowlder about 50 Jut the clicimeter and 30 Jut Kill. cut + for come point and KNO1-1267, and built a non. of Almes 3 feet diano, and 2,5 feet high. The bearing available 1. S. L.M. NO1124. H.D. Is N6° 59'E 6924,9' Thence \$ 43°39' W Nav. 14° E To gulch come Ecist, wilth 15 fut. 700 To lear. NO2. Identical with S.M. 786.3 come of the he. lovine described abour The same being Cor. NOI. of the Sultainen of this array. There & 34° 30 & Nav 140 & To South- center end which is also roll-Centil end of h Sultanne of This Runcy Mon. described about Same curse to leer. No 3. which 600 is also leer. Noy, I he Sulbuma I this survey. Comer described Cobor

Survey Nt/267 Let Kentuckfy Lode Thence N 43° 39' E Nav. 14° E To gulch, come East width 20 Jut. 620 To Vleer, No4. Identical with ho. 786.3 mon. A grunile stine 3x10x24 ris, set fort In ground and purrounded by mon, of stones, stone marked 12 NO4-8267 A + on a gowill-boulde 6x8x 5 for above gardens, marked B.R. K.Nº 4-1267 brs. A 65° 2'H 44 Jut. At on foulder 6 × 6 × 8 feet above Ground, Marked B.R. K. 1804-1267 bus. 5 52° 13 & 27.7 feet. Johnson's Peak bis. N 83° 30 E Thence N 34° 30 th Nav. 140 & To, North- Centre lud Intel mon. The place of beginning anney of exterior boundaries. Containing 10,597 acres / Location. This claim is treated on unannyed hund in heaver Munique District, Garapai les. Chizonie, approximately in See 7. JUON.R. 44. G+ S.M. The adjoining Olains one on East end of Kehlicky hale of aime and on the South West Claud of Sullauma the Buckeye true cladie, mininged

(61 Sund No 1267 Expenditure of Five Aundred Dollars I certify that the value of the Labor and improvements upon this claim, placed thereon by the claimants and their grinters is not less than five hundred dollars, and that laid improvements consist of. SuffannaTode Discovery Open Cut No1. 4x6 fest 100 feet long on min. The south end of which bis from Initial mon. N. 6° 6' & 263 Just, Walue \$200,00 Shaft ND, 4x6 fort 60 fort deep Which becaus from Initial mon. It 2° 55'E 445 fort Value \$600.00 Open Cut, No3, 4×6×50 fet aling Vrin, The Smith end of atrick bours N 2° 36 & 669 feet Nalue \$100,00 Shaft No4, 6×6 feet 10 feet cleep.
Which becaus from. Indices mon.
A 110 8 & 806 feet.
Value . \$100.00 Stenticky Lode Deservery Math. 4x6 Jut 100 fut deepe Which beaux from Intice mon. S 56° 15' 4 2 84 Jut Value \$1,000 Shaft N2. 4×6 Jut 100 feet cleep Which bears from Initial mon. 5 50° 30' 4 280 jut Value 1,000,

Survey NO 1267 Amproviments Kentucky Lode A Turnel on Nein 4 x 6 feet 176 feet Long, course S.M. 40 feet from mouth of Germel, a brunch to west 4x6x100 fet Suhier beaus from Intil mon. S 470 1 300 Jut Value et Ems cut June No4, 4x6x 200 Jut Intliel mon, S 32° W 300 feet. Nalne #2000 A Cross act Turnel NO5, 4×6 feet, 300' Juny, Course S.E. which bears. from Initial more, 564° H 652 Jut Value \$3000,00 A Cross cert Tunnel VB 6, 4x6 Jut 256 Jut Long, which beces from Initial mon, S 316 45 H 546 Jut. Value \$2500.00 Instrument The survey were made with a Gruley Volar Aurisch, The courses were deflected from the true meridian as determined by volar observations and also by observations in Polaris at its lastern llongation. The distances were measured by a 100 foot steel chain. M.S. Dep. Min. Luveyer. Inscoto Sept. 14 1897.

Sultanna Lode

		M. A.						
Course	Qin	11		15,	1 1	Double	Double	area
V34°30'W	July 1	7 / +	5-	C+	W-	Muria	+	
S/60/1 W	600	494,4			339.8	339,8	167997,12	
S 2116 20' B	1500		1441,77		413,82	1093,42		1576460,1534
S 34° 30' E	600		494,4	339.8		1167,44		5-77/12,336
V16° 1' E	15:00	1441,77		413.82		413,82	596633.2617	
								2153 642,4894
								764630,3814
							2,	1 1 3 8 9 0 1 2 , 10 8 0
								(945.06.02.4
								15.943
			Kent	tuck	y 2	ode		
V34°30'W	600	494,4		0	3398	339,8	167997,12.	•
S 43°39'W	186,25-		5-68.88	9.0	54271	339.8		695347, 7128
5 34 6 30' E	600		494,4	3398		1425,22		>04628,>Cr
V43° 39' E	> 48.25	568.88		54271		542,71	308736,8648	
							4)6733,9848	
								416733,9848
							2	1923242,499
							435601	461631348
								461621,248
								, , ,
_								
							*	
					,			
	1							

1		9 5	ulla	annic	2 200	le		10
						0	Double	ame o
Course	Dis	14	5-	E+	W-	Muria	- Stource	
Course N34°30' W S 16° 1' W	600	4944			3.794	3398	16399315	
S/6º 1'w	1500		144179		41382	1093,42	167997,12	
S 34° 30' E	600		4944	3398		1167,44		5->>/ 12.336
N10° 1' E	15:00	144177		41382		413,82		4
								2153 642,4894
								764630,3814
							2	1389012,1080
								1 694506.054
								15:943
			Ken	tuck	y 2	od,		
N34°30'W	600	494.4		0	3398	3398	167997,12.	
S 43° 39' W	186,25		5-68.88		54271	339,8 1222,31		695347, 7128
534630'E	600		4944	3398		1425,22		>04628,768
N43° 39' E	786.25	568.88		54271		542,71	308736,8648	
							476733,9848	
								476733,9848
							2	1923242,495
							43540 1	461621.248
								10597
								, ,
_								
							,	
								,
				•				
,								
					,			
-		1						
	1				THE RESERVE			

# FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals employed by
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of f. W. Smith and James Hamilton
known as the bullions of Feelinghey
and showing the respective capacities in which they acted.
Elddrufee , Chainman.
Elf Drufe , Axman.
George Millere, Flagman.
, Flagman.
FINAL CATHE OF ACCIONANTS
FINAL OATHS OF ASSISTANTS.
We, At Drupu
and Leage Millies, do solemnly swear that we assisted.
Julie States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of
and Lame Hemitton
Ruel Kerelinskey , known as the Sultance , represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
aume
Et Doch Chairman
Chainman. Chainman. Chainman.
Chainman.  Chainman.  Chainman.  Awman.
Chainman.  Chainman.  Chainman.  Awman.
J.J. Fisher
T.J. Fishe,  Chainman.  Chainman.  Axman.  Subscribed and sworn to by the above-named persons before me
T.J. Fishe,  Chainman.  Chainman.  Axman.  Subscribed and sworn to by the above-named persons before me
J.J. Fisher

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, fierhu
I, J'evhu , U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United
and the original for
Cley, 6 h, dated
United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General faith and
of said Surveyor General, faithfully and correctly
of said Surveyor General, faithfully and correctly executed the survey of the Mining  Claim of Aum Months  Claim o
1 Juna Aumulou
situate in Mean County, August Mining District,  Township No. 10 /V, Range No. 4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1/4 1
situate in Meury,
Levupui County On approximates
Township No. 10 /V Bange No. 44 1/2 Control of the Section
and designated as Survey No. 1267  in the foregoing field notes and it.
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate which
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or their grantors
are as therein fully stated and that the short
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
J. Ferher
U. S. Deputy Mineral Surveyor.
U. S. Deputy Mineral Surveyor, before me Register United States Land Coffice Prescott, Organia this 2 day of Seftenber , 1897.
Celtice Present Ores
day of Selting last
, 1847.
Federick a. Fiele fr Register
(D)
o 6-164 Vegister

# Affidavit of Five Hundred Dollars Improvements.

We E.A. Drupu	and Lenye Millner
of lawful age, being first duly sworn accord	ling to law, depose and say: that we are acquainted
with the Sulbuna & Ken	lickey mining claim, situated in
Mi Mi	ning district, Junepuis County,
Arizona Territory, for which He	illor
ha made application for survey prior t	o application for patent under the provisions of the
Act of Congress, approved May 10, 1872; and	that the labor done and improvements made thereon
by the applicantand Then grantor exce	ged Five Hundred Dollars in value, and further
that we are not personally interested in said m	ine,
TERRITORY OF ARIZONA,  County of Morefuse	$igg\} ss.$
	SWORN to and subscribed before me, this
J J. Fisher	17 = day of 0 189 7
Man a service of the	Witney Ouse
My commession at prices muy 10 4 1900	

SULTANNA LODE.

NOTICE.

By virtue of the Mining Act of May 10th.1872, I the undersigned do this day locate and claim1500 fifteen hundred feet along this vein or lode of gold bearing quartz and three hundred feet on each side thereof as follows, Commencing on the lode at the south west end of the claim at a monument on which this notice is posted which is the north east corner of the Antelope Mountain location; thence south east three hundred feet to a monument of stone marked 3; thence north fifteen hundred feet to a monument of stone marked C. This monument is about one thousand fee t from the white croppings on the west branch of Weaver creek. Thence north west six hundred feet to a monument of stone marked D. Thence southwest fifteen hundred feet to a monument of stone marked E. Thence southeast three hundred feet to place of beginning.

This Mine is better described as being on the east side of Rich Hill and shall be known as the Sultanna Lode or Mine.

Located this day January 17th., 1877-Weaver District, Yavapai County, A.T.

William Johnson.

Filed for record at the request of William Johnson, Feb. 20th., 1877 at 11.10 oclock A.M. and duly recorded in Book E 5 of Mines at folio 265-Records of Yavapai County, Arizona.

William Wilkerson.

County Recorder.

By W.C.Foster, Deputy.

TERRITORY OF ARIZONA, I COUNTY OF YAVAPAI. ISS.

I, W.I. Johnson, Recorder on and for said County and Territory and Custodian of the records thereof do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the notice of location of the Sulturna Mining Claim as the same appears on the records in Book & of Mines, Records of Yavapai County, Arizona.

In Witness Whereof, I Have hereunto set my hand and affixed my official seal this, the 4th., day of August 1897.

County Recorder.

KENTUCKY.

NOTICE.

By virtue of the Mining Act of May 10th., 1872-. I the undersigned do this day locate and claim all the ground for mining purposes between the south Westerly end line of the Antelope Mining Co's claim, running thence south westerly on or about eight hundred (800) feet to the north easterly end line of the Sultana Mine. This fractional part of location comprises two parallel veins or ledges within 600 feet and shall be known as the next tucky Mine.

Dated on the ground this 19th., day of May 1877. Weaver Mining District, Yavapai County, A.T.

James P.Flanagan.

Filed for record at the request of P.A. Craigue, May 21st., 1877, at 11 oclock A.M. and duly recorded in Book E.5 of Mines. Records of Mavapai County, Arizona at folio's 428 & 429.

William Wilkerson,
County Recorder.

TERRITORY OF ARIZONA, I (SS. COUNTY OF YAVAPAI.

I,W.I.Johnson, Recorder in and for sixth said county and territory and Custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the notice of location of the Kentucky Mining Claim as the same appears on the records on Book 8.5 of Mines, pages 428 + 429 Records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my official seal this, the 4th, day of August 1897.

County Recorder.

MIJohnson

# POOR

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

KENTUCKY.

AMENDED NOTICE OF LOCATION OF THE KENTUCKY MINING CLAIM.

KNOW ALL MEN BY THESE PRESENTS: That the undersigned have this day located 1500 feet or this vein of lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground 300 feet on each side of vein with all mineral deposits contained therein, and all timber and water thereon or appurtenant thereto according to the provisions of the United States Mining Laws.

The exterior boundaries are as follows:

Commencing at a monument of stone on north boundary line distant 300 feet in a northerly direction from discovery monument thence in a westerly direction parallel with the ledge 750 feet to monument at N.W.corner; thence in a southerly direction at right angles across the ledge 600 feet to monument at S.W.corner; thence in an easterly direction parallel with the ledge 1500 feet to monument at S.E.corner; thence at right angles across the ledge in a northerly direction 600 feet to monument at N.E. corner; thence in a westerly direction parallel with the ledge 750 feet to monument on north boundaryxxive and place of beginning.

This claim is in Weaver Mining District, Yave pai County, Arizona, and may be more generally described as situated on the N. East side of Rich Hill & bounded on N. E. by the Esperaiza Mine & on the south by unknown ground & on the S. W. by the Sultanna Mine & on the north by unknown ground and shall be known as the Kentucky Mining Claim.

This notice and amended location is made by us to better describe the locus of this claimand to more fully comply with the mining located by J.P. Flanagan on the 19th., day of May A.D.1877. which notice is of record in Book E-5 of Mines at page 428, records of Yavapai County, Arizona.

Dated on the ground this twelfth day of April A.D.1892.

J. H. Hamilton.

Scott Greening.

A.P. Smith.

Recorded at request of A.P. Smith April 13" A.D. 1892, at 4.50 Oclock P.M.
in Book 3 of Mines, pages 163 & 164. Records of Yavapai County, Arizona.
By F.A. Tritle Jr. (L.S.) Charles H. Akers,

County Recorder.

Deputy.

17-


TERRITORY OF ARIZONA,
COUNTY OF YAVAPAI.

i iss.

I, W.I.Johnson, Recorder in and for said County and Territory and Custodian of the records thereof do hereby certify that I have compared the above and foregoing with, and the same is a annually and correct cppy of the notice of location of the Manually Mining Claim as the same appears on the records in Book 34 of Mines, pages 163 + 164 Records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my official seal this, the 4th, day of August 1897.

County Recorder.



### Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

#### Department of the Interior,

Office of U.S. Surveyor General,

Tucson Arigona November 11th, 1897 I, U. S. Surveyor General for District of arigona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of J. W. Dmith and Laura Hamilton known as the Bultanna and Kentucky, situate in \_\_\_\_\_ mining district, Yavapai County, arizona approximately in Section 7, Township No. 10 N., Range No. 4 7, 9, 4 J. R. B+ M. , designated as Survey No. / 2 6 7. executed by J. J. Fisher, U. S. Deputy Mineral Surveyor, Aug 14-15, , 1897, under my instructions dated August 6, 1897, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificatesfiled by the applicants for survey is included in the field notes.

U. S. Surveyor General for Arigona.

George Cehrist

0 6-162