

MS.

0

1

2

8

9



(4-683.)

Mineral Survey No. 1289

Lot No. \_\_\_\_\_

Prescott

Land District.

### FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

The Commercial Mining Company

KNOWN AS THE

Skylight

Hessayampa

Mining District,

Yavapai

County,

Arizona

Section approximately, Township 17 N, Range 2 W

Surveyed under instructions dated May 19<sup>th</sup>, 1898

by J. J. Fisher

U. S. Deputy Mineral Surveyor.

Claim located Oct. 11<sup>th</sup>, 1894

Survey commenced May 25<sup>th</sup>, 1898

Survey completed May 25<sup>th</sup>, 1898

o 6-160

J. S. Douglas, Atty. in fact  
Prescott  
Arizona

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, E. H. Draper and W. C. Kent,  
do solemnly swear that we will well and faithfully execute the duties of chain carriers;  
that we will level the chain upon even and uneven ground and plumb the tally-pins,  
either by sticking or dropping the same; that we will report the true distance to all  
notable objects, and the true length of all lines that we assist in measuring, to the best  
of our skill and ability, and in accordance with instructions given us, in the survey of  
the Mining Claim of the Commercial Mining Company  
....., known as the  
Skylight  
situate in Hessayunpa mining district,  
Yavapai County, Arizona  
in Section ....., Township No. ...., Range No. ....

E. H. Draper, Chainman.  
W. C. Kent, Chainman.

Subscribed and sworn to by the above-named persons before  
me this 24<sup>th</sup> day of May, 1898.

*my commission  
expires May 10-1900*

J. J. Fisher  
Notary Public

I, E. H. Draper, do solemnly swear that I will well and  
truly perform the duties of axeman, in the establishment of corners and other duties,  
according to instructions given me and to the best of my skill and ability, in the survey  
of the Mining Claim of the Commercial Mining Company  
.....  
known as the Skylight  
more fully described in the preceding affidavit.

E. H. Draper, Axeman.

Subscribed and sworn to by the said E. H. Draper  
before me this 24<sup>th</sup> day of  
May, 1898.

*my commission  
expires May 10-1900*

J. J. Fisher  
Notary Public

I, W. C. Kent, do solemnly swear that I will  
well and truly perform the duties of flagman, in the establishment of corners and other  
duties, according to instructions given me and to the best of my skill and ability, in the  
survey of the Mining Claim of the Commercial Mining Company  
.....  
known as the Skylight  
more fully described in the preceding affidavit.

W. C. Kent, Flagman.

Subscribed and sworn to by the said W. C. Kent  
before me this 24<sup>th</sup> day of  
May, 1898.


*my commission  
expires May 10-1900  
6-145*

J. J. Fisher  
Notary Public

*J. J. Fisher*

*J. J. Fisher*

*J. J. Fisher*





## Survey No 1289

Feet

## Sky light Lode

Beginning at Initial mon. Identical with Initial mon. of the location.

Set a state stone  $4 \times 8 \times 24$  ins. 1 foot in ground, along side built a mon. of stones 2 feet on base and 2 feet high. Stone marked S.M.S No 1289.

Thence S  $45^{\circ} 45' E$ Var.  $14^{\circ} E$ 

158.2

To intersect line 2-3, Cherry, Survey No 962 at  $N 55^{\circ} E$  492.2 feet from cor No 3.

300

Along the south end line of Senator S. Ex. Survey Lot No 40. to Cor. No 1. Identical with location.

A state stone  $5 \times 18 \times 30$  ins. set 1 foot in ground, along side built a mon. of stones 3 feet on base and 3 feet high. Stone marked S. No 1-1289 same stone marked S. S. Ex. No 2.

A + on state reef, marked B.R. S No 1-1289 bes.  $N 81^{\circ} 40' W$  52 feet.

A mon. on Mt Union bes.  $S 87^{\circ} 50' E$  about 2 miles. A mon. on Mt Davis bes.  $N 75^{\circ} 30' E$  about 2 miles.

U.S. M.M. H.D. No 1. bes.  $N 55^{\circ} 40' E$  5316.8 feet.

Thence S  $45^{\circ} W$ Var.  $14^{\circ} E$ 

527

To intersect line 3-5, Cherry lode. Sur. No 962. at  $N 35^{\circ} E$  231.5 feet from Cor No 3.

1500

To Cor. No 2, Identical with the S.E. corner of the location

A state stone  $4 \times 6 \times 24$  ins. set 1 foot in ground, along side built a mon. of stones 2 feet on base and 2 feet high. Stone marked S. No 2-1289.

A + on a pine tree 18" diameter

(2)  
Survey No 1289

Foot.

Sky light Lode

Blazed and marked B.T.S. No 2-1289  
lcs. N 88° 30' W 17.8 feet. Mon. on Mt Union  
lcs. N 86° 5' E.  
Mon. on Mt Davis lcs. N 72° 15' E.

Thence N 45° 45' W

Var. 14° E

600

To Cor. No 3. Identical with location.  
A granite stone 6 x 12 x 30 ins. set 1 foot  
in ground, along side built a mow.  
of stones 3 feet on base and 3 feet high.  
Stone marked S. No 3-1289.

A + on an oak tree 6" diameter, blazed  
and marked B.T.S. No 3-1289 lcs.

S 54° W 7.3 feet.

A + on an oak tree 8" diameter, blazed  
and marked B.T.S. No 3-1289 lcs.

S 0° 50' E 10 feet.

Prospect lcs. N 13° 15' W about 10 miles.

Granite Mt lcs. N 23° W

Thence N 45° E

Var 14° E

1500

To Cor. No 4. Identical with N.W.  
corner of the location.

A slate stone 6 x 18 x 30 ins. set 1 foot  
in ground, along side built a mow  
of stones 2 feet on base and 2 feet  
high. Stone marked S. No 4-1289

Same stone marked S.S. Ex. No 3, for  
S.W. corner of Senator S. Ex. Survey Lot  
No 40.

A + on a spruce tree 24 ins. diameter  
blazed and marked B.T.S. No 4-1289  
lcs. N 15° 15' E 26 feet.

A + on a spruce tree 30 ins. diameter  
blazed and marked B.T.S. No 4-1289



# Survey No 1289

Feet.

## Skylight Lode

Loc. S 55° 10' W 55.5 feet.

Thence S 45° 45' E

Run 14° E

300

To N. Center end Initial mon. to place of beginning survey of exterior boundaries.

## Containing

Total area Sky light Lode	20.66 acres
Less area in conflict with Cherry Lode, Survey No 962.	<u>2.16 "</u>
Net area Sky light Lode	18.50 acres

## Location

This claim is located on unsurveyed land approximately in T. 12 N. R. 2. W. 4 + S. R. M. (unsurveyed) In Harney Mining District, Harney County, Oregon.

## Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and its grantors, is not less than five hundred dollars, and that said improvements consist of:

Shaft No 1. which loc. from Initial mon. S 60° 45' W 240 feet. Shaft 4 x 8 feet 10 feet deep  
Value \$100.00

Shaft No 2. which loc. from Initial mon. S 40° 15' W 310 feet. Shaft 5 x 8 feet. 30 feet deep.  
Value \$350.00

Open Cut No 3. The center of which loc. from Initial mon, S 50° W 510 feet. 4 x 50 feet 3 feet deep.  
Value \$150.00

## Skylight Lode

This vein crops out on surface for about 600 feet at north-end of claim, found there on south it appears to be covered up.

## Instrument

This survey was made with a Gurley solar transit. The courses were deflected from the true meridian as determined by solar and Polaris observation. The distances were measured with a 100 foot steel chain.

Prospect  
June 14<sup>th</sup> 1898

J. J. Fisher  
U. S. Dep. Min. Surveyor



# FINAL OATHS FOR SURVEYS.

## LIST OF NAMES.

A list of the names of the individuals employed by J. J. Fisher  
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines  
 corners and boundaries described in the foregoing field notes of the survey of the mining claim  
 of the Commercial Mining Company  
 known as the Skylight  
 and showing the respective capacities in which they acted.

E. H. Draper, Chairman.  
W. C. Kent, Chairman.  
E. H. Draper, Axman.  
W. C. Kent, Flagman.

## FINAL OATHS OF ASSISTANTS.

We, E. H. Draper  
 and W. C. Kent, do solemnly swear that we assisted J. J. Fisher  
Fisher, United States Deputy Mineral Surveyor, in marking the corners and  
 surveying the boundaries of the mining claim of the Commercial  
Mining Company  
Skylight, known as the \_\_\_\_\_, represented  
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under  
 his direction; and that said survey has been in all respects, to the best of our knowledge and  
 belief, faithfully and correctly executed, and the corner and boundary monuments established  
 according to law and the instructions furnished by the United States Surveyor-General for  
Arizona.

E. H. Draper, Chairman.  
W. C. Kent, Chairman.  
E. H. Draper, Axman.  
W. C. Kent, Flagman.

J. J. Fisher

Subscribed and sworn to by the above-named persons before me

this 27<sup>th</sup> day of May, 1898

My commission  
expires May 10<sup>th</sup> 1900

J. J. Fisher  
Notary Public



(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, J. J. Fisher, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated May 9<sup>th</sup>, 1898, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of The Commercial Mining Company, known as the Skylight, situate in Havasampa Mining District, Yavapai County, Arizona, in Section Approximate, Township No. 12 N., Range No. 24 W. 9 + S. R. 24, and designated as Survey No. 1289, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or its grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

J. J. Fisher  
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said J. J. Fisher  
U. S. Deputy Mineral Surveyor, before me  
this 15  
day of June, 1898.

J. A. Gittle Register  
UNITED STATES LAND OFFICE  
PRESCOTT, ARIZ



# Affidavit of Five Hundred Dollars Improvements.

We E. H. Draper and W. C. Kent

of lawful age, being first duly sworn according to law, depose and say: that we are acquainted

with the Sky Light mining claim, situated in

Hessupumpes Mining district, Yavapai County,

Arizona Territory, for which The Commercial Mining

Company

has made application for survey prior to application for patent under the provisions of the

Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon

by the applicant and its grantor exceed Five Hundred Dollars in value, and further

that we are not personally interested in said mine.

E. H. Draper

W. C. Kent

TERRITORY OF ARIZONA, }  
County of Yavapai } ss.

SWORN to and subscribed before me, this

27<sup>th</sup> day of May 1898

J. J. Fisher  
Notary Public

J. J. Fisher

My Commission  
of date May 10<sup>th</sup> 1900



SKYLIGHT.

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS: That we the undersigned, have this day Located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is Located.

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1500) feet in a Southerly direction along the ledge.

The Exterior boundaries are as follows, viz:

Commencing at this Monument and Notice, and running Three Hundred (300) feet in an easterly direction to monument of stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1500) feet to Monument at S.E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to monument at S.W. corner of claim; thence parallel with the lode in a Northerly direction Fifteen Hundred (1500) feet to monument at N.W. corner of claim; thence at right angles across the ledge in an easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated Southerly from the Senator S. EX. Mng. Claim with whose Southerly end line, the Northerly end line of this Claim coincides and also Westerly from the Cherry Mng. Claim and is intended to cover all the ground between the Cherry Mng. Claim and the Flagstaff Mng. Claim and is a relocation of the Whalebone M.C. in Hassayampa Mining District, Yavapai County, ARIZONA TERRITORY, and shall be known as the SKYLIGHT Mining Claim.

DATED ON THE GROUND this 11th day of October 1894.

WM. E. DODGE  
D. WILLIS JAMES.

Witness

Wm. C. Kent.

Recorded at request of C. E. Mills Nov. 10<sup>th</sup> A. D. 1894, at 9 o'clock A. M., in Book 38 of Mines, Page 246, Records of Yavapai County, Arizona.

(SEAL)

Alex. O. Brodie  
County Recorder.

By F. A. Tritle Jr.  
Deputy.

\*\*\*\*\*

TERRITORY OF ARIZONA, §SS:  
COUNTY OF YAVAPAI. §

I, W. I. JOHNSON, Recorder in and for said County, in said Territory, and Custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location and of the "SKYLIGHT" Mining Claim as the same appears of record in Book 38 of Mines, page 246. Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 3rd., day of May, A. D. 1898.

.....  
W. I. Johnson  
County Recorder.







(4-687.)

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

*Tucson, Arizona.*

*June 24th*, 189*7*.

I, U. S. Surveyor General for *District of Arizona*, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of *the Commercial Mining Company*.

....., known as the *Daylight*,

situate in *Nassayampa* mining district,

*Yavapai* County, *Arizona*,

in Section ....., Township No. ...., Range No. ....

....., designated as Survey No. *1289*.

executed by *J. J. Fisher*, U. S. Deputy Mineral

Surveyor, *May 25th*, 189*8*, under my instructions dated

*May 9th*, 189*8*, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

*George Chitt*

U. S. Surveyor General for *Arizona*.