Mineral Survey No. 1290

Lot No.

PESCOLL Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF
Commercial Mining Company
- reliconed Con page Signia
known as the
Hassurfumpu Mining District,
Klucepue County, Auguna
Section approximately Township 12 17, Range 2 16
Surveyed under instructions dated Muy 9", 1898,
by J. Fisher
U. S. Deputy Mineral Surveyor.
Claim located fan. 13, 189%.
Survey commenced Muy 27-, 18/8.
Survey completed Muy 47 , 1898.
o 6-160 J. Douglas. att, in fact
Presente
· · · · · · · · · · · · · · · · · · ·

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE,	A Aneper	and M. C.	ent,
do solemnly sweethat we will leve either by stickin notable objects, a	I the chain upon even g or dropping the sam and the true length of a ability and in accordan	faithfully execute the duti and uneven ground and p ie; that we will report the all lines that we assist in m ce with instructions given	true distance to all true distance to all neasuring, to the best n us, in the survey of
the Mining Clair	n of the Cerune	recel Maniny Co	
	recory		, known as the
situate in	Hassay	umpa County, aigma	mining district,
in Section	Township No.	Range No.	
J.S. Fisher	<u>بنئي</u> 	EHDrapu H. E. Kens	, Chainman. , Chainman.
		nd sworn to by the above-n	named persons before
my	me this	24 = day of My	, 18 9 8
ex for	commission is may 10-1900	J. J. 7	when
Contraction		// / h	Aung Proble
I, G	Cooper	do solemnly swear	
	499	the establishment of corner to the best of my skill and a	
	7	wiel mining	
	0		
known as the		ej .	····,
more fully descri	ibed in the preceding aff		· • • • • • • • • • • • • • • • • • • •
	(CH. Drapu	Axeman.
J.S.Fishez	Subscribed ar	nd sworn to by the said	ENDrafour
eli di tan	•	before me this	day of
m	A	Muy , 187	8
4 b	Commission ines muy 10 71900	XXX	Fesher
M	Chent	- V	my Produce
1,	•	, do solem	1986
	and the second s	man, in the establishment e and to the best of my sk	The state of the s
survey of the Mi	ning Claim of Tac	unnercial	Mining
known as the	ferse	ij i	·,
	bed in the preceding affi		
1	Subscribed a	nd sworn to by the said	
J.J.Fisher	Banselinea ai	before me this	24" day of
E Barrely d	7	before me this	78
the police		20.7	y less
me	1 Commession ies Muy 10 41 1900		Tirlur Lung Russie
2x pr	us Muy 10711900	m	rany Vouble

Juny 00,290

Beginning at lear. No1. Identical which is also ber. No3. Sacraments luvey No 3 94.

A granite the 10 × 12 × 24 mis, act 1 for min ground, along side built a marked 3 feet on beese and 3 feet high.

The marked J. No1-1290, Stone along side marked 5. No 3.

A + on a prine her 12" deameter, Huged

A + on a prine her 12" deameter, Hazed and marked B.J. J. No1-1290 bes. N410 45' 4 24 feet, A + on a pine tru 14" deameter, Hazed and marked B.J. J. No1-1290 bes. N 0° 40 & 23,9 feet, U.S. M.M. No1. H.D. bes. N 40° 50 & 1265,1

> There & 50° 25 W Var. 13° 10' E

To ber. No 2. I denticul with Location borner point, on a graniti vock ni place bhirded a + for borner point and J. No. 2-12 90. Along side built a mm. of stones 3 feet on base and 3 feet high. A + on a graniti toulder 6×6 feet. 4 feet above ground, marked B.R. J. 182-1290 bes. 6 35° 3: & 23 feet. A + on a sponce bree 30" diameter blaged and marked B.J. J. No.2-1290 brs. S 48° 55' br 42,5 feet.

Thence N 37° 45 M Nav. 12° 8'E

300

379

To snited mon, a mon of atmes 2 feels on beese and 18" high,
To love. No 3, which is also leve. No 8.

Survey No 902, million. lade.

A granite stime 5x8x20 ris, let, foot

Fut

JERSEY Lode

in ground, along side built a more

Jetnes 2 fut ou beese and 2 fut high,

Stone marked J 803-1290, A stone

along side marked M. S. 808.

A + lon a grunili rock in place, murred

B.R. J. 803-1290 bis. N 44°5 & 28 fut.

A + on a prine tree 4" diameter blaged

and marked B.J. J 1803-1290 bis. N 75°

45' N 27.2 feet, Ony breatine mon. bis. 845 45462'

439

Thence N 39°8' & Nav. 7° E Along Line 8-7, Survey No 902 Mill Sile Lode, to menseeline with Line 2-3. Survey No 394, Ducrumento lode, at . S 37° 45 & 137 from lev 802. Juonumento. To ber NOH, Identical with Tocation. A grunile - stone 5"x 10" x 3" set I fook mil ground, along side built a mow, They's, the marked & 184-12.90 A + on a grunite vock in place, marked B. R. J. Nº 4-1290 bis, S 890 23 6 20 feet. A + on an oak tree 15" deameter Hazed and marked B. J. J NO4-1290 bis. A64° 20 & 27.5 feet, I found are error ou course and distance of line 8-7 of currey rogoz to its Intersection with line 2-3, Juny NO394,

There & 37° 45 & Vav. 3° &

To ber. 1701. The place of beginning survey of exterior formacines. along the south line of survey No 394,

465

(3/ Survey 001290 Jarsey Lode area Jersey tode 4,142 acres. This claim is treated on unsurveyed land, approximately in J. 12 N. 18 &M y + S. R. M. in Hassayampa Mining District Jurapai County Expenditure of From Ahmund Doleaus. and improvements upon this claim, placed thereon by the claimages and its Trustors, is not less him five hundred tollars, and had said suprovements A trundel. The moult of which bes from Cur. NO 3, S 37d 45 & 79 Just Course of humee North- East. Walue \$1000, Instrument. This survey was made with a Gurley Islan Artheit. The courses were deflected from the time meridian as determined by direch Dolar and Polaris observations The distances were measured with a 100 foot Olece hair. Magnetic ivon influenced to bearing of he mujnelie needle. A. J. Fisher U. S. Dep. Min. Suveyor June 14 1898,

FINAL OATHS FOR SURVEYS.

LIST OF	F NAMES)
A list of the names of the individuals ampl	level by J. Juhn
A list of the names of the individuals empl	ist in running, measuring, and marking the lines
warmana and have device be willed in the forces	ing field notes of the suprey of the mining dain
corners and boundaries described in the forego	ing field notes of the survey of the mining claim (Municipal Company
of the ammercia	July and
and showing the respective capacities in which	~
	CHDrafur, Chainman.
	, Chainman.
	Et Drafu, Axman.
	, Flagman.
	>>>
FINAL OATHS	OF ASSISTANTS.
E SLADO A.	
We. Of Officer	lemnly swear that we assisted
and the Kent do sol	emnly swear that we assisted.
United States Depr	uty Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim	of the Commercial
Manny Company	
	, known as the
Hersey	, represented
in the foregoing field notes as having been surv	reyed by said deputy mineral surveyor and under
his direction; and that said survey has been i	n all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and t	he corner and boundary monuments established
	hed by the United States Surveyor-General for
(lug mu)	
	EH Draft, Chainman. W.G. Kent, Chainman. E. H. Draft, Axman. W.G. Kent, Flagman
	W.C. Kent, Chainman.
J.S. Fisher	E. H. Drafu, Arman.
	W. C. Kent, Flagman.
Subscribed and s	sworn to by the above-named persons before me
this 24	day of Muy 1898
my commission	a 1 4 1
This muy 10 7, 1900	day of My 1898 Muy 1898 Muy Cublic
•	Mury Tublio
66-167	/

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR.

I, J. F. either , U. S. Deputy Miner	n 1
Surveyor, do solemnly swear that, in pursuance of instructions received from the United	
States Surveyor General for, date	
Muy 9 7, , 1898, I have, in strict conformity to the laws of the	
United States, the official regulations and instructions thereunder, and the instruction	
of said Surveyor General, faithfully and correctly executed the survey of the Minir	
Claim of the Commercial Muning Company	
, known as the	
Arsey, known as ti	
situate in Hassey camber Mining Distric	, of
Hurapui County augures in Section	on
situate in Hassing County, August, in Section of Mining District County, August, Township No. 12 /V, Range No. 2 W	/11
and designated as Survey No. 1290 , as represente	ed
in the foregoing field notes, which accurately show the boundaries of said mining claim	
as distinctly marked by monuments on the ground, and described in the attached cop	
of the location certificate, which was received by me from the Surveyor General wit	
said instructions, and that all the corners of said survey have been established and per	
petuated in strict accordance with the law, official regulations and instructions there	
under; and I do further solemnly swear that the foregoing are the true and original	
field notes of said survey and my report therein, and that the labor expended an	
improvements made upon said mining claim by claimant or 45 granton	
are as therein fully stated, and that the character, extent, location and itemized value	
thereof are specified therein with particularity and full detail, and that no portion	
said labor or improvements so credited to this claim has been included in the estima	
of expenditures upon any other claim.	
. / / / / /	
J. J. Fisher	
U. S. Deputy Mineral Surveyo	or.
Subscribed and sworn to by the said	•
U.S. Deputy Mineral Surveyor, before me	
this 13	
day of	
of the land	
J. a. Tritter Reguler	
0 6-164 Register	

Affidavit of Five Hundred Dollars Improvements.

We ESSSape	Vand M. C. Kent
of lawful age, being first duly sworn according	y to law, depose and say: that we are acquainted
with the tester	mining claim, situated in
Hasseyempeg Minin	mining claim, situated in g district County,
Arizona Territory, for which The Corn	mercial Manny
Company.	
hamade application for survey prior to a	
Act of Congress, approved May 10, 1872; and the	at the labor done and improvements made thereon
by the applicant_and_l_grantor_lexceed	Five Hundred Dollars in value, and further
that we are not personally interested in said min	e.
	9HDoafur
	W. C. Kent
TERRITORY OF ARIZONA, .	88.
County of Motespeed	
	SWORN to and subscribed before me, this
	744 May 0
J.S. Fisher	day of Mily 189
	Morry Orweie
Elle Maria in 1610	

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS: That I the undersigned, have this day located 1000 feet of this vein or lode, bearing precious metals, with all dips, apury angles and variations, with surface ground 300 feet on each side of vein, with all meneral deposits contained therein, and all Timber and Water thereon or appurtenant thereto, according to the provisions of the United States Mining Laws.
The Exterior boundaries are as follows:

Commencing at this monument and notice, and running 300 feet in an Easterly direction to monument at S.E. corner; thence in a Northerly direction parallel with the ledge 1000 feet to monument at N.F. corner; thence at right angles across the ledge in a Westerly direction 500 feet to monument at N.W. corner; thence parallel with the lode in a southerly drection 1000 feet to monument at S.W.corner: thence at right angles across the ledge in an Easterly direction 200 feet to place of beginning.

This claim is in Hassayampa Mining District, Yavapai County, Arizona, and may be more generally described as situated on the East side of Jersey Gulch and adjoins the McCluer Claim on the North joins the Paw-Paw Claim on the West sade and joins the Sacramento Claim on the South end and joins D. Grubbs Claim on the East side and about 150 feet East from Grubbs Cabin and shall be known as the Jersey Mining Claim.

Datedon the ground, this First 1st., day of January, 1891.

Fred W. Williams.

9

Recorded at request of Fred W.Williams Jan 1" A.D. 1891, at 9:20 clock A.M.in Book 31 of Mines, pages 25 & 26. Records of Yavapai County, Arizona.

By J.W. Akers, Deputy. (L.S.) Charles H. Akers, County Recorder.

TERRITORY OF ARIZONA, COUNTY OF YAVA PA I.

I, W. I. JOHNSON, Recorder in and for said County, in said Territory, and Custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Jersey" Mining Claim as the same appears of record in Book 31 of Mines, pages 25 and 26. Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 3rd., day of May, A.D. 1897.

county Recorder.

moon

K tone wos out I de love with the Socramerico. Swirtoragin. Survey Nº 1290. Prescott Land District Cor Nº 4 ersey. Course of Merry Mark Steesmingo Lione, Mrsurweyed S 43° 50 m

Surveyed May 27 \$ 1898 by J. Froker. U.S. Dep. min. Survey on

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General,

Tucson, arizona
Jucson, arigona July 13 th, 18.
I, U. S. Surveyor General for District of arigona.,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of the Commercial mining
Company.
, known as the
Jersey ,
situate in Massayampa mining district,
Manapai County, arizona,
in Section , Township No. , Range No. (unaurueyes)
designated as Survey No. / 2 9 0.
executed by J. Fisher, U. S. Deputy Mineral
Surveyor, may 27", 1898, under my instructions dated
may 9, 1898, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
U. S. Surveyor General for Quinona
U.S. Surveyor General, for Garage