

M
S
-

0
1
3
8
9

Rec'd April 30.

May 9. Wrote for a plan to dist. sec. 100.

Platted May 10. 1899.

(4-683.)

Mineral Survey No. 1389.

Lot No. _____

De Voe Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

John & Charles K. Keay
& Charles

KNOWN AS THE

Midnight Lode situated in
Wadsworth Mining District.

Mohave County, *Arizona Territory*

Sections 10 & 11, Township 26 N., Range 18 W.

Surveyed under instructions dated

July 24, 1899

by *A. F. Keeseer*

U. S. Deputy Mineral Surveyor

Claim located *Jernigan*, at . 1896

Survey commenced *Feby 19th*, 1899

Survey completed *Feby 21st*. 1899

o 6-160

Address of Claimants:

C. Glendale

Mohave Co.

Arizona Territory

PRELIMINARY OATHS OF ASSISTANTS IN
SURVEY OF MINING CLAIM.

We, W H Eichemberg and J E Bruce, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of John St Charles and Reach St Charles, known as the Midnight, situate in Mohave Wallapai, mining district, Mohave County, Arizona, in Section _____, Township No. _____, Range No. _____.

W H Eichemberg, ^{et} Chainman.
J E Bruce, ^{et} Chainman.

Subscribed and sworn to by the above-named persons before me this 19 day of February, 18⁰⁰.

I, _____, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of _____,

known as the _____, more fully described in the preceding affidavit.

, Axeman.

Subscribed and sworn to by the said _____ before me this _____ day of _____, 18 _____.

I, _____, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of _____,

known as the _____, more fully described in the preceding affidavit.

, Flagman.

Subscribed and sworn to by the said _____ before me this _____ day of _____, 18 _____.

Feet

Survey No 1389.
Midnight Lode

Beginning at cor. No. 1.

Identical with S.E. cor of location,
 A granite post, 4 ins. square, 6 ft.
 long, 18. ins. in ground with
 mound of stones, (marked 1-1389).
 Enhance:

Cross (X) B.R. 1-1389., enclosed
 in granite boulder 10 x 6. ins. 4 ft.
 above ground bears $87.75^{\circ} 30' E.$ 87 ft.

Cor. to Veco. 10-11-14 and 15. T. 23.
 N. R. 18. 1st. bears $S. 0^{\circ} 17' E.$ 276 $\frac{1}{2}$ ft.

A large stone monument on top of
 Diggerhead, near bears $S. 36^{\circ} 25' E.$ about
 $1\frac{1}{2}$ miles.

Cor. No. 3. Pinkham Lode surveyed
 Veco. No. 40. bears $N. 58^{\circ} 30' W. 135.82'$

Thence N. $23^{\circ} 25' E$
Var. $14^{\circ} 15' E$

V. 40 intersect line between Veco. 10 and 11.
 T. 23. N. R. 18. W. at N. 276.58' from
 cor. to Veco 10-11-14 and 15. T. 23. N.
 R. 18 W. 300 and East River

Base and meridian at S. 23.63. $\frac{1}{2}$ '
 From quarter of mile west line
 to point of mine, bears E. & W., and
 begins descent.

intersect line 6 to 5 Pinkham
 Lode surveyed, Lat. N. 40, at point
 4. - at N. $49^{\circ} 35' E.$ 800 ft from
 cor. No. 3. Pinkham Lode surveyed
 to a mine post, 4 ins. square, 6 ft
 long, 18. ins. in ground, with mound
 of stone, marked East. E.C. 1389, at
 East end center of this mine, being
 also the N.W. end center of Pinkham
 Lode, surveyed, Lat. N. 40.

Feet

Exhance:

Central Loc. Mountain, this corner, a granite, & m. v. coarse 9 ft. long, 18. ins. irregular, with ground of stones, described T. Loc. Mon. 1389. bears N. $66^{\circ} 35' W.$ 750'.

185. to top of ridge bears NNE & SSW. and begin descent

600 to cor. No 2.

Identical with NE cor. of location, a fine, short, & m. v. coarse, 9 ft. long 20. ins. irregular, with ground of stone, described 2-1389, enhance:

(Cross Pt) B. R. 2-1389, described monzonite reef, 5 ft. above ground bears S. $7^{\circ} 30' W.$ 114. ft.

Int. Loc. mon. Ammonite claim, unbroken, claimed by E. F. Fox, bears N. $41^{\circ} W.$ 438 ft.

Fence N. $66^{\circ} 35' W.$
Cor. 140 E.

150 to top of ridge, bears NNE & SSW. and begin descent

238^{ft}. intersect Pine location Secs. 10 and 11. T. 23. R. 18 W. Gila and Salt River base and mountain at N. $92^{\circ} 53'$ ft. from cor to Sec 10-11-14 and 15.

T. 23. R. 18. W. Gila and Salt River base and mountain, and at S. $17^{\circ} 10.07'$ from North quarter sec. cor. of land public line.

300. to center of a draw 60 ft. wide, NWSE.

330 begin descent

500 to top of ridge bears NNE & SSW. and begin descent

1100 to a draw 90 ft. wide, flows W.

1500 to cor. No 3.

Identical with the NW. cor. of the location, a fine, short & m. v. coarse, 9 ft. long, 18. ins. irregular with ground of stone and earth, described 3-1389 - enhance:

3.Feet.

Cross (N) B.R. 3 - 1389., chiseled in
granite boulders, 14 x 8. ins. - 10 ins.
above ground bears $91.76^{\circ} W. 40^{\circ} 25'$
Unit. Loc. min. Midway Lode min.
Surveyed, claimed by G. T. Beebe,
Bears $91.20^{\circ} 30' E. 300^{\circ} 25' N.$

$91^{\circ} E.$ cor. Tombstone Lode, un-
surveyed, claimed by E. T. Loy, bears
 $91.14^{\circ} 35' W. 885$ feet.

South end center Copper King
Lode un-surveyed, claimed by
F. Thornton bears $91.61^{\circ} 25' W. 152^{\circ} 15'$.

Distance S. $23^{\circ} 25' W.$
Var. $13^{\circ} 05' 8'' E.$

- 100. to wash 30 ft. wide flows NW.
- 115. begin ascent
- 168. to top of ridge bears $91^{\circ} W. \& SE.$ and
begin descent
- 264. to wagon road from town of Chloride
to midnight mine, bears $91^{\circ} W. \& SE.$
- 300. to first end center of claim, a mine
about 4 ins. square, 3 ft. long, 20 ins.
in ground with mound of earth,
marked W.E.C. 1389.
- 500. to top of ridge, bears $91^{\circ} W. \& SE.$ and
begin descent
- 600. to cor. $91^{\circ} 4^{\prime}$.

Identical with SW. cor. of location,
a mine about 4 ins. square, 3 ft.
long, 18 ins. in ground, with
mound of earth, established 4-1389.
Distance.

Cross (N) B.R. 4 - 1389, chiseled
in granite reef, 2 ft. above ground
Bears $91.86^{\circ} 30' W. 408$ ft.

$91^{\circ} W.$ cor. "Bay State" lode mt
Surveyed, claimed by C. V. Vandadale,
Bears $91.81^{\circ} 30' W. 67^{\circ} 30' N.$

Distance S. $66^{\circ} 35' E.$
Var. $14^{\circ} E.$

4.

Foot

150. to a draw 20 ft. wide, flows W
 165. begin ascent
 400. to top of ridge, bear E & W. and
 begin descent
 565. to gulch 20 ft. wide, flows W.
 575. begins ascent.
 750. to south side center of claim, a
 foot, 4. m. squeeze, 3 ft. long,
 22. m. in ground, with mound
 of stone and earth, inscribed S.S.C
 1389.
 800. to wagon road from midnight
 claim to Mineral Park, bear
 N & S.
 1200. to top of a round hill and begin
 descent
 1430.²⁸ intersect line 2 to 3 Pinkham lode
 unmeasured, at $\text{N}^{\circ} 40.$ at S. $40^{\circ} 25' E.$
 $69.72'$ from cor. $\text{N}^{\circ} 3.$ Pinkham lode
 1500. to cor. $\text{N}^{\circ} 1.$ the place of beginning.

The survey and location are
identical

The course of the vein is from
the first loc. mon. to East end
center S. $66^{\circ} 35' E.$ 750' - to West
end center $N. 66^{\circ} 35' W.$ 750'

Area.

Total	Area Midnight lode	20. 661 acres
	Lod area in conflict with Pinkham lode Unmeasured Lode $\text{N}^{\circ} 40.$	
		0. 48 "

Total area Midnight lode 20. 181 acres

Location

This claim is located in the SE $\frac{1}{4}$ of
 sec. 10. and the SW $\frac{1}{4}$ of sec. 11.
 T. 23. N. R. 18. W. Gila and Salt River

Barre and Meridian, in Wallace
Mining District, Mohave County,
Arizona Territory

Expenditure of Five hundred dollars.

Wanting that the value of the
labor and improvements upon this
claim, placed thereon by the claim
and their grantors, is not less than
than five hundred dollars, and
that said improvements con-
sist of:

1.) A discovery shaft 5x7'-8 ft.
deep in rock, the S.E. cor. of
which bears N. 66° 35' W. 74 ft. from
bottom, in mass of stone
at East end center of claim, varieed
East E. C. 1889. Value \$ 40.00

2.) A shaft 6x6'-25 ft. deep in rock,
S.E. cor. bears N. 70° 40' W. 91.5 ft. from
Inst. Loc. mow., a foot in mass
of stones varieed Inst. Loc. Mow. 1889
Value \$ 150.00

3.) A shaft 4x7' in the clear, 200 ft.
deep in rock and timbered - at a
depth of 50 ft a crosscut 10 ft. long
runs south across the vein - at a
depth of 100 ft, a drift 50 ft long runs
west along the vein, and a cross-
cut 70 ft. long runs north - from bottom
of shaft a drift 15 ft. long runs west
along the vein and a drift 10 ft long
runs east along the vein - also
a crosscut 15 ft. long runs north,
and a crosscut 10 ft. long runs
south - S.E. cor. of shaft bears N. 68°
W. 142 ft. from Inst. Loc. mow.
Value \$ 8000.

Other improvements

A Horse-crib, center of gear

bear. $N. 60^{\circ} 35' W.$ 136 ft. from Init. Loc. Mon.

A tent 12 x 14'. the SE. cor. bear. S. $82^{\circ} 40' W.$ 111 ft. from Init. Loc. Mont.

A frame building 10 x 12', the NE. cor. bear. S. $33^{\circ} 50' W.$ 178' from Init. Loc. Mont.

The adjoining claims are the "Porkham" lode unurveyed lot No 40, on the south.

The Bay State lode, unsurveyed claimed by W. Van Crodale on the south.

The "Summit" claim, unsurveyed, claimed by E. T. Loy, and the "Midway" lode, unsurveyed, claimed by O. Beebe on the North.

The "Jumbo" lode, unsurveyed, claimed by E. T. Loy, and the "Copper King" lode unsurveyed, claimed by T. Thornton on the west.

Instrument

This survey was made with a Heller and Brightley Transit with Polar attachment, which was used in deflecting the corners. The distances were measured with a 50 foot chain and a 500 foot steel tape.

Note

Dotted line with bearing and distance from loc. corner to cor. No 1. this survey, is not sharp or flat, there being no room.

Kingman March 20th 1900

O. F. Kuerner

E. S. Deputy Min. Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines

corners and boundaries described in the foregoing field notes of the survey of the mining claim

of *John St Charles* & *Keen St Charles*
known as the *Midnight*

and showing the respective capacities in which they acted.

, Chainman.

, Chainman.

, Axman.

, Flagman.

FINAL OATHS OF ASSISTANTS.

We, *J E Bruce*

and *W H Eichberg*, do solemnly swear that we assisted

O F Kinner, United States Deputy Mineral Surveyor, in marking the corners and

surveying the boundaries of the mining claim of

John St Charles & *Keen St Charles*

known as the *Midnight* -
represented

in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for

J E Bruce, Chainman.

W H Eichberg, Chainman.

, Axman.

, Flagman.

Subscribed and sworn to by the above-named persons before me

this 21 day of February, 1800

D Ferguson
Notary Public
My commission expires Dec 15 1800

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, O. F. Kuerner, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated July 24 - 1899, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of John A. Charles and Kean, known as the Midnight Lode, situate in Ericaasai Mining District, Mohave County, Arizona Territory in Sections 10 & 11, Township No. 20 N., Range No. 18 W. Glendale River Base & Mountain and designated as Survey No. 1389, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or Theirs grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

O. F. Kuerner
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said O. F. Kuerner

U. S. Deputy Mineral Surveyor, before me Jno P. Young

this 29th day of March A.D. 1900.

Jno P. Young
Notary Public

o 8-184

My commission expires Jan 18th A.D. 1903

Affidavit of Five Hundred Dollars Improvements.

We, O. F. Schomander, and A. H. Anderson

of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the Mining mining claim, situate

in Yavapai Mining district, Mohave County,

Arizona Territory, for which John St Charles and Dean St Charles

have made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant_s and their grantor_s exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

O. F. Schomander

A. H. Anderson

TERRITORY OF ARIZONA,
County of Mohave } ss:

Sworn to and subscribed before me, this 24th

day of February, 1900

J. D. Fraygoire Notary Public
My commission expires Dec 15, 1900

Notice of Location

To all whom it may concern: Notice is hereby given that the undersigned, having complied with all the requirements of Chapter VI, of Title 32 of the Revised Statutes of the United States, and the local Mining laws, rules and regulations have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of the vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of United States Mining laws, under which it is located.

This claim commences at this Monument and Notice placed upon the ledge and runs 750 feet in a South East direction and 750 feet in a North West direction along the ledge. The exterior boundaries are as follows, to wit: Commencing at a monument of stone on S.W. boundary line distant three hundred (300) feet in a South West direction from Discovery Monument; thence in a South East direction parallel with the ledge 750 Seven Hundred & fifty feet to monument of stone at South Corner of claim; thence in a North East direction at right angles across the ledge six hundred (600) feet to monument of stone at East Corner of Claim; thence in a North West direction Parallel with the ledge fifteen (1500) feet to monument of stone at North Corner of Claim; thence at right angles across the ledge in a South West direction six hundred (600) feet to monument of stone at West Corner of Claim; thence in a South East direction parallel with the ledge 750 Seven Hundred & fifty feet to monument on South West boundary line and place of beginning.

This ledge may be more generally described as situated about fifteen hundred feet East of the Sunlight Mine, and 2 1/2 Miles South of Chloride, the Claim was at one time known as the "Colorado", the former owners failed to do assessment work in 1895 Wallapai Mining District Mohave County. We certify that 10 feet of work has been done on this claim since Jan 1st 1896 Arizona Territory. And shall be known as the Midnight Mining Claim.

Dated on the ground this First day of January 1896 12 2 A.M.

D.M. Brown,	Locator
Robert Gibson	Locator
James Boyd	Locator
John St Charles	Locator

Witnesses:

A.M. Mac Duffee

Recorded at request of D.M. Brown Jan 22nd A.D. 1896 at 16 minutes past 9 o'clock A.M.

L. O. Cowan,
County Recorder.

Territory of Arizona,)
)ss.
County od Mohave.)

I, Jno. P. Feeny, County Recorder, in and for Mohave County, Arizona Territory, and officer in charge of the records thereof, do hereby certify that the foregoing is a full, true and correct copy of the same, as it appears of record in my office on the 5th day of June A.D. 1899, at 10 minutes past 11 o'clock A.M. in Book of records Vol. M, Pages 207-208, Records of Mohave County, Arizona Territory.

In Witness Whereof, I have hereunto set my hand and affixed my official seal this 5th day of June A.D. 1899.

Jno. P. Feeny
County Recorder.



(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona.

May 21st, 1900, 18

I, U. S. Surveyor General for Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of John St. Charles, & Kean St. Charles,


, known as the
Midnight Lode
situate in Wallakai mining district,

Mohave County, Arizona,
in Sections 10 & 11, Township No. 23 N, Range No. 18 W.,
, designated as Survey No. 1389.

executed by O. F. Kuencer, U. S. Deputy Mineral Surveyor, Feb 19 - 21st, 1900, under my instructions dated July 24-1899, 18 , have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

George Christ

U. S. Surveyor General for Arizona.



UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956)
BUREAU OF LAND MANAGEMENT M.S. 1389
ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The Midnight lode, Mineral Survey No. 1389, located in sections 10 and 11, Township 23 North, Range 18 West, Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"Midnight lode, M.S. 1389 was canceled June 27, 2012, by memo 9605 (956) M.S. 1389, which is now a part of the original field notes."

June 27, 2012
Date

Stephen K. Hansen
Chief Cadastral Surveyor of Arizona