(4-683.)

Lot No.

Mineral Survey No. 1397 AT. 13.

rescole	Land District

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF	
John Heitin and Elizabeth (1.1.0
Jam William and Figures	Junes.
	
KNOWN AS THE	1
Last hunce, Last Chunce V, Ex, & Last hu	nee Mile site
Frank Butte	Minima District
Janepui County, auguin	
Sections 22+20, Township 14/1, Range	G 71,
Surveyed under instructions dated Left, 15, 189	<i>39</i> ,
by O.S. Dun	
	uty Mineral Surveyor.
о. ж. Бер	acy Mineral Surveyor.
Claims located Mar 21/90, Mar. 1/90 + Mar, 17,	1893.
Survey commenced of 22	1899.
Survey completed lep. 24,	1899.
" 6-160 Address.	
J. J. Fierlie	
J. Fisher Presente an	
1/rescole the	J.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE G. H.	Douker and M. F. Kanier,
	we will well and faithfully execute the duties of chain carriers;
	hain upon even and uneven ground and plumb the tally-pins,
	ropping the same; that we will report the true distance to all
784	true length of all lines that we assist in measuring, to the best
	and in accordance with instructions given us, in the survey of
the Mining Claim of	John Hartin and Elizabeth &
Charles .	KHOWH as the
Lust Chance, L	est Chunce V. Ex & Last Chunce miss site
	mining district,
Lamps	ce County, Eugene
in Section 22, Tov	vnship No. 14 , Range No. 3 West Grd. R. M.
	EAD afun, Chainman.
Int =	
	M Je Tranier, Chainman.
C. The Control of the	Subscribed and sworn to by the above-named persons before
	me this 12 day of Lept, , 1899.
	Zila O Brown
n 4/	notary Public
I, M.F. Ka	do solemnly swear that I will well and
truly perform the duties	of axeman, in the establishment of corners and other duties,
	given me and to the best of my skill and ability, in the survey
of the Mining Claim of	John Hurtin and Elizabeth & Fisher
33	
known as the Lust G	Lunes, Lest Gener S. Et. and Lest Chance Mile Life
more fully described in the	ne preceding affidavit.
	M Je Hanier , Axeman.
	Subscribed and sworn to by the said M F. Remue
(h) n	before me this 22 day of
A Thy A A The Market	Left. , 1899.
	2 har O. Braun
	Ziba O. Brown notary Public.
I, E.X.	Arafer, do solemnly swear that I will duties of flagman, in the establishment of corners and other
well and truly perform the	duties of flagman, in the establishment of corners and other
duties, according to instru	ctions given me and to the best of my skill and ability in the
survey of the Mining Clair	n of John Hurten and Elizabeth to Ferher
known as the Less Cha	n of John Hurtin and Elizabeth & Fisher new. Lush Chunce D. Ex, and Fast Chunce Mic Sile-
more fully described in the	
	CH Drafer, Flagman.
	Subscribed and sworn to by the said & . N.
My	
commission	Draker before me this 22 day of
expires Nov. 2, 1901	september, 1899.
	Ziba O. Brown
0 6—145	Matain Public

SURVEY NO, 1397 A.

Feet

LAST CHANCE LODE.

Beginning at cor. No,6. Identical with the S. E. cor. of the location, a mon. of stones.

A granite stone 5 x 8 x 24 inches, set one foot in ground, along side built a mon. of stones 3 x 3 ft. stone chiseled L. C. No, 6 - 1397 A.

A x on a porphyry rock in place, chiseled B. R. L. C. No. 6 - 1397, bears S. 68° 40′ E 48 ft. No other bearings available.

Thence N. 16° 15' W.

Var . 14° E.

200 To north east center end, identical with N. E. center end of the loc. a mon. of stones.

A granite stone 8 x 10 x 26 inches, set one foot in ground, along side built a mon of stones 3 x 3 ft.

Stone chiseled N.E.C. E. L. C. NO,1397,A.

385 To center of S. F. P & P. R. R. track.

600 To cor. No, 1, loc. mon. destroyed.

A slate stone 5 x 8 x 24 ins. set one foot in ground, along side built a mon. of stones 3 x 3 ft., stone chiseles L.C. No 1-1397 A.

A x on a porphyry rock in place, chiseled B. R.

L. C. No, 1 - 1397, brs. S. 58° 5' E. 38.4 ft.

A x on a porphyry rock in place, chiseled B. R.

L. C. No, 1 - 1397 A, brs. N. 80° 45' E. 63.6 ft.

Cor. to Sects. 14, 15, 22 & 23, T. 14. N. R.3 W. G. & S. R. M. brs. N. 3° 24' W. 495.8 ft.

Thence S. 74° 20' W.

Var. 14° E.

30.5 To intersect sec. line between sects. 22 & 23 T. 14

N. R. 3 W.

Feet at south 503.3 ft. from cor. sects. 14, 15, 22, & 23. and north 2136.7 ft. from 1/4 sec. cor. between secs. 22 & 23, T. 14 N. R. 3 W.

750 To cor. No, 2. Loc. mon. a mon. of stones brs.

N. 63° 27' W 136 ft.

A quartzite stone 8 x 10 x 24 ins.set one foot in ground, along side built a mon. of stones 3 x 3 ft.

Stone chiseled L. C. No, 2 - 1397 A,

A x on quartzite rock in place, chiseled B. R. L. C.

No, 2 - 1397 A.brs. N. 13° 56' W. 18.8 ft. No other bearings available.

Thence S. 55° 39' W.

Var. 14° E.

670 To wagon road to Skull Valley, course east & west.

750

To cor. No, 3. Identical with N W. cor. of the loc.

Not set, as it falls in rail road cut where permanent corner could not be established, whence

Witness corner to cor. No, 3, bears S. 16° 15' E.

40ft. A quartzite rock 18 x 24 x 36 ins. set one
foot in ground, along side built a mon. of stones
3 x 3 ft. Stone chiseled x for center point and W. C.
L. C. No. 3 - 1397 A.On opposite side chiseled W. C.
L. C. S. Ex. No. 1 - 1397 A. for cor. No. 1, of Last
Chance S. Ex. of this Survey.

Whence a x on quartzite rock in place, chiseled B. R. W. C. L. C. No. 3 -1397 A, bears S.52° 10' W 40.7 ft. No other bearings available.

Location mon. destroyed by rail road cut.

Feet

300

Thence S. 16° 15' E.

Var. 14° E.

From true cor. to center of rail road track. course east & west.

240 To wagon road to Mill, course north east & south west.

end of Last Chance S. Ex. of this Survey, identical with the location. Set a quartzite stone 5 x 10 x 24 inches one foot in ground, along side built a mon. of stones 3 x 3 ft. Stone chiseled S. C. E. L. C. No. 1397 A. and N. C. E. L. C. S. Ex. No. 1397 A.

To cor. No. 4, Identical with S. W. cor. of the location and the S. E. corner of the Last Chance S. Ex. of this Survey.

A granite stone 8 x 12 x 26 ins. set one foot in ground, along side built a mon. of stones 3 x 3 ft.

Stone chiseled L. C. No. 4 - 1397 A, and on opposite side L. C. S. Ex. No. 4 - 1397 A.

A x on a granite rock in place, chiseled B. R. L. C. No. 4 - 1397 A. brs. S. 89° 23' W. 47.6 ft.

A x on a granite rock in place, chiseled B. R. L. C. S. Ex. No. 4 - 1397 A. brs.S. 48° 32' E. 37.3 ft.

Thence N. 55° 39' E.

Var. 14° E.

750 To cor. No. 5, Loc. mon. a mon. of stones, brs.

N. 74° 20' E. 52ft.

A granite stone 6 x 10 x 24 ins. set one foot in ground, along side built a mon. of stones 3 x 3 ft.

Stone chiseled L. C. No. 5 - 1397 A.

A x on a porphyry rock in place, chiseled B. R. L. C.No. 5 - 1397 A, brs. S. 15° 12' W. 51.5 ft.

Feet No other bearings available.

Thence N. 74° 20' E.

Var. 14° E.

35 To wagon road , course east & west.

545.4 To intersect sec. line between sects. 22 & 23 T. 14

N. R. 3 W. at South 1126.3 ft. from cor. to sects.

14, 15, 22, & 23. and North 1513.7ft. from 1/4 sec.

cor. between sects. 22 & 23.

750 To cor. No. 6, the place of beginning survey of exterior boundaries.

LAST CHANCE SOUTH EX.

Beginning at cor. No. 1, identical with the N. E. corner of the loc. Which is also cor. No. 3, of the Last Chance lode of this survey. Cor. not set as corner point falls in rail road cut, an unsuitable place to establish a perminent cor. Witness cor. brs. S. 16° 15' E. 40 ft.

Cor. of sects. 14, 15, 22 & 23, f. 14 N. R. 3 W. brs. N. 49° 30' E. 1725.6 ft.

Thence S. 57° 20' W.

Var. 14° E.

- 12.5 To center of S. F. P & P, rail road track, course east & west.
- 199 To loc. mon. of Last Chance Mill Site, of this survey.
- 325 To wagon road, course north & south.
- 339 To Willow Creek, course south, width 25 ft.

1. a ch

Feet	Last Chance S. Ex.
526	To S. W. cor. Last Chance Mill-site, of this survey.
877	To center of S. F. P.& P, rail road, course# north
	& south.
1500	To cor. No. 2, Identical with N. W. cor. of loc.
	A granite stone 8 x 10 x 30 ins. set one foot in
	ground, along side built a mon. of stones 3 x 3 ft.
	Stone chiseled L. C. S. Ex. No. 2 - 1397 A.
	Whence a x on granite rock in place, chiseled B.
	R. L. C. S. Ex. No. 2 - 1397 A. brs. S. 2° 6' W. 21.6'
	A x on a granite rock in place, chiseled B. R. L. C.
	S. Ex. No. 2 - 1397 A, brs. S. 74° 38' E. 66 ft.
	Thence S. 16° 15' E.
	Var. 14° E.
379	To center S. F. P & P rail road track, course E & W.
600	To cor. No. 3, Could not find loc. mon.
	A slate stone 8 x 20 x 24 ins. set one foot in
	ground, along side built a mon. of stones 3 x 3 ft.
	Stone chiseled L. C. S. Ex. No. 3 - 1397 A.
	A x on an oak tree, 10 ins. diam. blazed and scribed
	B. T. L. C. S. Ex. No. 3 - 1397 A. brs. S. 56°13'E.
	22.1 ft. A x on an oak tree 8 ins. diam. blazed
	and scribed B. T. L. C. S. Ex. No. 3 - 1397 brs.
	S. 18° 13' W. 25.5 ft.

Thence N. 57° 20' E.

Var. 14° E.

To wagon road, course north & south.

To Willow creek, course south, width 25 ft.

To cor. No. 4, Identical with S. E. cor. of the loc.

Which is also cor. No. 4, of Last Chance lode of this

Feet survey, cor. described above.

Thence N. 16° 15' W.

Var. 14° E.

- To N. H: center end which is also the S. W. center end of Last Chance lode of this survey, mon.
- 360 To wagon road, course east & west.
- To witness cor. No. 1, which is also witness cor.

 No. 3, of Last Chance lode, of this survey.
- To center S. F. P & P rail road track, course
 N. W. & S. E.
- To true corner, the place of beginning survey of exterior boundaries.

SURVEY No. 1397 B.

LAST CHANCE MILL- SITE

Beginning at cor. No. 1, Identical with the S. E. cor. of the loc. at S. 57° 20' W. 199 ft. from corners No. 3-1, survey No. 1397 A.

A granite stone 6 x 18 x 24 ins. set one foot in ground, along side built a mon. of stones 3 x 3 ft. Stone chiseled L. C. No. 1 - 1397 B.

A x on a quartzite rock in place, chiseled B. R. L. C. No. 1 - 1397 B. brs. N. 76° 3' W.13.5 ft.

A x on a quartzite rock in place, chiseled B. R.

L. C. No. 1 - 1397 B. brs. S. 31° 18' E. 49.3 ft.

Cor. to sects. 14, 15, 22 & 23, T. 14 N. R. 3 W. brs. N. 50° 18' E.1922.6 ft.

Irastichance of Cor. No. 1, survey No. 1397 A, brs. N. 64° 5' E. Feet 1677.3 ft.

Thence S. 57° 20' W.

14° E. Var.

To wagon road, course north & south. 126

To Willow creek, flowing south, width 25 ft. 140

To cor. No. 2, Orig. loc. mon. a mon. of stones, 327 brs. S. 35° 35' E. 20 ft.

> A granite stone 4 x 10 x 24 ins. set one foot in ground, along side built a mon. of stones 3 x 3 ft. Stone chiseled L. C. No. 2 - 1397 B. Whence a x on a granite rock in place, chiseled B. R. L. C. No. 2 - 3 2 - 1397 B. brs. N. 64° 24' W. 28. 8 ft.

A x on a granite rock in place, chiseled B. R. L. C. No. 2 - 1397 B. brs. N. 89° 40' W. 30 ft.

Thence N. 35° 35' W.

14° E. Var.

To cor. No. 3, Identical with cor. of the loc. 646 A granite stone 10 x 20 x 24 ins. set one foot in ground, along side built a mon. of stones, 3 x 3 ft. Stone chiseled L. C. No. 3 - 1397 B.

> A x on a granite rock in place, chiseled B. R. L. C. No. 3 - 1397 B. brs. S. 33° 2' W. 73.8 ft. No other bearings available.

> > Thence N. 57° 20' E.

14° E. Var.

To Willow creek, course south, width 15 ft. 285

To cor. No. 4, Orig. loc. mon. brs. N. 27° 15' W. 327

124 ft.

Feet

A granite stone 6 x 10 x 30 ins. set one foot in ground, along side built a mon. of stones 3 x 3 ft.

Stone chiseled L. C. No. 4 - 1397 B.

A x on a granite rock in place, chiseled B. R. L. C. No. 4 - 1397 B. brs. S. 79° 42' E. 18.6 ft.

A x on a granite rock in place, chiseled B. R. L. C. No. 4 - 1397 B. brs. N. 61° 53' E. 19.9 ft.

Thence S. 35° 35' E.

Var. 14° E.

6**4**6

To cor. No. 1, the place of beginning survey of exterior boundaries.

AREA

LOCATION

This claim is located in the NE.1/4 of Sec. 22 and the NW. 1/4 of Sec. 23, T. 14 N. R. 3 W.of the G & S. R. M. In Thumb Butte Mining District Yavapai County, Ariz.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than five hundred dollars for each location, and that said improvements consist of:

Improvements

LAST CHANCE LODE

Dis. Shaft No. 1, which brs. from cor. No. 1, S. 53° 3' W. 825 ft.

Shaft 4 x 6 ft. in the clear, timbered,

250 ft.deep. At 50ft. a level driven north 4 x 6 x 50'

At 110ft. level driven north 4 x 6 x 110ft.

At 185ft. level driven north 4 x 6 x 300ft.

At 250ft. level driven north 4 x 6 x200ft. and

south 4 x 6 x 80ft.

Value - - - \$ 11150.00

Ons. S. 60° 20' W. 20 ft. from.

Cut No. 2, at NE. center end.

Cut 4 x 6 x 4ft.

Value

25.00

LAST CHANCE S. Ex.

Dis. Cut No. 1, which brs. S. 57° 20' W. 500ft. from NE. center end. Cut 4 x 4 x 2ft.

Value - - - - 5.00

Shaft No. 2, which brs. from cor. No. 1, W. C. S. 20° 45' W. 650ft. Shaft 4 x 6 x 20ft.

Value - - - - 300.00

Well No.3, which brs. from cor.No. 1, Last Chance Mill-site S. 23° 50' W. 140ft. Well 8 x 10 x 15ft.

Value - - - - - 300.00

Quartz Mill, which brs. from Witness Corner No. 3, and 1, S.8° W. 240ft.

Value - - - - -2500.00

LAST CHANCE MILL SITE

House No. 1 which brs. from cor. No. 2,

N. 30° 20' W. 515ft Value - - - - 100.00

House No. 2, which brs. from cor. No. 2,

N. 7° 8' W. 324ft. Value - - - - \$ 100.00

700 ft. pipe line from spring to Mill

Spring brs. morth 12° 45' W. 480 ft. from cor.

VEIN

Last Chance vein extends 770ft. N. 74° 20' E. and 730ft S. 55° 39' W. from discovery shaft.

Last Chance S. Ex. vein extends 1500ft. S. 57° 20'W from NE. center end, as near as can be determined from present developments.

INSTRUMENT

This survey was made with a Gurley Solar Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances wer e measured with a 100 ft. steel chain.

Prescott Ariz.

Sept. 27th, 1899. Q. Summing.

U. S. Dept. Min..Sur.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals employed by
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of John Hartin and Christell & Fisher
of John Sartin Oud Enjabelh & Fisher known as the Leest Churce Jest hade V. Ex. T Lost Churce Mick
and showing the respective capacities in which they acted.
O, H. Dreeper, Chainman.
M. F. Kanier, Chainman.
M. F. Keniev , Axman.
E.H. Drapev, Flagman.
FINAL OATHS OF ASSISTANTS.
6 P. Dend
We, W W reper
and M. O. Munuo, do solemnly swear that we assisted.
we, & Abrefsel and W. F. Aliniu , do solemnly swear that we assisted . S
surveying the boundaries of the mining claim of July warms
Sugaret 6 Fines, known as the Last Theree
hust Church of Ed & Last Churca, Conico of
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
Coff Douber
CHDrafur, Chainman.
M F Tecnies, Arman.
E. H. Drafue, Flagman.
Subscribed and sworn to by the above-named persons before me
this 25" day of September, 1899
Ziba O. Prown
I way and (filely a)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Q S Derming;	, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instr	
States Surveyor General for Chry	dated
Dept 15, , 1899, I have, in str	rict conformity to the laws of the
United States, the official regulations and instructions	
of said Surveyor General, faithfully and correctly exc	ecuted the survey of the Mining
Claim of John Hartin and Elinabe	the C Fisher
	known as the
Claim of John Alastin and Elizabe Last Chancey Last Chance S. Ex, and	Sart Chance Mill Site
situate in Thumb Butte	Mining District,
Yarafai County, C 22 rul 23, Township No. 14 1., Range No. 3	M S+SRM
and designated as Survey No. 1397 A and 13,	, as represented
in the foregoing field notes, which accurately show the	
as distinctly marked by monuments on the ground, an	
of the location certificate, which was received by me	
said instructions, and that all the corners of said surve	
petuated in strict accordance with the law, official reg	gulations and instructions there-
under; and I do further solemnly swear that the for	regoing are the true and original
field notes of said survey and my report therein, an	nd that the labor expended and
improvements made upon said mining claim by claims	ant or their grantors
are as therein fully stated, and that the character, ex	stent, location and itemized value
thereof are specified therein with particularity and fu	all detail, and that no portion of
said labor or improvements so credited to this claim h	has been included in the estimate
of expenditures upon any other claim.	
Q. S.	Duning.
	U.S. Deputy Mineral Surveyor.
- 0	(i)
Subscribed and sworn to by the said	
U.S. Deputy Mineral Surveyor, before me	Siba O Brown &
notary Gublic in and for youapar Count	4.00 this 27"
Molary Cublic in and for yavapar Count day of September, 1899	7.
gioa	Jolary Public.
commission expires Nov. 9 6—164	Jolany Gublic.
expires novi	γ '

Affidavit of Five Hundred Dollars Improvements.

vac, E. S. Draper and M. F. Karrier
of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the Lost Chance Last Chance S. E. T. Wit Chance Mille in Humb Buttle Mining district, Jeoupei County, Arizona Territory, for which John Hartin and Elgorith & Fisher
hard made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant & and here grantor & exceed Five Hundred for Each Claim Dollars in value, and further that we are not personally interested in said mine.
Et Drepuser
TERRITORY OF ARIZONA, county of Gaussian $ss:$ Sworn to and subscribed before me, this $25^{"}$
Jiba O. Brawn notary Bublic.

NON-MINERAL AFFIDAVIT.

TERRITORY OF ARIZONA,	
County of Javepece ss.	4
	L. Dunning of said
County and Territory, being first duly sworn, each	
deposes and says; that he is well acquainted with	
mill-site claim, situated i	
District, Gila and	Salt River Meridian, in the County of
Hartin and Elizabeth C.	Arizona, claimed by John
applicant 2 for United States patent therefor; character of said described land included with surveyed by Surveyor, having frequently passed over the same such as to enable him to testify understandingly to his knowledge, within the limits thereof, any very place bearing gold, silver, cinnabar, lead, tin on there is not within the limits of said land, with gravel or other valuable mineral deposit; that not the local customs or rules of miners or otherwise; for minerals during any part of the year by any essentially non-mineral land, and that there is improvements, to-wit: Two houses, Spring to Mill, in all we have the said and the sai	United States Deputy Mineral e: that his knowledge of such land is with regard thereto; that there is not ein or lode of quartz or other rock in copper, or any deposit of coal; that in his knowledge, any placer, cement, portion of said land is claimed under that no portion of said land is worked person or persons; that said land is within the boundaries of said claim
and that he has no interest whatever in said de	scribed mill-site claim
	Derong.
Hubscribed and Hworn to	/
of October	A. D. 1899; and I hereby certify that
the foregoing affidavit wa	is read to the said & . Drafee
a_{I}	ed L. Dunning
	being subscribed thereto, and that
deponents are reputable	persons to whose affidavits full faith
and credit should be giv	en.
3	iba O, Brown notary Public
My commission expires Nov.	notary Public.

My commission expires Nov. 2, 1901

LAST CHANCE.

NOTICE OF LOCATION

KNOW ALL MEN BY THESE PRESENTS:

That we the undersigned have this day located 1500 feet of this vein or lode, bearing precious metals, with all dips spurs, angles and variations, with surface ground 300 feet on each side of vein, with all mineral deposits contained therein, and all timber and water thereon or appurtenant thereto, according to the provisions of the United States Mining Laws

The Exterior boundaries are as follows: Commencing at a mon-ument of stone on west boundary line distant 300 feet in a Westerly direction from discovery monument; thence in a Northerly direction parallel with the ledge 750 feet to monument at N.W. corner; thence in an Easterly direction at right angles across the ledge 600 feet to monument at N.E. corner; thence in a Southerly direction parallel with the ledge 1500 feet to monument at S.E. corner; thence at right angles across the ledge in a Westerly direction 600 feet to monument at S.W. corner; thence in a Northerly direction parallel with the ledge 750 feet to monument on West boundary and place of beginning.

This Claim is in Thumb Mining District, Yavapai County, Arizona, and may be more generally described as situated seven miles from Prescott in a Westly direction on the Miller road & one mile & half from the Iron Springs in a Eastly direction, running across the Miller road, and shall be known as the Last Chance Mining Claim.

Dated on the ground this 21 day of March, 1890.

John Hartin Dug Walker

Recorded at request of John Hartin, Mar. 24" A.D. 1890, at 12:35 o'clock P&M. in Book 29 of Mines, pages 369-370, Records of Yavapai County, Arizona.

(L.S.)

Charles H. Akers, County Recorder.

By J.M. Aitken,

Deputy.

TERRITORY OF ARIZONA, SS: COUNTY OF YAVAPAI.

I.W. I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the Notice of Location of the Last Chance Mining Claim as the same appears from the records of my office in Book 29 of Mines, pages 369 and 370, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed

my Official Seal, this 12th., day of Sept. 1899.





Jounty Recorder.

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

That we the undersigned have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, water and all water privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this monument and notice placed upon the ledge, and runs fifteen hundred (1500) feet in a Southerly direc-

tion along the ledge.

The Exterior boundaries are as follows:viz:-

Commencing at this monument and notice and running three hundred (300) feet in an Easterly direction to monument of stone at N.E. corner of claim; thence in a Southerly direction parallel with the ledge fifteen hundred (1500) feet to monument at S.E. corner of claim; thence at right angles across the ledge in a Westerly direction six hundred (600) feet to monument at S.W. corner of claim; thence parallel with the lode in a Northerly direction Fifteen hundred (1500) feet to monument at N.W. corner of claim; thence at right angles across the ledge in an Easterly direction three hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated South West of Last Chance Mine, the Northern boundary of which is the Southern boundary of the Last Chance Mine, and is about 7 miles

West from Prescott.

In Thumb Bute Mining District, Yavapai County, Arizona Territory, and shall be known as the South Extention Last Chance Mining Claim.

Dated on the ground this 1st day of March, 1893.

John J. Fisher John Hartin.

Recorded at request of John Hartin Mch 31" A.D.1893 at 3:25 o'clock P.M.in Book 36 of Mines, pages 207 & 208, Records of Yavapai County, Arizona.

(L.S.) Alex O.Brodie, County Recorder.

By E.E.Kirkland,

Deputy.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.

I,W.I.JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the South Extention Last Chance Mining Claim, as the same appears from the records of my office in Book 36 of Mines, pages 207 and 208, records of Yavapai County, Arizona.

TNESS WHEREOF, I have hereunto set my hand and affixed

cal this 12th., day of Sept., 1899.

County Recorder.



LAST CHANCE.

LOCATION NOTICE

-- of--

THEMILL-SITE CLAIM AND WATER RIGHT.

KNOW ALL MEN BY THESE PRESENTS: That we the undersigned, have this day amended the location of the Last Chance Mill-Site for the purpose of erecting suitable works for reducing the ores of the Last Chance Mining Claim, situated in Thumb Bute Mining District, Yavapai County, Arizona Territory.

The Exterior boundaries of said Last Chance Mill-Site Claim

are as follows, viz:-

Commencing at a monument of stone at N.E.corner of claim, and running thence in a Westerly direction 666 feet to monument of stone at N.W.corner of claim, thence in a Southerly direction 327 feet to monument of stone at S.W.corner of claim; thence in an Easterly direction 666 feet to monument of stone at S.C.corner of claim; thence in a Northerly direction 327 feet to monument of stone at N.E.corner of claim and place of beginning, containing 5 acres.

This location may be more generally described as being situated in a Westerly direction from shaft on Last Chance Mine about 200 feet and about 7 miles West from Prescott and is known as the Dug Walker Spring. The N.E.corner of Mill Site is about 300 feet Westerly

from Lagt Chance Quartz Mile.

That we have also located in connection with the said Mill-site claim Twenty-five (25) inches miners' measure of the Water of this Spring under and in accordance with the laws of the Territory of Arizona, regulating the location and possession of water rights.

Arizona, regulating the location and possession of water rights.

The dimensions of the ditch for diverting the water from its natural course at the head, being as follows:.....wide at top.....
...wide at bottom.....in depth, with a uniform grade ofto

the rod.

Dated on the ground, this 1st day of March, 1893.

Witness:

John J.Fisher John Hartin.

County Recorder

Recorded at request of John Hartin, Mch 31" A.D.1893, at 3:25 o'clock P.M.in Book 2 M.S.& W.R., pages 336 to 337, Records of Yavapai County, Arizona.

(L.S.) Alex O.Brodie, County Recorder.

医糖糖蛋糕性性性脂肪性性性性性性性

TERRITORY OF ARIZONA,)) SS:

I,W.I.JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Last Chance Mill-Site and Water Right, as the same appears from the records of my.office in Book 2, Mill-Sites and Water Rights, pages 336 and 337, records of Yavapai County, Arizona.

TYPESS WHEREOF, I have hereunto set my hand and affixed my



Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

<u> </u>
Office of U. S. Surveyor General,
Tucson, Arizona. Oct. 27th, 1899.
0-+ 27th
I, U. S. Surveyor General for Arizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of John Thartin and
Elizabeth C. Fisher
, known as the
Last Chance Last Chance S. Ey: and Last Chance Frill-sile
situate in Thumb Butte mining district,
Yavapai County, Arizona,
in Sections 22 and 23, Township No. 14, 7., Range No. 3, W.
designated as Survey No. 1397, A and B.
executed by C. S. Deputy Mineral
amount 5/1/ 22 - 24 - 1899 under my instructions detail
Left 15 th, 1899, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicants for survey is included in the field notes.
G. 1/20. L
serze xemist
George Christ U. S. Surveyor General for Arizona.