(4—683.)

Mineral Survey No. 1419

Lot No
Prescotty Land District.
FIELD NOTES
OF THE SURVEY OF THE MINING CLAIM OF
The Val Vinde Copper Company And
The Val Virde Coppin Company Ard. Cicil G. Finnell Gui Ming'r Priscott, ariz
KNOWN AS THE
Cupper Queen, Copper Queen Nº 3 Nalliday and Nalliday no. Trancis (Unformed) Mining District,
Francis (unformed) Mining District,
Coconins County, angona Section Pownship Range
Surveyed under instructions dated Murch 8th, 18 19,00
by James Bell Girand
U. S. Deputy Mineral Surveyor
Claim located, 18 .
Survey commenced March 24 h, 1800
Survey completed March 3/ 1900.
address of Claimants.
The Val Virde Coppen Ca Ltd.
Priscott, arizona

brs S.77° 34' W. 76 feet, a pinon tree 8" in dia. blazed and marked B.T. 3-1-4-1-1419 brs N.44° 25'E . 192 feet.

Thence North 3° 28' East.

Variation 14° 37' East.

172 To top of hill,

750 Begin descent of hill,

994 To bottom of hill,

1183 Cross road,

To corner No.4. Identical with Amended Location

Corner and corner No.4 of Copper Queen No.3.

A surface limestone rock in place marked 4-4-1419.

A pinon tree 20" in dia. blazed and marked B.T.

4-4-1419 brs S.45° 04' W. 38.7 feet, another 12" in dia. blazed and marked B.T. 4-4-1419 brs S.17° 45'W.

48.2 feet, another 18" in dia. blazed and marked

B.T. 4-4-1419 brs N.77° 47' E. 107.5 feet. Identical with Amended Location Corners of Chicago and Chicago No.2 claims, unsurveyed. Thence S.86° 32' E.

Variation 14° 39' East.

125 To bottom of draw,

342 Cross road,

500 To corner No.1, the place of beginning of exterior boundary lines of this survey.

-COPPER QUEEN NO.3-

Beginning at corner No.1. Identical with Amended Location Corner and with corner No.3 of Copper Queen this survey, before described. From which U.S.L.M. No.1419 brs N.37° 30'E. 1223 feet.

Thence North 86° 32' West.

Variation 14° 39' East.

To corner No.2, Identical with Amended Location

Corner and with corner No.4 of Halliday No.3 claim.

A limestone rock 6"x8"x30", set 15" in the ground,

marked 2-4-1419, a stump of pinon tree 6" in dia.

and 4 feet high blazed and marked B.T. 2-4-1419,

brs N.3° 42' E. 193 feet, a cedar 14" in dia.
blazed and marked B.T. 2-4-1419 brs N.46° 01' W.119 ft.
no other bearings available.

Thence North 3° 28' East.

Variation 14° 37' East.

345 To summit of hill,

750 To bottom of draw,

809 Cross road,

1360 To top of hill,

To corner No.3. Identical with Amended Location
Corner. A rock 8"x8"x24", set 12" in the ground,
marked 3-1419, a pinon tree 15" in dia. blazed
and marked B.T. 3-1419 brs S.79° 28' W. 33 feet,
another 12" in dia. blazed and marked B.T. 3-1419
brs S. 38° 12' E. 113.5 feet, another 16" in dia.
blazed and marked B.T. 3-1419 brs S.55° 25' E.
119.5 feet. Identical with Amended Location Corner of
Chicago and Chicago No.3 claims, unsurveyed.

Variation 14° 39' East.

Thence South 86° 32' East.

135 Begin descent of hill,

410 To bottom of hill,

474 Cross road,

To corner No.4. Identical with Amended Location
Corner and with corner No.4 of Copper Queen claim
this survey, before described.

Thence South 3° 28' West.

Variation 14° 37' East.

With West boundary line of Copper Queen claim, before described.

1500 To corner No.1, the place of beginning the exterior boundary lines of this claim.

-HALLIDAY-

Beginning at corner No.1. Identical with Amended Location Corner and with corner No.2 of Copper Queen claim this survey, before described.

From which U.S.L.M. No.1419 brs N.8° 14' E. 1017.4 feet.

> Thence South 3° 28' West. Variation 14° 37' East.

70 To bottom of hill,

200 To bottom of draw,

610 To top of ridge,

1220 To bottom of same,

1500 To corner No.2. Identical with Amended Location Corner. A limestone rock 4"x6"x26", set 12" in the ggound, marked 2-1419, a cedar 20" in dia. blazed and marked B.T. 2-1419 brs N. 69° 05' W. 100.1 feet, another 30" in dia. blazed and marked B.T. 2-1419 brs S.46° 38' W. 202.5 feet, another 8" in dia. blazed and marked B.T. 2-1419 brs S.78° 24' E.

> 230.2 feet. Identical with Amended Location Corner of Echo, Echo No.2 and Halliday No.2 claims, unsurveyed. Thence North 86° 32' West.

> > Variation 14° 40' East.

600 To corner No.3. Identical with Amended Location Corner and corner No.2 of Halliday No.3 claim. A limestone rock 7"x9"x30", set 16" in the ground, marked 3-2-1419, a cedar 14" in dia. blazed and marked B.T. 3-2-1419 brs N.83° 14' E. 117.7 feet, another 10" in dia. blazed and marked B.T. 3-2-1419 brs S.62° 15' E. 155.5 feet, another 8" in dia. blazed and marked B.T. 3-2-1419 brs S.47° 55' W. 31 feet. Identical with Amended Location Corner of Echo and Echo No.3 claims, unsurveyed. Thence North 3° 28' East.

Variation 14° 37' East.

765 Begin descent of ridge,

To bottom of draw, 1320

> To corner No.4. Identical with Amended Location Corner and with corners No.3 of Copper Queen claim this survey, No.1 of Copper Queen No.3 claim this survey, and No.1 of Halliday No.3 claim this survey, before described.

1500

Thence South 86° 32' East.

Variation 14° 39' East.

With South boundary line of Copper Queen claim this survey.

600

600

To corner No.1 the place of beginning of exterior boundary lines of this claim.

-HALLIDAY NO.3-

Beginning at corner No.1. Identical with Amended Location Corner and with corners No.3 of Copper Queen claim, No.1 of Copper Queen No.3 claim and No.4 of Halliday claim this survey, before described.

Theree South 3° 28' West.

Variation 14° 37' East.

With West boundary line of Halliday claim this survey, before described.

1500 To corner No.2. Identical with Amended Location Corner and corner No.3 of Halliday claim this survey, before described.

Thence North 86° 32' West.

Variation 14° 40' East.

To corner No.3. Identical with Amended Location Corner. A limestone rock 6"xl0"x24", set 12" in the ground, marked 3-1419, a pinon tree 8" in dia. blazed and marked B.T. 3-1419 brs N.51° 54' W. 29.2 feet, another 15" in dia. blazed and marked B.T. 3-1419 brs N.79° 15' E. 100.1 feet, another 12" in dia. blazed and marked B.T. 3-1419 brs S.78° 20' E. 137.2 feet. Identical with Amended Location Corner of Echo No.3 claim, unsurveyed. Thence North 3° 28' East.

Variation 14° 37' East.

355 Begin descent of ridge,

1150 To bottom of draw,

1500 To corner No.4. Identical with Amended Location

Corner and corner No.2 of Copper Queen No.3 claim

this survey, before described.

Thence South 86° 32' East.

Variation 14° 39' East.

With South boundary line of Copper Queen No.3 claim.

To corner No.1, the place of beginning exterior boundary lines of this survey.

All corners are of rock and have a X chiseled on them for exact corner point. All blazed trees have nails driven in for point. Bearing rocks have X chiseled on them for point. All corners have 2 1/2 to 3 foot mound of stone along side.

Area, Copper Queen, 20,663 acres

- " Copper Queen No.320,663
- " Halliday
- 20,663
- " Halliday No.3, 20,663 "

Net Area of Survey

82,652 acres.

-LOCATION-

This survey is situated in the Francis (unformed) mining district, on unsurveyed lands, the approximate location is T.30 N.R.2 E. Gila and Salt River Base & Meridian, Coconino County, Arizona Territory.

-EXPENDITURE OF FIVE HUNDRED DOLLARS-

I certify that the value of the labor and improvements upon these claims, placed thereon by the claimants and their grantors, is not less than five hundred dollars for each lode: and that said improvements consist of the following.

-COPPER QUEEN-

No.1 The discovery shaft which bears from corner No.2 this claim N.23° 09' W. 556.4 feet, 6'x8'x175' deep and timbered. Value

\$2500.00

No.2 Open Cut 6x96'x2 feet deep which bears from E.S.C. N.

Value,			
No.3 Shaft 4x6x10 feet, which bears from E.S.C. S.44* W. 158 feet.		74° W. 253 feet. Course of cut N.80° W.	
L58 feet. Value, 100.00 No.4 Shaft 4x6x10 feet, which bears from E.S.C. 3.56° 40' W. 353 feet. Value, 100.00 No.5 Open cut 90 feet long 6'x8'. Course N. 1° W. with tunnel in North end 37 feet long 7'x7', course West. Open drift intersects 90 foot cut 35 feet from North end, 6x8x57 feet, course N.47° 30' E. Bears S.43° W. from E.S.C. 313 feet. Value, 700.00 No.6 Shaft 4x6x10 feet, which bears from W.S.C. S.44° 30' E. 408 feet. Value, 100.00 No.7 Open cut 16 feet long 6'x10', course of cut N.50° W. Drift from cut toward S.W. 22 feet 7'x10', bears from W.S.C. 3.39° E. 400 feet. Value, 200.00 No.8 Open cut 37 feet long, 13' wide and 8' deep, course N.50° W. Bears from W.S.C. 3.30' 50' E. 390 feet. Value, 750.00 No.9 Open cut 16 feet long, 6'x11', course N.48° W. Drift at right angle in N.W. end 6x7x17 feet. One in S.E. end 5x6x12 feet. Bears from W.S.C. 5.18° 30' E. 395 feet. Has three drifts, one toward East 5x6x15 feet, one toward S.W. 5x6x19 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.10 Shaft 5x6x11 feet, which bears from W.S.C. 5.18° 30' E. 395 feet. Has three drifts, one toward East 5x6x15 feet, one toward S.W. 5x6x19 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90x100 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° Is' E. 350 feet. Value, 500.00 No.12 Shaft 4x6x10 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6x10 feet, which bears from W.S.C. S.8° E. 484 feet. Value, 100.00		Value,	150.00
No.4 Shaft 4x6x10 feet, which bears from E.S.C. S.56° 40' W. 353 feet. Value, 100.00 No.5 Open cut 90 feet long 6'x8'. Course N. 1° W. with tunnel in North end 37 feet long 7'x7', course West. Open drift intersects 90 foot cut 35 feet from North end, 6x8x57 feet, course N.47° 30' E. Bears S.43° W. from E.S.C. 313 feet. Value, 700.00 No.6 Shaft 4x5x10 feet, which bears from W.S.C. S.44° 30' E. 408 feet. Value, 100.00 No.7 Open cut 16 feet long 6'x10', course of cut N.50° W. Drift from cut toward s.W. 22 feet 7'x10', bears from W.S.C. S.39° E. 400 feet. Value, 200.00 No.8 Open cut 37 feet long, 13' wide and 8' deep, course N.50° W. Bears from W.S.C. S.30° 50' E. 390 feet. Value, 750.00 No.9 Open cut 16 feet long, 6'x11', course N.48° W. Drift at right angle in N.W. end 6x7x17 feet. One in S.E. end 5x6x12 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8x11 feet, which bears from W.S.C. S.18° 30' E. 396 feet. Has three drifts, one toward East 5x6x15 feet, one toward S.W. 5x6x19 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90x100 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6x10 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6x10 feet, which bears from W.S.C. S.8° E. 484 feet. Value, 100.00	No.3	Shaft 4x6x10 feet, which bears from E.S.C. S.44° W.	
40' W. 353 feet. Value, 100.00 No.5 Open cut 90 feet long 6'x8'. Course N. 1' W. with tunnel in North end 37 feet long 7'x7', course West. Open drift intersects 90 foot cut 35 feet from North end, 6x8x57 feet, course N.47' 30' E. Bears S.43' W. from E.S.C. 313 feet. Value, 700.00 No.6 Shaft 4x6x10 feet, which bears from W.S.C. S.44' 30' E. 408 feet. Value, 100.00 No.7 Open cut 16 feet long 6'x10', course of cut N.50' W. Drift from cut toward S.W. 22 feet 7'x10', bears from W.S.C. S.39' E. 400 feet. Value, 200.00 No.8 Open cut 37 feet long, 13' wide and 8' deep, course N.50' W. Bears from W.S.C. S.30' 50' E. 390 feet. Value, 750.00 No.9 Open cut 16 feet long, 6'x11', course N.48' W. Drift at right angle in N.W. end 6x7x17 feet. One in S.E. end 5x6x12 feet. Bears from W.S.C. S.24' E. 390 feet. No.10 Shaft 6x8x11 feet, which bears from W.S.C. S.18' 30' E. 396 feet. Has three drifts, one toward East 5x6x15 feet, one toward S.W. 5x6x19 feet, one toward East 5x6x15 feet, one toward S.W. 5x6x19 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90x100 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.8' 45' E. 440 feet. Which bears from W.S.C. S.8' 45' E. 440 feet. Which bears from W.S.C. S.8' 45' E. 440 feet. Which bears from W.S.C. S.8' 45' E. 440 feet. Which bears from W.S.C. S.5' E. 484 feet. Value, 100.00 No.12 Open drift in side hill 30 feet long, 6 feet wide,		158 fect. Value,	100.00
No.5 Open cut 90 fect long 6'x8'. Course N. 1' W. with tunnel in North end 37 feet long 7'x7', course West. Open drift intersects 90 foot cut 35 feet from North end, 6x8x57 feet, course N.47' 30' E. Bears S.43' W. from E.S.C. 313 feet. Value, 700.00 No.6 Shaft 4x5x10 feet, which bears from W.S.C. S.44' 30' E. 408 feet. Value, 100.00 No.7 Open cut 16 feet long 6'x10', course of cut N.50' W. Drift from cut toward S.W. 22 feet 7'x10', bears from W.S.C. S.39' E. 400 feet. Value, 200.00 No.8 Open cut 37 feet long, 15' wide and 8' deep, course N.50' W. Bears from W.S.C. S.30' 50' E. 390 feet. Value, 750.00 No.9 Open cut 16 feet long, 6'x11', course N.48' W. Drift at right angle in N.W. end 6x7x17 feet. One in S.E. end 5x6x12 feet. Bears from W.S.C. S.24' E. 390 feet. Value, 650.00 No.10 Shaft 6x8x11 feet, which bears from W.S.C. S.18' 30' E. 395 feet. Has three drifts, one toward East 5x6x15 feet, one toward S.W. 5x6x19 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90x100 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13' 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6x10 feet, which bears from W.S.C. S.8' 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6x10 feet, which bears from W.S.C. S.5' E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,	No.4	Shaft 4x6x10 feet, which bears from E.S.C. S.56°	
tunnel in North end 37 feet long 7'x7', course West. Open drift intersects 90 foot cut 35 feet from North end, 6x8x57 feet, course N.47° 30' E. Bears 5.43° W. from E.S.C. 313 feet. Value, 700.00 No.6 Shaft 4x6x10 feet, which bears from W.S.C. S.44° 30' E. 408 feet. Value, 100.00 No.7 Open cut 16 feet long 6'x10', course of cut N.50° W. Drift from cut toward S.W. 22 feet 7'x10', bears from W.S.C. S.39° E. 400 feet. Value, 200.00 No.8 Open cut 37 feet long, 15' wide and 8' deep, course N.50° W. Bears from W.S.C. S.30' 50' E. 390 feet. Value, 750.00 No.9 Open cut 16 feet long, 6'x11', course N.48° W. Drift at right angle in N.W. end 6x7x17 feet. One in S.E. end 5x6x12 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8x11 feet, which bears from W.S.C. S.18' 30' E. 396 feet. Has three drifts, one toward East 5x6x15 feet, one toward S.W. 5x6x19 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90x100 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6x10 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6x10 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00		40° W. 353 feet. Value,	100.00
Open drift intersects 90 foot cut 35 feet from North end, 6x8x57 feet, course N.47° 30° E. Bears S.43° W. from E.S.C. 313 feet. Value, 700.00 No.6 Shaft 4x6x10 feet, which bears from W.S.C. S.44° 30° E. 408 feet. Value, 100.00 No.7 Open cut 16 feet long 6'x10°, course of cut N.50° W. Drift from cut toward S.W. 22 feet 7'x10°, bears from W.S.C. S.39° E. 400 feet. Value, 200.00 No.8 Open cut 37 feet long, 13° wide and 8° deep, course N.50° W. Bears from W.S.C. S.30° 50° E. 390 feet. Value, 750.00 No.9 Open cut 16 feet long, 6'x11°, course N.48° W. Drift at right angle in N.W. end 6x7x17 feet. One in S.E. end 5x6x12 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8x11 feet, which bears from W.S.C. S.18° 30° E. 396 feet. Has three drifts, one toward East 5x6x15 feet, one toward S.W. 5x6x19 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90x100 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15° E. 350 feet. Value, 500.00 No.12 Shaft 4x6x10 feet, which bears from W.S.C. S.8° 45° E. 440 feet. Value, 100.00 No.13 Shaft 4x6x10 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,	No.5	Open cut 90 feet long 6'x8'. Course N. 1° W. with	
North end, 6x8x57 feet, course N.47° 30° E. Bears S.43° W. from E.S.C. 313 feet. Value, 700.00 No.6 Shaft 4x6x10 feet, which bears from W.S.C. S.44° 30° E. 408 feet. Value, 100.00 No.7 Open cut 16 feet long 6'xl0', course of cut N.50° W. Drift from cut toward S.W. 22 feet 7'xl0', bears from W.S.C. S.39° E. 400 feet. Value, 200.00 No.8 Open cut 37 feet long, 13' wide and 8' deep, course N.50° W. Bears from W.S.C. S.30° 50' E. 390 feet. Value, 750.00 No.9 Open cut 16 feet long, 6'xl1', course N.48° W. Drift at right angle in N.W. end 6x7x17 feet. One in S.E. end 5x6x12 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8x11 feet, which bears from W.S.C. S.18' 30' E. 396 feet. Has three drifts, one toward East 5x6x15 feet, one toward S.W. 5x6x19 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90x100 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6x10 feet, which bears from W.S.C. S.6° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6x10 feet, which bears from W.S.C. S.6° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,		tunnel in North end 37 feet long 7'x7', course West.	
S.43° W. from E.S.C. 313 feet. Value, 700.00 No.6 Shaft 4x6x10 feet, which bears from W.S.C. S.44° 30' E. 408 feet. Value, 100.00 No.7 Open cut 16 feet long 6'xl0', course of cut N.50° W. Drift from cut toward S.W. 22 feet 7'xl0', bears from W.S.C. S.39° E. 400 feet. Value, 200.00 No.8 Open cut 37 feet long, 15' wide and 8' deep, course N.50° W. Bears from W.S.C. S.30° 50' E. 390 feet. Value, 750.00 No.9 Open cut 16 feet long, 6'xl1', course N.48° W. Drift at right angle in N.W. end 6x7xl7 feet. One in S.E. end 5x6xl2 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8xl1 feet, which bears from W.S.C. S.18' 30' E. 396 feet. Has three drifts, one toward East 5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,		Open drift intersects 90 foot cut 35 feet from	
No.6 Shaft 4x6xl0 feet, which bears from W.S.C. S.44* 30' E. 408 feet. Value, 100.00 No.7 Open cut 16 feet long 6'xl0', course of cut N.50° W. Drift from cut toward S.W. 22 feet 7'xl0', bears from W.S.C. S.39° E. 400 feet. Value, 200.00 No.8 Open cut 37 feet long, 13' wide and 8' deep, course N.50° W. Bears from W.S.C. S.30° 50' E. 390 feet. Value, 750.00 No.9 Open cut 16 feet long, 6'xl1', course N.48° W. Drift at right angle in N.W. end 6x7xl7 feet. One in S.E. end 5x6xl2 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8xl1 feet, which bears from W.S.C. S.18° 30' E. 396 feet. Has three drifts, one toward East 5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00		North end, 6x8x57 feet, course N.47° 30' E. Bears	
No.7 Open cut 16 feet long 6'xl0', course of cut N.50° W. Drift from cut toward S.W. 22 feet 7'xl0', bears from W.S.C. S.39° E. 400 feet. Value, 200.00 No.8 Open cut 37 feet long, 13' wide and 8' deep, course N.50° W. Bears from W.S.C. S.30° 50' E. 390 feet. Value, 750.00 No.9 Open cut 16 feet long, 6'xll', course N.48° W. Drift at right angle in N.W. end 6x7xl7 feet. One in S.E. end 5x6xl2 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8xll feet, which bears from W.S.C. S.18° 30' E. 396 feet. Has three drifts, one toward East 5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00		S.43° W. from E.S.C. 313 feet. Value,	700.00
No.7 Open cut 16 feet long 6'xl0', course of cut N.50° W. Drift from cut toward S.W. 22 feet 7'xl0', bears from W.S.C. S.39° E. 400 feet. Value, 200.00 No.8 Open cut 37 feet long, 15' wide and 8' deep, course N.50° W. Bears from W.S.C. S.30' 50' E. 390 feet. Value, 750.00 No.9 Open cut 16 feet long, 6'xll', course N.48° W. Drift at right angle in N.W. end 6x7xl7 feet. One in S.E. end 5x6xl2 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8xll feet, which bears from W.S.C. S.18' 30' E. 396 feet. Has three drifts, one toward East 5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00	No.6	Shaft 4x6x10 feet, which bears from W.S.C. S.44°	
Drift from cut toward S.W. 22 feet 7'xl0', bears from W.S.C. S.39° E. 400 feet. Value, 200.00 No.8 Open cut 37 feet long, 13' wide and 8' deep, course N.50° W. Bears from W.S.C. S.30° 50' E. 390 feet. Value, 750.00 No.9 Open cut 16 feet long, 6'xll', course N.48° W. Drift at right angle in N.W. end 6x7xl7 feet. One in S.E. end 5x6xl2 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8xll feet, which bears from W.S.C. S.18° 30' E. 396 feet. Has three drifts, one toward East 5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00		30' E. 408 feet. Value,	100.00
from W.S.C. S.39° E. 400 feet. Value, 200.00 No.8 Open cut 37 feet long, 13' wide and 8' deep, course N.50° W. Bears from W.S.C. S.30° 50' E. 390 feet. Value, 750.00 No.9 Open cut 16 feet long, 6'xll', course N.48° W. Drift at right angle in N.W. end 6x7xl7 feet. One in S.E. end 5x6xl2 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8xll feet, which bears from W.S.C. S.18° 30' E. 396 feet. Has three drifts, one toward East 5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00	No.7	Open cut 16 feet long 6'xl0', course of cut N.50° W.	
No.8 Open cut 37 feet long, 15' wide and 8' deep, course N.50° W. Bears from W.S.C. S.30° 50' E. 390 feet. Value, 750.00 No.9 Open cut 16 feet long, 6'xll', course N.48° W. Drift at right angle in N.W. end 6x7xl7 feet. One in S.E. end 5x6xl2 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8xl1 feet, which bears from W.S.C. S.18° 30' E. 396 feet. Has three drifts, one toward East 5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00		Drift from cut toward S.W. 22 feet 7'x10', bears	
Value, 750.00 No.9 Open cut 16 feet long, 6'xll', course N.48° V. Drift at right angle in N.W. end 6x7xl7 feet. One in S.E. end 5x6xl2 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8xll feet, which bears from W.S.C. S.18° 30' E. 396 feet. Has three drifts, one toward East 5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00		from W.S.C. S.39° E. 400 feet. Value,	200.00
No.9 Open cut 16 feet long, 6'xll', course N.48° W. Drift at right angle in N.W. end 6x7xl7 feet. One in S.E. end 5x6xl2 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8xll feet, which bears from W.S.C. S.18° 30' E. 396 feet. Has three drifts, one toward East 5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00	No.8	Open cut 37 feet long, 13' wide and 8' deep, course	
No.9 Open cut 16 feet long, 6'xll', course N.48° W. Drift at right angle in N.W. end 6x7xl7 feet. One in S.E. end 5x6xl2 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8xl1 feet, which bears from W.S.C. S.18° 30' E. 396 feet. Has three drifts, one toward East 5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00		N.50° W. Bears from W.S.C. S.30° 50' E. 390 feet.	
Drift at right angle in N.W. end 6x7x17 feet. One in S.E. end 5x6x12 feet. Bears from W.S.C. S.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8x11 feet, which bears from W.S.C. S.18° 30' E. 396 feet. Has three drifts, one toward East 5x6x15 feet, one toward S.W. 5x6x19 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90x100 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6x10 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6x10 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,		Value,	750.00
S.E. end 5x6xl2 feet. Bears from W.S.C. 5.24° E. 390 feet. Value, 650.00 No.10 Shaft 6x8xl1 feet, which bears from W.S.C. 5.18° 30° E. 396 feet. Has three drifts, one toward East 5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. 5.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. 5.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. 5.5° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,	No.9	Open cut 16 feet long, 6'xll', course N.48° W.	
No.10 Shaft 6x8xll feet, which bears from W.S.C. S.18' 30' E. 396 feet. Has three drifts, one toward East 5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,		Drift at right angle in N.W. end 6x7x17 feet. One in	n
No.10 Shaft 6x8xll feet, which bears from W.S.C. S.18° 30' E. 396 feet. Has three drifts, one toward East 5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,		S.E. end 5x6x12 feet. Bears from W.S.C. S.24° E.	
30' E. 396 feet. Has three drifts, one toward East 5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,		390 feet. Value,	650.00
5x6xl5 feet, one toward S.W. 5x6xl9 feet, one toward N.W. 5x6x22 feet. Value, Consists of strippings covering an area of 90xl00 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6xl0 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6xl0 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,	No.10	Shaft 6x8x11 feet, which bears from W.S.C. S.18°	
toward N.W. 5x6x22 feet. Value, 500.00 No.11 Consists of strippings covering an area of 90x100 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6x10 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6x10 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,		30' E. 396 feet. Has three drifts, one toward East	
No.11 Consists of strippings covering an area of 90x100 feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6x10 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6x10 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,		5x6x15 feet, one toward S.W. 5x6x19 feet, one	
feet and an average depth of 2 1/2 feet. Bears from W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6x10 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6x10 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,		toward N.W. 5x6x22 feet. Value,	500.00
W.S.C. S.13° 15' E. 350 feet. Value, 500.00 No.12 Shaft 4x6x10 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6x10 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,	No.11	Consists of strippings covering an area of 90x100	
No.12 Shaft 4x6x10 feet, which bears from W.S.C. S.8° 45' E. 440 feet. Value, 100.00 No.13 Shaft 4x6x10 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,		feet and an average depth of 2 1/2 feet. Bears from	
E. 440 feet. Value, 100.00 No.13 Shaft 4x6x10 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,		W.S.C. S.13° 15' E. 350 feet. Value,	500.00
No.13 Shaft 4x6x10 feet, which bears from W.S.C. S.5° E. 484 feet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,	No.12	Shaft 4x6x10 feet, which bears from W.S.C. S.8° 45'	
No.14 Peet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,		E. 440 feet. Value,	100.00
No.14 Peet. Value, 100.00 No.14 Open drift in side hill 30 feet long, 6 feet wide,	No.13	Shaft 4x6x10 feet, which bears from W.S.C. S.5° E.	
			100.00
	No.14	Open drift in side hill 30 feet long. 6 feet wide,	
	11004	average depth of 6 feet, course of which is North.	

Bears N.31° 11' E. from corner No.3,90 feet.

	Value,	\$250.00
No.15	Open drift in side hill 30 feet long, 7 feet wide,	
	average depth of 3 feet, with 11 foot shaft in	
	North end, course North. Bears from corner No.3	
	N.72° 09' E. 125 feet. Value,	250.00
No.16	Open cut which bears from corner No.3 N.5° 42' E.	
	165 feet. Course of one prong N.35° W. other N.49° F	E .
	4x6x78 feet. Value,	300.00
	Frame house 12x20 feet, bears S.5° E. 92 feet from	
	N.E.C. of claim.	
	Log dugout, 14x16 feet, bears S.21° 30'E. 161 feet	
	from N.E.C. of claim.	
	-COPPER QUEEN NO.3-	
No.1	Discovery cut, 35 feet long, 6 feet wide, average	
,	depth of 6 feet. Course of cut N. 4° E. At South	
	end of cut is drift 6x6x13 feet. Bears N.76° 30' W.	
	from E.S.C. 347 feet. Value,	375.00
No.2	Open cut 4x4x3l feet, course of cut N.10° E. bears	
	from corner No.1 this claim N.27° 38' W. 50 feet.	
	Value,	150.00
No.3	Open cut 100 feet long 4'x4', course N.40° E. bears	
	from corner No. 1 this claim N.41° 42' W. 100 feet.	
	Value,	300.00
No.4	Shaft 4x6x10 feet, which bears from E.S.C. S.46° W.	
	152 feet. Value,	100.00
No.5	Shaft 4x7x10 feet, which bears from E.S.C. N.87°	
	30' W. 314 feet. Value,	100.00
No.6	Open cut 12x12 feet, average depth of 4 feet, bears	
	from corner No.1 N.41° 42' W. 125 feet.	
	Value,	125.00
	-HALLIDAY-	
No.1	Discovery shaft 6x8x10 feet, timbered, which bears	
	from W.S.C. S.51° 30' E. 260 feet. Value,	100.00
No.2	Open cut, cross cut on each end, course of cut S.80°	
	E. 26 feet long, 5 feet wide, and 4 feet deep.	
	Cross cut on East end 5 1/2X20x4 feet deep. One on	

West 5x19x5 1/2 feet deep. Bearing from corner No.4

-						
		this claim S. 0° 40' E. 762 feet.	Value,	\$300.00		
	No.3	Shaft 5x6x8 1/2 feet, bears from Corne	er No.4 S.1°			
		35' W. 774 feet.	Value,	75.00		
	No.4	Open cut which bears from corner No.4	S.4° 15' E.			
		838 feet. Course of cut N. 27° W. and	N. 62° E.			
		6xllx5 feet deep and 6x30x5 feet deep.	.Value,	250.00		
	No.5	Shaft 4x8x10 feet which bears from cor	mer No.4 S.9°			
		32' E. 902 feet.	Value,	100.00		
	No.6	Shaft 6x7x10 feet which bears from cor	mer No.4 S.6°			
		E. 944 feet.	Value,	100.00		
	No.7	Open cut which bears from corner No.4	S.9° 26' E.			
		974 feet. Course of cut N. 27° E. 8xl	.0x28 feet			
		long.	Value,	300.00		
	No.8	Open cut which bears from corner No.4	S. 10° 12' E.			
		1010 feet. Course of cut N. 38° E. 5x	6x25 feet long	•		
			Value,	200.00		
	No.9	Shaft 4x8x10 feet which bears from cor	mer No.4 5. 9°			
		26' E. 1054 feet.	Value,	100.00		
	No.10	Shaft 5x8x10 feet which bears from cor	mer No.4 S.6°			
		30' E. 980 feet.	Value,	100.00		
İ	No.11	Shaft 4x6x10 feet, which bears from co	orner No.3 S. 8	7°		
		15' E. 165 feet.	Value	100.00		
		-HALLIDAY NO.3-				
	No.1	Discovery shaft 4x6x10 feet, which bea	ars from E.S.C.			
		N. 79° W. 368 feet.	Value,	100.00		
	No.2 Open cut which bears from corner No.1 this claim S.					
		11° 08' W. 700 feet. Course of cut N.	42° W. with			
		room drifted in S.E. end. Cut 5x6x38	feet long.			
1		Room 6xl0xl2 feet.	Value,	350.00		
	No.3	Open cut, which bears from E.S.C. N.64	° W. 20 feet.			
		Course of cut S.80° W. 5x5x27 feet lon	g. Cross cut			
		on S.W. end by cut, course of which is	N. 26 W.			
		5x5x34 feet long.	Value,	350.00		
	No.4	Shaft 5x7x8 feet, which bears from E.S	S.C. N. 39° W.			
		70 feet.	Value,	75.00		
-1						

-ADJOINING CLAIMS-

The Copper Queen claim is bounded on the North by the Chicago No.2 claim, on the East by Copper Queen No.2 claim.

The Copper Queen No.3 claim is bounded on the North by the Chicago claim, on the West by U.S.land.

The Halliday claim is bounded on the East by the Halliday No. 2 claim, on the South by the Echo claim.

The Halliday No.3 claim is bounded on the South by the Echo No.3 claim, on the West by U.S.Land.

All adjoining claims and lands are unsurveyed.

These adjoining claims are located and held by
The Val Verde Copper Company Limited.

-VEINS-

The course of the ledges on these claims are from North to South and extend the full length throughout the center of the claims. The ore being in a blanket deposit and appears to be over the entire surface of the four claims, but the general trend of the deposit is from the North to the South.

-INSTRUMENT-

This survey was made with an A.Lietz Compound
Mining Transit No.902, with Saegmuller Solar attachment. All courses were deflected from the true
Meridian as determined by direct solar observations.
The distances were measured with 50 ft. and 200 ft.
Steel Tapes.

Note:

The disagreement between the variation of the needle in these field notes and former survey, is due to inaccuracy of needle on instrument of first survey.

U.S.Deputy Mineral Surveyor.

These mining claims being on unsurveyed lands, and there being no United States Location Monument, nor any corner of the public surveys within the limits prescribed by law; I proceeded to establish U.S.Location Monument in the most favorable and conspicuos place. This I found to be just East of the Copper Queen claim on a very prominent hill which commands a good view of the country adjacent.

Said monument consists of a sawed pine post 6"x6"x81, set 3 feet in the ground with conical mound of stone 3 1/2 feet high with 6 foot base around it. Nail in center of top of post for point, post marked U.S.L.M. No.1419.

From which a pinon tree 10 inches in dia. blazed and marked U.S.L.M., B.T. 1419. Brs N.49° 27' W. 29.5 feet.

A cedar 10 inches in dia. blazed and marked U.S.L.M., B.T.1419. Brs N.81° 59' W. 59.2 feet.

Another 6 inches in dia. blazed and marked U.S.L.M., B.T.1419. Brs N.39° 48' East 8.4 feet.

Agassiz Peak, the most prominent one of the San Francisco Mountains brs S.37° 41' E. about 42 miles.

The South perpendicular wall of Red Butte brs S. 88° 12' E. about 7 1/2 miles.

The most prominent peak of the Floyd Mountains brs S.44° 26' W. about 70 miles.

Williams, A.T. which is the nearest town is almost due South about 42 miles.

Eco > 7 48 4 8 2E

James Sell Girand.

V.S. Deputy Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines

corners and boundaries described in the foregoing field notes of the survey of the mining claim

A list of the names of the individuals employed by

James Bell Girand.

	a) Company Ata
known as the Coppen Queen Coppen	Dun no 3 Haliday and Walliday no 3
and showing the respective capacities in which	they acted.
	Amos Adams, Chainman. William Daughten, Chainman.
	, Axman.
	, Flagman.
FINAL OATHS	OF ASSISTANTS.
. We, amas asams	-
and William Slaughten do so	lemnly swear that we assisted Janus Bul
Grand , United States Dep	outy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim	of The Val Vinde Cappia
Ω , Ω ,	· /
	known as the Coppen Quun
Copper Dunn no 3, Naciona	and Walliday nº 3, represented
in the foregoing field notes as having been sur	veyed by said deputy mineral surveyor and under
	/
his direction; and that said survey has been	veyed by said deputy mineral surveyor and under
his direction; and that said survey has been belief, faithfully and correctly executed, and	veyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and
his direction; and that said survey has been belief, faithfully and correctly executed, and according to law and the instructions furnished	veyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and the corner and boundary monuments established shed by the United States Surveyor-General for
his direction; and that said survey has been belief, faithfully and correctly executed, and	veyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and the corner and boundary monuments established shed by the United States Surveyor-General for
his direction; and that said survey has been belief, faithfully and correctly executed, and according to law and the instructions furnished	veyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and the corner and boundary monuments established shed by the United States Surveyor-General for
his direction; and that said survey has been belief, faithfully and correctly executed, and according to law and the instructions furnished	veyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and the corner and boundary monuments established
his direction; and that said survey has been belief, faithfully and correctly executed, and according to law and the instructions furnished	weyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and the corner and boundary monuments established shed by the United States Surveyor-General for Chainman. Chairman Chainman., Arman.
his direction; and that said survey has been belief, faithfully and correctly executed, and according to law and the instructions furnished.	weyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and the corner and boundary monuments established shed by the United States Surveyor-General for Chairman. Chairman. Axman. Flagman.
his direction; and that said survey has been belief, faithfully and correctly executed, and according to law and the instructions furnished.	weyed by said deputy mineral surveyor and under in all respects, to the best of our knowledge and the corner and boundary monuments established shed by the United States Surveyor-General for Chainman. Chairman Chainman., Arman.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, James Bell Girand, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for
March 84 1900, , I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of The Val Virde Copper Company Ltd
Claim of The Val Vinde Copper Company Std., known as the
Coppen Quear, Cappen Queen no 3, Halliday and Nalliday No 3.
Coppen Queen No 3, Halliday and Nalliday No 3, situate in Francis (Unformed) Mining District,
County, augma in Section
Formship No. Range No. Unsurveyed Lands.
and designated as Survey No. 1419, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or thur grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
Julia Bill Girand.
l'. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said James Bree Grand
1 1/2
U. S. Deputy Mineral Surveyor, Letbre me News. 1. Ashurst a Notary Public this 31 st
7. 11
day of March 1900,
Muzt plunt
Holan Pullis
Les Commission expires June 1, 1981.
13 5 3 3
to the things of

Affidavit of Five Hundred Dollars Improvements.

concerned by Joung, and Max Salzman
of lawful age, being first duly sworn according to law, depose and say: that we are
acquainted with the Copper Dum Copper Jum #3 Haciday and Theritay #3 mining claims situate
in Francis (Muformed) Mining district, Coconino County,
Arizona Territory, for which The Val Vude Coppen Company Is
pur Cuil & Fennee General Manager
ha A made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and thin grantors exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
May Salaman

County of Cococina ss.

Sworn to and day of

Sworn to and subscribed before me, this 3101 day of March, 180/900

March , 1900 News T. Mhurch

Amended Location Certificate Ferrilory of aryona 355. Know all Mea By These Fresents that bicil I. Finnell the undersegned has this 1st day of January 1900 anuded located and claimed and by these presents do amend locate and claim by right of discovery and amended location in compliance with the runing acts of Congress approved May 10 1872 and all subsequent ack and with Lee of of the General laws of arizona approved Mich 20 1895 and with local custonix laws and regulations 1500 linear feet and horizon tal measurement on the loffer Jusen lode vin or deposet along the vin thereof with all co dips angles variations as allowed by law logether with 300 feer on each side of the middle of said orin at the surface so far as can be determined from present developments, and all vine lodes, ledges or deposite and surface ground within the line of said claim 800 feet running northerly from the discovery shaft and 700 feet ruring Southerly from discourse Shaft, said descovery shaft bring situated upon sand løde, vrin ledge or deposet and within the house of said claim en Francis Mining Destrict Country of

Coconino and Terretory of arizona diecribed by meles and bounds as follows towit, Beginning at bor No! Thener South 3628 West 1500 ft to Corner No2 Thence North 86°32' West 600 ft to Corner No 3. Therece N'3°28 East 1500 ft to Corner No 4 Thence S 86°32' 6 600 ft to Corner No! the place of beginning. This being the came lode originally located on the 1st day of December a.D. 1896 and recorded on the 15th day of March 1897 in Book 1 of Mines, Pages 4478448 in the office of the Recorder of Coconino County. This further and amended certificate of location is made without waiver of any priviously acquired rights, but for the purpose of correcting any errors in the original location, discription or record. C. G. Furnell For Tal Verde Capper Co. Recorded at request of

b. S. Finnell Feby 3rd a. D. 1900 at 232 P.M. J. E. Pulliane

County Recorder By Ackibben Deply

Territory of Arizona,:

County of Coconino.:

I, T. E. Pulliam, County Recorder in and for the County of Coconino, Territory of Arizona, and custodian of the records thereof, do hereby certify, that the above and foregoing is a full, true and correct copy of the Amended Certificate of Location of the Copper Queen Mining Claim, as the same appears of record in Book 3 of Mines at page 55, Records of Coconino County, Arizona.

IN WITHESS WHEREOF, I have hereunto set my handand affixed my seal of office, this 9th day of February, A.D. 1900

Recorder of Coconino County, Arizona.



Ancended Location Certificate Friedory of arizona 355 bounty of boconino 3 Snow all Mlin by These Presents, that bicil & Ferrelf the endersigned has This 121 day of January 1900 amended located and claimed and by these presente do amend locate and classo by right of discovery and amended location in compliance with the Mining acts of Congress approved May 10 th 1872 and all subsequent acts and with Sec. 7 of the General laws of aryona approved Mich 20 1895 and with local custome laws and regulations 1500. luciar fect and horizontal measurements on the bapper Queen No lode vin ledge or deposit along the vin thereof with fall its dips angles and variations as allowed by law together with 300 feet on each side of the middle of said vern at the surface so far as can be determent from present devel. opmente and all veine lodes ledges or deposite and surface ground within the hires of said claim 750 feet run mung northerly from the descovery Shaft and 750 first running southerly. from the discovery shaft said discovery shaft being situated repor said lods, vin, ledge or deposit and within the lines of said claim in Francis Muning District County of Coconius, and Turntory of aryona described by meter and bounds as follows to wit; Beginning at bor No 1 Identical with Cornor No 3 of Copper Queen Thense M 86 32' W 600 ft to Cor. No 2 Therece M. 3° 28 61500 ft to bor No 3 Thence I 86 32 'E. 6 av ft to Cor. No 4. Thence & 3°28'W with west line of leopper dueen Claim 1500 ft to Cor Mo. 1 the place of beginning. This bring the same lode originally. located on the 1st day of June 1897 and recorded on the 4th day of aug 1897 in Book No 2 of Mines page 23 in the Office of the Recorder of boconing bounty. This further amended certificate is made without waver of any previously acquired rights but for the purpose of corricling any errors in the original location, description or record. bicil & Finnell For. Val Verde Copper Co. Recorded at request of b. S. Finnell, Feb. 3 a.D. 1900 at 231 P.M. J. E. Pulliane County Recorder By Actibben Deply.

3

Territory of Arizona,:
County of Coconino.:

I, T. E. Pulliam, County Recorder in and for the County of Coconino, Territory aforesaid and custodian of the records thereof do hereby certify, that I have co pared the above and foregoing with, and that the same is a full, true and complete copy of the Amended Certificate of Location of the Copper Queen No 3 Mining Claim, as the same appears of record in Book 3 of Mines, at page 53, records of said Coconino County, Arizona.

. IN WITHESS WHEREOF, I have hereunto set my hand and affixed my seal of Office, this 9th day of February, A.D. 1900

County Recorder of Coconino County, Arizona,



Amended Location Certificate Gerritory of arizona 355. Know all Min by their Presente, that, beech I Finnell the undersigned has this 1st day of January 1900 amended, localed and claimed and by these presente do amend, locate and claim by right of discovery and amended location in compliance with the running acts of Congress approved May 10 th 1872 and all subsequent acts and with Sec. 7 of the General laws of aryona approved Mch 20 1895 and with local customs laws and regulations 1500 linear feet and horizontal measurement on the Halliday lade vern ledge or deposit along the veinthereof with all its dips angles and variations as allowed by law logether with 300 fert on each side of the middle of said orin at the surface so far as can be determined from present developments and all vinos lodge ledges or deposels and surface ground within the hues of said claim sooft running nootherly from the discovery shaft and 700 ft, running southerty from discovery shaft, said discovery shaft bring situated upon said lode, viin, ledge or deposet and within the lines of said claim in Francis Mining Destrict, County of

Coconina and Ferritory of aryona described by meles and bounds, as follow to wet. Beginning at bor. No.1. Idretical with bor no. 2 of leoppes Jueen Claim, Thener S 3° 28' W 1500 ft to loor. No 2. Thence N. 86° 32' W 600 ft to cor. Nos. Thence H° 3° 28' E 1500 ft to Cor No 4 Identical with Cor. No.3 of Copper Jucen & Cor. No 1 of Coffer Lucen No 3. Thruce South 86°32' E. along the South boundary line of the bopper ween blaim 600 ft to Cor. No 1 the place of beginning. This bring the same lode originally localed in the 25th day of Drc. 1896 and recorded on the 15th day of March 1897 in Book 1 of Mines pages 4488449 in the office of the Recorder of Coconino County. This further and amended certificate of location is made without warver of any previously acquired rights but for the purpose of correcting any error in the original location description or record. becil S. Tennell For Val Verde Copper 60. Recorded as the request of b. G. Finnell Febr. 3 a.D. 1900 at 234 P.M. J. E. Pulleane

By HEHibben Depty

TERRITORY OF ARIZONA,:
: SS.
County of Coconino.:

I, T. E. Pulliam, County Recorder in and for the County of Coconino, Territory of Arizona and custodian of the records thereof, do hereby certify that the above and foregoing is a full, true and correct copy of the Amended Certificate of Location of the Holliday Mining Claim as the same appears of record in Book 3 of Mines at page 56, Records of Coconino County, Arizona.

IN "ITHESS WELLOF, I have hereunto set my hand and affixed my seal of office, this 9th day of February, A.D.1900.

Goldleam

Recorder of Coconino County, Arizona.

By Stestebben Deply



Amended Certificate of Location. bounty of leocorius) 85. Twow all men by these presents, that becil &. Junell, the undersigned has this 1st day of January 1900 amended, localed and claim defly these presents, do amend, locate and claim by right of discovery and aniended location in compliance with the Mining acts of Congress approved May 10 th 1872 and all subsequent ack and with Sec. 7 of the General Saws of Uryona approved Mch. 20-1895 and will local costume laws and regulations 1500 linear feet and Lorizantal measurement on the Halliday Nos lode vin ledge or deforit along the vin there of with all its dips angles and variations as allowed by law logither with 300 ft on Each side of the needdle of said vin at the surface so far as can be determined from present developments and all verns lodes ledges or deposite and surface ground within the lines of said claim joo ft running northerly from the discovery shaft, and 800 ft running Southerly from the discovery shaft, said discovery shift bring setuated upon said lods ledge, vin, or defoset, and within the lines of said claim in Frances Mining District, County of Locours and Terrelong of aryona discrebed by milig and bounds as follows. Beginning at lear. Horidentical with bor. No. 3 of bapper Queen blain and

bor. No 1 of Copper Lucen No. 3 and Cor. 1651 of Halliday Claim. Thener S. 3° 28' W. with the West bounday of Halleday Claim 1500 ft. to bor. No. 2 identical with bor. No. 3 of Halliday Claim, Thence Wor. 86° 32' W 600 ft. to Cor. Ho.3. Thence north 3°28'E. 1500 ft. to bor. No.4 identical with Cor. Ho 3 of Copper Lucere No. 3 claim. Thence South 86°32'E with the South boundry live of bapper Queen No.3 Claim. 600 ft. to cor. No.1 the place of beginning - This bring the same lode origin ally localed on the 1st day of June 1897 and recorded on the 4 th day of August 1897 the Recorder of boconino bounty. This further and averaded certificate of location is made without waiver of any priviously acquired rights, but for the purpos of correcting any error in the original location discription or record bicil G. Finnell For Val. Verde Copper Co. Recorded at the request of b. G. Finnell Feby 3rd a.D. 1900 at 2 33 P. W. J. E. Pulliam By Hestibben Depty. Territory of Arizona,:
: SS.
County of Coconino.:

I, T. E. Pulliam, County Recorder in and for the County of Coconino, Territory of Arizona and custodian of the records thereof, do hereby certify that the above and foregoing is a full, true and correct copy of the Amended Certificate of Location of the Holliday No 3 Mining Claim as the same appears of record in Book 3 of Mines at page 54, Records of Coconino County, Arizona.

IN WITHESS WEEREOF, I have hereunto set my hand and affixed my seal of Office, this 9th day of February, A.D. 1900

Recorder of Coconino County, Arizona.



Motice of Mining Location.

LODE CLAIM.

To All Tabom It Aday Concern:
This mining claim, the name of which is the Valleday 723,
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purpose of exploration and
purchase by William Mellis, Gerald M. Fernell,
the undersigned, on the 1st day of 1847
m
. 9 750
in a Mortherly direction, and 750 leet in a Southerly direction from
the center of the discovery shaft, at which this notice of posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
North to the South
The claim is situated and located in the Truck Mining District, in
Cocomino County, in the Territory of Arizona, about 7 miles
in a Westerly direction from Red Butte and is bounted on the
North by Copper Quan 9123, on South by Echo 763
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
Leutere Stake at which Tiscovery shoot is located
at a point in a Northerly direction 750 feet from
the discovery shalt (at which this notice is posted), being in the center of the North
end line of said claim; thence Basterly 300 feet to a fost
, being the north Beet corner of said claim; thence
Southerly 75.0 feet to a post at the center of
the Toest side line of said claim; thence Doutherly 750
feet to a fost being at the South best corner of said
claim; thence Westerly 300 leet to a post
at the center of the South end of said claim; thence Westerly 300
feet to a post , being at the South Wish
corner of said claim; thence northerly 150 feet to a post
being at the center of the West side line of said claim;
thence Northerly 750 feet to a post at
the North West corner of said claim; thence Easterly 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concern-
ing Mines," approved March 20th, 1895, and amended Morch 2d, 1899.
Dated and posted on the ground this day of function 1897
(ogs) of Albelia
(895) Gerald miteenell
cooled at request of Gerald in Rennell this of the day
august O. D. 1897. as 12 O'clock a. M. J. E. Pullian County, Record

TERRITORY OF ARIZONA,:

SS:

County of Coconino.:

I, T.E.Pulliam, County Recorder in and for the County and Territory aforesaid, and custodian of the records thereof, do hereby certify, that I have compared the foregoing with, and that the same is a full, true and correct copy of the Location Notice of the Holliday No. 3 Mining Claim, as the same appears of record in Book 2 of Mines, at page 15, records of Coconino County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal, this 9th, day of October, A.D. 1899.



County Recorder.





	(Onsurveyed)	Chicago N-2 (Unsurveyed) Cor4-4-1419 586-32'E 600 FF	29
Preliminary Plat of Survey Nº 1419	Coper Queen theys	Dugaut ## 1008 ## 1	Capper Queen Nº2 2 NW WITTER
By J.B. Girand U.S. Dep. Min. Surveyor Scale 300ft to 1 inch, Solveryor Sol	2.82. E 600 ft 2.82. E 600 ft 2.82. E 600 ft 3.68 ft	Shaft	Halliday Nº 2 (Unsurveyed)
	Echo Nº 3 (Unsurveyed)	Col 3-1 N 86° 35' N 600 ft. Col 5-1	Echo Nº2 (Unsurveyed)

Beginning at corner No.1 identical with Amended Location Corner. A limestone rock 4"x8"x24", set 12" in the ground, marked 1 - 1419, with mound of stone along side. From which U.S.L.M. No.1419 brs S.6° 24' E. 493.4 feet; a cedar 9" in dia. blazed and marked B.T. 1-1419 brs N.60° 32' W. 83.2 feet, another 12" in dia. blazed and marked B.T. 1-1419 brs N.47° 15' W. 98.2 feet, a pinon tree 6" in dia. blazed and marked B.T. 1-1419 brs S.36° 02' W. 119 feet. Identical with Amended Location Corner of Copper Queen No.2 and Chicago No.2 claims, unsurveyed. Thence South 3° 28' West.

Variation 14° 39' East.

- 6 Cross road,
- 190 Begin ascent of hill,
- 280 Top of same,
- 1300 Begin descent of same,
- Corner No.2. Identical with Amended Location

 Corner and corner No.1. Of the Halliday, this survey and with Amended Location Corner of Copper Queen No.2 and Halliday No.2 claims, unsurveyed.

A limestone rock 3"xl0"x30", set 15" in the ground, marked 2-1-1419, a pinon tree 12" in dia. blazed and marked B.T.2-1-1419 brs N.77° 57' E. 112.5 feet, another 12" in dia. blazed and marked B.T. 2-1-1419 brs N.64° 30' E. 142.7 feet, another 12" in dia. blazed and marked B.T. 2-1-1419 brs N.33° 57' E. 129 feet.

Thence North 86° 32' West.

Variation 14° 39' East.

To corner No.3. Identical with Amended Location
Corner and corner No.1 of Copper Queen No.3 and
corner No.4 of Halliday and corner No.1 of
Halliday No.3. A limestone rock 5"x7"x24", set
12" in the ground, marked 3-1-4-1-1419. A X chiseled
2 feet above ground on a limestone ledge marked
B.R. 3-1-4-1-1419 brs N.39° 56' W. 31.6 feet.
A limestone rock in place marked B.R. 3-1-4-1419

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, auax	(10-	911	a tore		Slow	7/
do solemnly swear that that we will level the either by sticking or notable objects, and the of our skill and ability	t we will well chain upon edropping the dropping the te true length	and faithful ven and und same; that of all lines t	ly execute even groun we will re that we ass	the duties and and plum port the tr sist in means	of chain cannot the tall ue distance suring, to t	arriers; ly-pins, e to all he best
the Mining Claim of	Vhe Val	Verde	Сорре	~		
Copper Quen Situate in Francoconins in Section To	Copper Que	un Nº 3. uformed	Naccid)	'ay and	, known L Nallido mining (as the my 2003 district,
Coconins		County,	ar	izona	/	,
in Section , T	ownship No	, Rar	ige No. 🗸	lusur	uged La	udo,
of Lake		amos	, Qa	land	, Chair	uman.
	,	Willian	Dela Co	rughter	, Chair	man.
Same of	me t	d and sworn his 248	day of	Narch	, 196	30
The marks		Commission	NU expires June	My J. N	Haurs Pe	iblio
I,		,	do solemn	ly swear tl	at I will w	ell and
truly perform the dutic according to instructio of the Mining Claim o	ns given me a	nd to the bes	st of my sk	till and abi		2.5
known as the more fully described in	the preceding	g affidavit.				,
					Ane	man.
	Clarkanilla				(16))	
		d and sworn				
		******		, 18		-
		22222				
well and truly perform duties, according to ins	structions give	n me and to	the best o	of my skill	and ability,	, in the
survey of the Mining (
known as the		•				
more fully described in						,
more rany accombed in				•		
					, Flag	şman.
	Subscribe	ed and sworr	n to by the	said		
						day of
				, 18		

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

Topographical Map of U.S.L.M. Nº 1419.

Scale 400ft to linch.

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General, Jucson, arizona. June 29-1900. 18. I, U. S. Surveyor General for District of anyona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of The Val Verde Capper Company It's Capper Queen, Capper Queen No. 3, Halliday & Halliday No. 3. situate in Francis (unformed) mining district, Coconino County, Arizona, in Section , Township No. , Range No. (uncurveyed.) designated as Survey No. 1419. executed by James Bell Grand, U. S. Deputy Mineral Surveyor, March 24-3/ct, 1900, under my instructions dated March 8-1900. 18 , have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes. George Christ

U. S. Surveyor General for Arizona.

UNITED STATES DEPARTMENT OF AGRICULTURE FOREST SERVICE

Arizona Zone - R-3 Phoenix, Arizona 85025

REPLY TO: 7150 - Cadastral Engineering

April 2, 1970

SUBJECT:

11

Mining and Millsite Claims - Copper Queen and Halliday (MS 1419), T. 28 N., R. 2 E., G&SRE&M



TO:

Charles Bazan, Chief Branch of Titles and Records Bureau of Land Management

Attached are copies of a plat prepared by Matkin and Sons, Engineers.

The plat shows the location of MS 1419 with respect to the section and $\frac{1}{4}$ corners in the SE_{4}^{1} of section 7, T. 28 N., R. 2 E., G&SRE&M. It has been recorded in Coconino County.

The information is considered reliable. Mr. Matkin is duly licensed by the State of Arizona and has a cooperative agreement with the U.S.F.S. to furnish private survey information.

GORDON H. LONG

Zone Cadastral Surveyor

Attachments: 2

OLITIK, ARIZONA

RECEIVED BUREAU OF MANAGEMENT

