Rock Enclose

(4-683.)

#### Mineral Survey No. 1426

Lot No.			
 Present	Land	District.	

#### FIELD NOTES

Surveyed under instructions dated Nov. 16", 1899.

Claim located Oct 15 th 1892 + Ams Cct. 15, 1899.

Survey completed Nov. 25, 1899.

Survey completed Nov. 25, 1899.

6--160

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

	WE, Dennis n.	elst	and	Com.	non	1
	do solemnly swear that we that we will level the chain either by sticking or dropp notable objects, and the tru of our skill and ability, and	will well and upon even a ping the same le length of all in accordance	faithfully exand uneven e; that we val lines that ee with inst	xecute the ground a vill repor we assist ructions	e duties of and plum t the tru in meas	of chain carriers; ab the tally-pins, é distance to all uring, to the best in the survey of
	the Mining Claim of $\mathcal{E}$ .	Ganz				
	Fraghing Lod	_				, known as the
	situate in Mumber	j				mining district,
	Marapai	C	ounty,	an	you	a,
	situate in Munibu	hip No. <i>9 2</i>	Jenn u	2 We	lsh	Gr.S.R.M. Chainman. Chainman.
1						ed persons before
1	romision upires let 2nd 1905		1000			EN, 1899.
ke	cee 2 1 y o o		20	Wor	bon	wblie.
					8	
	I,truly perform the duties of according to instructions given of the Mining Claim of	axeman, in th ven me and to	ne establishr the best of	nent of c my skill	orners a and abili	nd other duties, ty, in the survey
	known as the					<b>,</b>
	more fully described in the	preceding affi	davit.			
						, Axeman.
		************		before me	this	day of
			• • • • • • • • • • • • • • • • • • • •	•••••••••••••••••••••••••••••••••••••••	18 .	
	I, well and truly perform the duties, according to instruct survey of the Mining Claim	duties of flagn ions given me	nan, in the e e and to the	establishn best of m	nent of c ny skill a	orners and other nd ability, in the
	known as the more fully described in the					·······
			.,,			, Flagman.
	3	Subscribed an	d sworn to	by the sai	d	
				(T)		day of
				<del></del> ,	18 .	

Leet General no 1426 The Graphic Lode.

Beginning at Corner Ho 1. Identical with location. A Grande rock to x12 x 28 inc. pet 12 ins. in The ground. With mound of stone: Chiseled Cov. no. 1. 1426.

Mence bears N 280 15'N 553 ft. U. S. I.M.

There bear N 280 15'N 553 ft. U. S. S.M. Us 1396. No bearings available. There N 82050'E

Va 13040'E

750 To North Lide Center dentical with location. U Granite rock 6x10x24 mo. set 12 ms. in the ground. With mound of stone Chiseled N.S.C. 1426.

No bearings available.

Thence N 82°50'E

1500 To Corner No. 2. Identical with location. a Granite poch 4×12×28 ino. Set 12 ins. in the ground. With mound of stone. Chiseled Cor. no. 2. 1426 no bearings available.

There 57010'E

Va 130 140'E

300 To East Ead Center I deuteral with location. A Grante boulder in place 20 ins in diameter and 8 ms. above ground. With mound of stones. Cheseled E.E.C. 1426.

no bearings available.

To tope of Gold Hill

To borner no 3. Identical with location Ou fromt of Granute Coleff. 18 ft high. Buch 2 ft. wide. Celiff 6 ft high facing South. Mound of stone on upper cliff. Chiseled × Cov. no 3. 1426

Whence bears \$ 36000' E 1/2 mile, Montgomery's Spring on Jule Cerula.

No bearings available.

There S 82° 50'N Va 13° 40'E

480

600

Survey no 1426 The Graphic Lode. 300 To Top of Gold Heil. To South Side Center. Identical with location. Grante boulder 24 × 30 ins. 6 ms above ground. With mound of stone. Churcled S.S.C. 1426 no bearings available. To Corner no 4. I deutical with location. a Shante boulder 6×8×28 in set 12 me in the ground. With mound of stone. Cheseled low nort 1426 no bearings available. There N7010'W Va 13º40'E 300 To West Center Eved Identical with location. a Grante rock 6x16x24mo. set 12 mo. in the ground. With mound of stone Chiseled W.C.E. 1426 There bears N 86°15'E 120 ft, a

Grear.

Hotal area of Graphic Tode 20.66 acres
Het area of Graphic Lode 20.66 acres.

turnal 4×6×18. No bearings available.

To bor no 1. The place of beginning.

•

This claim is located on unsurveyed ground in Township 9 N. R. 1 H. 1. 18. S. R. M. In Humbug Mining District, Gavafiai County, arigina on the Edst Spur of Gold Hill. There we no adjoining claims.

Effective of Five Hundred Dollars.

destify that the value of labor and improvements on the claim, placed there by the claimant and his grantors is not less than Five Hundred Dollars and said in-

The discovery shaft of the brashie, a shaft 6×8 ft. 50 ft. deep in Grante which bears from north side lenter, 5 28°15' E 325 feet. Mineral in place and I claime 'S. 82°50' W 866 feet on the Sides and N82°50' E 1034 feet on paid Ledge.

Thom North Side lenter bears
\$ 39°15' E 175 feet approach 6 ft wide
16 ft face, a turnel 4×6×6 ft. in Grante. Course 5 76°00' E Value \$15000

Thom West End Center bears N86°15' E
60 feet but 4 ft wide 62 ft long 20 ft

face. Turnel 4x6x18 ft Hinge 4x6x5 ft. course N87°00'E. Meneral in place

Phoenix nor 28'99 U.S. Wesp Min Surv,

This survey was made with a Guiley Complete Engineer's Transit.

The courses were differted from the true meridian as determined by solar observations. The distances were measured with a 100 ft. steel chain.

Respectfully submitted,

## FINAL OATHS FOR SURVEYS.

#### LIST OF NAMES.

·	A list of the names of the individuals employed by and Cobbins
	United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
	corners and boundaries described in the foregoing field notes of the survey of the mining claim of . E. Lang.
	known as the Toughtie Tode
	and showing the respective capacities in which they acted.
	Dennie Helsh Chainman.
	Dennie Helsh, Chainman.
	, Axman.
	Flagman.
	FINAL OATHS OF ASSISTANTS.
	We, Dennis MELOL  and Co. M. More and do solemnly swear that we assisted January C.  Doblams . United States Deputy Mineral Surveyor, in marking the corners and
·	and Co. In More do solemnly swear that we assisted James C
(e)	Oobland . United States Deputy Mineral Surveyor, in marking the corners and
•	surveying the boundaries of the mining claim of E. Lang
	, known as the Laphie
	vile , represented
	in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
	his direction; and that said survey has been in all respects, to the best of our knowledge and
	belief, faithfully and correctly executed, and the corner and boundary monuments established
	according to law and the instructions furnished by the United States Surveyor-General for
	according to law and the instructions furnished by the officed States Surveyor-General for
	Alleman Welsh an
	EN North, Chainman.
	, $Axman$ .
	, Flagman.
	Subscribed and sworn to by the above-named persons before me
	this 25th day of November 1899
my	Oct 2nd 1903.
	Oct 2 nd 1903. J. Wolory Public.

6-167

#### FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, James 6 Dobbins	, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instruction	
States Surveyor General for About 16th Movember 16th , 1899, I have, in strict con	nformity to the laws of the
United States, the official regulations and instructions thereu	
of said Surveyor General, faithfully and correctly executed	*
Claim of E. Luna	
	, known as the
Spaphic Love  situate in Humbug  Gounty, Angeleusurveyed, Township No. 9 M. Range No. 1 M	······································
situate in Humbug	Mining District,
Gunapai County, avig	Bona in Section
leusureryed, Township No. 9 7. Range No. 1 7	GY S.R.M.
and designated as Survey No. 1426	, as represented
in the foregoing field notes, which accurately show the bound	laries of said mining claim
as distinctly marked by monuments on the ground, and desc	ribed in the attached copy
of the location certificate, which was received by me from t	the Surveyor General with
said instructions, and that all the corners of said survey have	been established and per-
petuated in strict accordance with the law, official regulation	ns and instructions there-
under; and I do further solemnly swear that the foregoing	are the true and original
field notes of said survey and my report therein, and that	t the labor expended and
improvements made upon said mining claim by claimant or	his grantors
are as therein fully stated, and that the character, extent, le	ocation and itemized value
thereof are specified therein with particularity and full deta	ail, and that no portion of
said labor or improvements so credited to this claim has bee	n included in the estimate
of expenditures upon any other claim.	
1	0 10
James	U.S. Deputy Mineral Surveyor.
	U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said	2 1.11.
U.S. Deputy Mineral Surveyor, before me Zanai	in M. Cristiening a mata
day of laser ben , 18 90.	this
experies July 15, 1900.	M. Cindrous,
Topices July 15, 1000	and Public.
0 6-164	y Ch ! i lt (it

## Affidavit of Five Hundred Dollars Improvements.

vac, Dennis Melst and C. M. Horit
of lawful age, being first duly sworn according to law, depose and say: that we are
acquainted with the Luphic Lode mining claim, situate
in County, Mining district, yavapai County,
in Kumbug Mining district, Yarafai County,  Arizona Territory, for which E. Lang
ha $\mathcal{S}_{}$ made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and grantor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Dennis Welsh
E or North
· ·
TERRITORY OF ARIZONA,
County of Mavafiai
Sworn to and subscribed before me, this 25 th
Sworn to and saoscrived vefore me, this
day of November, 1899
Commission upias J Natury Public.
Commission upies I Notury Public
1.4-0001

#### AMENDED LOCATION CERTIFICATE.

KNOW ALL MEN DY THESE PRESENTS, that I, Emil Ganz of the County of Marieopa, Territory of Arizona, do hereby make this my amended certificate of location upon the "Graphic" lode mining claim situate in the Humbug Mining District County of Yavapai Territory of Arizona, claiming three hundred feet in width of each side of the center of said lode at the surface and all veins, lodes and ledges within the lines of said claim with their divs, variations and angles. Eight hundred and eighty-three feet on said lode running south 82 degrees and fifty minutes West from the center of the discovery shaft and six hundred and seventen feet north 82 degrees and 50 minutes East from said center of discovery shaft . Said lode Mining Claim is bounded and described as follows to wit: Beginning at the west end center monument of stone of said claim, thence north three hundred feet 7 degrees and IO minutes westto the north-west corner monument of stone, thence north seven hundred and fifty feet 92 degrees and 50 minutes Eastto the north side center monument of stone. thence north seven hundred and fifty feet82 degrees and 50 minutes East to the north-east corner monument of stone, thence south three hundred feet " degrees and IO minutes East to east end center monument of stone, thence south three hundred feet 7 degrees and IO minutes East to the south-east corner monument of stone. thence south Seven hundred and fifty feet 82 degrees and 50 minutes West to the south side center monument of stone, thence south seven hundred and rifty feet 82 degrees and 50 minutes west to the south-west corner monument of stone, thence north three hundred feet 7 degrees and IO minutes west to the place of beginning. Said lode mining claims being about three hundred feet north from the summit of Gold Hill and about one-half mile south from Willow Spring in said County and Territory, and being the same loce of which the original location certificate made by h.D.Cole is filed and recorded in book 35 of lining Claims at page II2 in the Office of the County Recorder of said Yavapai County. This amended certificate is filed without waiver of any previous rights for the purpose of correcting and making

more specific the boundaries and description of said lode as originally located upon the ground.

Date of original location October 15th. 1892 Date of this amended certificate, October 15th. 1899.

Elsan

Recorded at request of E.Ganz, Oct. 17", A.D. 1899, at 9 o'clock A.M.in Book 51 of Mines, pages 422-423, Records of Yavapai County, Arizona.

(Seal) W.I.Johnson.

By E.C.Averyt, Deputy.

County Reocrder.

TERRITORY OF ARIZONA, ) COUNTY OF YAVAPA .

I, W.I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Amended Locatizon Certificate of the "Graphic" mining claim, as the same appears of record in Book 51 of Mines, pages 422-423, records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my

Official Seal, this 17th day of October, A.D. 1899.






## Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

### Department of the Interior,

Office of U.S. Surveyor General,

Tucson, arizona.
January 8", 1900.
I, U. S. Surveyor General for District of Arizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of
, known as the
Graphic lade.
situate in Humbug mining district,
Yanspai County, Arigona,
in Section, Township No, Range No. (unsurveyed.)
designated as Survey No. 1426.
executed by James C. Dobbins, U. S. Deputy Mineral
Surveyor, Nov. 23 - 25", 1899, under my instructions dated
Nov. 16", 1899, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
George Cehrist
II S. Surveyor Conomal for



Survey No 1426

GRAPHIC LODE

SURVEYED NOV. 23-25-1899,

By J. C. Dobbins,

U.S. DER Min. Sur.

SCALE 400 FT. TO I INCH.