Ford Filing 6. Let

(4--683.)

## Mineral Survey No. 1438

Lot No. —

Preseatt Land District.

### FIELD NOTES

Section Township of The MINING CLAIM OF

Whown as the

Section Township of Manager County, August

Surveyed under instructions dated fau f 18900

by J. a. Provot

U.S. Deputy Mineral Surveyor

Claim located fau 2 nd 1899

Survey commenced fau 2/25 1890

Survey commenced fau 2/25 1890

Survey completed fau 22 nd 1890

Survey completed fau 22 nd 1890

Survey completed fau 22 nd 1890

P.O. address J. L. Giroux

Jermes angma

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

| Λ                   |  |
|---------------------|--|
| WE.                 | Johnson and Louis Graser   |
| ,                   | that we will well and faithfully execute the duties of chain carriers;   |
|                     | the chain upon even and uneven ground and plumb the tally-pins,  |
| 1 /                 | or dropping the same; that we will report the true distance to all   |
|                     | nd the true length of all lines that we assist in measuring, to the best   |
| of our skill and al | oility, and in accordance with instructions given us, in the survey of   |
| he Mining Claim     | of Joseph L. Geroux  |
|                     | , known as the   |
| <u>"</u>            | Vew Year"  |
| situate in          | TErde mining district,   |
| Yeur                | akai County, arina   |
| n Section -         | of Joseph L. Girving  kew Year"  (Erde mining district,  apai County, arigina,  Township No , Range No   |
|                     |  |
| *                   | John Johnson, Chainman.  |
|                     | Horris Frazer, Chainman.   |
|                     |  |
|                     | Subscribed and sworn to by the above-named persons before  |
|                     | me this 13th day of January, 181900  |
|                     | Otherster Ax del Dl  |
| ANITY CO            | mmission Expires May 18, 1905. UttoW Alrod hof motory  |
| · Vous              | Druser, do solemnly swear that I will well and   |
|                     |  |
|                     | duties of axeman, in the establishment of corners and other duties, actions given me and to the best, of my skill and ability, in the survey   |
| of the Mining Clai  |  |
| of the Milling Glar | in or John or journey  |
| known as the        | "New Year".  |
|                     | ed in the preceding affidavit.   |
| nore fully describe |  |
|                     | Louis Frazer, Axeman.  |
|                     | Subscribed and sworn to by the said Leurio Fraser  |
|                     | before me this /3 h day of   |
|                     | The state of the s |
|                     | January , 18/9.00  |
|                     | OttoW Scrod wholl  |
|                     | mission Expires Had 1903. Rottell Robbinsty Cuble  |
| I. Joe Jo           | Thusan, do solemnly swear that I will  |
|                     | form the duties of flagman, in the establishment of corners and other  |
|                     | o instructions given me and to the best of my skill and ability in the   |
| survey of the Mini  |  |
|                     |  |
| known as the        | "New Year"   |
|                     |  |
| more fully describe | ed in the preceding affidavit.   |
|                     | for Husting, Flagman.  |
|                     |  |
|                     | Subscribe Sand award to by the said for Calandar   |
|                     | Subscribed and sword to by the said for Johnson  |
|                     | before methis / 3 sh day of  |
|                     | before methis / 3 sh day of  |
|                     | Subscribed and sworn to by the said for Johnson  before me this / 3 th day of  January , 18/900  |
| v=6-14:             | January , 18/900 Octowskied & hoff   |

"New Year"

FERL. Beginning at Car. No1. Illentical with a corner of the location a purphyry stone 12 x 12 x 24 inches cheseled + A. Y. 1-1438 set me foot in the ground with mound of stones almoside a Korphyry reef chiscled B+R. N.Y. 1-1438 bears N. 40°31 hr. 19.8. feet. U. S. Meneral Mounterest Nº2 Verde District bears & 63°37' N 2476, 1 ft. Theree J. 64°446 Var. 14005-8 To Car No4 Llwarf Durvey 1447 also 60 Car 40 H of Champion Survey 12 70 To road 20 ft. wide n. & J. 254 300 20 Car. Nº2. 600 Identical with Car. No 1 Good Enough Luvey Nº 1441 also identical with Cor. No 3 of Champion Durvey 12 70 and with a carrier of the location is for not constant the location of perphyry stone 8 x10 x 24 where Chiselad + N. Y. 2. 1438 set me foot in the ground with mound of stones alongside a peoplyry reef chiseled B+R. N. Y. 2 143 8 bears & 20°49 & 17.4 feet. Cut & Tunel No of bears N64°20W177ft. There N 48°48 6 Var 14005-8. Deservery Monument bears N61019W 20%. 285 ft. Shaft. No1. (Deservery) bears 462012 W Shaft No 2 bears N66°37' W 218 ft. Cut Nº3. bears A 55°14' W 380 ft. To Waggon road 12 ft wide E.t. W. To intersection live 3-4 good Eurough 380 Survey No1441. at & 74628 & 243. 1 feet from Car NO4 Raid Good Eurough Dervey Nº 1441,

Fest. To a monument of the location 750 To Cliff gulch 30 ft. wide running 1060 easterly " 20 road 12 ft. wede E. t. W. 1145 20 Car. Nº3. 1500 Identical with a corner of the location. a parphyrystone 12 x 20 x 2 4 where Chiseled + A. Y. 3. 1438 set one foot in the ground with mound of stones alongseda a perphyry reef cheseled B4 R. N. Y. 3-1438 beaus & 3° & 57.7 feet. Theree N 640H4'W Var 14005 E To a monument of the location 300 To Courte 4. Identical with a Corner of the location a perphysy stone 12 x18 x24 inches chieded + A. J. 4. 1438 set one foot in the ground with a mound of stones alongseds a parphyry reef chiseled B+R. A. Y. 4-1438 beaus 157°54 W104.3 ft. There & 48°48' W Var 14005 E To road 12 ft weds E. + W. To a monument of the location To Cliff Julch 30 ft wide running Casterly 20 Car. No3 Noel Rurvey 1443 923.1 To Waggon road 15 ft wich B. E. + M.W. 1330 20 milessection line 3-4 Devarf Survey 1447 at A 26° & 142 ft from Cor. No4 Said Devarf Survey 1447 To Car. No 1 the place of beginning. 1500

"New Year.

Dotal Area New Year 18.943 Acres
Area in Conflict with:

Llwarf Lurvey 1447. 0.098 "

Jood Enough Survey 1441 1.462 "

Lotal area New Year 18,943. " Less areain conflict with: Levant Ruwey 1449 0.098 Jood Euroegh Duwey 1441. 1.462

Net area New Jean Survey 1438 17.383/acres.

This claim is located on misureyed public land in Verde Mining Destrict Garapai County, anyma in what would be approximately if surveyed T. 15 N. R. 2. & Gila and Later River Heiraian and about six miles south of the town of Jerone The adjoining claims are In the last: Jood Enough Lurvey 1441 On the last: Good Enough Lurvey 1441 On the West: Champion Survey 1270 on the West: Devar Survey 1449; the Survey 1449.

No other adjouring claus Known.

Expenditure of 500 Dollars

I certify that the labor and improvements
on this claim placed theron by the claimons
or his grantons is not less than 500 dollars

and that said improvements consist of:

Shaft 1°1 (bliseovery) which bears

1 62° 12' 17 294 ft from a point 1 48° 48 6

20 Ift from Con 1°2 of this survey

4x6'- 10 ft. deep- Value 70.00

New Year.

Shaft \$02 which bears \$\lambde{66}^37W 218ft
from a point \$\lambde{48}^048' \center{6} 207 ft from
On \$\lambde{70} 20 ft this survey.

4x6, -10 ft deep Value. \$\lambde{70.00}

Cet \$\lambde{70}\$ 3th mouth of which bears

4550/4'W 380 ft from a point \$\lambde{48}^06\$

20 f ft from Con \$\lambde{72}\$ of this purvey.

5ft wide 36 ft long and 10 ft high at
the face, Bearing of Cet. \$\lambde{91}^{030'W. Value}\$

Cetand June \$\lambde{4}^{04}\$

The mouth of Cut bears \$\lambde{64}^{020'W 177} ft

from Our. \$\lambde{70}\$ 2 of this survey.

Cut is 5 ft with 34 ft long and 9 ft high
at the face from which tunnel enters hele

June 4x6 x 24 ft long. Bearing of
Cut r tunnel \$\lambde{13}^{00}\$ n. Value. \$\lambde{350.00}\$

This survey was made with a Jurley Light Mountain Francis with Dolar attachment. The Courses were deflected from the true meridian as defermined by direct solar observations checked by an observation on Polaris.

Distances were measured with a 50 ft Chain and a 100 ft steel tape.

I further certify that as far as can be determined from present developements the Course of the vein is along the center line of this claim running h 45°48 & and I 45°48 & and I hough the discovery.

Alip unknown.

J. G. Provot.

11. Adleputy Mineral Surveyor

Jerome Auguna. Feb 1 pt 1900

# FINAL OATHS FOR SURVEYS.

### LIST OF NAMES.

| A list of the names of the individuals employed by I. adoephr Provot                            |
|---|
| A list of the names of the individuals employed by Adversor Ofto of                             |
| United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines   |
| corners and boundaries described in the foregoing field notes of the survey of the mining claim |
| of Joseph L. Giroux<br>known as the "Yew Year"  |
| known as the Yew Year   |
| and showing the respective capacities in which they acted.                                      |
| Lewis Draser, Chainman  |
| Joa Johnson, Chainman.  |
| Lakeris Graser, Axman.  |
| Joe Johnson, Flagman.   |
|   |
| EINIAI CATUIO OE ACCIOTANTO   |
| FINAL OATHS OF ASSISTANTS.  |
| We, Louis Draser  |
| we, Louis Draser and Joulohnson, do solemnly swear that we assisted I adoephr                   |
| . United States Deputy Mineral Surveyor, in marking the corners and                             |
| surveying the boundaries of the mining claim of Joseph L. Girout                                |
|   |
|   |
| , known as the New Year   |
| in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under  |
| his direction; and that said survey has been in all respects, to the best of our knowledge and  |
| belief, faithfully and correctly executed, and the corner and boundary monuments established    |
| according to law and the instructions furnished by the United States Surveyor-General for       |
| arina Francis   |
| Louis Trazer, Chainman. Louis Trazer, Chainman. Louis Trazer, Arman.                            |
| Lieson, Chainman.   |
| Louis Traser, Arman.  |
| Johnson, Flagman.   |
| Subscribed and sworn to by the above-named persons before me                                    |
| this 30th day of January 1600   |
| this 30th day of January 1900  Ottow Strodehoff   |
| n. O.   |

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

| I, I acoeph frovot   |                                      |
|--|--------------------------------------|
| Surveyor, do solemnly swear that, in pursuance of in   |                                      |
|  |                                      |
| States Surveyor General for  | strict conformity to the laws of the |
| United States, the official regulations and instructio   |                                      |
| of said Surveyor General, faithfully and correctly   | executed the survey of the Mining    |
| Claim of Leph L.   | aroux                                |
|  | , known as the                       |
| situate in Serle County, Count | ,                                    |
| situate in VErde   | Mining District,                     |
| Gavapai County, C  | Drezma, in Section                   |
| , Township No. , Range No.   | <u> </u>                             |
| and designated as Survey No. 1438.   | as represented                       |
| in the foregoing field notes, which accurately show t  | he boundaries of said mining claim   |
| as distinctly marked by monuments on the ground,   | and described in the attached copy   |
| of the location certificate, which was received by n   | ne from the Surveyor General with    |
| said instructions, and that all the corners of said sur  | vey have been established and per-   |
| petuated in strict accordance with the law, official in  | regulations and instructions there-  |
| under; and I do further solemnly swear that the  | foregoing are the true and original  |
| field notes of said survey and my report therein,  | and that the labor expended and      |
| improvements made upon said mining claim by clai   | mant or his grantors                 |
| are as therein fully stated, and that the character,   | extent, location and itemized value  |
| thereof are specified therein with particularity and   | full detail, and that no portion of  |
| said labor or improvements so credited to this claim   | has been included in the estimate    |
| of expenditures upon any other claim.  |                                      |
|  |                                      |
|  | $\Omega$ = 0                         |
|  | J. adolphr Provox                    |
|  | l'. S. Deputy Mineral Surveyor.      |
| $\mathcal{X}_{\mathcal{A}}$  |                                      |
| Subscribed and sworn to by the said 2. Ad  | (                                    |
| U. S. Deputy Mineral Surveyor, before me   |                                      |
| Ollowskodkhoff   | this 300h                            |
| day of January 1900  | •                                    |
| O Olton  | W. Swod & hoff                       |
| The state of the May 18.   |                                      |
| The state of the s |                                      |

# Affidavit of Five Hundred Dollars Improvements.

NEW YEAR.

#### NOTICE OF MINING LOCATION.

Quartz Claim.

TO ALL WHOM IT MAY CONCERN: This mining claim, the name of which is the New Year Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Jos.L.Giroux the undersigned, on the 2nd day of January, 1899.

The length of this claim is fifteen hundred (1500) feet, and I claim two hundred & fifty (250) feet in a Southwesterly direction and twelve hundred & fifty (1250) feet in a Northeasterly direction from the the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Southwest to the Northeast.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 3000 feet in a Northeasterly direction from U.S. Mineral Monument No.2 and about 1800 feet Northeasterly from mouth of Iron King tunnel.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at stone monument on the edge of the road to the Iron King Mine, being identical with the Northeast end center monument of the Champion claim at a point in a Southwesterly direction 250 feet from the discovery shaft (at which this notice is posted), being in the center of the South west end line of said claim; thence S.64° 44° E. 300 feet to a stone monument (identical with N.E.cor. Champion claim) being the Southeast corner of said claim; thence N. 48° 39' E. 750 feet to a stone monument at the center of the Southeast side line of said claim; thence N. 48° 39' E. 750 feet to a stone monument being at the North east corner of said claim; thence N. 64° 44' W. 300 feet to a stone monument at the center of the Northeast end of said claim; thence N. 64° 44' W.300 feet to a stone monument, being at the Northwest corner of said claim; thence S.48° 39' W. 750 feet to a stone monument being at the center of the North west side line of said claim; thence S.48° 39' W. 750 feet to a stone monument at the Southwest corner of said claim; thence S.64° 44' E. 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII,

of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines",

approved March 20th, 1895.

Dated andposted on the ground this 2nd day of January, 1899.

Locator JOS.L.GIROUX Witness F.A. Provot.

Filed and recorded at request of United Verde Copper Co. March 18", A.D. 1899, at 9:00 o'clock A.M. in Book 50 of Mines, Pages 514, Records of Yavapai County, Arizona.

W.I.Johnson,

(Seal)

County Recorder.

By F.H.Dougherty, Deputy.

Territory of Arizona, §

SS:

County of Yavapai,

I, W.I.JOHNSON, County Recorder in and for the County of Yavapai and Custodian of the Records thereof, do hereby certify, that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "New Year" Mining Claim, as the same appears of record in my office on page 514, Records of Yavapai County, Arizona.

SS Whereoff I have hereunto set my hand and affixed this the 16th day of December, A.D.1899. this the 16th day of December, A.D.1899.

County Recorder.

#### MOTION OF MINING LOCATION.

Quartz Claim.

TO ALL WHOLI IT HAY CONCERN: This mining claim, the name of which is the Mew Year Minter Claim, situate on lands belonglig to the United States of A orice, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and pur-

chase by Jos. J. Giroux the undersigned, on the 2nd d.y. of January, 1899.
The length of this claim is fifteen 'madred (1500) feet, and I staim two hardred & fifty (200) feet in a Southwesterly direction. and i claim two numbed of 11 to (1250) feet in a Southwesterly alternical and toolve hundred of fifty (1250) feet in a Northester terly direction from the the center of the discovery shaft, at which this part of the parties of a claim, another the treat canders (200) feet in width of the surface grounds, on each side of the senter of cuts alam deposit and services is from the Scutture to the Northeast.

The claim is situated and located in the Versia Pining District, in Vevapai County, in the Territory of Arizona, about 1000 Foot in a Worthensterl direction from U.S. Mineral Comment

We.P and about 1300 feet Mortheasterly from anoth of Iron King tuned. The surface boundaries of the alaim are surked upon the ground as follows: Beginning at stone monument on the edge of the road to the Iron King Mine, being identical with the Northeast end center monument of the Champion claim at a point in a South esterly direction 250 feet from the discovery shaft (at which this notice is probbed, being in the center of the South west end line of said alors throw 8.64° it R. 300 feet to a stone monument ('dentical with W.E.cor. Champion claim) being the Southeaut corner of articles it thance W. 48° 59' E. 750 fact to a stone comment at the grater of the Southeast side line of said claim; the section W. 13° 52' H. TO feet to a stone monument being at the North east corner of said claim; thence N. 64° 44° W. 300 feet to a stone nonument at the center of the Northeast end of said claim; thence N. 64° 44° W.000 feet to a stone monument, being ut the Northwest corner of activities to a stone monument, being ut the Northwest corner of activities of the Northwest corner of activities of the Northwest west attention of the Northwest west attention of the Northwest west attentions.

out W. 750 feet on a so do monument at the Southwest corner of said elein; thence S.64° 14 M. 300 feet to the place of occurring. All done under the provisions of Chapter Sir, of Title XXXII, of the Revised Statuted of the United Status, and of on Art of the General Assembly of Arthough, unbitted "An Act Concerning Mines",

aggreyord March 20th, 1005. Deted and pasted on the ground this 2nd day of Jeoury, 1990.

> Locator JOS.L.GIROUX Witness F.A.Provot.

Filed and recorded at regrest of United Verde Copper Co. March 13", A.D.1399, at 0:00 etclock A.M. in Book 50 of Milley Page 314, Records of Yavapai County, Artsons.


, in a fot. J. W . Tubrou Wi at more (5000)

Br. B. J. Bourharty, Dearte.

T western of Arizana, & ss:

County of Yevapai, \$\frac{1}{2}\$. W.i.JOHNSON, County Recorder in and for the County of Yevapai and Cratolian of the Records through, as hereby certify, that I have conjuged the above and foregoing with, and the same is a full, true and correct (o\_ of the Notice of Location of the They Year" Mining Clain, as the came appears of record in my office on Book 50 of Mines on page 514, Records of Yaverai County, Arizona.

In Witness Weresf I have hereuato set my hand and affixed my official seal this the 15th day of December, 1.D.1899.



# NEW YEAR SUR. PLAT OF 1438

SURVEYED JAN.
1900 21-22

U.S. DEPMIN. SURVEYOR

SCALE I INCH = 300 FT.

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

### Department of the Interior,

Office of U.S. Surveyor General, Tucson, arizona March 28, 1900, 48. I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Jaseph L. Grians, , known as the New Year lade, situate in \_\_\_\_\_\_ · mining district, Ganapai County, Arizona, in Section Approx, Township No. 15 N, Range No. 2 & (unauraeyes) designated as Survey No. 1 #38. executed by Adalphe Groot U. S. Deputy Mineral Surveyor, Jany 21-22,1900, 18, under my instructions dated Jany 9-1900, 18, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes. George Christ U. S. Surveyor General for Arizona.