(4--683.)

Mineral Survey No. 1449

Lot No.
. Land District.
FIELD NOTES
Thomas 6. Teegarden
known as the
County, Arizona
Surveyed under instructions dated January 1,1900
U. S. Deputy Mineral Surveyor.
Claim located and ary 1, 19 0.0 Survey commenced February 17th, 16/0.0 Survey completed February 18", 18/0.0
Adduss;
Thomas E. Dugarden, P. O. Boy 724, Tuoson, Avij.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

O I I O
WE, Ormand John Haysand Martin Kamsey
do solemnly swear that we will well and aithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claim of Thomas 6. Leeg as den
, known as the
situate in Smelle mining district,
situate in mining district.
in Section Township No. Range No.
John Amound Huys, Chainman.
MIN + 10
Maguifainz Chainman.
Subscribed and sworn to by the above-named persons before
me this 14 day of Tebruary, 1900 my lam. 2, 3, 19/1901 Thatary Duble
att Henrell
I, Henry Kenhan, do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties,
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of Thomas 6. Tee garden
known as the Sufhook,
more fully described in the preceding affidavit.
more fully described in the preceding affidavit.
more fully described in the preceding affidavit. Hury Kurling.
more fully described in the preceding affidavit. **Mary Kurlonger. Subscribed and sworn to by the said ***Genry**.
more fully described in the preceding affidavit. **Manuary Kurling** **Subscribed and sworn to by the said **Henry day of
Subscribed in the preceding affidavit. **Subscribed and sworn to by the said **Benny** **Tenhan** before me this ** day of ** **Tellman**, 1900 **my law y spylyti.
Subscribed in the preceding affidavit. **Subscribed and sworn to by the said **Benny** **Tenhan** before me this ** day of ** **Tellman**, 1900 **my law y spylyti.
Subscribed in the preceding affidavit. **Cong Kurl Cong. Subscribed and sworn to by the said **Benry **Element before me this **July day of **Telement of the said **June 14 or **Teleme
Subscribed in the preceding affidavit. **Cong Kurl Ademan.** Subscribed and sworn to by the said **Benry day of **Tellman*, 1900 **my low y synfight **Durent natary Outlier* I, **James Farker**, do solemnly swear that I will
Subscribed and sworn to by the said Henry National Action National Acti
Subscribed and sworn to by the said the
Subscribed and sworn to by the said
Subscribed and sworn to by the said
Subscribed and sworn to by the said the
Subscribed and sworn to by the said **Senary.* Jenhan before me this **Juff day of **Juff of the day of **Juff of th
Subscribed and sworn to by the said Benny day of February, 1900 Technology, 1900 My Comy 197/196 I, Jemes Parker, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of Shorman Seegan dens known as the Pufflowsky Market Shorman Seegan dens for the preceding affidavit. Samue Davice, Flagman.
Subscribed in the preceding affidavit. **Tenham** before me this
Subscribed and sworn to by the said Benny day of February, 1900 Technology, 1900 My Comy 197/196 I, Jemes Parker, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of Shorman Seegan dens known as the Pufflowsky Market Shorman Seegan dens for the preceding affidavit. Samue Davice, Flagman.

S. 48° 30' E., 147 ft.

Feet.

LUFHOOK LODE.

SURVEY 110. 1449.

Beginning at corner No. 1.

A pine post 4 x 4 ins., 4 ft. long, set 2 ft. in ground, with mound of stone, scribed L. No. 1-1449.

Original location cor., mound of stone, bears

Cor. No. 1, Survey No. 1448, Travis lode, brs. N. 7° 25' E., 1352.6 ft.

Snyder Hill brs. N. 60° W.

Dome Peak, Santa Catalina Mts. brs. N. 30° 31' E.

Corner to secs. 1, 6, 7 % 12, Tp. 15 S., R.
12 % 13 H., brs. N. 62° 49' H., 5664.6 ft.

No other bearings available.

Thence N. 48° 12' W.

Descending.

400. Foot of descent.

440. Wash, 40 ft. wide, course S.W., ascend.

628. Road, brs. W. H. & S.W.

722. Road bru. H. W. & S.H.

744. Roads, N.E. & S.W. (X)

750. Mound of stone 2 1/2 ft. high, 2 ft. base. Identical with north side center monument, of location.

832. Trail brs. N.E. & S.W.

921. Trail brs. N.E. & S.W.

1500. Cor. No. 2.

A pine post 4 x 4 ins., 4 ft. long, set 2 ft. in ground, with mound of stone, scribed L. No. 2-1449.

Original location corner, mound of stone, brs. N. 18° W., 13 ft.

Baboquivari Peak brs. S. 49° 40' W. Giant Cactus on Gold Hill brs. S. 50 3/4° E. No other bearings available.

Thence S. 40° 25' W.

2.

Feet.

Descending.

300. West end center mon., mound of stones 3 1/2 ft. base and 2 1/2 ft. high, bears West, 3 1/2 ft.

600. Cor. No. 3.

A pine post 4 x 4 ins., 8 ft. long, set 18 ins. in ground, with mound of stone, scribed L. No.3-1449.

original los. mon. brs. N. 48 1/2° W., 6 ft.; post and mound of stone; identical with N.W. Cor. of Sealeg and S.E. Cor. of Sidomus.

Baboquivari Poak brs. S. 48° 45' W.

Helmet Peak brs. S. 0º 45' E.

No other bearings available.

Thence S. 48° 12' E.

300. Road, brs. N.E. & S.W.

507. Road, brs. N.E. & S.W.

750. South side line mon. brs. S. 46 1/2° W. 88 ft.

800. Wash, 30 ft. wide, course S.W.

885. Road, bro. N.M. & S.W.

900. Wash, 6 lks. wide, course S.W.

1040. Road, brs. northerly.

1938. Road, brs. N.W. A S.D.

1342. Wash, 6 1ks. wide, course S.W. Ascend.

1500. Cor. No. 4. Identical with location.

A pine post 4 x 4 ins., 4 ft. long, set 2 ft. in ground, with mound of stone, scribed L. No. 4-1449.

Highest Peak of Snyder Hill brs. N. 57° 25' W.

High Peak board N. 48° 12' W. No other bearings available.

Thence N. 40° 25' E.

Ascending.

Bast center and mon., post in mound. Identical with location.

Feet.

600. To Cor. No. 1, the place of beginning, survey of exterior boundaries.

Var. at all corners 120 35' E.

Containing 20.426 acres.

Note: There are a number of location monuments on and around this claim. The same, however, are considered by claimant as old monuments of former locations which are now invalid.

LOCATION.

This claim is located in Amole Mining District,
Pima County, Arizona, partly in secs. 11 & 12, Tp.

15 S., R. 12 E., unsurveyed.

The ledge extends throughout the center of claim, S. 48° 12' E., 1500 feet from west center end to east cent end mons.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant or his grantors, is not less than five hundred dollars, and that said improvements consist of No. 1. Discovery shaft, 4 x 5 ft., 10 feet deep, which bears S. 78 1/2° W., 400 feet from a point N. 48° 12' W., 750 ft. from Cor. No. 1.

Value, \$60.

No. 2. Shaft, 6 x 6 ft., 58 ft. deep, which brs. from same point N. 76 1/4° W., 358 ft.

Value, \$500.

Improvements and developments made by other parties under former locations.

From a point N. 48° 12' W., 750 ft. from Cor. No. 1;
A shaft 4 x 4 x 8 ft., N. 86° W., 271 ft.
A shaft 4 x 4 x 6 ft., N. 86° W., 296 ft.
Incline shaft 4 x 8 x 30 ft., S. 88° W., 360 ft.
Shaft 4 x 6 x 60 ft., S. 82 1/4° W., 484 ft.
Incline shaft 5 x 6 x 90 ft., S. 49° W., 463 ft.
(with steam hoist).

Air shaft 5 x 5 x 70 ft., 8. 51 1/2°W., 458 ft.

Shaft 4 x 6 x 3 ft., N. 86 1/4° W., 491 ft.

Shaft 5 x 6 x 10 ft., 8. 26 1/4° W., 575 ft.

Shaft 4 x 8 x 8 ft., 8. 18 3/4° W., 569 ft.

N.W. Cor. of Ocotillo house, 8. 75 2/4° E., 195 ft.

From Cor. No. 2;

Shaft 4 x 6 x 48 ft., S. 30 1/4° W., 322 ft. Shaft 4 x 4 x 4 ft., S. 35° W., 400 ft. Cut 11 x 2 1/2 x 2 ft., S. 13° W., 495 ft.

From mon. at 750 ft. point on south side line; Old blacksmith shop, 18 x 20 ft., N. 4° E., 190 ft.

INSTRUMENT.

This survey was made with a Young and Sons transit, with solar attachment. The courses were deflected from the true meridian as determined by Solar and Polaris observations. The distances were measured with a 50 foot and 100 foot steel tapes.

on the south east; Sealeg on southwest; and Sidonus on northwest, T. E. Teegarden, claimant, all musuroughd.

Philip Contzen,

U. S. Deputy Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by Chills Contains
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines corners and boundaries described in the foregoing field notes of the survey of the mining claim of Louis S. See gas dense known as the Land Association which they acted.

I have a Canada, Chainman.

Heart of Assistant, Asman.

Land of Assistants.

FINAL OATHS OF ASSISTANTS.

We John Orman & Bays, Martin Rangy, Centre Kenhan and Sanes Carles, do solemnly swear that we assisted Chilips.

Jenes Carles, do solemnly swear that we assisted Chilips.

Jenes Carles, do solemnly swear that we assisted Chilips.

Jenes Carles, do solemnly swear that we assisted Chilips.

Jenes Carles, do solemnly swear that we assisted Chilips.

Jenes Carles, do solemnly swear that we assisted Chilips.

Jenes Carles, decorated and surveyor, in marking the corners and surveyor, in marking the corners and surveying the boundaries of the mining claim of Cheepers and surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Chairman.

John Chairman.

Marke Carles, Chairman.

John Chairman.

January Rosham.

by John ormand Hayes. Feb. 19, 1900, martin Rampy Feb. 21. 1900 Jane Partin Feb. 21. 1900 gome Partin Feb. 21. 1900 and Henry Kinham - this day of march, 18900

my Com. 4. 3/m/1901

Halary Public'

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

	I, Ohilifo Contzen, U. S. Deputy Mineral
	Surveyor, do solemnly swear that, in pursuance of instructions received from the United
	States Surveyor General for Arizona, dated
_	Lanuary 1900, , I have, in strict conformity to the laws of the
/	United States, the official regulations and instructions thereunder, and the instructions
	of said Surveyor General, faithfully and correctly executed the survey of the Mining
	Claim of Thomas & Teegarden
	, known as the
	situate in Mining District,
	County asilona, in Section s
	11 × 12 , Township No. 15 S, Range No. 12 Gast (unsurveys
	and designated as Survey No. 1449, as represented
	in the foregoing field notes, which accurately show the boundaries of said mining claim
	as distinctly marked by monuments on the ground, and described in the attached copy
	of the location certificate, which was received by me from the Surveyor General with
	said instructions, and that all the corners of said survey have been established and per-
	petuated in strict accordance with the law, official regulations and instructions there-
	under; and I do further solemnly swear that the foregoing are the true and original
	field notes of said survey and my report therein, and that the labor expended and
	improvements made upon said mining claim by claimant or his grantors
	are as therein fully stated, and that the character, extent, location and itemized value
	thereof are specified therein with particularity and full detail, and that no portion of
	said labor or improvements so credited to this claim has been included in the estimate
	of expenditures upon any other claim.
	Initifo Contren
	l'. S. Deputy Mineral Sarveyor.
	01.10(0)-1
	Subscribed and sworn to by the said hills configure
	U.S. Deputy Mineral Surveyor, before me ditt Pure of a
	Molary Cella this 25"
	day of Kebreau 1900,
	my low . 21. 8/1/1901 Ath
	molary Seleles,

Affidavit of Five Hundred Dollars Improvements.

was, James Gaff, and John Ormond Hay
of lawful age, being first duly sworn according to law, depose and say: that we are
acquainted with the Sufficient mining claim, situate
in Associated with the Mining district, Cuma County,
Arizona Territory, for which Thomas & Vee garden
ha. I made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant—and———grantor—exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
John Omen of Hays
TERRITORY OF ARIZONA, County of
Sworn to and subscribed before me, this 23"
my low. 34.3/2/day of Fibruony, 139.900 Multincell notory Dublic

Notice of Mining Location.

QUARTZ CLAIM.

To All Whom it May Concern:
This mining claim, the name of which is the Iufhook,
Mining Claim, situate on lands belonging to the United States of America, and which there are valuable
mineral deposits, was entered upon and located for the purpose of exploration and purchase by
the undersigned, on the Firstday of January.,1900.
The length of this claim is Fifteen hundred,
and Iclaim One, thousand, feet
in a South Easerly direction and Fixe bundred,
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with
Three hundredfeet in width of the surface grounds, on each side of the center of said
claim. The general course of the lode deposit and premises is from the South . East. erly,
to the North Westerly,
The claim is situated and located in the Amole,
Pima, County, in the Territory of Arizona, about 1500, feet
in a Westerly, direction from the apex of Cold mountain, & shout loso feet slightly south of west of Ree Hive mountain, and when the surveys of the vacant lands of the U.S. are completed this claim will lie partly in the N.H.1/4 sec 11 and partly in the S.E.1/4 sec, 11, and partly in the N.W. 1/4, sec, 12, and partly in the S.E. 1/4 sec, 12, and partly in the S.E. 1/4 sec 12; Tp. 15, S.R. 12, E. Sila and Salt River Meridian,
the discovery shaft (at which this notice is posted), being in the center of the North .Westerly
end line of said claim; thence. North Easterly . 300, feet to a nonument of stones.
and post, being the North West, corner of said claim; thence South Energy 750, feet to a morument of stones and post the center of
the Month Basterlyside line of said claim; thence South Eastely . 750.,
feet to amon., of stone ant, being at the North East
claim; thence. Routh. Wmesterlyfeet to a. monument. of. stone. & post.,
at the center of the South easterend of said claim; thence. South Westerly 300,
feet to amon, of stone & post, being at the South East
corner of said claim; thence. North Westerly 750. feet to a mon. of stone & post
being at the center of the South Westerly, side line of said claim;
thence Horth Westerly 750 feet to a monument of stone & post, at
the South West corner of said claim; thence North Easterly 300
feet to place of beginning. located on abandoned property, All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United
States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved
March 20th, 1895. Assembly of Arizona, entitled An Act Concering Mines, Dated and posted on the ground this day of: approved March 2, 1899.
Thomas E. Teegarden.
Filist Recorded at request of From as E. Tregarden, gamany 11, 1900, at 11 o'clock a.m. in book "G. G" Record of mines, page 637 chas. a Shibell
chas. a Shibele conder
County of Pina.
I, Chas. A. Shibell, County Recorder in and for the County
Time, Territory of Arizona, do hereby certify that the foregoing
annexed is a true and correct copy of the Lufhook Mining Claim
Dated January First 1900. filed and recorded as appears
ef record in my office, in Book No. C.C. Record of Mines page 637
THE DETUNING CONTRACT TO Design to

10 20 00

Chas, a ghibell

County Recorder.

affixed my official seal at Tucson, this 18th,

An Act Concerning Mines.

Be it Enacted by the Legislative Assembly of the Territory of Arizona:

Section 1. Every notice of location of a mining claim shall contain: First the name of the claim located; second, the name of the locator; third, the date of location; fourth, the number of feet in length of said claim and the number of feet claimed on each side of the center of the discovery stat, tengthwise of the claim; with the general course of the lode deposit or premises located; sixth, the locality of the claim with reference to some state of the claim.

Section 2. All minimum and the number of the location of premises; second, the name of the location with reference to some state of the claim of the location of premises; seeded, the name of the location of premises, seeded, the name of the location of the location of the location of premises and the location of location of the location of locat

[SEAL]


Section 10. Such affidavit when so recorded shall be prima facie evidence of the performance of such labor or the making of such improvements, and said original affidavit after it has been recorded, or a certified copy of record of same, shall be received as evidence accordingly by all the Courts of this Territory.

Section 11. The relocation of forfeited or abandoned lode claims shall only be made by sinking a new discovery shaft and fixing new boundaries in the same manner and in the same extent as is required in making a new location; or the relocator may sink the original discovery shaft ten feet deeper than it was at date of commencement of such relocation, and shall erect new or make the old monuments the same as originally required. In either case a new location monument shall be erected, and the location certificate shall state if the whole or any part of the new location is located as abandoned property.

Section 12. This act shall take effect and be in force from and after July 1st, 1895.

Section 13. All Acts and parts of Acts in conflict with this act are hereby repealed.

: 190.]



The above diagram is to give the locator a general idea of plan of location under the new law. Your discovery shaft can be in the center of claim or any distance from either end you desire. In the diagram we have placed it 500 feet from one end and 1000 feet from the other. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

TERRITORY OF ARIZONA,	1			
County of	. ∫ ss.		13 14 ,1	agreed .
Commence of the passes of			County Recorder in	and for the County and
Territory aforesaid, do hereby certify that	it the within	instrument was	filed for record at	o'clock,M., on
thisday of		1	, and duly recorded in	n Book No
of	2 13 3	Con	nty, Arizona, at page	es
WITNESS my hand and	official seal tl	he day and year f	irst above written.	Carlo and a market
un er* ni² a i	N. J.			County Recorder.
	+ 4 2 4 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. The large		###

Recorder Recorder Recorded at request of Ö. Deputy County QUARTZ CLAIM. and Filed Dated By

by the Star Publishing Company

Sale

for and

Printed

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General,

Phoening, Augoria
July 7", 1902
I, U. S. Surveyor General for the District of Augura,
lo hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of Thomas E. Tugadu
, known as the
Lufhook.
situate in Amole mining district,
Pina County, Auzona
n Section, Township No, Range No
, designated as Survey No. 1449
executed by Chilip Continue, U. S. Deputy Mineral
Surveyor, Fil. 17 18 4 , 1900, under my instructions dated
fan, 1900, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
he Survey they describe, are hereby approved. Λ true copy of the copy of the location
ertificate filed by the applicant for survey is included in the field notes.
U. S. Surveyor General for Austra

Department of the Interior. OFFICE OF U. S. SURVEYOR GENERAL. Phoenix, Auoson, ARIZONA. OFFICIAL BUSINESS. Penalty Mr Thomas E. Teegarden



(4—683.)

Mineral Survey No. 1449

Lot No.		
	Gila Land District.	F0
FIELD I	NOTES	
OF THE SURVEY OF TH	E MINING CLAIM OF	
Thomas E. Teegan	den,	
	*	
KNOWN A	IS THE	F. T.
Lufhook	Ŕ. -	
d	mole Mining District	
	unty, Auzona	
ection $//4/2$. Township $//2$	Is South, Range 12 East (m.) January 16 th, 1900, Chilip Gontzer U. S. Deputy Mineral Surveyor	sui
Surveyed under instructions dated	annary 16 1900,	
by	Chilip Gontzen	
	U. S. Deputy Mineral Surveyor	
Claim located Cannary	, 1900.	
Survey commenced. February Survey completed. Elbruary	any 17 th, 1900.	
Survey completed	18 1900.	
o 6-181	, 1, 1	
Adduss;		
Thomas &	5. Tugarden	
PO	Box 724,	
	Tucson Anj.	

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE John	amand Hairs	and Marty	Ramsin.
//		faithfully execute the duti	// //
		and uneven ground and p	
		e; that we will report the	
		Il lines that we assist in mo	
		ce with instructions given	
	omity, and in accordan	& F	us, in the barrey
the Mining Claim	of I homas	E. Tugarden	
		U	, known as th
	Lullack		
.,,	21	-le County, Anzonia , Range No.	
situate in	Amo	-ce	mining distric
	Ima (County, Anjona	
in Section	Township No.	Bange No	
THE SOCIOTI	, 10 whomp 110.	, Italige ito.	•
	1	1 1 1 1 1 1	
		hu Crmand Says Martin Panyy,	, Chainman.
s	U o	martin Panisa	Chainman.
3			, 01000101100101
A S		nd sworn to by the above-na	
	me this	14 day of Fibruar Joines 3/27 1901.	y . 13,900.
	My Course Doub. 14	pries 3/27/1901.	,
	my and medical	816	Puncell.
	1.000	- Water	To Public
/		// 6-0	ury .
I, Anny	Kenhan	, do solemnly swear	that I will well an
truly perform the	duties of axeman, in t	he establishment of corner	s and other duties
according to instr	actions given me and to	o the best of my skill and a	bility, in the surve
of the Mining Cla	im of	E. Dugaden	
of the mining tha	III oi	O, engineere	ALVIEDO ANTE ONIVERS ALTERES
known as the	Lufhook	idavit	
more fully describ	ed in the preceding affi	idavit.	
a promise and record of the section			
		Henry Kinhan	Areman
		/	,
A	Subscribed an	nd sworn to by the said	Jenry Kenha
9		before me this	day of
leal of	<i>(</i>)	nary 1900., 18	
• 99			
		01.0	00
		S. W. Purcel Notary 1 , do solem	P. A.J.
n	y commission up	nes 3/27/, 901. 11 orany	· · · · · · · · · · · · · · · · · · ·
I, Clam	is Parker	, do solemr	nly swear that I wi
well and truly ner	form the duties of flagr	nan, in the establishment o	of corners and other
		e and to the best of my ski	
and an are	o mondonono grven m	& F	and ability, III (II
survey of the Mini	ng Glaim of ho	mas E. Tugadin	
		Č .	
known as the	A Sprak		
known as the	Aug it in	Jan:	
more fully describ	ed in the preceding affi	davit.	
		1 0 1	
	******	James Varker	, Flagman.
	Subscribed or	James Canker id sworn to by the said before me this	
3	Substribed an	id sworn to by the said	TTL.
4400		before me this	day c
	Feb	1900. , 18	
		S. W. Purcel	
o 6—14	5	S. W. Much	0 11
0 0-11		Notani	Cublic

Feet.

LUFHOOK LODE.

SURVEY NO. 1449.

Beginning at corner No. 1.

A pine post 4 x 4 ins., 4 ft. long, set 2 ft.

in ground, with mound of stone, scribed L. No. 1-1449.

Original location cor., mound of stone, bears S. 48° 30' E., 147 ft.

Cor. No. 1, Survey No. 1448, Travis lode, brs. N. 7° 25' E., 1352.6 ft.

Snyder Hill brs. N. 60° W.

Dome Peak, Santa Catalina Mts. brs. N. 30° 31' E.

Worner to secs. 1, 6, 7 & 12, Tp. 15 S., R. 12 & 13 E., brs. N. 62° 49' E., 5664.6 ft.

No other bearings available.

Thence N. 48° 12' W.

Descending.

- 400 Foot of descent.
- 440. Wash, 40 ft. wide, course S.W., ascend.
- 628. Road, brs. N.E. & S.W.
- 722. Road brs. N.W. & S.E.
- 744. Roads, N.E. & S.W. (X)
- 750. Mound of stone 2 1/2 ft. high, 2 ft. base. Identical with north side center monument, of location.
- 832. Trail brs. N.E. & S.W.
- 921. Trail brs. N.E. & S.W.
- 1500. Cor. No. 2.

A pine post 4 x 4 ins., 4 ft. long, set 2 ft. in ground, with mound of stone, scribed L. No. 2-1449.

Original location corner, mound of stone, brs. N. 18° W., 13 ft.

Baboquivari Peak brs. S. 49° 40' W. Giant Cactus on Gold Hill brs. S. 50 3/4° E.

Thence S. 40° 25' W.

No other bearings available.

	2.
Feet.	
	Descending.
300.	West end center mon., mound of stones 3 1/2 ft. base
	and 2 1/2 ft. high, bears West, 3 1/2 ft.
600.	Cor. No. 3.
	A pine post 4 x 4 ins., 3 ft. long, set 18
	ins. in ground, with mound of stone, scribed L. No.3-
	1449.
	Original loc. mon. brs. N. 48 1/2° W., 6 ft.;
	post and mound of stone; identical with N.W. Cor. of
	Sealeg and S.E. Cor. of Sidomus.
	Baboquivari Peak brs. S. 48° 45' W.
	Helmet Peak brs. S. 0° 45' E.
	No other bearings available.
	Thence S. 48° 12' E.
300.	Road, brs. N.E. & S.W.
507.	Road, brs. N.E. & S.W.
750.	South side line mon. brs. S. 46 1/2° W. 88 ft.
800.	Wash, 30 ft. wide, course S.W.
885.	Road, brs. N.E. & S.W.
900.	Wash, 6 lks. wide, course S.W.
1040.	Road, brs. northerly.
1338.	Road, brs. N.W. & S.E.
1342.	Wash, 6 lks. wide, course S.W. Ascend.
1500.	Cor. No. 4. Identical with location.
	A pine post 4 x 4 ins., 4 ft. long, set 2
	ft. in ground, with mound of stone, scribed L. No. 4-
	1449.
	Highest Peak of Snyder Hill brs. N. 57° 25'
	W.
	High Peak bears N. 48° 12' W.
ļ	No other bearings available.
	Thence N. 40° 25' E.
	Ascending.
300.	East center end mon., post in mound. Identical

with location.

Feet.

600. To Cor. No. 1, the place of beginning, survey of exterior boundaries.

Var. at all corners 120 35' E.

Containing 20.426 acres.

Note: There are a number of location monuments on and around this claim. The same, however, are considered by claimant as old monuments of former locations which are now invalid.

LOCATION.

This claim is located in Amole Mining District,
Pima County, Arizona, partly in secs. 11 & 12, Tp.
15 S., R. 12 E., unsurveyed.

The ledge extends throughout the center of claim, S. 48° 12' E., 1500 feet from west center end to east cent end mons.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant or his grantors, is not less than five hundred dollars, and that said improvements consist of-No. 1. Discovery shaft, 4 x 5 ft., 10 feet deep, which bears S. 78 1/2° W., 400 feet from a point N. 48° 12' W., 750 ft. from Cor. No. 1.

Value, \$60.

No. 2. Shaft, 6 x 6 ft., 58 ft. deep, which brs. from same point N. 76 $1/4^{\circ}$ W., 358 ft.

Value, \$500.

Improvements and developments made by other parties under former locations.

From a point N. 48° 12' W., 750 ft. from Cor. No. 1;

A shaft 4 x 4 x 8 ft., N. 86° W., 271 ft.

A shaft 4 x 4 x 6 ft., N. 86° W., 296 ft.

Incline shaft 4 x 8 x 20 ft., S. 88° W., 360 ft.

Shaft 4 x 6 x 60 ft., S. 82 1/4° W., 484 ft.

Incline shaft 5 x 6 x 90 ft., S. 49° W., 463 ft.

(with steam hoist).

Air shaft 5 x 5 x 70 ft., S. 51 1/2°W., 458 ft.

Shaft 4 x 6 x 3 ft., N. 86 1/4° W., 491 ft.

Shaft 5 x 6 x 10 ft., S. 26 1/4° W., 575 ft.

Shaft 4 x 8 x 8 ft., S. 18 3/4° W., 569 ft.

N.W. Cor. of Ocotillo house, S. 75 3/4° E., 195 ft.

From Cor. No. 2;
Shaft 4 x 6 x 48 ft., s. 30 1/4° W., 322 ft.
Shaft 4 x 4 x 4 ft., S. 35° W., 400 ft.
Cut 11 x 2 1/2 x 2 ft., s. 13° W., 495 ft.

From mon. at 750 ft. point on south side line; Old blacksmith shop, 18 x 30 ft., N. 4° E., 190 ft.

INSTRUMENT.

This survey was made with a Young and Sons transit, with solar attachment. The courses were deflected from the true meridian as determined by Solar and Polaris observations. The distances were measured with a 50 foot and 100 foot steel tapes.

on the south east; Sealeg on southwest; and Sidonus on northwest, T. E. Teegarden, claimant, all wasuveyed.

Philip Contzen,

U. S. Deputy Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals	s employed by hilip Contzen
	o assist in running, measuring, and marking the lines
	foregoing field notes of the survey of the mining claim
known as the Lufhook	iden_
and showing the respective capacities in v	
's	1 On a d than a distance
	francia sago, chamman.
	marcin Manyay, Chamman.
	Henry Men han, Arman.
	John Ormond Hays, Chainman. martin Ramzny., Chainman. Henry Kenhan, Arman. James Parker, Fiagman.
FINAL OAT	HS OF ASSISTANTS.
We, John Ormand Han	12, martin Ramzny, Henry Kenhan,
and James Parker,	do solemnly swear that we assisted Philip
· Conhen . United States	Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining of	claim of Thomas E. Teegadan
	, known as the Lufhook.
, ····	, represented
in the foregoing field notes as having beer	surveyed by said deputy mineral surveyor and under
his direction; and that said survey has h	een in all respects, to the best of our knowledge and
belief, faithfully and correctly executed,	and the corner and boundary monuments established
according to law and the instructions f	urnished by the United States Surveyor-General for
Aujona	3.5
O	John amand Hays, Chainman.
	John Amand Hays, Chainman. Martin Ramzy, Chainman. Stenry Kunhan, Arman.
	Henry Kunhan, Arman.
*	James Parker, Flagman.
Subscribed	and sworn to by the above-named persons before me
	July of March, 1900, James Parker, Feb. 21, 1900, and SW, Purcell
Kenham mach, et 1900,	SW, Pucell
o 6—167	my commission expires 3/27/1901.
Pal of	my committee of my

Affidavit of Five Hundred Dollars Improvements.

vac, James Gaff, and John Ormond Hays
of lawful age, being first duly sworn according to law, depose and say: that we are
acquainted with the Lufhook mining claim, situate
in Amole Mining district, Punia County,
Arizona Territory, for which Thomas & Tugardun
ha 4 made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and grantor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
James Gaff. John amond Hays.
County of
Sworn to and subscribed before me, this23
Seal of Tubulary 1900, 189. Seal of Tubulary 1900, 189. Notary Public
My commission expuis, 3/27/1901.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Philip Contran	U. S. Deputy Mineral
Surveyor, do solemnly swear that, in purs	suance of instructions received from the United
States Surveyor General for Aug	ora, dated
January 16, 1900	I have, in strict conformity to the laws of the
United States, the official regulations and	instructions thereunder, and the instructions
	correctly executed the survey of the Mining
<i>C</i>	ndu , known as the
Lushook	Mining District,
situate in Amole	Mining District,
Pina	County, dujona, in Section
14-12 Township No. 1/- S- , B	County, Augona, in Sections ange No. 12 East (unsurveyed)
	, as represented
	ately show the boundaries of said mining claim
	he ground, and described in the attached copy
	ceived by me from the Surveyor General with
	s of said survey have been established and per-
	w, official regulations and instructions there-
	that the foregoing are the true and original
	rt therein, and that the labor expended and
	aim by claimant or his grantors
	character, extent, location and itemized value
	ularity and full detail, and that no portion of
Continue Con	this claim has been included in the estimate
	D1.1.1 6 +
	Philip Contzen 1'. S. Deputy Mineral Surveyor.
	C.S. Deputy Mineral Surveyor.
Cubacuibad and curam to but the aci	a Philip Conta
Subscribed and sworn to by the sai	d Philip Contzen before me S. W. Purcell a
U. S. Deputy Mineral Surveyor,	before me S. W. Mucelle
Notary twee	this 28,
day of Fromary 19	
commission is june 1/1/1901,	this 28,
	Notary Public
0 8-154	Motary Ville
n 11	

NOTICE OF MINING LOCATION.

Quartz Claim.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the LUFHOOK Mining Claim, situate on lands belonging to the United States of Amercia, and which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Thomas E. Teegarden, the undersigned, on the first day of January, 1900.

The length of this claim is Fifteen Hundred feet and I claim
One thousand feet in a South Easerly direction and Five hundred feet
in a North Westerly direction from the center of the discovery
shaft, at which this notice is posted, lengthwise of the claim,
together with Three hundred feet in width of the surface grounds,
on each side of the center of said claim. The general course of
the lode deposit and premises is from the South Easterly to the
North Westerly.

The claim is situated and located in the Amole Mining District, in Pima County, in the Territory of Arizona, The discovery shaft being about 1500 feet in a Westerly direction from the apex of Gold mountain, & about 10500 feet slightly south of west of Bee Hive mountain, and when the surveys of the vacant lands of the U. S. are completed this claim will lie partly in the N.E. 1/4 sec. 11 and partly in the S.E.1/4 sec. 11 and partly in the N.W. 1/4 sec. 12, and partly in the S.W. 1/4 sec. 12, Tp. 15, S; R.12 E. Gila and Salt River Meridian,

The surface boundaries of this claim are marked upon the ground as follows: Beginning at a monument of ston-es and stake at a point in a North Westerly direction 500 feet from the discovery shaft (at which this notice is posted), being in the center of the North Westerly end line of said claim; thence North Easterly 300 feet to a monument of stones and post, being the North West corner

of said claim; thence South Easterly 750 feet to a monument of stones and post at the center of the North Easterly side line of a said claim; thence South Easterly 750 feet to a mon. of stone & pt, being at the North East corner of said claim; thence South Westerly 300 feet to a monument of stone and post, at the center of the southeasterly end of said claim; thence South Westerly 300 feet to a mon. of stone & post, being at the South East corner of said claim; thence North Westerly 750 feet to a mon. of stone & post being at the center of the South Westerly side line of said claim; thence North Westerly 750 feet to a monument of stone & post, at the South West corner of siad claim; thence North Easterly 300 feet to place of beginning. The whole of the above described mining claim is located on abandoned property.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled " An Act Concerning Mines", approved March 20th, 1895. Also under the provisions of an Act of the General Assembly of Arizona, entitled " AnAct Concerning Mines" approved March 2, 1899.

Thomas E.Teegarden,

Filed and recorded at request of Thomas E.Teegarden, January 11th, 1900, at 11 o'clock a.m. in Book " G.G." Record of Mines, page 637.

Chas. A. Shibell,
County Recorder,

Territory of Arizona,)
: ss
County of Pima.)

I, Chas. A. Shibell, County Recorder in and for the County of Pima, Territory of Arizona, do hereby certify that the foregoing and annexed is a true and correct copy of the LUFHOOK Mining Claim, Dated January First, 1900. filed and recorded as appears now of record in my office, in Book No. G.G. Record of Mines, page 637.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal at Tucson, this 12th, day of January, 1900.

Scal.

Chas. A. Shibell,
County Recorder,

Cancelled Ten Cent Revenue Stamp.

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Phoening, Augoria. July 7 ", 1902 I, U. S. Surveyor General for The District of Augoria
July 7 ", 1902
I, U. S. Surveyor General for the Astrot of Augona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of Thomas E. Tugarden
carrey of the liming diam of
, known as the
Lufhook ,
, coop at 1
situate in Anole mining district,
Country Andrews
Pinia County, Aujona.
in Section , Township No. , Range No.
, designated as Survey No. * 1449
executed by Philip Contain, U. S. Deputy Mineral
Surveyor, Fal., 17 18 4, 1900, under my instructions dated
Jan. 16 in 1900, have been critically examined and the
V .
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
(Signed) Augh A. Proce U. S. Surveyor General for Auzoria
U. S. Surveyor General for Auzona

Mineral Survey No. 1449		
Lot ${\mathcal N}o$		
U. S. SURVEYOR-GENERAL'S OFFICE, TUCSON, ARIZONA.		
FIELD NOTES OF THE SURVEY OF THE		
Lufhook		
SITUATE IN		
Anole Mining District, Penia County,		
ARIZONA.		
SURVEYS EXECUTED BY Philip Contres. U. S Deputy Mineral Surveyor. Fil. 17 4784, 1902		

17486b1m2-01

U. S. SURVEYOR GENERAL'S FINAL CERTIFICATE ON FIELD NOTES.

DEPARTMENT OF THE INTERIOR,

OFFICE OF U. S. SURVEYOR GENERAL,

	Phoen	if, Augoria
		uly 7", 1902.
I, U. S. Surveyor General for	the ristrict	t of Aujona,
do hereby certify that the foregoin		
of the Survey of the mining claim	of Thomas	E. Jugardin
, known as the	Lufhook	1
	, situate in	Inole
Mining District	, Cima	County,
Auzona	, in Section	, Township No,
Range No.		
No. 1449		
file in this office; that said Field		
mining claim as will, if incorporat	ted into a patent, serv	ve fully to identify the premises,
and that such reference is made th	erein to natural obje	ects or permanent monuments as
will perpetuate and fix the locus th	ereof.	•
And I further certify that five	e hundred dollars' wo	orth of labor has been expended
or improvements made upon said	mining claim by claim	imant or his grantors, and
that said improvements consist of	two sh	afts
and that no portion of said labor of	or improvements has	been included in the estimate of
expenditures upon any other clain		The estimate of
And the second s		J. S. Land Office at Tucson
Amona is correct a	and in conformity wit	th the foregoing Field Notes
' 0	d	high Hetric

United States Surreyor General for Angona