

MS
.

0

1

4

6

2

MINERAL SURVEY NO. 1462

Claims	M. & B. Des. Page No.	Imps. Page No.	Loc. Notices Page No.
Anchor	5	21	3
Arizona Chief	19	22	10
Copper Bar	9	21	5
Elephant	15	22	8
Grand View	13	22	7
Homestake	1	21	2
Hot Number	11	21	6
McKinley	17	21	9
Washington	3	21	1
Whale	7	21	4

Rect map 15-

Survey of the ...

(4-683.)

Mineral Survey No. 1462

Lot No.

Prescott

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

C. O. Ellis, John Riley and John Pitt.

Domestake, Washington, ^{KNOWN AS THE} Dot Dumber, Copper Bar, Whale, Anchor,
No. Kinley, Elephant, Grand View and Arizona Chief.

Peck

Mining District,

Yavapai

County,

Arizona

Unsurveyed
approx. Sections - 13-14, 23, 24, Township 11 N., Range 1 W.

Surveyed under instructions dated March, 17th, 1900,

by A. B. Mader

U. S. Deputy Mineral Surveyor.

Claim located Aug. 2, '99, Aug. 4, '99, Sept. 1, '99, Dec. 16, '99, Aug. 2, '99,
Aug. 10, '99, Aug. 2, '99, July 31, '99, Aug. 2, '99, Aug. 2, 1899.

Survey commenced March, 21st, 1900.

Survey completed March, 28th, 1900.

6-160

Authorized Agent for Claimants:

J. G. Morris

Box, 608

Prescott, Ariz.

POOR

QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

Survey No 1462

Feet

Honestake Lode.

Beginning at Cor. No 1.

Identical with Cor. No 1 of the location and with Cor's No 1 and 3 of the Washington and Copper Bar Lodes respectively of this Survey and with the N.W. cor. of the Buster Lode (Unsurveyed), J. S. Norris et al, claimants.

A slate stone 20" x 12" x 8" set 6" in the ground and chiseled $\frac{1}{1462}$ H, with a mound of stones 1 1/2' base and 3' high alongside, whence the U.S.M. Mon. No 2, P.M.D. bears S 36°-56' W, 1438 ft. distant.

No bearings available.

Thence S 62°-16' E

300 To the south end center.

Identical with the location and with the north end center of the Buster lode (unsurveyed)

A slate stone 18" x 16" x 5" set 6" in the ground and chiseled $\frac{S.E.C}{1462}$ H, with a mound of stones 1 1/2' base and 3' high alongside to the E.

The N end center location monument of the Buster lode (unsurveyed) bears S 79°-50' E, 120' distant.

No bearings available.

~~Thence S 62°-16' E~~

600 ~~3~~

To Cor. No 2.

Identical with ^{corner of} the location and with Cor. No 4 of the Hot Number lode of this survey and with the N.E. corner of the Buster lode (unsurveyed).

A Quartzite stone 18" x 12" x 8" set 6" in the ground and chiseled $\frac{2}{1462}$ H, with a mound of stones 1 1/2' base and 3' high alongside.

No bearings available.

Thence N 27°-44' E

750 To the east side center.

Identical with the location.

A Quartzite stone 18" x 12" x 6", set 6" in the ground and chiseled $\frac{E.S.C}{1462}$ H, with a mound of stones 1 1/2' base and 3' high alongside to the N.

No bearings available.

~~Thence N 27°-44' E~~

1160 ~~410~~ Top of hill.

1500 ~~750~~ To Cor. No 3

Identical with ^{corner of} the location.

Feet

A Quartzite stone 15" x 12" x 8"; set 5" in the ground and chiseled $\frac{3}{1462} H$, with a mound of stones 1 1/2' base and 3' high alongside.

No bearings available.

Thence N 62°-16' W

300 To the north end center.

Identical with the location.

A Porphyry stone 20" x 10" x 6"; set 6" in the ground and chiseled $\frac{N.E.C.}{1462} H$, with a mound of stones 1 1/2' base and 3' high alongside.

No bearings available.

~~Thence N 62°-16' W~~

600 ~~300~~ To Cor. N° 4.

Identical with ^{corner of} the location and with Cor. N° 2 of the Washington lode of this survey.

A Porphyry stone 15" x 14" x 7"; set 5" in the ground and chiseled $\frac{4}{1462} H$, with a mound of stones 1 1/2' base and 3' high alongside.

No bearings available.

Thence S 27°-44' W

100 Cross ravine, 6" wide course N, bears S.

750 To the west side center.

Identical with the location and with the east side center of the Washington lode of this survey.

A slate stone 18" x 12" x 4" set 6" in the ground and chiseled $\frac{W.S.C.}{1462} H$, with a mound of stones 1 1/2' base and 3' high alongside.

No bearings available.

~~Thence S 27°-44' W~~

9 40 ~~190~~ Cross ravine, 6" wide course W bears S 73° E

15 00 ~~750~~ To Cor. N° 1 the place of beginning.

The variation at all the corners is 13°-53' E.

This claim is located in Packer Mining District, Yavapai Co. Arizona, on unsurveyed public land, in what would approximately be if surveyed, T. 11 N., R. 1 W.

Adjoining Claims

- On the N - none
- " " S - Buster lode, unsurveyed, J. S. Norris ^{is} claimant.
- " " E - none
- " " W - Washington lode of this survey.

(over)

Survey N^o 1462

Feet

Washington Lode

Beginning at Cor. N^o 1

Identical with Cor. N^o 1 of the Homestake lode of this survey.

A slate stone chiseled $\frac{1}{1462} W$

560 ~~750~~ cross ravine, 6" wide, course W, bears $N 27^{\circ} 44' E$ $S 73^{\circ} E$.
To the east side center.

Identical with the west side center of the Homestake lode of this survey, and with the location.

A slate stone chiseled $\frac{E.S.C}{1462} W$.

~~1000~~ ~~750~~ ~~750~~ cross ravine, 6" wide, course N, bears S.
To Cor. N^o 2.

Identical with Cor. N^o 4 of the Homestake lode of this survey.

A Porphyry stone chiseled $\frac{2}{1462} W$.

Thence $N 62^{\circ} - 16' W$

65 Cross ravine, 6" wide, course $N 26^{\circ} - 30' W$ bears S.
250 top of quartzite dike bears N and S.
then down steep slope.

300 To the north end center.
Identical with the location.

A Porphyry stone 14" x 10" x 8" set 5" in the ground and chiseled $\frac{N.E.C}{1462} W$, with a mound of stones 1 1/2' base and 3' high alongside.

No bearings available.

~~Thence $N 62^{\circ} - 16' W$~~

~~600~~ ~~300~~ 345 cross ravine, 6" wide, course N bears S, $130' E$.
To Cor. N^o 3.

Identical with ^{proof of} the location.

A porphyry stone 16" x 10" x 5", set 6" in the ground and chiseled $\frac{3}{1462} W$, with a mound of stones 1 1/2' base and 3' high alongside.

No bearings available.

Thence $S 27^{\circ} - 44' W$

565 cross ravine, 6" wide, course S bears N.
750 To the west side center.

Identical with the location.

A Quartzite stone 14" x 12" x 8" set 5" in the ground and chiseled $\frac{W.S.C}{1462} W$ with a mound of stones 1 1/2' base and 3' high alongside.

No bearings available.

~~Thence $S 27^{\circ} - 44' W$~~

935 ~~1000~~ cross ravine, 12" wide, course $S 46' W$, bears $N 46' E$.

12 05 ^{feet} ~~455~~
15 00

cross ravine, 18" wide, course N 36°-30' W, bears S 72° E.
To Cor. N^o 4.

Identical with cor. of the location and with the north end center of the Whale lode of this survey.
A Porphyry stone 15" x 8" x 5", set 5" in the ground and chiseled $\frac{4}{1462}$ W with a mound of stones 1 1/2' base and 3' high alongside.
No bearings available.

Thence S 62°-16' E

- 90 top of ridge, bears S 30° W and N 15° E.
- 300 To the south end center.

On ridge.
Identical with the location and with Cor's N^o 2 and 4 of the Whale and Copper Bar lodes of this survey respectively.
A Porphyry stone 18" x 10" x 8", set 6" in the ground and chiseled $\frac{S.E.C.}{1462}$ W, with a mound of stones 1 1/2' base and 3' high alongside.
No bearings available.

~~Thence S 62°-16' E~~

- 350 Cross ravine, 12" wide, course N 40° E, bears S 43° W.
up steep slope

600 ~~3~~ To Cor. N^o 1, the place of beginning.

The variation at all the corners is 13°-53' E.

This claim is located in Peck Mining District Yavapai Co. Arizona on unsurveyed public land in what would approximately be, if surveyed T^p. 11 N, R¹ W.

Adjoining Claims

- on the N - none
- " " E - Homestake lode of this survey.
- " " W - none
- " " S - Copper Bar and Whale lodes of this survey.

The course and length of ledge on the Washington lode claim is, from the N center end to the S center end, 1500 feet.

Survey No 1462

Feet

Anchor Lode

Beginning at Cor. No 1.
Identical with cor. 1 of the location and with Cor's No 2 and 4 of the Grand View and Whale lodes respectively of this survey.

A Quartzite stone, chiseled $\frac{1}{1462}$ A, whence the U.S. M. Mon. No 2, P.M.D. bears $S 69^{\circ} 14' E$, 672.5' distant.
No bearings available.

Thence $N 62^{\circ} 16' W$

200 Cross trail, bears $N 45^{\circ} E$ and $S 45^{\circ} W$

250 Cross ravine, 5' wide, course N bears S.

300 To the south end center.

Identical with the location.

A slate stone, $17" \times 12" \times 4"$ set 6" in the ground and chiseled $\frac{S.E.C.}{1462}$ A, with a mound of stones $1\frac{1}{2}'$ base and 3' high alongside.
No bearings available.

~~Thence $N 62^{\circ} 16' W$~~

up slope

~~600~~ 3 To Cor. No 2.

Identical with corner of the location.

A Quartzite stone, $15" \times 8" \times 5"$ set 5" in the ground and chiseled $\frac{2}{1462}$ A with a mound of stones $1\frac{1}{2}'$ base and 3' high alongside.
No bearings available.

Thence $N 27^{\circ} 44' E$

down gradual slope

650 cross ravine, at forks, main branch bears S course $N 6^{\circ} E$.

750 To the west side, center.

Identical with the location.

A Quartzite stone, $18" \times 12" \times 10"$, set 6" in the ground and chiseled $\frac{W.S.C.}{1462}$ A, with a mound of stones $1\frac{1}{2}'$ base and 3' high alongside.
No bearings available.

~~Thence $N 27^{\circ} 44' E$~~

~~1500~~ 7 To Cor. No 3.

Identical with corner of the location.

A blue slate stone, $18" \times 14" \times 8"$ set 6" in the ground and chiseled $\frac{3}{1462}$ A, with a mound of stones $1\frac{1}{2}'$ base and 3' high alongside.
No bearings available.

Feet

Thence $S 62^{\circ} - 16' E$

up steep slope (angle of Inclination from Horizl = 28°)

~~180~~ ~~Up of ridge, on a quartzite dike, bearing $N 10^{\circ} E + S 10^{\circ} W$ -~~
~~down slope~~

300 To the north end center.

Identical with the location. ~~and~~

A quartzite stone $15" \times 8" \times 6"$ set $5"$ in the ground and chiseled $\frac{N.E.C.}{1462} A$, with a mound of stones $1\frac{1}{2}'$ base and $3'$ high alongside.

No bearings available.

~~Thence $S 62^{\circ} - 16' E$~~

down slope

~~575~~ ~~245~~ cross ravine, $6"$ wide, course $N 15^{\circ} E$, bears $S 25^{\circ} W$.

up slope

600 ~~3~~ J. cor. $N^{\circ} 4$.

Identical with corner of the location and with Cor. $N^{\circ} 3$ of the Whale lode of this survey.

A quartzite stone, chiseled $\frac{4}{1462} A$.

Thence $S 27^{\circ} - 44' W$

750 to the east side center.

Identical with the location and with the west side center of the Whale lode of this survey.

A quartzite stone, chiseled $\frac{E.S.C.}{1462} A$.

~~Thence $S 27^{\circ} - 44' W$~~

1500 ~~750~~ To Cor. $N^{\circ} 1$, the place of beginning.

The variation at all the corners is $13^{\circ} - 53' E$.

This claim is located in Peck Mining District Yavapai Co. Arizona, on unsurveyed public land, in what would, approximately be, if surveyed. Tp. 11 N, R. 1 W.

Adjoining Claims

on the N - none

" " E - Whale lode of this survey.

" " W - none

" " S - none

The course and length of ledge on the Anchor claim is, from the N center end to the S center end 1500 feet.

Survey No 1462

feet

Whale Lode

Beginning at Cor. No 1.

Identical with cor. of the location and with Cor. No 1 of the Copper Bar, Elephant and Grand View lodes of this survey.

A Quartzite stone, chiseled $\frac{1}{1462}$ W.Thence $N 27^{\circ} 44' E$ 290 Cross trail, to whale tunnel, bears $N 58^{\circ} 30' W$.

750 To east side center.

Identical with the location and with west side center of the Copper Bar lode of this survey.

A quartzite stone chiseled $\frac{E.S.C.}{1462}$ W.Thence ~~$N 27^{\circ} 44' E$~~ 1300 ~~550~~ cross ravine, 8" wide, course $N 53^{\circ} E$ and $S 53^{\circ} W$.1500 ~~750~~ To Cor. No 2.

Identical with corner of the location and with Cor. No 4 of the Copper Bar and the south end center of the Washington lodes of this survey.

A Porphyry stone chiseled $\frac{2}{1462}$ W.Thence $N 62^{\circ} 16' W$

300 To the north end center.

Identical with the location and with Cor. No 4 of the Washington lode of this survey.

A Porphyry stone chiseled $\frac{N.E.C.}{1462}$ W.Thence ~~$N 62^{\circ} 16' W$~~ 330 cross ravine, 6" wide, course $N 30^{\circ} E$ and bears $S 40^{\circ} W$.450 ~~150~~ top of ridge bears $N 28^{\circ} E$.600 ~~300~~ To Cor. No 3.

Identical with corner of the location and with cor. No 4 of the Anchor lode of this survey.

A Quartzite stone 20" x 10" x 8" set 6" in the ground and chiseled $\frac{3}{1462}$ W, with a mound of stones 1 1/2' base and 3' high alongside.

No bearings available.

Thence $S 27^{\circ} 44' W$

750 To the west side center.

Identical with the location and with the east side center of the Anchor lode of this survey.

A Quartzite stone, 16" x 10" x 5" set 5" in the ground and chiseled $\frac{W.S.C.}{1462}$ W, with a mound of stones 1 1/2' base and 3' high alongside.

No bearings available.

Feet

~~Thence S 79° 44' W~~1130 ~~38~~ Cross ravine, 6" wide, course N 51° 30' W1330 ~~580~~ Cross trail, bears N. W. and S. E.1500 ~~750~~ To Cor. N^o 4

Identical with corner of the location and with Cor's N^o 1 and 2 of the Anchor and Grand View lodes respectively of this survey.

A Quartzite stone 18" x 12" x 8" set 5" in the ground and chiseled $\frac{4}{1462}$ W with a mound of stones 1 1/2' base and 3' high alongside.

No bearings available.

Thence S 62° - 16' E

up slope

300 To the south end center.

Identical with the location and with the north end center of the Grand View lode of this survey.

A Quartzite stone, 16" x 10" x 2" set 5" in the ground and chiseled $\frac{S.E.C.}{1462}$ W with a mound of stones 1 1/2' base and 3' high alongside to the W.

No bearings available.

~~Thence S 62° 16' E~~

up steep slope

600 ~~300~~ To Cor. N^o 1 the place of beginning

The variation at all the corners is 13° - 53' E.

This claim is located in Peck Mining District Yavapai Co. Arizona on unsurveyed public land, in what would, approximately be, if surveyed Tp. 11 N, R. 1 W.

Adjoining Claims

on the N - the Washington lode of this survey.

" " E - " Copper Bar " " " "

" " W - " Anchor " " " "

" " S - " Grand View " " " "

The course and length of ledge on the Whale claim is from the N center end to the S center end, 1500 feet and is traceable by croppings.

Feet.

Copper Bar Lode

Beginning at Cor. No 1.
 Identical with Cor. No 1 of the location and with Cor's No 1 of the whale, Elephant and Grand View lodes of this survey.
 A Quartzite stone 18" x 12" x 8" set 5" in the ground and chiseled $\frac{1}{1462}$ C. B. with a mound of stones 1 1/2' base and 3' high alongside.
 The center of a round topped hill bears S 68° 50' W about 2000 feet distant.
 The center of top of sharp pointed mountain bears N 19° 44' W about 4 miles distant.
 U.S.M. Mon. No 2, P.M.D. bears N 68° 02' E, 106 ft. distant.
 No other bearings available.
 Thence S 62° 16' E

up slope

48 Cross trail, on top of ridge, bears S.
 75 crest of ridge, bears S and N 15° E.
 down steep rocky slope (angle of Inclination from Horiz^l = 32° 30')

300 To Cor. No 2.
 Identical with corner of the location and with the north end center of the Elephant lode of this survey and with the S.W. corner of the Buster lode (unsurveyed).
 A Quartzite rock in place, part of large irregular shaped ledge, chiseled a cross (+) at exact corner point and $\frac{2}{1462}$ C. B. with a mound of stones 1 1/2' base and 3' high alongside.
 No bearings available.
 Thence N 27° 44' E

320 to head of ravine, course S 41° E.
 up steep rocky slope
 680 Cross trail, on top of ridge, bears S 62° 30' W and N 62° E.
 down slight slope.

750 to the east side center.
 Identical with the location and with west side center of the Buster lode (unsurveyed).
 A Quartzite stone 16" x 16" x 6" set 5" in the ground and chiseled $\frac{E.S.C.}{1462}$ C. B. with a mound of stones 1 1/2' base and 3' high alongside to the E.
 No bearings available.

~~Thence N 27° 44' E~~

1500 ~~75~~ To Cor. No 3.

Fact

Identical with corner of the location and with
Cora No 1 of the Homestake and Washington lodes of
this survey and with the N.W. corner of Buster lode (unsurveyed).

A slate stone chiseled $\frac{3}{1462}$ C. B.

Thence $N 62^{\circ} - 16' W$

250 Cross ravine, 12' wide, course $N 40^{\circ} E$, bears $S 43^{\circ} W$.

300 To Cor. No 4.

Identical with corner of the location and with
south end center of Washington lode of this survey
and with Cor. No 12 of the Whale lode, this survey.

A porphyry stone, chiseled $\frac{4}{1462}$ C. B.

Thence $S 27^{\circ} - 44' W$

200 Cross ravine, 8' wide course $N 53^{\circ} E$ and $S 53^{\circ} W$.

750 To the west side center

Identical with the location and with the east
side center of the whale lode of this survey.

A Quartzite stone $18" \times 12" \times 2"$ set 5" in the ground
and chiseled $\frac{W.S.C.}{1462}$ C. B. with a mound of
stones $1\frac{1}{2}'$ base and 3' high alongside.

No bearings available.

~~Thence $S 27^{\circ} - 44' W$~~

1210 ~~41~~ Cross trail, to whale tunnel, bears $N 58^{\circ} - 30' W$.

1500 ~~75~~ To Cor. No 1, the place of beginning.

The variation at all the corners is $13^{\circ} - 53' E$.

This claim is located in Peck Mining District
Yavapai Co. Arizona on unsurveyed land,
in what would approximately be, if surveyed
T 11 N, R 1 W.

Adjoining Claims

on the N - Washington lode of this survey

" - E - Buster lode, unsurveyed, J. D. Norris et al claimants

" - W - Whale lode of this survey.

" - S - Elephant lode of this survey.

The Copper Bar claim is on the ledge or
vein throughout its whole area, the ledge
running parallel with the side lines, the
center of ledge coinciding with center of
claim. The ledge is traceable by crosspings

Feet

Hot Number lode.

Beginning at Cor. No 1.
 Identical with Cor. No 1 of the location and with the north end center of the Mc. Kinley lode of this survey and with the south east corner of the Buster lode (unswayed).
 A quartzite stone 18" x 12" x 8" set 5" in the ground and chiseled 1462 H.N. with a mound of stones 1 1/2' base and 3' high alongside to the W.E. whence U.S.M. Mon. No 2, P.M.D. bears N56°-44' W, 838 ft. distant.
 No bearings available.

Thence S 62°-16' E

down steep slope (angle of declivity from Horizl = 23°)

300 To the south end center.

Identical with the location and with Cor. No 2 of the Mc. Kinley lode of this survey.
 A slate stone, 16" x 12" x 6" set 5" in the ground and chiseled $\frac{S.E.C.}{1462}$ H.N., with a mound of stones 1 1/2' base and 3' high alongside.
 No bearings available.

~~Thence S 62°-16' E~~

down slope

600 ~~3~~ To Cor. No 2

Identical with corner of the location.
 A Quartzite stone 18" x 10" x 6", set 6" in the ground and chiseled $\frac{2}{1462}$ H.N. with a mound of stones 1 1/2' base and 3' high alongside.
 No bearings available.

Thence N 27°-44' E

400 Cross ravine, 18" wide, course N 75° E, bears S 75° W.
 up slope.

641 to wall of house (kitchen part) at point 5' E of corner.

650 top of ridge.

down slope

750 To east side center.

Identical with the location.
 A Quartzite stone, 16" x 10" x 5", set 5" in the ground and chiseled $\frac{E.S.C.}{1462}$ H.N. with a mound of stones 1 1/2' base and 3' high alongside.
 No bearings available.

~~Thence N 27°-44' E~~

950 ~~2~~ Cross ravine, 12" wide, course S 88° E, bears N 85° W

975 ~~275~~ top of ridge, bears N 85° E.

- 1100 ~~50~~ ^{Feet} Cross ravine, 12' wide, course $S85^{\circ}E$, bears $N80^{\circ}W$
 then ascend slope
 1500 ~~75~~ To Cor. No 3.
 Identical with corner of the location.
 A malapsi stone, $14" \times 12" \times 9"$ set 5" in the
 ground and chiseled $\frac{3}{1462}$ H.N. with a mound
 of stones $1\frac{1}{2}'$ base and 3' high alongside.
 No bearings available.
 Thence $N62^{\circ}-16' W$
 300 To the north end center.
 Identical with the location.
 A slate stone, in place, $5' \times 5' \times 18'$ above the
 ground, chiseled a cross (X) at each corner point
 and $\frac{N.E.C}{1462}$ H.N. with a mound of stones
 $1\frac{1}{2}'$ base and 3' high alongside.
 No bearings available.
 Thence ~~$N62^{\circ}-16' W$~~
 up steep slope (angle of inclination from Horizl = 33°)
 - 399 to top of steep slope.
 up gradual slope.
 600 ~~30~~ To Cor. No 4.
 Identical with corner of the location and with
 Cor. No 2 of the Homestake lode of this survey and
 with the N.E. corner of the Buster lode (unsurveyed).
 A Quartzite stone chiseled $\frac{4}{1462}$ H.N.
 Thence $S27^{\circ}-44' W$
 370 Cross ravine, 6' wide, course $S78^{\circ}E$, bears $N78^{\circ}W$, 200' below Cor. No 4.
 750 To the west side center.
 Identical with the location and with the east
 side center of the Buster lode (unsurveyed).
 A slate stone $14" \times 9" \times 6"$ set 5" in the ground
 and chiseled $\frac{W.S.C}{1462}$ H.N. with a mound of stones
 $1\frac{1}{2}'$ base and 3' high alongside.
 Elevation same as Cor. No 4.
 No bearings available.
 Thence ~~$S27^{\circ}-44' W$~~
 - 980 ~~250~~ Cross trail course $S80^{\circ}E$.
 1044 ~~69~~ Cross ravine, 18' wide, course $N88^{\circ}E$, bears $N36^{\circ}W$.
 1500 ~~750~~ To Cor. No 1, the place of beginning.
 The variation at all the corners is $13^{\circ}-53'E$.

(over)

This claim is located in Beck Mining District
Yavapai Co. Arizona, on unsurveyed Public
land, in what would approximately be, if
surveyed, T_p. 11 N, R. 1 W.

Adjacent Claims
on the N - none

" " E - none

" " W - Buster Loster (undiscovered) J. D. Norris et al claimants
" " S - West King's lode of this survey.

The course and length of ledge on the
Hot Number claim is from the N end center
to the S end center, 1500 feet and is
traceable by croppings.

[Faint handwritten notes at the bottom of the page, possibly describing the claim's location or survey details.]

Survey No 1462

Feet

Grand View Lode

Beginning at Cor. No 1
Identical with corner of the location and
with Cor's No 1 of the Copper Bar, Whale and
Elephant lodes of this survey.

A Quartzite stone chiseled $\frac{1}{1462}$ G.V.
Thence $N 62^{\circ} 54' 16'' W$

down steep slope

300 To the north end center of the whale lode of this survey.
Identical with the location and with the south
end center of the whale lode of this survey.

A Quartzite stone chiseled $\frac{N.E.C.}{1462}$ G.V.
~~Thence $N 62^{\circ} 16' W$~~

down slope

~~600~~ To Cor. No 2.
Identical with corner of the location and
with Cor's No 1 and 4 of the Anchor and
Whale lodes respectively of this survey.

A Quartzite stone chiseled $\frac{2}{1462}$ G.V.
Thence $S 27^{\circ} 44' W$

210 cross ravine, 12" wide, course $N 45^{\circ} W$, bears $S 45^{\circ} E$.

350 cross ridge.

480 cross ravine, 18" wide, course $N 10^{\circ} W$, bears S.

750 To the West side center.

Identical with the location.

A Quartzite stone $16" \times 8" \times 4"$ set 4" in the
ground and chiseled $\frac{W.S.C.}{1462}$ G.V. with a mound
of stones $1\frac{1}{2}'$ base and 3' high alongside.

No bearings available.

~~Thence $S 27^{\circ} 44' W$~~

~~1300~~ To Cor. No 3.

Identical with corner of the location and with
the north end center of the Arizona Chief lode
of this survey.

A Feldspar porphyry stone, $16" \times 12" \times 7"$ set
5" in the ground and chiseled $\frac{3}{1462}$ G.V. with
a mound of stones $1\frac{1}{2}'$ base & 3' high alongside.

No bearings available.

Thence $S 62^{\circ} 16' E$

80 Cross trail, in ravine 18" wide, course $S 30^{\circ} W$, bears $N 35^{\circ} E$.

300 To the south end center.

Identical with the location and with Cor. No 1

Feet

of the Arizona Chief lode of this survey and with Cor. No 3 of the Fortune lode of Survey No 1463. A Quartzite stone 18" x 16" x 10" set 5" in the ground and chiseled $\frac{S.E.C.}{1462}$ G.V. with a mound of stones 1 1/2' base and 3' high alongside. No bearings available.

~~Thence S 62° 16' E~~

534
600

~~237~~ Cross trail, on ridge, bears N 47° E and S 36° W towards the Beck Mine. To Cor. No 4.

Identical with Cor. of the location and with Cor. No 4 of the Elephant lode of this survey and with the north end center of the Fortune lode of survey No 1463.

A Black iron Porphyry stone, chiseled $\frac{4}{1462}$ G.V. Thence N 27° - 44' E

750 To the east side center.

Identical with the location and with the west side center of the Elephant lode of this survey. A slate stone, chiseled $\frac{E.S.C.}{1462}$ G.V.

~~Thence N 27° - 44' E~~

1500

~~750~~ To Cor. No 1, the place of beginning.

The variation at all the corners is 13° 53' E.

This claim is located in Beck Mining District Yavapai Co. Arizona on unsurveyed Public Land in what would, approximately be, if surveyed, T11N, R1W.

Adjoining claims

- on the N - whole lode of this survey.
- " " E - Elephant lode of this survey
- " " W - none
- " " S - Arizona Chief lode of this survey and Fortune lode of Survey No 1463, J.D. Noms et al claimants.

The course and length of ledge on the Grand View claim is, ~~approximately~~ from the N center end to the S center end 1500 feet, the discovery cut marking the center.

Survey No 1462

Feet

Elephant Lode

Beginning at Cor. No 1.

Identical with corner of the location and with Cor. No 1 of the Copper Bar, Whale and Grand View lodes of this survey.

A Quartzite stone, chiseled $\frac{1}{1462} E$
U.S.M.M. No. 2, G.M.O., No. 68,02, E, 106 ft.
Thence $S 62^{\circ} 16' E$

300 To the north end center.

Identical with the location and with Cor. No 2 of the Copper Bar lode of this survey and with the S.W. corner of the Buster lode (unsurveyed).

A quartzite rock, in place, chiseled $\frac{N.E.C. E}{1462}$
~~Thence $S 62^{\circ} 16' E$~~ 600 ~~300~~ To Cor. No 2.

Identical with corner of the location and with Cor. No 1 of the Mc. Kinley lode of this survey and with the south end center of the Buster lode (unsurveyed).

A quartzite stone, chiseled $\frac{2}{1462} E$.
Thence $S 27^{\circ} 44' W$ 705 to head of ravine, course $S 85^{\circ} E$.

750 To the east side center.

Identical with the location and with the west side center of the Mc. Kinley lode of this survey.

A quartzite stone, chiseled $\frac{E.S.C. E}{1462}$
~~Thence $S 27^{\circ} 44' W$~~

over rough dikes

1200 ~~400~~ Top of ridge bears E.

down steep rocky slope, exceedingly broken ground.

1500 ~~700~~ To Cor. No 3.

Identical with corner of the location and with Cor. No 4 of the Mc. Kinley lode of this survey.

A Quartzite stone, chiseled $\frac{3}{1462} E$.
Thence $N 62^{\circ} 16' W$

up steep slope

300 To the south end center.

Identical with the location and with Cor. No 4 of the Fortune lode, Survey No 1463, J. D. Norris et al owners.

A Quartzite stone $16" \times 10" \times 8"$, set 5" in the ground and chiseled $\frac{S.E.C. E}{1462}$, with a mound of stones $1\frac{1}{2}'$ base and 3' high alongside.

No bearings available.

~~Thence $N 62^{\circ} 16' W$~~

- 365 ^{Feet} ~~65~~ Cross ravine, 6" wide, course S bears N.
up steep slope
- 600 ~~3~~ To Cor. N^o 4.
Identical with corner of the location and with
Cor. N^o 4 of the Grand View lode of this survey and
with the north end center of the Fortune lode of
Survey N^o 1463.
A Black Iron porphyry stone 17" x 10" x 6" set 5"
in the ground, and chiseled $\frac{4}{1462}$ E, with a
mound of stones 1 1/2' base and 3' high alongside.
No bearings available.
Thence N 27° 44' E.
- up slope
- 170 Cross trail, outtop of ridge, course N 20° E, S 47° W to the Beck Mine.
- 320 top of small hill.
- 450 Cross trail, course N 65° W and E.
down rapid slope
- 730 to ravine, near head, course N 65° W.
- 750 To the west side center.
Identical with the location and with the east
side center of the Grand View lode of this survey.
A slate stone, 15" x 8" x 3" set 5" in the ground
and chiseled $\frac{W.S.C.}{1462}$ E with a mound of
stones 1 1/2' base and 3' high alongside.
No bearings available.
~~Thence N 27° 44' E.~~
- up slope
- 930 ~~180~~ top of hill, on ridge, bearing S 62° E and W.
down rapid slope
- 1080 ~~33~~ Cross ravine, 6" wide course N 42° W and bears S 42° E.
up slope
- 1500 ~~700~~ To Cor. N^o 1 the place of beginning.

The variation at all the corners is 13° 53' E.

This claim is located in Beck Mining District, Yavapai Co. Arizona on unsurveyed Public Land in what would, approximately be, if surveyed T. 11 N., R. 1 W.

Adjoining Claims

- On the N - Copper Bar lode of this survey and Buster lode, unsurveyed, J.D. Norris et al claimants
- " " E - Mc. Kinley lode of this survey.
- " " W - Grand View lode of this survey.
- " " S - Fortune lode, of Survey N^o 1463, J.D. Norris et al claimants (over)

Survey No 1462

feet

Mc Kinley Lode

Beginning at Cor. No 1.
 Identical with Cor. of the location and with Cor. No 2 of the Elephant lode of this survey and with the south end center of the Buster lode (unsurveyed).
 A Quartzite stone 16" x 10" x 5" set 4" in the ground and chiseled $\frac{1}{1462}$ Mc.K. with a mound of stones 1 1/2' base and 3' high alongside, whence the U.S. M. Mon. No 2, P.M.D. bears N 53° 42' W, 540' distant.
 No other bearings available.

Thence S 62° 16' E

300 down slope to the north end center.

Identical with the location and with Cor. No 1 of the Hot Number lode of this survey and with the S.E. corner of the Buster lode (unsurveyed).
 A quartzite stone chiseled $\frac{N.E.C.}{1462}$ Mc.K.
~~Thence S 62° 16' E~~

~~600 3~~ down slope To Cor. No 2.

Identical with corner of the location and with the south end center of the Hot Number lode of this survey.
 A slate stone, chiseled $\frac{2}{1462}$ Mc.K.
 Thence S 27° 44' W

500 along side of steep slope, sloping downward to the E. Cross ravine, 12" wide, course E, bears W.

750 To the east side center. Identical with the location.

A slate stone, 18" x 12" x 4" set 5" in the ground and chiseled $\frac{E.S.C.}{1462}$ Mc.K. with a mound of stones 1 1/2' base and 3' high alongside.
 No bearings available.
~~Thence S 27° 44' W~~

950 ~~200~~ Cross ravine, 12" wide course E bears W up steep slope (angle of inclination from horiz = 40°)

1094 ~~344~~ top of slope, edge of precipice.

1240 ~~490~~ Cross ravine, 6" wide course S 75° E.

1500 ~~75~~ To Cor. No 3.

Identical with corner of the location.
 A blue slate stone, 18" x 12" x 5" set 5" in the ground and chiseled $\frac{3}{1462}$ Mc.K. with a mound of stones 1 1/2' base and 3' high alongside.

Feet

No bearings available.
Thence $N62^{\circ}-16' W$

300 up steep rocky slope
To the south end center.

Identical with the location.

A Quartzite stone $18" \times 10" \times 10"$ set 5" in the ground
and chiseled $\frac{S.E.C.}{1462}$ M.C.K. with a mound of
stones $1\frac{1}{2}'$ base and 3' high alongside.

No bearings available.
~~Thence $N62^{\circ}-16' W$~~

510 ~~200~~ up steep rocky slope (angle of inclination from horiz. = 37°)
to edge of precipice on quartzite dike, 60' high
bears $S16^{\circ} W$ and $N16^{\circ} E$.

600 ~~300~~ To Cor. No 4

Identical with corner of the location and with
Cor. No 3 of the Elephant lode of this survey.

A Quartzite stone $18" \times 10" \times 5"$ set 5" in the ground
and chiseled $\frac{4}{1462}$ M.C.K. with a mound of
stones $1\frac{1}{2}'$ base and 3' high alongside.

No bearings available.

Thence $N27^{\circ}-44' E$

300 up steep rocky slope, exceedingly broken ground.
top of ridge bears E.
over rough dikes

750 To the west side center.

Identical with the location and with the east
side center of the Elephant lode of this survey.

A Quartzite stone $16" \times 10" \times 4"$ set 5" in the ground
and chiseled $\frac{W.S.C.}{1462}$ M.C.K. with a mound of
stones $1\frac{1}{2}'$ base and 3' high alongside.

No bearings available.

~~Thence $N27^{\circ}-44' E$~~

995 ~~45~~ to head of ravine, course $S85^{\circ} E$.
over broken stony ground and down steep slope.

1500 ~~750~~ To Cor. No 1 the place of beginning.

The variation on all the corners is $13^{\circ}-53' E$.

This claim is located in Peck Mining District
Yavapai Co. Arizona on unsurveyed Public
land in what would, approximately be
if surveyed, T_{p.} 11 N, R. 1 W.

(over)

Survey No 1462

Feet

Arizona Chief Lode

Beginning at Cor. No 1
Identical with corner of the location and with
Cor. No 3 of the Fortune lode of survey No 1463
and with the south end center of the Grand View
lode of this survey.

A Quartzite stone, chiseled $\frac{1}{462}$ A.C., whence the
U.S. M. Mon. No 2, P.M.D. bears $N40^{\circ}43'E$, 1623' distant.

Thence $N62^{\circ}16'W$

220 Cross trail, in ravine 18" wide, course $S30^{\circ}W$, bears $N35^{\circ}E$.
300 To the north end center.

Identical with the location and with Cor. No 3 of
the Grand View lode of this survey.

A Feld-spar porphyry stone, chiseled $\frac{N.E.C.}{1462}$ A.C.

~~Thence $N62^{\circ}16'W$~~

up steep hill

~~600 2~~ To Cor. No 2.

Identical with corner of the location.

A red slate stone, 15" x 8" x 6", set 4" in the
ground and chiseled $\frac{2}{1462}$ A.C., with a mound
of stones 1 1/2' base and 3' high alongside.

No bearings available.

Thence $S27^{\circ}44'W$

640 Cross ravine, 24" wide, course $N73^{\circ}W$ and bears $S84^{\circ}E$.

750 To the west side center.

Identical with the location.

An iron quartzite stone 16" x 10" x 5" set 5" in the
ground and chiseled $\frac{W.S.C.}{1462}$ A.C. with a mound
of stones 1 1/2' base and 3' high alongside.

No bearings available.

~~Thence $S27^{\circ}44'W$~~

1500 ~~750~~ To cor. No 3.

Identical with corner of the location and with
the north end center of the Favorite lode of
Survey No 1463.

A Quartzite stone, 18" x 12" x 6" set 5" in the ground
and chiseled $\frac{3}{1462}$ A.C., with a mound of stones
1 1/2' base and 3' high alongside.

No bearings available.

Thence $S62^{\circ}16'E$

up steep slope

200 top of ridge, bears S and $N25^{\circ}E$

Atypicing claims
on the N-HH Nether side of the survey and Buster Lode (unsurveyed) T. P. Morris at claimants

- " E - none
- " W - Elephant Lode of this survey
- " S - unpatented

There could be said to be a right of discovery on the Nether side of the survey
which extends in fact to the N. Buster Lode. T. P. Morris

3rd course of 1802 survey, "skin" 81 survey in 1812
for 20 ft. and then down to the N. side of the survey

2nd course of 1802 survey, "skin" 81 survey in 1812

There is a right of discovery on the Nether side of the survey
which extends in fact to the N. Buster Lode. T. P. Morris

There is a right of discovery on the Nether side of the survey
which extends in fact to the N. Buster Lode. T. P. Morris

There is a right of discovery on the Nether side of the survey
which extends in fact to the N. Buster Lode. T. P. Morris

Feet

down slope

300 To the south end center.

Identical with the location and with Cor's N^o 3 and 4 of the Iron Clad and Favorite lodes respectively of Survey N^o 1463.

A Quartzite stone 18" x 10" x 8" set 5" in the ground and chiseled $\frac{S.E.C.}{1462}$ A.C. with a mound of stones 1 1/2' base and 3' high alongside.

No bearings available.

~~Thence S 62° 16' E~~

down hill

410

~~410~~ cross trail, bears N 42° E and S 42° W

down steep slope

650

~~300~~ To Cor. N^o 4

Identical with corner of the location and with the north end center and Cor. N^o 2 of the Iron Clad and Fortune lodes respectively of Survey N^o 1463.

A hard Quartzite stone, 18" x 14" x 10" set 5" in the ground ~~with~~ and chiseled $\frac{4}{1462}$ A.C. with a mound of stones 1 1/2' base and 3' high alongside.

No bearings available.

Thence N 27° 44' E

up rough steep hill.

280 to ridge

560 to head of ravine, course S 36° E.

750 To the east side center.

Identical with the location and with the west side center of the Fortune lode of Survey N^o 1463.

A Quartzite stone 17" x 10" x 9" set 6" in the ground and chiseled $\frac{E.S.C.}{1462}$ A.C. with a mound of stones 1 1/2' base and 3' high alongside.

No bearings available.

~~Thence N 27° 44' E~~

down hill

950

~~200~~ to head of ravine, course N 85° W

up hill

1500

~~75~~ To Cor. N^o 1, the place of beginning.

The variation at all the corners is 13° 53' E.

This claim is located in Peck Mining District Yavapai Co., Arizona on unsurveyed Public Land (over)

Expenditure of Five Hundred Dollars per Claim.

I certify that the value of the labor and improvements upon these claims, placed thereon by the claimants and their grantors, aggregates not less than five hundred dollars per claim and that said improvements consist of:

<p>2141</p>	<p>The discovery shaft^{No. 1} of the Washington lode, 4' x 6' x 10' deep, the center of which bears S 13°-45' E, 160 feet distant from the west side center of the lode. Value</p>	<p>#100.00</p>
<p>No. 1</p>	<p>The discovery cut^{No. 1} of the Homestake lode, 6' wide by 8' (av.) deep by 15' long, bears N 1°-30' W 390 feet distant from Cor. N^o 2. Value</p>	<p>#150.00</p>
<p>No. 1-</p>	<p>The discovery cut^{No. 1} of the Hot Number lode, 6' wide by 7' (av.) deep by 18' long bears N 27°-45' W 360 feet distant from the East side center. Value</p>	<p>200.00</p>
<p>No. 2-</p>	<p>A tunnel^{No. 2}, 4' x 6' x 55' long with an approach 15' long, the center of entrance of which bears N 21° E, 210 ft. distant from the E. side center. Value Cause easterly.</p>	<p>750.00</p>
<p>No. 1-</p>	<p>The discovery cut^{No. 1} of the Copper Bar lode, 6' wide by 8' (av.) deep by 14' long bears S 2°-30' E, 180 feet distant from Cor. N^o 4. Value</p>	<p>100.00</p>
<p>No. 1-</p>	<p>The discovery cut^{No. 1} of the Whale lode, 6' wide by 9' (av.) deep by 16' long, bears S 88°-45' E, 320 feet distant from the west side center. Value</p>	<p>200.00</p>
<p>No. 2</p>	<p>A tunnel; 5' x 7' x 420 feet long, the center of entrance of which bears N 55°-18' E, 360 feet distant from Cor. N^o 4. Value Cause E. Easterly.</p>	<p>4200.00</p>
<p>No. 1</p>	<p>The discovery cut^{No. 1} of the Anchor lode, 6' wide by 7' (av.) deep by 12' long bears N 73°-20' E, 250 feet distant from the west side center. Value</p>	<p>100.00</p>
<p>No. 1</p>	<p>The discovery cut^{No. 1} of the Mc. Kinley lode, 6' wide by 7' (av.) deep by 12' long, bears S 57°-25' W, 220 feet distant from Cor. N^o 2. Value</p>	<p>100.00</p>
<p>carry forward</p>		<p>#5900.00</p>

Brought Forward

\$5900.00

- No. 1- The discovery cut^{No. 1} of the Elephant lode, 6' wide by 7' (average) deep by 10' long bears N 27° W, 100 feet distant from the South end center. Value 100.00
- No. 1- The discovery cut^{No. 1} of the Grand View lode, 6' wide by 7' (average) deep by 12' long bears S 72° 40' E 320 feet distant from the west side center. Value 100.00
- No. 1- The discovery cut^{No. 1} of the Arizona Chief lode, 6' wide by 8' (av.) deep by 15' long bears S 47° 15' W, 420 feet distant from Cor. N^o 1. Value 150.00

 \$6250.00

The main lode or vein in this group is from 600 feet to 1000 feet in width and extends through the center of the group, paralleling the side lines closely, from one end of group to the other, with parallel lodes through the exterior claims. The main tunnel^{described and included in the estimate of expenditures} is on the Whale lode, with another subsidiary tunnel on the Hot Number lode. When about in the center of the Copper Bar lode, in the Whale Tunnel, it is intended to sink on the vein, also to make an upraise to the surface. From this shaft drifts will be run on the veins and also cross cutting in order to develop all the claims in this group from the one shaft in the most advantageous and economical manner using one plant of machinery. It is proposed at a later date to connect the Hot Number tunnel with the drifts.

This survey was made with a Gunley Light Mountain Transit. The courses were deflected from the true meridian by direct Solar Observations. The distances were measured with a 100 foot steel tape.

Arthur B. Mader

COUNTY CLERK OF SUPERVISOR

(over.)

Survey No 1462

Homestake lode	-----	20.6611	Acre
washington	"-----	20.6611	do.
Hot Number	"-----	20.6611	do.
Copper Bar	"-----	10.3305	do.
Whale	"-----	20.6611	do.
Anchor	"-----	20.6611	do.
McC. Kinley	"-----	20.6611	do.
Elephant	"-----	20.6611	do.
Grand View	"-----	20.6611	do.
Arizona Chief	"-----	20.6611	do.

Total Area of Claim 196.2804 Acres ✓

Calculation of Areas
Honestakes Claim Surv. No. 1462

Courses	Dip. Lat.		Departure		D. N. D.	+ Areas	- Areas
	Bearings	Distances	N +	S -			
N 27°-44'E	1500	1327.65			698.10	926832.4	538168.0
S 62°-16'E	600	279.24	698.10		1927.26		2336956.1
S 27°-44'W	1500	1327.65			1760.22		
N 62°-16'W	600	279.24	531.06		531.06	149293.1	
					1875725.5	2875124.1	1075125.5
						1799998.6	
					43560	899999.3	
						20.6611	Acre.

Calculations for, Washington, Hot Number,

Whale, Anchor, Mc Kiley, Elephant

Grand View and Arizona Chief are precisely the same, they having parallel end and side lines of the same length.

By inspection the Copper Bar lode is found to be $\frac{1}{2}$ the area of any one of the above claims, having parallel side lines of same length and parallel end lines of $\frac{1}{2}$ the length, viz. 300 ft. instead of 600 ft.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by W. B. Mader
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claims
 of Honestake, Washington, Hot Number, Coffin Bar, Whale, Anchor
McKinley, Elephant, Grand View & Arizona Chief
 known as the Whale Group
 and showing the respective capacities in which they acted.

H. H. MacDonald, Chairman.

Thomas Anderson, Chairman.

....., Assman.

H. S. Wall, Flagman.

FINAL OATHS OF ASSISTANTS.

We, H. H. MacDonald, Thomas Anderson
 and H. S. Wall, do solemnly swear that we assisted W. B. Mader
Mader, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claims Honestake, Washington, Hot Number
Coffin Bar, Whale, Anchor, McKinley, Elephant, Grand View &
Arizona Chief, known as the Whale Group, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona.

H. H. MacDonald, Chairman.

Thomas Anderson, Chairman.

....., Assman.

H. S. Wall, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 31st day of March, 1900.

W. B. Mader
Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, Arthur B. Mader, U. S. Deputy Mineral

Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated March, 17th, 1900,

I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions

of said Surveyor General, faithfully and correctly executed the survey of the Mining Claims of Homestake, Washington, Hot Number, Copper Bar, Whale, Anchor, Mc. Kinley, Elephant, Grand View and Arizona Chief, known as the whale group,

situate in Peck Mining District,

Yavapai County, Arizona, in Section

unsurveyed Township No. _____, Range No. _____

and designated as Survey No. 1462, as represented

in the foregoing field notes, which accurately show the boundaries of said mining claim

as distinctly marked by monuments on the ground, and described in the attached copy

of the location certificate, which was received by me from the Surveyor General with

said instructions, and that all the corners of said survey have been established and per-

petuated in strict accordance with the law, official regulations and instructions there-

under; and I do further solemnly swear that the foregoing are the true and original

field notes of said survey and my report therein, and that the labor expended and

improvements made upon said mining claim by claimants or their grantors

are as therein fully stated, and that the character, extent, location and itemized value

thereof are specified therein with particularity and full detail, and that no portion of

said labor or improvements so credited to this claim has been included in the estimate

of expenditures upon any other claim. _____

Arthur B. Mader
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said Arthur B. Mader

U. S. Deputy Mineral Surveyor, before me W.C. Brandon

Notary Public this 14th

day of April - 1900.

W.C. Brandon
Notary Public

Affidavit of Five Hundred Dollars Improvements.

We, H. O. Wall, and W. C. Brandon

of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the Hamstake, Washington, Hot Member, Lopper Bar, Lohale, Anchor & McKinley, Elephant mining claims situate in the Peak Mining district, Yavapai County,

Arizona Territory, for which C. O. Ellis, John Pritt, & John Riley

have made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicants and their grantor exceed Five Hundred Dollars for each claim in value, and further that we are not personally interested in said mine.

H. O. Wall

W. C. Brandon

TERRITORY OF ARIZONA,

County of Yavapai } ss:

by H. O. Wall

Sworn to and subscribed before me, this 7/1st

day of April, 1900.

W. C. Brandon

Subscribed and sworn to by W. C. Brandon before me this 23rd day of April, A. D. 1900.

My Commission expires Sept. 26, 1900.

Fred B. Philpot
Notary Public.

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Washington Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by John Pitt John Riley and Chas. O. Ellis of Prescott Arizona the undersigned, on the 4th day of August 1899

The length of this claim is Fifteen hundred - 1500 - feet, and the claim, one hundred - 1000 - feet in a Northerly direction, and Five - 500 - hundred feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, about 3 miles in a North East direction from the Peck Mine and joins on to the North End line of the Whale Mine

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument of Stone's

at a point in a Southerly direction Five hundred - 500 - feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence East - 300 - feet to a Stone Monument, being the South East corner of said claim; thence Northerly - 750 - feet to a Monument at the center of the East side line of said claim; thence Northerly - 750 - feet to a Monument being at the North East corner of said claim; thence West 300 - feet to a Monument at the center of the North end of said claim; thence West - 300 - feet to a Monument, being at the North West corner of said claim; thence Southerly - 750 - feet to a Stone Monument being at the center of the West side line of said claim; thence Southerly - 750 - feet to a Monument at the South West corner of said claim; thence East - 300 - feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this the 4th day of August 1899.

Witness
G. W. Middleton

John Pitt
John Riley
Chas. O. Ellis
Locators

I, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock, M., on this day of 189....., and duly recorded in Book No of Records of County, Arizona, at pages

WITNESS my hand and official seal the day and year first above written.

County Recorder

Notice of Location.

LODE CLAIM.

John R. Pett
John R. Pett
Chas. P. Pett

Dated August 4th 1899.

Filed and recorded at request of

G. W. Middleton


Oct. 23^d A. D. 1899

at 10 o'clock P. M.

Book 57 of Mines

Page 1478 -
 RECORDS OF YAVAPAI COUNTY, ARIZONA
W. D. Johnson
 County Recorder.

By *E. D. Sawyer*
 Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

middlecard.
Washington Mining Claim
1548

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the "Homestead" Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by John Pitt, John Riley and Char O. Ellis of Prescott Arizona the undersigned, on the 2nd day of August 1899.

The length of this claim is Fifteen Hundred - 1500 feet, and the claim one hundred - 1000 feet in a Northerly direction, and two hundred - 500 feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred - 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, about 3 miles in a North East direction from The Peck Mine and Mill and also the North End line of the Buster Mine.

(The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of Stone

at a point in a Southerly direction two hundred - 500 feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence East - 300 feet to a stone monument, being the South East corner of said claim; thence Northerly - 750 feet to a monument at the center of the East side line of said claim; thence Northerly 750 feet to a monument being at the North East corner of said claim; thence West - 300 feet to a monument at the center of the North end of said claim; thence West - 300 feet to a monument, being at the North West corner of said claim; thence Southerly - 750 feet to a stone monument, being at the center of the West side line of said claim; thence Southerly 750 feet to a monument at the South West corner of said claim; thence East - 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this the 2nd day of August 1899

Witness
G. W. Middleton

John Pitt
John Riley
Char O. Ellis
Locators.

TERRITORY OF ARIZONA,
County of..... } ss.

I..... County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at..... o'clock..... M., on this..... day of..... 189....., and duly recorded in Book No..... of..... Records of..... County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

County Recorder

indexed
"Homestead" Mining Claim
-1575-

Notice of Location.
LODE CLAIM.

John P. Riley
John Riley
Chas. P. Ellis
John P. Riley

Dated August 2nd 1899.

Filed and recorded at request of
G. W. Middleton

Oct. 23rd A. D. 1899


at 10 o'clock a. m.

Book 57 of Mines

Pages 47-51
RECORDS OF YAVAPAI COUNTY, ARIZONA.

W. D. Johnson
County Recorder.

By *E. C. H. [Signature]*
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Auchon Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by John Pitt, John Riley and Chas. Q. Eccles of Prescott Arizona the undersigned, on the 10th day of August 1899

The length of this claim is Fifteen Hundred - 1500 feet, and 750 claim Seven hundred & fifty - 750 feet in a Northeast direction, and Seven hundred and fifty - 750 feet in a Northwest direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred - 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest

The claim is situated and located in the Cocon Mining District, in Yavapai County, in the Territory of Arizona, about 3 Miles in a North East direction from The Cocon Mine & Mill and about 1 1/2 Miles North East of the Cocon & Cronquist Road.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of Stone

at a point in a North East direction Seven hundred & fifty feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence Easterly - 300 feet to a State & Monument, being the North East corner of said claim; thence Southerly - 750 feet to a Monument at the center of the East side line of said claim; thence Southerly - 750 feet to a Monument being at the South East corner of said claim; thence Westerly - 300 feet to a Monument at the center of the South end of said claim; thence Westerly - 300 feet to a Monument, being at the South West corner of said claim; thence Northerly - 750 feet to a State & Monument being at the center of the West side line of said claim; thence Northerly - 750 feet to a Monument at the North East corner of said claim; thence Easterly - 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 10th day of August 1899.

Witness
W. W. Mindecker

John Pitt
John Riley
Chas. Q. Eccles
Locators

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the "Shale"
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purpose of exploration and
purchase by Charles O. Ellis of Prescott

Arizona
the undersigned, on the 2nd day of August 1899

The length of this claim is Fifteen hundred - 1500 - feet,
and 1 claim one thousand - 1000 - feet
in a Southerly direction, and Five hundred
- 500 - feet in a Westerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with Three hundred - 300 - feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
North to the South

The claim is situated and located in the Peck Mining District, in
Yavapai County, in the Territory of Arizona, about 2 1/2 miles
in a North East direction from The Peck Mining Mill
and Parallel to the Buster on the West

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a Monument of this

at a point in a Westerly direction Five hundred feet from
the discovery shaft (at which this notice is posted), being in the center of the North
end line of said claim; thence East - 300 feet to a State
Monument, being the North East corner of said claim; thence
Southerly 750 feet to a Monument at the center of
the East side line of said claim; thence Southerly - 700 -
feet to a Monument being at the South East corner of said
claim; thence West - 300 - feet to a Monument
at the center of the South end of said claim; thence West - 300 -
feet to a Monument, being at the South West
corner of said claim; thence Westerly - 750 - feet to a State
Monument being at the center of the West side line of said claim;
thence Westerly - 750 - feet to a Monument at
the North East corner of said claim; thence East - 300 -
feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concern-
ing Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 2nd day of August 1899.

Witness: Charles O. Ellis
Locator
G. W. Middleton

N.B. = See location word 100 feet west of center.

43 TERRITORY OF ARIZONA, }
 County of..... } ss.

I,..... County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at..... o'clock,..... M., on this..... day of..... 189....., and duly recorded in Book No..... of..... Records of..... County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

County Recorder

"Whale" mine
 15779

Notice of Location

LODE CLAIM.


Charles O. Ellis
 Deuter

Dated August 2nd 1899

Filed and recorded at request of
 G. W. Middleton

Oct 23" A. D. 1899.
 at 10:00 o'clock a. M.
 Book 57 of Mines

Page 481 -
 RECORDS OF YAVAPAI COUNTY, ARIZONA.
 W. D. Johnson
 County Recorder.
 By E. L. Avery
 Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

To be Placed at Discovery Shaft.

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

That ~~we~~ the undersigned, have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this Monument and Notice placed upon the ledge, and runs 750 feet in a northerly direction and 750 feet in a southerly direction along the ledge, from discovery shaft.

The exterior boundaries are as follows, viz: Commencing at a monument of stone on west boundary line, distant three hundred (300) feet in a westerly direction from discovery monument; thence in a northealy direction parallel with the ledge 750 feet to monument of stone at N. W. corner of claim; thence in an easterly direction at right angles across the ledge six hundred (600) feet to monument of stone at N. E. corner of claim; thence in a southerly direction parallel with the ledge fifteen hundred (1500) feet to monument of stone at S. E. corner of claim; thence at right angles across the ledge, in a westerly direction six hundred (600) feet to monument of stone at S. W. corner of claim; thence in a northerly direction parallel with the ledge 750 feet to monument on west boundary and place of beginning.

This ledge may be more generally described as situated *in the county of Yavapai about 2 1/2 miles in a northerly direction from the Beck mine and well and joining the Ruston mine on its ^{N.W.} side line half way, and joins the ~~east~~ south east side line of the whole mine.*

in the Beck Mining District, Yavapai County, Arizona Territory, and shall be known as the Copper Bar Mining Claim.

Dated on the ground this 16th day of December 1897.

John Riley
John Pitt
C. O. Ellis
Creators

*Indexed.
Compared.*

45

RECORDED AT REQUEST OF

G. W. Middleton

March 14 A. D., 1900

At *3:55* o'clock. *P.*

In Book *54* of *Minutes*

Page *5*

Records of Yavapai County, Arizona.

W. Johnson

County Recorder.

By *J. P. Kelly*

J. P.

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the "Hot Number"
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purpose of exploration and
purchase by

the undersigned, on the Twist day of September 1899

The length of this claim is Fifteen hundred - 1500 - feet,
and claim Seven hundred fifty - 750 - feet
in a Northerly direction, and Seven hundred
and fifty 750 feet in a Southerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with Three hundred - 300 - feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
North to the South

The claim is situated and located in the Peck Mining District, in
Yavapai County, in the Territory of Arizona, about 3 1/2 miles
in a North Easterly direction from The Peck Mine 5 miles
& adjoins The East side line of Paradise the "Buster Mine"

The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a Monument of Stone

at a point in a Northerly direction Seven hundred fifty feet from
the discovery shaft (at which this notice is posted), being in the center of the North
end line of said claim; thence Westerly - 300 - feet to a State &
Monument, being the North West corner of said claim; thence
Southerly - 750 - feet to a Monument at the center of
the West side line of said claim; thence Southerly - 750 -
feet to a Monument being at the South West corner of said
claim; thence Easterly - 300 - feet to a Monument
at the center of the South end of said claim; thence Easterly - 300 -
feet to a Monument, being at the South East
corner of said claim; thence Northerly - 750 - feet to a State &
Monument being at the center of the East side line of said claim;
thence Northerly - 750 - feet to a Monument at
the North East corner of said claim; thence Westerly - 300 -
feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concern-
ing Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this The 1st day of September 1899

Witness
J. M. Middleton

Geo. Q. Ellis
Locator

TERRITORY OF ARIZONA,
County of..... } ss.

I, County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at o'clock, M., on this day of 189....., and duly recorded in Book No. of Records of County, Arizona, at pages
WITNESS my hand and official seal the day and year first above written.

County Recorder

under
"Hot-Number" Mining Claim
1551
Compared.

Notice of Location
LODE CLAIM.

Geo. O. Davis
Locator
Rich. D.

Dated *Sept 1st* 1899

Filed and recorded at request of
G. W. Middleton


Oct. 23rd A. D. 1899
at *10^o o'clock a. M.*

Book *5th of Mines*

Pages *- 483 -*

W. S. Johnson
County Recorder.

By *E. C. Huery*
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Grand View Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Chas. O. Ellis of Prescott

Arizona the undersigned, on the 2nd day of August 1899

The length of this claim is Fifteen Hundred 1500 feet, and I claim Seven hundred and fifty 750 feet in a North Easterly direction, and Seven hundred and fifty 750 feet in a South Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, about 3 1/4 miles in a North East direction from the Peck mine and adjoins the Elephant Mine on the west side line

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of Amos's

at a point in a Westerly direction Seven hundred and fifty 750 feet from the discovery shaft (at which this notice is posted), being in the center of the end line of said claim; thence East 300 feet to a stone monument, being the North East corner of said claim; thence Southerly 750 feet to a monument at the center of the East side line of said claim; thence Southerly 750 feet to a monument being at the South East corner of said claim; thence West 300 feet to a monument at the center of the South end of said claim; thence West 300 feet to a monument, being at the South West corner of said claim; thence Westerly 750 feet to a stone monument being at the center of the West side line of said claim; thence Westerly 750 feet to a monument at the North East corner of said claim; thence East 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 2nd day of August 1899.

Witness
G. W. Middleton

Chas. O. Ellis
Locater.

TERRITORY OF ARIZONA,
County of..... } ss.

I..... County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at..... day of..... 189....., and duly recorded in Book No..... of..... M., on this..... day of..... 189....., and duly recorded in Book No..... of..... M., County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

County Recorder

Grand View Mining Claim
-1552-

Notice of Location
LODE CLAIM.

Compared.

Geo. O. Smith
Locator
Beck

Dated *August 2nd* 1899.

Filed and recorded at request of
G. W. Middleton

Oct. 23 A. D. 1899,


at *10 o'clock* a. M.

Book *54 of Mines*

Pages *484*
RECORDS OF YAVAPAI COUNTY, ARIZONA.

W. D. Johnson
County Recorder.

By *E. D. Haverly*
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Elephant Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Chas. O. Ellis

of Prescott Arizona the undersigned, on the 31st day of July 1899

The length of this claim is Five hundred - 1500 - feet, and I claim Four hundred - 1400 - feet in a Northward direction, and One hundred - 100 - feet in a Southward direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred - 300 - feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, about 2 Miles in a North East direction from the Peck Mine and adjoins the Buster Mine's South End line

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a Monument of Stone

at a point in a Southward direction One hundred - 100 - feet from the discovery shaft (at which this notice is posted), being in the center of the South end line of said claim; thence Eastward 300 feet to a State Monument, being the South East corner of said claim; thence Northward - 750 - feet to a Monument at the center of the East side line of said claim; thence Northward - 750 - feet to a Monument being at the North East corner of said claim; thence Westward - 300 - feet to a Monument at the center of the North end of said claim; thence Westward - 300 - feet to a Monument, being at the North West corner of said claim; thence Southward - 750 - feet to a State Monument being at the center of the West side line of said claim; thence Southward - 750 - feet to a Monument at the South West corner of said claim; thence Eastward 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this the 31 day of July 1899

Witness
G. W. Middell

Chas. O. Ellis
Locator

TERRITORY OF ARIZONA, }
County of..... } ss.

I,..... County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at..... o'clock,..... M., on this..... day of..... 189....., and duly recorded in Book No..... of..... Records of..... County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

County Recorder

Under
"Elephant" Mining Claim
1550

Noticed
Notice of Location
LODE CLAIM.


Chas. B. Ellis
J. B. ...
J. B. ...
Dated July 21st 1899.

Filed and recorded at request of
G. W. Middleton

Oct. 23" A. D. 1899,

at 10 o'clock a. M.
Book 57 of Mines

Page 482
RECORDS OF YAVAPAI COUNTY, ARIZONA
W. B. Johnson
County Recorder.
By E. D. ... Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the McFisher Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by John Britt, John Riley and

Chas. O. Ellis of Prescott Arizona the undersigned, on the 2nd day of August 1899

The length of this claim is Fifteen hundred - 1500 feet, and the claim one thousand - 1000 feet in a Southerly direction, and Five hundred - 500 feet in a Northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred - 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the

North East to the South West

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, about 2 miles in a North East direction from the Peck Mine Mill and adjoins the Elephant Mine on the East

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone

at a point in a Northerly direction Five hundred - 500 feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence Westerly - 300 feet to a State Monument, being the North East corner of said claim; thence Southerly 750 feet to a monument at the center of the West side line of said claim; thence Southerly - 750 feet to a monument being at the South West corner of said claim; thence Easterly - 300 feet to a monument at the center of the South end of said claim; thence Easterly - 300 feet to a monument, being at the South East corner of said claim; thence Northerly - 750 feet to a State Monument being at the center of the East side line of said claim; thence Northerly - 750 feet to a monument at the North East corner of said claim; thence Westerly - 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this the 2nd day of August 1899.

Witness

J. W. Middleton

John Riley
John Britt
Chas. O. Ellis
Locators

I,..... County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at..... o'clock,..... M., on this..... day of..... 189....., and duly recorded in Book No..... of..... Records of..... County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

..... County Recorder

McLindley "Mining Claim"
 -1547-

Notice of Location
 LOPE CLAIM.


John W. Rice
Paul W. Rice
Charles P. Rice
 Dated August 2nd 1899.

Filed and recorded at request of
G. W. Middleton

Oct. 23" A. D. 1899

at 10^o o'clock a. M.
 Book 54 of Mines

Page 4 RECORDS OF YAVAPAI COUNTY, ARIZONA.
W. D. Johnson County Recorder.
E. D. Sturges Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Notice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:

This mining claim, the name of which is the Arizona Chief Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by John Britt, John Riley, and

Chas O. Ellis of Prescott Arizona the undersigned, on the 2nd day of August 1899.

The length of this claim is _____ feet, and 75 claim Three hundred fifty 350 feet in a Northeasterly direction, and Eleven hundred fifty feet in a Southwesterly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three hundred 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the North East to the South West

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, about 1 1/2 miles in a North East direction from The Peck Mine 1/2 mile and joins the South end line of the Grandview Mine

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone

at a point in a Northerly direction Three hundred fifty feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence East - 300 feet to a State Monument, being the North East corner of said claim; thence Southerly - 750 feet to a Monument at the center of the East side line of said claim; thence Southerly - 750 feet to a Monument being at the South East corner of said claim; thence West - 300 feet to a Monument at the center of the South end of said claim; thence West - 300 feet to a Monument, being at the South West corner of said claim; thence Northerly - 750 feet to a State Monument being at the center of the West side line of said claim; thence Northerly - 750 feet to a Monument at the North East corner of said claim; thence East - 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 2nd day of August 1899

Witness
G. W. Middleton

John Britt
John Riley
Chas O. Ellis
Locators.

TERRITORY OF ARIZONA,
County of..... } ss.

I..... County Recorder in and for the County and Territory aforesaid, do hereby certify that the within instrument was filed for record at..... o'clock..... M., on this..... day of..... 189..... and duly recorded in Book No..... of..... County, Arizona, at pages.....

WITNESS my hand and official seal the day and year first above written.

County Recorder

Arizona - Chief - Mining Claims
- 1544 -

Notice of Location.

LODE CLAIM.

John Britton
John Campbell
Chas O. Sweet

Dated *August 2nd* 1899
Jeck

Filed and recorded at request of
G. N. Middleton

Oct. 23rd A. D. 1899,


at *10^o o'clock* - M.

Book *54 of Mines*

Page *476* RECORDS OF YAVAPAI COUNTY, ARIZONA.

W. D. Johnson
County Recorder

By *E. B. Averett*
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson Arizona

May 18th 1900.

I, U. S. Surveyor General for

Arizona

do hereby certify that the foregoing and hereto attached Field Notes and Return of the

Survey of the Mining Claim of

C. O. Ellis, John Riley & John Pitt, known as the Hadjestate Washington, Hat Number, Copper Bar, Whale, Anchor, Mc-Kinley, Elephant, Grand View, and Arizona Chief,

situate in

Peck

mining district,

Yavapai

County,

Arizona

in Section

Township No.

Range No.

unsurveyed

, designated as Survey No.

1462

executed by

A. B. Mader

U. S. Deputy Mineral

Surveyor,

March 21-28 1900

, under my instructions dated

March 17, 1900

, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

George Christ

U. S. Surveyor General for

Arizona

Large

map

Drawing

1-21 Oct 1901

In case No. 32 for original survey

(4-683.)

Amended
Mineral Survey No. 1462

Lot No.

Prescott

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIMS OF

John Britt, John Riley and C. O. Ellis

KNOWN AS THE

*Washington, Homestake, Anchor, Whale, Copper Bar, Hot Number,
Grand View, Elephant, Mc. Kinley and Arizona Chief-Peck* Mining District.

Yavapai County, *Arizona Terr.*

Section _____ Township *11 N (approx)*, Range *1 W*

Surveyed under instructions dated *Sept. 6th*, 1901.

by *A. B. Mader*

U. S. Deputy Mineral Surveyor

Claim located *See Survey No. 1462*

Survey commenced *Sept. 12th*, 1901.

Survey completed *Sept. 13th*, 1901.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

I, ~~W. C. Brandon~~ and G. O. Marro,
 do solemnly swear that we will well and faithfully execute the duties of chain carriers;
 that we will level the chain upon even and uneven ground and plumb the tally-pins,
 either by sticking or dropping the same; that we will report the true distance to all
 notable objects, and the true length of all lines that we assist in measuring, to the best
 of our skill and ability, and in accordance with instructions given us, in the survey of
 the Mining Claims of John Britts, John Riley and
C. O. Ellis, known as the
Honestake, Washington, Hot Number, Copper Bar, Whale, Anchor, Mc. Kinley, Elephant, Grand View
 situate in Peck mining district,
Yavapai County, Arizona,
 in Section _____, Township No. _____, Range No. _____.

Geo. O. Marro, Chainman.
 _____, Chainman.

Subscribed and sworn to by the above-named persons before
 me this 11th day of Sept, 1891

W. C. Brandon
 My Commission expires Sept 26, 1902.
Notary Public

I, W. C. Brandon, do solemnly swear that I will well and
 truly perform the duties of ~~axeman~~ ^{Chainman} in the establishment of corners and other duties,
 according to instructions given me and to the best of my skill and ability, in the survey
 of the Mining Claims of John Britts, John Riley and
C. O. Ellis
 known as the Honestake, Washington, Hot Number, Copper Bar, Whale, Anchor, Mc. Kinley, Elephant
 more fully described in the preceding affidavit.

W. C. Brandon Chainman
 Axeman

Subscribed and sworn to by the said W. C. Brandon
 before me this 11th day of
September, 1891.

my Commission expires
 sept 26 1902. Fred B Philpatt
 Notary Public

I, _____, do solemnly swear that I will
 well and truly perform the duties of flagman, in the establishment of corners and other
 duties, according to instructions given me and to the best of my skill and ability, in the
 survey of the Mining Claim of _____

 known as the _____,
 more fully described in the preceding affidavit.

_____, Flagman.

Subscribed and sworn to by the said _____
 before me this _____ day of
 _____, 18 _____.

HOME STAKE LODE.

Amended Survey No. 1462.

Feet

Beginning at cor. No. 1, identical with cor. No. 1 of the location and with cors. No. 1 & 3 of the Washington ^{Orig. Survey # 1462} and Copper Bar lodes, respectively, of this survey and with Cor. No. 2 of the Copper Link lode, surveyed but not patented, Survey No. 1534, G.O. Marrs claimant per T.G. Norris, Atty.

A slate stone 20 x 12 x 8 ins. set 6 ins. in the ground and chiseled 1-1462-H-A with a mound of stone 1 1/2 ft. base, 3 1/2 ft. high alongside, whence the U.S.M.M. No. 2 P.M.D. brs. S. 36° 56' W. 1438 ft. dist. No bearings available.

Thence S. 62° 16' E.

300 To the south end center.

Identical with the location and with the north end center of the Copper Link lode, Survey No. 1534.

A slate stone 18 x 16 x 5 ins. set 6 ins. in the ground and chiseled S.E.C.-1462-H-A with a mound of stone 1 1/2 ft. base 3 ft. high alongside to the E.

No brs. available.

547.7 Intersect south end line of Guadalupe Claim, unsurveyed, claimant, at a point S. 49° 48' E. 350 ft. from the south west cor. of the Guadalupe a mon. of stone 1 1/2' base and 3' high.

600 To cor. No. 2, identical with cor. of the location and with cor. No. 4 of the Hot Number lode of ~~this~~ survey ^{No. 1462,} and with Cor. No. 3 of the Copper Link lode, Surv. No. 1534.

A quartzite stone 18 x 12 x 8 ins. set 6 ins in the ground and chiseled 2-1462-H-A with a mound of stone 1 1/2 ft. base 3 ft. high alongside. No bearings available.

Feet

Thence N.27° 44'E.

- 66 Intersect south end line Guadalupe Claim, as decreed by Dist. Court, at a point S.50° E. 410 ft. from the south west cor. of the Guadalupe.
- 750 To the east side center, identical with the location A quartzite stone 18 x 12 x 6 ins. set 6 ins. in the ground and chiseled E.S.C.-1462-H-A with a mound of stone 1 1/2 ft. base 3 ft. high alongside to the N. No brs. available.
- 1160 Top of Hill.
- 1464.1 Intersect north end line of Guadalupe Claim, at a point S.50° 14' E. 108.1 ft. from the northwest cor. of Guadalupe a mon of stone 1 1/2 base and 2' high (partly destroyed).
- 1500 To cor. No. 3, identical with cor. of the location. A quartzite stone 15 x 12 x 8 ins. set 5 ins. in the ground and chiseled 3-1462-H-A- with a mound of stone 1 1/2 ft. base and 3 ft. high alongside. No brs. available.

Thence N.62° 16' W.

- 107.8 Intersect west side line of Guadalupe claim, as decreed by the Dist. Court at a point north 40° E. 1378.5 ft. from the south west cor. of the Guadalupe claim.
- 300 To the north end center, identical with the location. A porphyry stone 20 x 10 x 6 ins. set 6 ins. in the ground and chiseled N.E.C.-1462-H-A with a mound of stone 1 1/2 ft. base 3 ft. high alongside. No bearings available.
- 600 To cor. No. 4, identical with cor. of the location and with cor. No. 2 of the Washington lode of ~~the~~ survey No. 1462. A porphyry stone 15 x 14 x 7 ins. set 5 ins in the ground and chiseled 4-1462-H-A with a mound of stone 1 1/2 ft. base 3 ft. high alongside.

-3-

Feet

Thence S.27° 44' W.

100 Cross ravine 6 ins. wide course N.brs.S.

750 To the west side center, identical with the location and with the east side center of the Washington lode of ~~this~~ survey No. 1462.

A slate stone 18 x 12 x 4 ins. set 6 ins in the ground and chiseled W.S.C.-1462-H-A with a mound of stone 1 1/2 ft. base and 3 ft. high alongside.

No brs. available.

940 Cross ravine, 6 ins, wide course W.brs. S.73° E.

1500 To cor. No. 1, the place of beginning.

The variation at all the corners is 13° 53' E.

This claim is located in Peck Mining District, Yavapai Co., Arizona, on unsurveyed public land, in what would approximately be if surveyed Tp. 11 N. R. 1 W.

Adjoining Claims.

On the N., none. On the S., Copper Link lode, Survey No. 1534, G.O. Marrs, claimant by T.G. Norris, Atty.

On the E. Guadalupe lode, on the west Washington lode of ~~this~~ survey No. 1462

The course and length of ledge on the Home Stake Claim is from the north center end to the south center end 1500 ft. and is traceable by croppings, the vein matter being about 300 ft. wide at the south end of claim. Width not known at north end.

4
-12-

Feet

Amended Survey No.1462.

COPPER BAR LODGE.

Beginning at cor. No.1, identical with cor. No.1 of the location and with cor. No.1 of the Whale, Elephant and Grand View Lodes of ~~this~~ survey. *No. 1462.*

A quartzite stone 18 x 12 x 8 ins. set 5 ins in the ground, and chiseled 1-1462-C-B-A with a mound of stones 1 1/2 ft. base 3 ft. high alongside.

The center of a round topped hill brs.S. 68° 50' W. about 2000 ft. distant.

The center of top of sharp pointed mountain brs.N.19° 44' W. about 4 miles distant.

U.S.M.M. No.2 P.M.D. brs.N.68° 02' E. 106 ft. dist.

No other bearings available.

Thence S.62° 16' E.

Up hill

- 48 Cross trail on top of ridge, down steep rocky slope (angle of inclination from horizontal 32° 30')
- 300 To cor.No.2, identical with cor. of the location and with the North end center of the Elephant lode of ~~this~~ survey, ^{No. 1462.} and with Cor. No.1 of the Copper Link lode (survey No.1534, G.O. Marrs claimant by T.G.Norris, Atty.)
- A quartzite rock in place part of large irregular shaped ledge, shiseled a cross (+) at exact corner point and 2-1462-C.B.-A with a mound of stones 1 1/2 ft. base 3 ft. high alongside.
- No bearings available.
- Thence N. 27° 44'E.
- 138 Intersect south end line Buster Claim, unsurveyed, claimant, at a point S.49° 39' E., 92' from the souly west cor. of the Buster a mon. of stone 1 1/2 ' base & 3' high.

- 5
~~25~~
- Feet
- 170 Intersect south end line Buster Claim, as decreed by the District Court, at a point S.50° E., 125.67 ft. from the southwest cor. of the Buster Claim.
- 320 To head of ravine course S.41° E.
Up steep rocky slope.
- 561 Intersect west side line of Buster Claim, unsurveyed, claimant, at a point N.41° 02' E., 412' from the south west cor. of the Buster, a mon. of stones 1 1/2' base and 3' high.
- 680 Cross trail on top of ridge brs. S. 62° W. and N. 62° E. down slight slope.
- 750 To the east side center, identical with the location and with the west side center of the Copper Link lode, Survey No. 1534.
A quartzite stone 16 x 16 x 6 ins. set 5 ins. in the ground and chiseled E.S.C.-1462-C-B-A with a mound of stones 1 1/2 ft. base 3 ft. high alongside.
No bearings available.
- 761.5 Intersect west side line Buster Claim, as decreed by the District Court, at a point N.40° E. 578' from the south west cor. of the Buster Claim.
- 875 Cross wagon road bears E. and W.
- 1500 To cor. No. 3, identical with cor. of the location and with cors. No. 1 of the Homestake ^{of this survey} and Washington lodes of ~~this~~ ^{No. 1462} survey and with Cor. No. 2 of the Copper Link lode (survey No. 1534).
A slate stone chiseled 3-1462-C-B-A
Thence N. 62° 16' W.
- 250 Cross ravine 12 ins wide course N.40° E. brs. S.43° W.
- 300 To cor. No. 4, identical with cor. of the location and with south end center of the Washington lode of

4
-14-

~~this survey~~ and with Cor. No. 2 of the Whale lode ,
~~this~~ surveys No. 1462

A porphyry stone chiseled 4-1462-C-B-A

Thence S. 27° 44' W.

200 Cross ravine, 8 ins. wide, course N. 53° E. & S. 53° W. 36150-2-47

750 To the west side center, identical with the location
and with the east side center of the Whale lode of
~~this~~ Survey No. 1462. 36150-2-47

A quartzite stone 18 x 12 x 2 ins. set 5 ins. in the
ground and chiseled W.S.C.-1462-C-B-A with a mound
of stones 1 1/2 ft. base 3 ft high alongside.

No bearings available.

1030 Cross wagon road, bears E. and N.W.

1210 Cross trail to Whale tunnel hrs. N. 58° 30' W.

1500 To cor. No. 1, the place of beginning.

The variation at all the corners is 13° 53' E.

This claim is located in Peck Mining District, Yavapai
County, Arizona, on unsurveyed land, in what would
approximately be if surveyed Tp. 11 N. R. 1 W.

Adjoining Claims.

On the N., Washington lode of ~~this~~ survey^{No. 1462}, on the
east Copper Link lode, Survey No. 1534, G.O. Marrs,
claimant, per T.G. Norris Atty., on the west, Whale
lode of ~~this~~ survey^{No. 1462}, on the south Elephant lode of
~~this~~ survey^{No. 1462}. The Copper Bar claim is on the ledge
or vein throughout its whole area, the ledge running
parallel with the side lines, the center of the ledge
coinciding with center of claim. The ledge is
traceable by croppings.

The corners of the amended survey are identical with
the corners of the original survey.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by A. B. Mader
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of John Britt, John Riley and C. O. Ellis
 known as the Honestake, Washington, Hot Number, Copper Bar, Whale, Anchor, Mc. Kinley
 and showing the respective capacities in which they acted.

W. C. Brandon, Chairman.
G. O. Marrs, Chairman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, W. C. Brandon
 and G. O. Marrs, do solemnly swear that we assisted A. B. Mader
 _____, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claims of John Britt, John Riley
and C. O. Ellis

_____ known as the Honestake, Washington
Hot Number, Copper Bar, Whale, Anchor, Mc. Kinley, Elephant, Grand View, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona

W. C. Brandon, Chairman.
Geo. O. Marrs, Chairman.
 _____, Axman
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 14th day of Sept, 1901.

W. C. Brandon

 Notary Public
 My Commission expires April 22, 1903.

6-167 Subscribed and sworn to by W. C. Brandon before me
 this 20th day of September, 1901.
Fred B. Pilpatt
 Notary Public.
 my commission expires Sept. 26-1902.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, A. B. Mader, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated _____, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claims of John Pitts, John Riley and C. O. Ellis, known as the Washington, Homestake, Hot Number, Copper Bar, Whale, Anchor, Arizona Chief, Mc. Kinley, Elephant, Grand View situate in Peck Mining District, Yavapai County, Arizona, in Section _____, Township No. _____, Range No. _____, and designated as Survey No. 1462 Amended, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

A. B. Mader
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said A. B. Mader
U. S. Deputy Mineral Surveyor, before me W. C. Brandau
Notary Public this 14th
day of September 1909;

W. C. Brandau
Notary Public

Affidavit of Five Hundred Dollars Improvements.

We, W. B. Sherick and G. O. Marris

of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the Whals, Anchor, Mc. Kinley, Elephant, Grand View, Arizona Chief, Washington, Homestake, Hot Number, Copper Bar mining claims, situate

in Peck Mining District Yavapai County,

Arizona Territory, for which John Pitt, John Riley and C. O. Ellis

have made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicants and their grantors exceed Five Hundred Dollars in value, and further, that we are not personally interested in said mine.

W. B. Sherick
Geo. O. Marris.

TERRITORY OF ARIZONA,
County of Yavapai } ss:

Sworn to and subscribed before me, this 14th
day of Sept, 1901

W. C. Brandon
Notary Public
My Commission expires April 22, 1903.



Amended
 Survey No. 1462
 Prescott Land District
 Surveys Sept 12 and 13,
 1901.

by A. B. Mader, C. E.,
 U. S. Dep. Min. Surv.
 Prescott, A.
 Scale, 400' to 1 inch.

W. B. Sherick

W. B. Sherick

Wells, Anchor, Mrs. Kinley, Washington, Horsttable, ...

Whale

Copper Bar

COPPER LINK
 SURV. NO. 1534
BUSTER
 (UNSURVEYED)

Grand View

Elephant

Mrs. Kinley

Arizona

Chief

FORTUNE LODE
 SURV. NO. 1463.

Favorite
 SURV. NO. 1465

Iron Clad
 SURV. NO. 1465

Washington

Dis. Shaft No. 1

Dis. Shaft No. 1

Dis. Shaft No. 1

Tunnel

Tunnel

Tunnel

Dis. Shaft No. 1

Dis. Shaft No. 1

Dis. Shaft No. 1

W.S.C.

E.S.C.

W.S.C.

E.S.C.

W.S.C.

E.S.C.

W.S.C.

E.S.C.

W.S.C.

E.S.C.





(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona

Oct. 17th, 1901.

I, U. S. Surveyor General for Dist. of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the

Survey of the Mining Claim of John Britt, John Riley

and C. O. Ellis

, known as the

Copper Bar and Homestake

situate in Peck mining district,

Yavapai County, Arizona

in Section approx., Township No. 11 N., Range No. 1 west

, designated as ^{Amended} Survey No. 1462

executed by A. B. Mader, U. S. Deputy Mineral

Surveyor, Sept. 12-13" 1901, 18, under my instructions dated

Sept. 6" 1901, 18, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. -A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

Hugh H. Price

U. S. Surveyor General for

Arizona

Large
map
Drawing