

**M
S
-**

0

1

4

9

3

Spec'd Oct. 22. 1900.

Money sent to Bureau for stamps

(4-683.)

Mineral Survey No. 493

Lot No.

Pescado

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

Emma O. Or buckle

KNOWN AS THE

Bmoan lode

Wallapai

Mining District,

Mohave

County,

Arizona

Section 1 R. 18 W. S. 697 Township R. 17 W. Range T. 23 N.

Surveyed under instructions dated August 20th 1900

by O. F. Kuencer,

U. S. Deputy Mineral Surveyor.

Claim located July 9th 1900

Survey commenced September 19 1900

Survey completed September 24 1900

o 6-100

P. O. Address of claimant and Atty.
414 Peoples Bank Building
Denver Colo.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, P. H. Woodward and E. J. Willey, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of Emma A. Or buckle

....., known as the Saman Lane situate in Hallaton mining district, Mohave County, Arizona Territory in Section 1. R. 18 N. Township No. and Sect. 6 and 7. R. 17 W. T. 28 N. Range No.

P. H. Woodward, Chainman.
E. J. Willey, Chainman.

Subscribed and sworn to by the above-named persons before me this 19th day of September, 1900
Geo P. Feeny County Recorder
By O. F. Kuencer Deputy

I,, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

..... known as the more fully described in the preceding affidavit., Axeman.

Subscribed and sworn to by the said before me this day of, 18

I, John E. Bruce, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of Emma A. Or buckle

..... known as the Saman Lane more fully described in the preceding affidavit.

John E. Bruce Flagman.
Subscribed and sworn to by the said John E. Bruce before me this 19th day of September, 1900
Geo P. Feeny County Recorder
By O. F. Kuencer Deputy



Samoaan Lodge

Survey No 1493.

3

Feet.

Beginning at cor No 1.
Identical with S.W. cor. of location.
A granite stone 30 x 20 x 8. ins, 14. ins.
in ground, with mound of stone,
chiseled 1-1493. whence?

Cross (x) B R. 1-1493, chiseled in
granite rock in place, 30. ins. above
ground, bears S. 48° 30' E. 11.20 ft.

N.W. cor. "Anastasia" ledge, unmoved
claimed by Martin Neary, bears S.
9° 40' N. 38.20 ft.

South East and center "Comet" Ledge
unmoved, claimed by Martin Neary,
bears N. 56° 30' W. 68 ft.

Cor. common to sec 1 and 12. R. 18. W.
T_h 23. N, and to sec 6 and 7. R. 17. W.
T_h 23. N, Gila and Salt River Base
and Meridian, bears N. 76° 44' W.
816.18 feet.

Thence N. 53° 40' E.

Begin ascent.

300. to S.E. center of claim. Identical with to
center granite stone 35 x 16 x 12. ins, 12. ins.
in ground, with mound of stone, chiseled
S.E. E.C. 1493. whence?

Initial location monument, a cross
chiseled on top of a granite boulder,
8 x 12 x 4 feet above ground (x) I. L. 97.
1493. bears N. 36° 20' W. 75 feet.

316.00 intersect west line between Secs
6 and 7. R. 17. W. T_h 23. N. at E. 1048.24 ft
from cor. to sec 6-7. R. 17. W. T_h 23. N.
and sec 1-12. R. 18. W. T_h 23. N.

and at W. 1590.96 ft from 1/4 cor. of
said line

500. to top of a sharp Peak and begins
descent

600. to cor. No 2.

Identical with S.E. cor. of location
A granite stone 30 x 15 x 9. ins, 12. ins,
in ground, with mound of stone,

Feet

chiseled 2-1493, whence:

cross (x) B.R. 2-1493, chiseled in granite Rock in place, 32. ins. above ground, bears S. 57° 10' W. 100. ft.

Fence N. 56° 30' W

- 20. to top of ridge, bears E. and W. end begin descent.
- 230 to a portulinary duct, 40 ft. wide, bears N and S.
- 300. to a ravine 30 ft. wide, bears N and S
- 330 begin ascent.
- 450. to top of ridge bears N. and S.
- 750. to a granite stone 22 x 8 x 8. ins; 12. ins. in ground, with mound of stone, on East center side line, chiseled E.C.S.

1493

- to top of ridge bears E & W.
- 1500 to cor. No 3.

Identical with N.E. cor. of location.

A granite rock in place, 7 x 4 ft by 18" above the general surface, chiseled at corner point, cross (x) 3-1493 with mound of stone alongside of cross, whence: cross (x) B.R. 3-1493, chiseled in granite boulder 3 x 2 ft - 16. ins. above ground. bears N. 53° 40' E. 3.25 ft.

Fence S. 53° 40' W.

begin descent.

- 200 to trail from upper Samoan shaft to Chloride, bears N & S.
- 300. to N.W. and center of claim, a granite stone 32 x 5 x 13. ins above ground, 14 ins in ground, with mound of stone, chiseled N.W.E.C. 1493 - This is also the Bull East end center of the "Fifth of March" lode, monumented, claimed by R. Bourne.
- 482²³ intersect section line between Sec. 1 - R. 18 N and 6 - R. 17. W. T₃. 23. N. at 99. 1090⁴⁶ ft from cor. to sec. 1 - 12 - R. 18 N and 6 - 7. R. 17. W. T₃ 23. N. and at S. 1549⁵⁴ from 1/4 cor. of same line

Feet.

- 504 to center of gulch. 40 ft wide flows SE.
- 524. begin ascent
- 600. to cor. No 4.

Identical with NW. cor. of location
 a granite stone 12 x 12 x 10. ins. 12. ins
 in ground, with mound of stone,
 chiseled 4-1493., evidence.

cross (x) B.R. 4-1493, chiseled in
 granite boulder 4 x 6 x 2 ft. above
 ground bears N. 80° 20' E. 4. 1/2 ft.

Highest point of Pimaean peak
 bears N. 77° 20' E about one half mile,
 Rain Bow peak bears N. 19° 10' W
 about one and a half mile.

Thence S. 36° 20' E

Begin ascent

- 159¹² intersect section line between Sec. 1. R. 18. N. and 6. R. 17. N. T_h. 23 N. at N. 892. 87 ft. from cor. to Sec. 1-12 R. 18. N. and 6-7. R. 17. N. T_h. 23 N. and at S. 1747. 13 ft. from 1/4 cor. same line

450 to top of ridge bears NE & SW and begin descent.

730 to a granite stone 20 x 7 x 5. ins. 12. ins in ground, with mound of stone, chiseled W.C.S. 1493. on west center side line of claim.

- 810. to center of gulch 50 ft. wide flows W.
- 835. begin ascent

1267³⁴ intersect section line, between sec 6-7 R. 17. N. T_h. 23 N. at E. 656. 68 from cor. to sec. 6-7. R. 17 N. and 1-12. R. 18. N. T_h. 23. N. and at W. 1983. 33 ft. from 1/4 cor. of said line.

1500 to cor. No 1. the place of beginning.

Variation at all corners 14° E.

Location. This claim is located in the SE 1/4 of Sec. 1 - R. 18. N. - the SW 1/4 of Sec. 6 - R. 17 N. and the NE 1/4 of sec 7 - R. 17 N. all in T_h. 23. N. Gila and

Salt River Base and Meridian. over
the top of Sherman Peak, in
Walla Walla Mining District, Malheur
County, Oregon Territory

Area. Total Area Same as
Lode: 20.66 acres.

The course of the vein is from
Int. Loc. mon. to NEV. end center $N. 36^{\circ}$
 $20' W. 750$ - to SE. end center $S. 36^{\circ}$
 $20' E. 750$ ft.

Expenditure of Five Hundred
dollars. I certify that the value
of the labor and improvements
upon this claim, placed thereon
by the claimant and her grantors
is not less than Five hundred dollars
and that said improvements consist of:

A discovery shaft 4×6 ft, 38 ft. deep in
rock and an open cut leading to said
discovery shaft, and cut being 10 ft
deep back of said shaft; the center
of which shaft bears $S. 36^{\circ} 20' E. 31$ ft.
from Int. Loc. mon.

Value \$ 250⁰⁰

A shaft 4×6 ft. 30 ft. deep in rock,
the NW. cor. of which bears $S. 7^{\circ} 11' 39''$
ft from Granite Stone on NW. end center
of claim.

Value \$ 150⁰⁰

A shaft 4×7 ft. 60 ft. deep in rock
the NW. cor. of which bears $N. 77^{\circ} 30' E.$
66 ft from Granite Stone at NW. end center
of claim

Value \$ 450⁰⁰

A tunnel $3\frac{1}{2} \times 6\frac{1}{2}$ ft. $\times 20$ ft. long in
rock, - course of tunnel $S. 46^{\circ} E.$, the
mouth of which bears $N. 85^{\circ} 30' W. 50$ ft.
from Granite Stone at NW. end center
of claim - The mouth of this tunnel
and the first 28 ft. in length of same,
are located on the "Fourth March"
Lode, unmined, claimed by H.

R. Bowman -

Value of tunnel on Amman Lode \$500
 @ Tunnel $3\frac{1}{2}$ x 6 ft. 200 ft. long,
 course of tunnel S. 42° E. the mouth
 of which bears S. 34° 05' E. 309 ft. from granite
 stone at Hill end center of claim.

Value of 1400

There are no other improvements
 upon the claim.

The adjoining claims are:
 "The Fourth of March" claim un-
 surveyed, claimed by W. R. Bowman
 on the Northwest -

The "Comet" lode un-
 surveyed, claimed by Martin Neary on the
 West -

The "Anastasia" lode, un-
 surveyed, claimed by Martin Neary on
 the South East.

There are no other adjoining
 claims

Instrument This survey was
 made with a Heller & Brightley Transit
 with solar attachment, which was used
 in deflecting the courses - The distances
 were measured with a 500 foot steel
 tape and a 50 foot chain.

Kingman October 16 - 1900

O. F. Ruessel.

U. S. Deputy Min. Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by O. F. Kuencer
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim
 of Emma G. Or buckle
 known as the Samuel Lodge
 and showing the respective capacities in which they acted.

- S. H. Woodward, Chairman.
- W. J. Willey, Chairman.
-, Axman.
- John E. Bruce, Flagman.

FINAL OATHS OF ASSISTANTS.

We, S. H. Woodward - W. J. Willey
 and John E. Bruce, do solemnly swear that we assisted O. F.
Kuencer, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of Emma G. Or buckle
 known as the Samuel Lodge, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona.

- S. H. Woodward, Chairman.
- W. J. Willey, Chairman.
-, Axman .
- John E. Bruce, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 24th day of September, 1900
Geo P. Feemy County Recorder
 By O. F. Kuencer
 Deputy Recorder

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, O. F. Kuencer, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Aug 20th 1900, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Emma O. Arbuckle, known as the Jamaica lode, situate in Chaleapai Mining District, Mohave County, Arizona Territory in Section 1. B. 18 N. Township No. , Range No. and Sec 6 and 7. R. 17. W. T. 23. N. and designated as Survey No. 1493, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or her grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

O. F. Kuencer
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said O. F. Kuencer
U. S. Deputy Mineral Surveyor, before me Geo. P. Young
a Notary Public this 13th
day of Oct. 1900

Geo. P. Young
Notary Public

My commission as Notary Public expires Jan 18th 1903

Affidavit of Five Hundred Dollars Improvements.

We, John W. Gerritt, and Foster S. Dennis of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the Sawman mining claim, situate in Hallapai Mining district, Mohave County, Arizona Territory, for which Emma A. Arbuckle

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and her grantors exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

John W. Gerritt
Foster S. Dennis

TERRITORY OF ARIZONA,
County of Mohave } ss:

Sworn to and subscribed before me, this 13th day of Oct. 1900, 189

J. P. Feeny
Notary Public

My commission as Notary Public expires Jan 18th 1903

Notice of Location

Known all min by these pressents, that I the undersigned have this day logeatid fifdien Hunderet (1500) feet, of this vein or lode bearing ferigus Minerals, with all dipes spurs and anchels and variations, with surface ground dree Hundret (300) feet on each side of the center of vein, with all mineral deposits condeainet therein; under and according tho the provisions of the Unided States mining law under wich it is logeadet. This claim commences at this monumend and notice pleaset upen the Letch and runing seven Hunderet fifdy (750) feet in a West-erly Thirektions tho a monument of stone and seven Hunderet and fifdy (750) feet in a Easterly Thirektion tho a monument of stone. And dree Hunderet (300) feet on ech side of the vein as the monument shosit.

This Letch may be more generally disgribed as situated about on half a mail Easterly from the Rain Bow mine, and about Six Hunderet feet South of the Summit of Surons Pike.

Logeated on the ground this 28 day of March 1889.

bay Stephen Smith in Chloride Wallapay mining disdrikt - Mohave County A T and shall be nowing as the Samoan Mine.

Recorded at the Request of E.F.Thompson April 15th, A.D.1889, at 30 minutes past 11 o'clock, A.M.

E.J.Godman,
County Recorder.

Notice of Location

Known all min by these presents, that I the undersigned have this day located fifteen Hundredet (1500) feet, of this vein or lode bearing ferigus Minerals, with all dipes spurs and anchels and variations, with surface ground dree Hundret (300) feet on each side of the center of vein, with all mineral deposits contained therein; under and according to the provisions of the United States mining law under wich it is located. This claim commences at this monumend and notice pleaset upon the Letch and runing seven Hunderet fifty (750) feet in a West-erly Thirektions tho a monument of stone and seven Hunderet and fifty (750) feet in a Easterly Thirektion tho a monument of stone. And dree Hunderet (300) feet on ech side of the vein as the monument shosit.

This Letch may be more generally disgribed as situated about on half a mail Easterly from the Rain Bow mine, and about Six Hunderet feet South of the Summit of Surons Pike.

Located on the ground this 28 day of March 1889.

by Stephen Smith in Chloride Wallapay mining disdrikt Mohave County A T and shall be nowing as the Samoan Mine.

Recorded at the Request of E.F.Thompson April 15th, A.D.1889, at 30 minutes past 11 o'clock, A.M.

E.J.Godman,
County Recorder.

TERRITORY OF ARIZONA,
County of Mohave.

} SS

I, Jno. P. Feeny

~~Recorder of Mohave County, Territory of Arizona.~~

do hereby certify that I have compared the foregoing copy Of the Original Location Notice of the Samoan Mining Claim Recorded Book "K" Page 502 and of the endorsement thereupon with the original records of the same on file in this office and that the same are correct transcripts therefrom and of the whole of said original records.



WITNESS my hand and the seal of said office this 13th day of August A.D. 1900 ~~###~~

Jno P Feeny
Recorder of Mohave County.

Notice of Mining Location.

MINERAL LOPE.

Made in Duplicate
To All Whom It May Concern:

This mining claim, the name of which is the "SAMOAN" an amended Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Emma A. Arbuckle

the undersigned, citizen of the United States of America, on the 31st day of July 1900

The length of this claim is fifteen hundred (1500) feet, and I claim seven hundred and fifty (750) feet in an Easterly direction and seven hundred and fifty (750) feet in a Westerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Wallapai Mining District, in Mohave County, in the Territory of Arizona, about one half mile in an Easterly direction from Rain Bow mine, and about Six Hundred feet South of the Summit of Shrus Peak.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in an Easterly direction seven hundred and fifty (750) feet from the discovery shaft (at which this notice is posted), being in the center of the East end line of said claim; thence South three hundred (300) feet to a monument of stone, being the Southeast corner of said claim; thence West, seven hundred and fifty (750) feet to a monument of stone at the center of the South side line of said claim; thence West, seven hundred and fifty (750) feet to a monument of stone, being at the Southwest corner of said claim; thence North, three hundred (300) feet to a monument of stone at the center of the West end of said claim; thence North, three hundred (300) feet to a monument of stone, being at the Northwest corner of said claim; thence East, seven hundred and fifty (750) feet to a monument of stone, being at the center of the North side line of said claim; thence East, seven hundred and fifty (750) feet to a monument of stone at the Northeast corner of said claim; thence South three hundred (300) feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII., of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 2, 1899.

Dated and posted on the ground this 31st day of July 1900, at min. past o'clock M.

This is an amended Location Notice and is filed for the purpose of correcting the spelling in the original notice of Location as recorded in Book "K" page 502 of Mining Records of Mohave County and to more fully describe the claim by meters and bounds.

Emma A. Arbuckle.

Filed and recorded at request of F.A. Williams August 13th A.D. 1900 at 9 o'clock A.M. in Book S of Mining Records Page 3.

Jno. P. Feeny

County Recorder

TERRITORY OF ARIZONA, } SS
County of Mohave.

I, Jno. P. Feeny
~~###~~ Recorder of Mohave County, Territory of Arizona.

do hereby certify that I have compared the foregoing copy of the Amended Location Notice of the
Samoan Mining Claim Recorded Book "8" Page -3- and of the endorsement thereupon
with the original records of the same on file in this office and that the same are correct transcripts therefrom and
of the whole of said original records.



WITNESS my hand and the seal of said office this 13th
day of August A.D. 1900 ~~###~~
Jno. P. Feeny
Recorder of Mohave County.

Notice of Location.

MINERAL LODE.

*Copy
Amended Notice
Samoa Lode*

Dated 190

Filed and recorded at request of

..... A. D. 190


at M.

Book of Mining Records,

Page

..... County Recorder.

By Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

Copy
Original Notice
Samoa Code

copy size of

Notice of Location.

MINERAL LODE.

*Copy
Amended Notice
Samson Lode*

Dated 190.....

Filed and recorded at request of

..... A. D. 190.....


at M.

Book of Mining Records,

Page.....

.....
County Recorder.

By
Deputy Recorder.



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona.

Nov. 13-1900, 18

I, U. S. Surveyor General for *Arizona*,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the

Survey of the Mining Claim of *Emma A. Arbuckle*

....., known as the

Damoan lode

situate in *Mallapai* mining district,

Mohave County, *Arizona*,

in Section *1-R. 18 N. 1*, Township No. *23 N.*, Range No. *14 E.*

....., designated as Survey No. *1493.*

executed by *O. F. Kuencer*, U. S. Deputy Mineral

Surveyor, *Sept. 19-24-1900, 18*, under my instructions dated

August 20-1900, 18, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate^s filed by the applicant for survey is included in the field notes.

George Christ

U. S. Surveyor General for *Arizona*