

MS
-

0

1

4

9

5

MINERAL SURVEY NO. 1495

Claims	M & B Desc.	Improvements	Loc. Notices
Contact No. 1	1	17	1
Growler	15	17	2
Navy No. 1	3	17	3
" " 2	5	17	4
" " 3	7	17	5
" " 4	9	17	6
Nugget	11	17	7
Shipper	13	18	

Filed Oct 26 1900

(4-683.)

Mineral Survey No. 1495

Lot No. _____

Prescott Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIMS OF

C. C. Bragg

KNOWN AS THE
Contact No 1, Navy No 1, AND Navy No 4, Nugget, Navy No 2, Shipper, Graveler, Navy No 3
Walnut Grove Mining District,

Yavapai County, Arizona

Section _____ Township 11 North, Range 4 West (approx.)

Surveyed under instructions dated Sept 8th, 1900,

by A. B. Mader
U. S. Deputy Mineral Surveyor.

^{2 in order as above} Claim located Feb. 23, 1900, Feb. 8th 1900, Mar. 8th 1900, Oct. 2, 1899, Mar. 8, 1900, Mar. 15, 1900, Mar. 2, 1900 and Mar. 2, 1900.

Survey commenced Sept 20th, 1900

Survey completed Sept 24th, 1900

o 6-100

Address of claimant.

J. G. Norris
att'y in fact.
Prescott, Arizona.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, H. W. Dodge and John A. Jackson,
do solemnly swear that we will well and faithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins,
either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best
of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claims of ^{C.C. Bragg known as the} Contact No 1, Navy No 1, Nugget, Navy No 2,
Shipper, Growler, Navy No 3 and Navy No 4, known as the
Navy Group.
situate in Walnut Grove mining district,
Yavapai County, Arizona Terr.,
in Section _____, Township No. _____, Range No. _____

H. W. Dodge, Chainman.
John A. Jackson, Chainman.

Subscribed and sworn to by the above-named persons before
me this 17 day of Sept, 1800

My commission expires May 6 - 1901 Thos M Earnhart
Notary Public

I, Joe Mc Carthy, do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties,
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claims of ^{C.C. Bragg known as the} Contact No 1, Navy No 1, Nugget, Navy No 2,
Shipper, Growler, Navy No 3 and Navy No 4.
known as the Navy Group,
more fully described in the preceding affidavit.

Joe Mc Carthy, Axeman.

Subscribed and sworn to by the said Joe Mc Carthy
before me this 17 day of

Sept, 1800

My commission expires Thos M. Earnhart
May 6th 1901 Notary Public

I, _____, do solemnly swear that I will
well and truly perform the duties of flagman, in the establishment of corners and other
duties, according to instructions given me and to the best of my skill and ability, in the
survey of the Mining Claim of _____
_____ known as the _____,
more fully described in the preceding affidavit.

_____, Flagman.

Subscribed and sworn to by the said _____
before me this 17 day of

Sept, 1800

Survey No 1495

Feet

Contact No 1 Lode

Beginning at Cor. No 1

Identical with corner of the location and with Cor's No 2-3 and 4 of Contact No 2 lode of Survey No 1496, C.C. Bragg, claimant, of Big White lode of Survey No 1496 and of Navy No 1 lode of this survey, respectively.

A pine post 4' long x 4" square set 7" in the ground to bedrock, surrounded by a mound of stones and scribed $\frac{1}{1495}$ C. No 1, whence the U.S.M.M. No 2, W.G. Ming Dist. bears S 30° 43' W, 6593' distant. No other bearings available.

Thence N 56° 10' W

up steep hill

300 To the S. E. C.

Identical with the location and with the N. E. C. of Contact No 2 lode of Survey No 1496.

A granite stone, 12" x 15" x 22", set 8" in the ground and chiseled $\frac{S.E.C.}{1495}$ C. No 1, with a mound of stones 2' base and 3' high alongside. No bearings available.

390 Cross trail, bears to Peoples Valley S 67° W, bears to Walnut Grove N 60° E.

600 To Cor. No 2

Identical with corner of the location and with Cor. No 3 of Contact No 2 lode of survey No 1496.

A pine post 4' long x 4" square, set 9" in the ground to bedrock, surrounded by a mound of stone, and scribed $\frac{2}{1495}$ C. No 1.

No bearings available.

Thence N 59° 5' E.

250 Cross ravine, near head, 6" wide, course N 10° E.

610 Cross trail, bears to Peoples Valley S 40° W, bears to Walnut Grove N 38° E.

750 To W. S. C.

Identical with the location.

A granite stone, 3" x 8" x 14", set 5" in the ground and chiseled $\frac{W.S.C.}{1495}$ C. No 1. with a mound of stones 2' base and 3' high alongside. No bearings available.

990 Cross trail, bears S. W. and N. E.

1140 Cross trail, bears S. W. and N. E.

1500 To Cor. No 3.

Identical with corner of the location.

Feet
A pine post 4' long x 4" square set 7" in the ground to bedrock, surrounded by a mound of stones and scribed $\frac{3}{1495}$ C. No. 1
No bearings available.

Thence $S 56^{\circ} - 10' E$

300 To the N. E. C.

Identical with the location.

A slate stone, 3" x 12" x 24", set 7" in the ground and chiseled $\frac{N. E. C.}{1495}$ C. No. 1., with a mound of stones 2' base and 3' high alongside.

No bearings available.

440 Cross ravine ^{mugget gulch}, 6" wide, course $S 40^{\circ} W$, bears $N 40^{\circ} E$.

600 To Cor. No. 4.

Identical with cor. of the location and with corners No. 2 - 3 of Navy No. 2 and Navy No. 1 lodes respectively of this survey.

A pine post, 4' long x 4" square, set 6" in the ground to bedrock, surrounded by a mound of stones and scribed $\frac{4}{1495}$ C. No. 1.

No bearings available.

Thence $S 59^{\circ} - 5' W$

245 Cross ravine ^{mugget gulch}, 6" wide, course $S 10^{\circ} E$, bears N.

750 To the E. S. C.

Identical with the location, and with the W. S. C. of Navy No. 1 lode of this survey.

A granite stone, 3" x 12" x 14", set 6" in the ground and chiseled $\frac{E. S. C.}{1495}$ C. No. 1 with a mound of stones 2' base and 3' high alongside.

No bearings available.

1340 Cross ravine, 6" wide, course S, bears N.

1500 To Cor. No. 1, the place of beginning.

The variation at all the corners is $14^{\circ} E$.


Location

This claim is located in Walnut Grove Mining District, Yavapai Co, Arizona, on unsurveyed public land, in what would approximately be, if surveyed Tp. 11 North, Range 4 West.

Adjoining Claims

- on the N - none
- " " E - Navy No 1 of this survey.
- " " W - none
- " " S - Contact No 2 of Survey No 1496 - C.C. Bragg Claimant.

The camp ledge and the land and the edges and ledge the proposed ledge on the contact NE side is supposed to be from the west side center to the west end center 1500 feet.



Survey No 1495

Feet

Navy No 1 lode

Beginning at Cor. No 1.

Identical with corner of the location and with Cor's No 3 - 4 of the Horn Spoon and Big White lodes of Survey No 1496, C.C.

Boaz Claimants, respectively.

A pine post 4' long x 4" square, set 7" in the ground to bedrock, surrounded by a mound

of stones and scribed $\frac{1}{1495}$ N. No 1, whence

the U.S.M.M. No 2, W.G. Mining Dist. bears $S 35^{\circ} 56' W$, 6588.7' dist.

No bearings available.

Thence $N 59^{\circ} 5' E$

180 Cross ravine, 18" wide, course $S 7^{\circ} W$, bears $N 7^{\circ} E$.

600 To Cor. No 4 of Horn Spoon lode of Survey No 1496 and Cor. No 4 of Nugget lode of this survey.

750 To the E. S. C.

Identical with the location.

A slate stone 3" x 12" x 17", set 6" in the ground and chiseled $\frac{E.S.C.}{1495}$ N. No 1, with a mound of stone 2' base and 3' high alongside.

No bearings available.

990 Cross road, in ravine, 6' wide, course $S 82^{\circ} E$, bears $N 82^{\circ} W$.

1085 Cross Nugget Gulch 3' wide, course $S 45^{\circ} E$, bears $N 46^{\circ} W$.

1350 To W. S. C. of Nugget lode of this survey.

1500 To Cor. No 12.

Identical with corner of the location and with Cor. No 1 of Navy No 2 lode of this survey.

On line 3-4 of Nugget lode of this survey.

A pine post 4' long x 4" square, set 8" in the ground to bedrock, surrounded by a mound of stones and scribed $\frac{2}{1495}$ N. No 1.

No bearings available.

Thence $N 56^{\circ} 10' W$

55 Cross small ravine, near head, course E.

300 To the N. E. C.

Identical with the location and with the S. E. C. of Navy No 2 lode of this survey.

A slate stone, 2" x 10" x 26", set 7" in the ground and chiseled $\frac{N.E.C.}{1495}$ N. No 1, with a mound of stone 2' base and 3' high alongside.

No bearings available.

600 To Cor. No 3.

Feet

Identical with corner of the location and with Cor's No 2-4 of the Navy No 2 and Contact No 1 lodes of this survey.

A pine post 4' long x 4" square, set 7" in the ground to bedrock, surrounded by a mound of stones and scribed $\frac{3}{1495}$ N. N^o 1.

No bearings available.

245.
750

Cross ravine, Nugget lode, 6" wide, course S 10° E, bears N. Thence S 59° 5' W To the W. S. C.

Identical with the location and with the E. S. C. of Contact No 1 of this survey.

1340-
1500

A granite stone, chiseled $\frac{W.S.C.}{1495}$ N. N^o 1. To Cor. No 4.

Identical with the location and with Cor's No 1-2 and 3 of Contact No 1 lode of this survey, before described and of Contact No 2 and Big White lodes of Survey No 1496, respectively.

A pine post, scribed $\frac{4}{1495}$ N. N^o 1.

Thence S 56° 10' E.

300 To the S. E. C.

Identical with the location and with the N. E. C. of the Big White lode of Survey No 1496.

A slat stone, 3" x 8" x 14", set 6" in the ground and chiseled $\frac{S.E.C.}{1495}$ N. N^o 1, with a mound of stones 2' base and 3' high alongside.

No bearings available.

450
600

Cross ravine, 12" wide, course S 29° E, bears N 30° W.

To Cor. No 1, the place of beginning.

The variation at all the corners is 14° E.

Location

This claim is located in Walnut Grove Mining District, Yavapai Co. Arizona, on unsurveyed public land, in what would approximately be, if surveyed, T. 11 North Range 4 West.

Adjoining Claims

- on the N - Navy No 2 lode of this survey.
- " " E - Nugget lode of this survey and Horn Spoon lode of Survey No 1496
- " " W - Contact No 1 lode, of this survey.
- " " S - Big White lode of Survey No 1496.

Ledge

The course and length of the ledge on the
Navy No 1 claim is from the south end
center to the north end center 1500 feet.

A 2 1/2 in. ledge was found 1/4 x 1/2 and 1/2 x 1/2
at the NW corner of the claim. It is
composed of a mixture of sand and
shells.

W 10° 20' N

1000 ft

1000 ft
1000 ft
1000 ft

1000 ft
1000 ft

1000 ft
1000 ft

1000 ft
1000 ft

1000 ft
1000 ft

1000 ft
1000 ft

1000 ft
1000 ft

1000 ft
1000 ft

1000 ft
1000 ft

1000 ft
1000 ft

1000 ft
1000 ft

Survey No 1495

5
9

Feet

Navy No 2 lode

Beginning at Cor. No 1.

Identical with corner of the location and with Cor. No 2 of Navy No 1 lode of this survey, before described.

On line 3-4 of Nugget lode of this survey.

A pine post 4' long x 4" square, scribed $\frac{1}{1495}$ N. No 2. Whence the U. S. M. M. No 2, W. G. Mining Dist. bears S 40° 10' W, 7989.3' dist.

No bearings available.

55. cross small ravine, near head, course E.
300 Thence N 56° - 10' W
To the S. E. C.

Identical with the location and with the N. E. C. of Navy No. 1 lode of this survey before described.

A slate stone, chiseled $\frac{S. E. C.}{1495}$ N. No 2

600 To Cor. No 2.

Identical with cor. of the location and with Cor's No 3 & 4 of the Navy No 1 and Contact No 1 lodes respectively of this survey before described.

A pine post, 4' long x 4" square scribed $\frac{2}{1495}$ N. No 2

Thence N 59° - 5' E

600 To Cor. No 3.

Identical with corner of the location.

A pine post 4' long x 4" square, set 6" in the ground to bedrock, surrounded by a mound of stones and scribed $\frac{3}{1495}$ N. No 2.

No bearings available.

Thence N 33° - 50' E.

770 Cross trail, bears to People's Valley S 85° W, bears to Walnut Grove E.

900 To Cor. No 4.

Identical with corner of the location and with Cor. No 2 of Navy No 3 lode of this survey.

A pine post 4' long x 4" square, set 7" in the ground to bedrock, surrounded by a mound of stone and scribed $\frac{4}{1495}$ N. No 2.

No bearings available.

Thence S 56° - 10' E

140 Head of ravine, course N 30° E

170 Cross trail, bears E and W.

300 To the N. E. C.

Identical with the location and with the S. E. C. of Navy No 3 lode of this survey.

A blue syenite stone, 4" x 8" x 12", set 5" in

Survey No 1495

7
11Feet

Navy No 3 Lode

Beginning at Cor. No 1.

Identical with cor. of the location and with cor's no. 3 and 5 of the Shipper and Navy No 2 lodes of this survey before described.

A pine post, 4' long x 4" square, scribed $\frac{1495}{1495}$ N. No 3, whence the U. S. M. M. No 2, W. G. Mining Dist, bears $S40^{\circ}45'W, 9453'$.
No other bearings available.

Thence $N56^{\circ}10'W$

300 To the S. E. C.

Identical with the location and with the N. E. C. of Navy No 2 lode of this survey.

A blue selenite stone, chiseled $\frac{S.E.C}{1495}$ N. No 3.

430 Cross trail, bears E and W.

460 Head of ravine, course $N30^{\circ}E$.

600 To Cor. No 2.

Identical with the location and with Cor. No 4 of the Navy No 2 lode of this survey before described.

A pine post, 4' long x 4" square, scribed $\frac{2}{1495}$ N. No 3.

Thence $N57^{\circ}50'E$

245 Cross Coolepacho Gulch, 2' wide, course $S20^{\circ}E$, bears $N15^{\circ}W$.

450 To the W. S. C.

Identical with the location.

A slate stone in place, part of ledge, very irregular shape, chiseled a cross⁽⁺⁾ at exact point and $\frac{W.S.C}{1495}$ N. No 3, with a mound of stones 2' base and 3' high alongside.

No bearings available.

900 To Cor. No 3.

Identical with Cor. of the location and with Cor. No 4 of Navy No 4 lode of this survey.

A pine post, 4' long x 4" square, set 7" in the ground to bedrock and surrounded by a mound of stones and scribed $\frac{3}{1495}$ N. No 3.

No bearings available.

Thence $S56^{\circ}10'E$

down hill

300 To the N. E. C.

Identical with the location and with the S. E. C. of Navy No 4 lode of this survey.

A slate stone, 4" x 14" x 18" set 6" in the ground and chiseled $\frac{N.E.C}{1495}$ N. No 3, with a

- Feet
 mound of stones 2' base & 3' high alongside.
 No bearings available.
- 342 Cross Coolevachs Gulch, 7' wide, course $N64^{\circ}E$, bears $S64^{\circ}W$.
- 406 Cross ravine, 6' wide, course N to gulch, bears S.
- 600 To Cor. No. 4.
 Identical with Corner of the location and with
 Cor. No. 1 of Navy No. 4 lode of this survey.
 A pine post 4" long x 4" square, set 8" in the
 ground to bed rock, surrounded by a mound
 of stones and scribed $\frac{4}{1495}$ N. No. 3.
 No bearings available.
 Thence $S57^{\circ}50'W$
- 223 to head of ravine, course N.
- 300 To Cor. No. 4 of Shipper lode of this survey.
 345
 450 To the E. S. C. ^{course N to gulch, bears E. 17'.}
- Identical with the location.
 A slate stone, 3" x 14" x 16" set 5" in the
 ground and chiseled $\frac{E.S.C.}{1495}$ N. No. 3, with a
 mound of stones 2' base and 3' high alongside.
 No bearings available.
- 900 To Cor. No. 1, the place of beginning.

The variation at all the corners is $14^{\circ}E$.

Location.

This claim is located in Walnut Grove Mining District, Yavapai Co. Arizona, on unsurveyed land, in what would approximately be, if surveyed, T_{p.} 11 North, Range 4 West.

Adjoining Claims.

- on the N - Navy No. 4 lode of this survey.
 " " E - Shipper lode of this survey.
 " " W - none.
 " " S - Navy No. 2 lode of this survey.

Ledge

The course and length of the ledge on the Navy No. 3 lode is from the south end center to the north end center 900 feet.

Feet

Navy No 4 lode

Beginning at Cor. No 1.

Identical with cor. of the location and with Cor. No 4 of Navy No 3 lode of this survey, before described.

A pine post, 4' long x 4" square, scribed $\frac{1}{1495}$ N. No 4 whence the V. S. M. M. No 2, W. G. Mining Dist. bears $S 42^{\circ} 13' W$, 10318.1' dist
Thence $N 57^{\circ} 50' E$

550 To the E. S. C.

Identical with the location.

A shale stone, 3" x 10" x 14" set 6" in the ground and chiseled $\frac{E. S. C. N. No 4}{1495}$, with a mound of stones 2' base and 3' high alongside.

No bearings available.

1100 To Cor. No 2.

Identical with corner of the location.

A pine post, 4' long x 4" square, set 6" in the ground to bedrock, surrounded by a mound of stones and scribed $\frac{2}{1495}$ N. No 4.

No bearings available.

Thence $N 56^{\circ} 10' W$

100 Cross Coolevasho Gulch, 60' S of dam, gulch 18' wide, course $N 62^{\circ} E$, bears $S 62^{\circ} W$ up steep hill

300 To the N. E. C.

Identical with the location.

A shale stone, 5" x 8" x 13" set 5" in the ground and chiseled $\frac{N. E. C. N. No 4}{1495}$, with a mound of stones 2' base and 3' high alongside.

No bearings available.

600 To Cor. No 3.

Identical with corner of the location.

A pine post, 4' long x 4" square set 6" in the ground to bedrock, surrounded by a mound of stones and scribed $\frac{3}{1495}$ N. No 4.

No bearings available.

Thence $S 57^{\circ} 50' W$

550 To the W. S. C.

Identical with the location.

A shale stone, 7" x 14" x 14" set 5" in the ground and chiseled $\frac{W. S. C. N. No 4}{1495}$ with a mound of stones 2' base and 3' high alongside.

342. Cross ravine, 7' wide, course N. 10° E. by 5649 ft.
406. Cross ravine, 6" wide, course N. to quick, by 8'.

- Feet No bearings available.
- 670 Cross ravine, 2' wide, course S 40° E, bears N 40° W.
- 1100 To Cor. No 4.
Identical with the location and with Cor. No 3 of Navy No 3 lode of this survey before described.
A pine post, 4' long x 4" square, scribed $\frac{4}{1495}$ N. No 4.
down hill. Thence S 56° - 10' E
- 300 To the S. E. C.
Identical with the location and with the N. E. C. of Navy No 3 lode of this survey before described.
A slate stone, chiseled $\frac{S. E. C.}{1495}$ N. No 4.
- 600 To Cor. No 1, the place of beginning.

The variation at all the corners is 14° E.

Location

This claim is located in Walnut Grove Mining District Yavapai Co. Arizona on unsurveyed land, in what would approximately be, if surveyed, Tp. 11 North, Range 4 West.

Ledge

The course and length of the ledge on the Navy No 4 claim is from the south end center to the north end center 1100 feet.

adjoining claims.

- On the S. - Navy No. 3 lode, this survey.
- On the N., - None.
- On the N., - None.
- On the E., - None.

Survey No 1495

Feet

Nugget Lode.

Beginning at Cor. No 1.
 Identical with corner of the location and with
 Cor. No 5 of the Hon Spoon lode of Survey No 1496.
 On line 4-5 of Morning Star lode of Survey No 1496.
 A pine post 4' long x 4" square, set 7" in the
 ground to bedrock, surrounded by a mound
 of stone and scribed $\frac{1495}{N}$, whence
 the U.S.M.M. No 2, W.G. Mining Dist. bears $S 42^{\circ} 36' W$, 7035.6' dist.
 No bearings available.

Thence $N 59^{\circ} 5' E$

- 395 Cross Nugget Gulch, 5' wide, course $S 18^{\circ} E$, bears $N 23^{\circ} W$.
- 500 To Cor. No 4 Morning Star lode of survey No 1496.
- 750 To the E. S. C.

Identical with the location.

A slate stone, 3" x 12" x 16" set 4" in the ground
 and chiseled $\frac{E.S.C.}{1495} N$, with a mound of
 stone 2' base and 3' high alongside.

No bearings available.

- 800 To Cor. No 1 of Growler lode of this survey.
- 890 Cross road, course $S 41^{\circ} E$ and $N 41^{\circ} W$.
- 910 Cross ravine, 6" wide, course $N 37^{\circ} E$, bears $S 37^{\circ} W$.
- 1130 Cross ravine, 12" wide, course $N 80^{\circ} E$ and bears W .
- 1150 To the West end center of Growler lode of this survey.
- 1235 Cross ravine, 12" wide, course $N 35^{\circ} E$, bears $S 35^{\circ} W$.
- 1500 To Cor. No 2.

Identical with corner of the location and with
 Cor's No 1 and 2 of the Shipper and Growler
 lodes of this survey.

A pine post 4' long x 4" square, set 8" in the
 ground to bedrock, surrounded by a mound of
 stone and scribed $\frac{2}{1495} N$.

No bearings available.

Thence $N 39^{\circ} 10' W$

- 60 Cross gulch, 2' wide, course $N 43^{\circ} E$ bears $S 43^{\circ} W$.
- 180 Cross gulch, 12" wide, course $N 70^{\circ} E$ bears $S 65^{\circ} W$.
- 290 Cross ravine, 8" wide, course $N 72^{\circ} E$, bears $S 72^{\circ} W$.
- 300 To the N. E. C.

Identical with the location and with the S. E. C.
 of the Shipper lode of this survey.

A slate stone, 2" x 12" x 14", set 6" in the ground
 and chiseled $\frac{N.E.C.}{1495} N$, with a mound of

Feet

- stones 2' base and 3' high alongside.
No bearings available.
- 415 Cross Rich Gulch, 4' wide, course E, bears W.
600 To Cor. No 3
Identical with corner of the location and with
Cor's No 2 and 6 of Shipper and Navy No 2
lodes respectively of this survey.
A pine post, 4' long x 4" square set 6" in the
ground, ^{to bedrock,} ~~set~~ surrounded by a mound of
stones and scribed $\frac{3}{1495}$ N.
No bearings available.
Thence S 59°-5' W
- 15 Cross Rich Gulch, 2' wide, course S 40° E, bears N 45° W.
395 Cross ravine, 6" wide, course S 60° E, bears N 60° W.
545 Cross ravine, 6" wide, course E, bears W.
600 To Cor. No 1 and 2 of Navy No 2 and Navy No 1
lodes respectively of this survey.
750 To the W. S. C.
Identical with the location.
A slate stone, 8" x 10" x 12", set 5" in the
ground and chiseled $\frac{W.S.C.}{1495}$ N, with a mound
of stones 2' base and 3' high alongside.
No bearings available.
- 1015 Cross Nugget Gulch, 3' wide, course S 45° E, bears N 46° W.
1110 Cross road, in ravine, 6' wide, course S 82° E, bears N 82° W.
1350 To E.S.C. of Navy No 1 lode of this survey.
1500 To Cor. No 4.
Identical with cor. of the location and
with Cor. No 4 of Horn Spoon lode of Survey No 1496.
A pine post, 4' long x 4" square set 8" in the
ground to bedrock, surrounded by a mound
of stones and scribed $\frac{4}{1495}$ N.
No bearings available.
Thence S 39°-10' E.
- 185 Cross ravine, 12" wide, course N 62° E, bears S 62° W.
300 To the S. E. C.
Identical with the location and with the
N. E. C. of the Horn Spoon lode of Survey No 1496.
A slate stone, 2" x 15" x 20", set 7" in the ground
and chiseled $\frac{S.E.C.}{1495}$ N. with a mound of
stones 2' base and 3' high alongside.
No bearings available.

Feet

600 To Cor. No. 1, the place of beginning.

The variation at all the corners is $14^{\circ} E$.

Location
 This claim is situated in Walnut Grove Mining District, Navajo Co, Arizona an unsurveyed public land, in what would approximately be, if surveyed T. 11 North, Range 4 West.

Adjoining Claims
 on the N - Shipper lode of this survey.
 " " E - Grover lode of this survey and Morning Star lode of Survey No. 1496.
 " " W - Navy No. 1 and Navy No. 2 lodes of this survey.
 " " S - Horn Spoon lode of Survey No. 1496.

(course + length of) Ledge
 The ledge on the Muggers lode is from the south end center to the north end center 1500 feet.

Survey No 1495

Feet

Skipper Lode

Beginning at Cor. No 1.
 Identical with Cor. of the location and with Cor. No 2 of the Nugget and Cor. No 2 of the Growler lodes of this survey, before described.
 A pine post, 4' long x 4" square, scribed $\frac{1}{1495}$ S. whence the U.S.M.M. No 2, W.C. Mining Dist. bears $S 75^{\circ} 28' W$, 8483' dist.

300 To the S.E.C. ~~of the Nugget~~
 Identical with the location and with the N.E.C. of the Nugget lode of this survey before described.

415.600 A slate stone, chiseled $\frac{S.E.C.}{1495}$ S.
 cross Rich Gulch, 4" wide, course E, bears N.

Identical with Cor. of the location and with Cor's No 3 and 6 of the Nugget and Navy No 2 lodes of this survey, respectively before described.
 A pine post, 4' long x 4" square, scribed $\frac{2}{1495}$ S.

785.900 cross Store Gulch, 12" wide, course $280^{\circ} E$, bears $N 40^{\circ} W$.
 Thence $N 33^{\circ} 50' E$
 To Cor. No 3.

Identical with the location and with Cor's No 1 and 5 of the Navy No 3, and Navy No 2 lodes respectively, of this survey before described.

A pine post, 4' long x 4" square, scribed $\frac{3}{1495}$ S.
 Thence $N 57^{\circ} 50' E$

450.555 To E.S.C. Navy No 3
 Cross trail, bears E and W.

600 To Cor. No 4.
 Identical with Cor. of the location.
 On line 1-4 of Navy No 3 lode of this survey.
 A pine post, 4' long x 4" square, set 8" in the ground to bedrock, and surrounded by a mound of stones, and scribed $\frac{4}{1495}$ S.
 No bearings available.

Thence $S 39^{\circ} 10' E$
 45 Cross trail, bears E and W.

300 To the N.E.C.
 Identical with the location.
 A slate stone, 4" x 12" x 18", set 7" in the ground and chiseled $\frac{N.E.C.}{1495}$ S, with a mound of stones 2' base and 3' high alongside.
 No bearings available.

600 To Cor. No 5.
 Identical with the location.

180. course gulch, 2" wide, course $N 73^{\circ} E$, bears $S 43^{\circ} W$.
 " " " " " " $N 70^{\circ} E$, bears $S 65^{\circ} W$.
 290. course ravine 8" " " " $N 72^{\circ} E$, bears $S 72^{\circ} W$.

Feet

A pine post 4' long x 4" square, set 6" in the ground ^{to bedrock} and surrounded by a mound of stones and scribed $\frac{5}{1495}$ S.
No bearings available.

Thence $S 57^{\circ} - 50' W$

245 Cross Store Gulch, 3' wide, course $S 50^{\circ} E$, bears $N 70^{\circ} W$.

600 To Cor. No 6.

Identical with cor. of the location.

A pine post, 4' long x 4" square, set 7" in the ground to bedrock, surrounded by a mound of stones and scribed $\frac{6}{1495}$ S.
No bearings available.

Thence $S 33^{\circ} - 50' W$

590 Cross Rich Gulch, 5' wide, course $S 85^{\circ} E$ bears $N 85^{\circ} W$.

595 Cross small gulch, 2' wide, course 3' E to Rich Gulch, bears $S 70^{\circ} W$.

700 Cross ravine, 3' wide, course $N 51^{\circ} E$, bears $S 50^{\circ} W$.

900 To Cor. No 1, the place of beginning.

The variation at all the corners is $14^{\circ} E$.

Location.

This claim is located in Walnut Grove Mining Dist. Yavapai Co. Arizona, on unsurveyed public land, in what would, approximately be, if surveyed Tp. 11 North, Range 4 West.

Adjoining Claims

on the N - none

" " E - none

" " W - Navy No 2 and Navy No 3, lodes of this survey.

" " S - Nugget lode of this survey.

Ledge

The course and length of the ledge on the Shipper lode is from the south center end to the N center end 1500 feet.

N. $33^{\circ} 50' E$ 900 ft. distance N $57^{\circ} 50' E$ 600 ft

Feet

- 346 Cross ravine, 12" wide, course N85°W, bears S70°E.
- 350 To the E. E. C.
Identical with the location.
A schist stone, 3" x 8" x 18", set 7" in the ground and chiseled $\frac{E.E.C.}{1495} G$, with a mound of stone 2' base and 3' high alongside.
No bearings available.
- 575 Cross ravine, 12" wide, course N32°W, bears S30°E.
- 700 To Cor. No. 4.
Identical with cor. of the location.
On a shale stone, in place, 1' x 5' x 2' above the ground, chiseled a cross (+) at the exact corner point and $\frac{4}{1495} G$, with a mound of stone 2' base and 3' high alongside.
No other bearings available.
Thence N65°-15'W
down steep hill
- 390 Cross Pinetos Gulch, 8' wide, course N54°E, bears S54°W.
- 750 To the S.S.C.
Identical with the location.
An iron shale stone, 3" x 15" x 16", set 6" in the ground and chiseled $\frac{S.S.C.}{1495} G$, with a mound of stone 2' base and 3' high alongside.
- 1250 Cross wagon road, bears N40°W, and S40°E.
- 1450 Cross ravine near head, course N30°E.
- 1500 To Cor. No. 1, the place of beginning.

The variation at all the corners is 14° E.

Location

This claim is located in Walnut Grove Mining District, ^{Yavapai Co., Arizona} on unsurveyed public land, in what would approximately be, if surveyed T_{p.} 11 North, Range 4 West.

Adjoining Claims

- on the N - none
- " " E - none
- " " W - Mugged lode of this survey
- " " S - none

Ledge

The course and length of the ledge on the Boulder lode is supposed to be from the west side center to the east end center 1500 feet.

ground and over 1000 ft. in width. It is supposed to be 1500 ft. in length.

The ledge is supposed to be 1500 ft. in length and 1000 ft. in width. It is supposed to be 1500 ft. in length.

The ledge is supposed to be 1500 ft. in length and 1000 ft. in width. It is supposed to be 1500 ft. in length.

The ledge is supposed to be 1500 ft. in length and 1000 ft. in width. It is supposed to be 1500 ft. in length.

1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000

W. S. G. & Co.

Survey No. 1495

I certify that the value of the labor and improvements upon these claims placed thereon by the claimant and his grantors, aggregates not less than five hundred dollars per claim; and that said improvements consist of:

Contact No. 1

The discovery shaft No. 1 of the Contact No. 1 lode, the center of which bears S 11° 10' E 60 ft. distant from the N. E. C., 4' x 6' x 10 ft. deep. Value \$ 100.00

A drift, in shaft on Navy No. 1 lode, 4' x 6' x 18 ft. long, to be credited to Contact No. 1 lode. Value 180.00

Portion of shaft No. 3 on Navy No. 1 lode to be credited to Contact No. 1 lode. Value 220.00

Navy No. 1

The discovery cut No. 1 on the Navy No. 1 lode, the center of which bears N 60° 05' W, distant 282 feet from the east side center, 4' x 16' x 8 ft. deep. Value 200.00

Cut No. 2, the east end of which bears N 38° 25' W, distant 95 feet from the east side center, 4' x 90' x 18' deep. Value 2000.00

Shaft No. 3, the center of which, bears N 38° 25' W, distant 90 feet from the east side center, 9' x 11' x 75' deep. Value 3000.00

Two drifts, each, 4' x 6' x 18' deep. Value 360.00

Timbering in shaft, at shaft No. 3. Value 150.00

"A" frame (\$50) and horsepower hoist. Value 200.00

350 lineal feet of wagon road. Value 100.00

Total Value, less \$400 credited to Shipper lode and \$400 credited to Growler lode and \$400 credited to Contact No. 1 lode is 2610.00

Nugget

The discovery shaft No. 1 of the Nugget lode, the center of which bears S 88° 5' E, 350 ft. distant from the W. S. C., 4' x 6' x 10' deep. Value 100.00

Cut No. 2, bears N 89° 30' E from W. S. C. distant 396 feet, 2' x 30' x 1 1/2' deep. Value 15.00

Shaft No. 3, 4' x 6' x 20' deep, whose center bears S 27° E, 40' from the N. E. C. Value 200.00

Shaft No. 4, 4' x 6' x 30' deep, whose center bears S 33° E, 38' from the N. E. C. Value 300.00

Drift from shaft No. 4 - 4' x 6' x 30' long. Value 300.00

\$ 6 225.00

Growler

The discovery shaft, ^{No 1} on the Growler lode, 4' x 6' x 10' deep, bears N 68° E, 247' from the south side center. Value 100.00

Credit Growler with ^{proportion of work on Shaft No 3} work on Navy No 1 400.00

Navy No 2

The discovery Tunnel, ^{No 1} 4' x 6' x 12' and approach of 4' x 12' x 8' long, bears N 64° 50' W, 130' from Cor. No 6 and has course N 61° E Value 175.00

Tunnel No 2, 4' x 7' x 180' long, and approach 4' x 17' x 7' high, bears N 24° 25' W, 208' from Cor. No 6 ^{course is} N 29° W - Value \$2300

Credit Navy No 3 lode with 300.00

Credit Navy No 4 lode with 400.00

Credit to Navy No 2 - 2300 - 700 700.00 1600.00

Navy No 3

The discovery cut ^{No 1} 4 x 27' x 5' deep bears N 80° 40' W, 225' from ~~the~~ the north end center and course is N 25° W Value 200.00

Credit Navy No 3, with ^{of Tunnel No 2} proportion of work on Navy No 2 300.00

Navy No 4

The discovery Tunnel, ^{No 1} 4' x 6' x 10' long bears N 70° E, 78' from the south end center and course is N 55° W Value 100.00

Credit Navy No 4, with proportion of work on Navy No 2 400.00

Total \$9500.00
Shipper Work 500.00
Total \$10000.00

The veins, or more correctly the ledges, in the vein matter, which is state extending over the whole width of all the claims and beyond are nearly vertical. A deep shaft ^{9' x 11' x 75' deep} has been sunk on the Navy No 1 claim, described and included in the estimate of expenditure, from which by drifting and cross cutting, at the proper depth the Contact, No 1 on the ~~the~~ the Shipper lode to the North and the Growler lode to the East can all be developed by one system of workings thro' the main shaft. In most advantageously and economically. The tunnel on the Navy No 2 lode cross cuts the vein which is continuous thro' the Navy No 3 and Navy No 4 lodes. This tunnel, included and

described in the estimate of expenditure can be most advantageously be used to develop the whole ledge to the north in the most economical

maintain... Areas

Contact No 1	18.68 Acres
Navy No 1	18.68 "
Nugget	20.45 "
Growler	19.90 "
Navy No 2	19.88 "
Navy No 3	11.32 "
Navy No 4	13.85 "
Shipper	20.06 "

Total Area = 142.82 Acres.

Shipper

work on Shipper
 The discovery shaft of Shipper lode, 4' x 6' x 10' deep, bears $S 20^{\circ} 32' E$ 345' from Cor. No 3. Value \$100.00
 (A shaft 5' x 6' x 25' deep bears $S 0^{\circ} 40' E$ 410' from Cor. No 3, not made by claimant.)
 Credit to Shipper, \$400 of shaft No 3 on Navy No 1 lode \$400.00

This survey was made with a Gurley Light Mountain Transit.
 The courses were deflected from the true Meridian by Solar observation.
 The distances were measured with a 100 ft. steel tape.
 The use of East for North and vice versa in the location certificates and the differences in length of the Navy No 3 and Navy No 4 as surveyed and the location certificate and the difference in description of location of the Growler lode from where surveyed are due to errors in the location certificates.
 A. B. Mader

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by A. B. Mader

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines corners and boundaries described in the foregoing field notes of the survey of the mining claim of C. C. Bragg

known as the Contact No. 1, Navy No. 1, Navy No. 2, Navy No. 3, Navy No. 4, Nugget, Shipper & Growler and showing the respective capacities in which they acted.

- H. W. Dodge, Chairman.
- John A. Jackson, Chairman.
- Joe M. Carty, Axman.
-, Flagman.

FINAL OATHS OF ASSISTANTS.

We, H. W. Dodge, John A. Jackson
and Joe M. Carty do solemnly swear that we assisted A. B. Mader, United States Deputy Mineral Surveyor, in marking the corners and surveying the boundaries of the mining claim of C. C. Bragg

....., known as the Contact No. 1, Navy No. 1, Navy No. 2, Navy No. 3, Navy No. 4, Nugget, Shipper & Growler, represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Arizona Terr.

- H. W. Dodge, Chairman.
- John A. Jackson, Chairman.
- Joe M. Carty, Axman.
-, Flagman.

Subscribed and sworn to by the above-named persons before me
this 24 day of Sept 1890

John M. Earnhart
Notary Public
My Commission Expires May 6-1902

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, A. B. Mader, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Sept. 8th 1900, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claims of C. C. Bragg, known as the Contact No 1, Navy No 1, Nugget, Navy No 2, Shipper, Graveler, Navy No 3 + Navy No 4 situate in Walnut Grove Mining District, Yavapai County, Arizona, in Section , Township No. 11 North, Range No. 4 West - (approximately) and designated as Survey No. 1495, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

A. B. Mader

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said A. B. Mader
 U. S. Deputy Mineral Surveyor, before me Fred B Philpatt
a Notary Public this 23^d
 day of October, AD 1900

My Commission expires Sept. 26, 1902.

Fred B Philpatt

Notary Public

Affidavit of Five Hundred Dollars Improvements.

We, H. W. Dodge, and John A. Jackson

of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the Contact No 1, Navy No 1, Navy No 2, Navy No 3, Navy No 4, Nugget, Shipper and Growler mining claims, situate in Walnut Grove Mining district, Yavapai County, Arizona Territory, for which C. C. Bragg

has made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant and his grantor exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

H. W. Dodge

John A. Jackson

TERRITORY OF ARIZONA, }
County of Yavapai } ss:

Sworn to and subscribed before me, this 24th day of Sept, 1890

Thos M. Earnhart

My Commission Expires Notary Public
May 6th 1902.

Notice of Mining Location.

LODE CLAIM.



TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Contact no 1 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W. L. Bragg

the undersigned, on the 23rd day of February, 1900

The length of this claim is 1500 feet, and I claim 750 feet in an easterly direction, and 750 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, length-wise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the easterly to the westerly.

The claim is situated and located in the Walnut Grove Mining District, in Yavapai County, in the Territory of Arizona, ~~about~~ and is the first East in Extension of the direction from Contact no 2 and adjoin the Mary no 1 on the north

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in an easterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence northerly 300 feet to a monument of stones, being the northeast corner of said claim; thence westerly 750 feet to a monument at the center of the north side line of said claim; thence westerly 750 feet to a monument of stones, being at the north-west corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence easterly 750 feet to a monument of stones, being at the center of the south side line of said claim; thence easterly 750 feet to a monument of stones at the southeast corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 23rd day of February 1900

Witness John H. Dize

W. L. Bragg

15
~~interior~~

Porter et al.

E. C. Baynes

Chambers

Feb. 23, 1900

RECORDED & INDEXED

J. A. Hill

Nov 19 1900

1700

Index

Book 56 of Mar 1900

Page 26

W. S. Johnson
The Journal

D. J. ...

... June ...

... 000 ...

...

Navy No. 1, amended. (Original certificate recorded in Book 52 mines page 610)
Between End Monuments—Easterly and Westerly.

Notice of Mining Location.

LODE CLAIM.



TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Navy No 1
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by William Jackson, F. J. Van Moll, J. O. Gordon
and John H. Hise

the undersigned, on the 8th day of Feby., 1900

The length of this claim is 1500 feet,
and we claim 750 feet
in an easterly direction, and 750 feet
in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the easterly to the westerly.

The claim is situated and located in the Walnut Grove Mining District, in Yavapai County, in the Territory of Arizona, about two miles
in a northerly direction from Enterprise Mill
and is the east extension of the Big White mine

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones ~~~~~
at a point in an easterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence northerly 300 feet to a monument of stones, being the northeast corner of said claim; thence westerly 750 feet to a monument at the center of the north side line of said claim; thence westerly 750 feet to a monument of stones, being at the northwest corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence easterly 750 feet to a monument of stones, being at the center of the south side line of said claim; thence easterly 750 feet to a monument of stones at the southeast corner of said claim; thence northerly 300 feet to the place of beginning.

This amended notice is made for the purpose of describing the exterior boundaries of said claim on record and a correcting the original certificate thereby, which was defective in not so describing said claim.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 8th day of Feby, 1900.

Original certificate dated 2nd Oct. 1899 and is recorded in Book 52 of mines at page 610 Records of Yavapai County, Arizona,

William Jackson
F. J. Van Moll
J. O. Gordon
John H. Hise

~~Address~~
6297. 941
Navy No. 1 ^{ended}
William Jackson
F. Van Mall.
John H. Wise
J. O. Gordon

Walnut Grove
Feb. 8, 1900

RECORDED AT REQUEST OF
J. H. Wise
Feb 9th A. D., 1900
At ²⁸ o'clock. P. M.
In Book 53 of Minis
Page 737

Records of Yavapai County, Arizona.
Not Johnson
By J. H. Wiley

NAVY NO.2.

NOTICE OF MINING LOCATION.
Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the Navy No.2 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by William Jackson, F.J. Van Moll, J.O. Gordon and John H. Hise, the under signed, on the 2nd day of October 1899.

The length of this claim is 1500 feet, and we claim 600 feet in a Easterly direction and 900 feet in a Westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim.

The general course of the lode deposit and premises is from the East to the West.

The claim is situated and located in the Walnut Grove Mining District, in Yavapai County, in the Territory of Arizona, about Two miles in a Northerly direction from the Enterprise mill and is the first East Extension of Navy No.1.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at monument of stone six hundred feet east of open cut and tunnel 30 feet South of monument at a point in a East direction 600 feet from the discovery shaft 30 feet from monument (at which this notice is posted), being in the center of the East end line of said claim; thence 300 feet to a M. of stone being the S.E. corner of said claim; thence 750 feet to a M. of stone at the center of the South side line of said claim; thence 750 feet to a M. of stone being at the S.W. corner of said claim; thence 300 feet to a M. of stone at the center of the West end of said claim; thence 300 feet to a M. of stone, being at the N.W. corner of said claim; thence 750 feet to a M. of stone being at the center of the North side line of said claim; thence 750 feet to a M. of stone at the N.E. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 2nd day of October, 1899

W. Jackson. F.J. Van Moll.
J.O. Gordon. John H. Hise.

Witness:.....

Filed and recorded at request of John H. Hise, Nov. 29", A.D. 1899, at 1:05 o'clock p.m., BOOK 52 of Mines, page 611, Records of Yavapai County, Arizona.

(Seal) W.I. Johnson,
County Recorder.

By E.C. Averyt,
Deputy Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I, W.I. JOHNSON, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Navy No.2" Mining Claim, as the same appears of record in Bok 52 of Mines, page 611, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 24th day of July, 1900.



W.I. Johnson
County Recorder.

~~By~~ Deputy.

Amended Notice of Mining Location.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Navy no 3
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by William Jackson, J. Van Moll, J. O. Gordon and John H. Wise

the undersigned, on the 2nd day of March, 1900

The length of this claim is 1500 feet,
and 1500 claim 1500 feet
in an ~~easterly~~ ^{westerly} direction, and ~~in an easterly direction~~ ^{in a westerly direction} from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the easterly to the westerly.

The claim is situated and located in the Mineral Grove Mining District, in Yavapai County, in the Territory of Arizona, about two miles in a northerly direction from the Carterville mill on Arapaho creek in Placita the East End line being identical with the west End line of Navy no 4 claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones on the East End
at a point in an ~~easterly direction~~ ⁰⁰ feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence northerly 300 feet to a monument of stones, being the northeast corner of said claim; thence westerly 750 feet to a monument at the center of the north side line of said claim; thence westerly 750 feet to a monument of stones, being at the northwest corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence easterly 750 feet to a monument of stones, being at the center of the south side line of said claim; thence easterly 750 feet to a monument of stones at the southeast corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 2nd day of March 1900

William Jackson
J. Van Moll
J. O. Gordon and John H. Wise

60
Compared
"Navy No 3"

William Jackson
F. J. Van Mall
J. O. Gordon
John A. Nise
Walnut Grove

March 2, 1900

RECORDED AT REQUEST OF

J. A. Nise
March 19 11 1900

At 1⁴⁷ o'clock P. M.

In Book 53 of Mines

Page 32/1

Records of Varney County, Minn.

W. D. Johnson

By J. A. Nise
J. A. Nise

Amended Notice of Mining Location.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Navy no 4 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by William Jackson F. Van Moll J. O. Gordon and Christ Hise

the undersigned, on the 2nd day of March, 1900

The length of this claim is 1500 feet, and Use claim 1500 feet

~~in~~ an easterly direction, and in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the easterly to the westerly.

The claim is situated and located in the Walmart Grove Mining District, in Yavapai County, in the Territory of Arizona, about Two miles in a N. E. direction from the Enterprise Mill on Arantha Creek in Placerate and the west end line is identical with the east end line - Navy no 3 claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones on East End of Claim at a point in an easterly direction {1500} feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence northerly 300 feet to a monument of stones, being the northeast corner of said claim; thence westerly 750 feet to a monument at the center of the north side line of said claim; thence westerly 750 feet to a monument of stones, being at the northwest corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence easterly 750 feet to a monument of stones, being at the center of the south side line of said claim; thence easterly 750 feet to a monument of stones at the southeast corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 2nd day of March 1900

William Jackson
F. Van Moll
J. O. Gordon and Christ Hise

1177 Co.
Compared

May 10 3

William Pearson
St. John's

J. Gordon
John A. Shaw

Mountaine

March 3, 1900

RECORDED AT REQUEST OF

At 1 47 o'clock
March 19, 1900

In Book 53
Page 371

Records of Kanopolis

W. J. Shaw
1900

Amended Notice of Mining Location.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Navy no 4 Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by William Jackson F J Van Mole J O Gordon and Christ Hise

the undersigned, on the 2nd day of March, 1900

The length of this claim is 1500 feet and 1500 claim 1500 feet

in an easterly direction, and 1500 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the easterly to the westerly.

The claim is situated and located in the Walnut Grove Mining District, in Yavapai County, in the Territory of Arizona, about Two miles

in a N.E. direction from The Enterprise Mill on Arantha Creek in Placate and the west end line is identical with the east end line of Navy no 3 claim

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones on East End of Claim at a point in an easterly direction 1500 feet from

the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence northerly 300 feet to a monument of stones, being the northeast corner of said claim; thence westerly 750 feet to a monument at the center of the north side line of said claim; thence westerly 750 feet to a monument of stones, being at the northwest corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence easterly 750 feet to a monument of stones, being at the center of the south side line of said claim; thence easterly 750 feet to a monument of stones at the southeast corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 2nd day of March 1900

William Jackson
F J Van Mole
J O Gordon and Christ Hise

1178
Compared.
Mrs. Mary W. [unclear]

William Jackson
F. Vanmole
J. L. Gordon
J. H. Nise
Walnut Grove

March 2, 1900

RECORDED AT REQUEST OF

J. H. Nise
March 19, 1900
At 1⁴⁷ o'clock P. M.
In Book 53 of Mines
Pages 3rd

Records of Yavapai County, Arizona,

H. D. Johnson
By J. H. Nise

Notice of Mining Location.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Waggatt
Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Lele Bragg and Johnst & Lise

the undersigned, on the 8th day of March, 1900.

The length of this claim is 1500 feet,
and NSL claim 750 feet
in a northerly direction, and 750 feet
in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northerly to the southerly.

The claim is situated and located in the Walnut Grove Mining District, in Yavapai County, in the Territory of Arizona, about three miles in a northerly direction from the Enterprise Mine and is the North Extension of Horn Spoon

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones
at a point in a northerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones, being the northeast corner of said claim; thence southerly 750 feet to a monument at the center of the east side line of said claim; thence southerly 750 feet to a monument of stones, being at the southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence northerly 750 feet to a monument of stones, being at the center of the west side line of said claim; thence northerly 750 feet to a monument of stones at the northwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 8th day of March, 1900.

Witness

William Jackson

Lele Bragg
Johnst & Lise

W. H. Johnson

Records of Maricopa County, Arizona

Page 561
In Book 53 of Minutes
At 9 o'clock A.M.

Deposited 17th A.D. 1900
John A. Hise

RECORDED AT REQUEST OF

Wm. H. Hise

John A. Hise

John A. Hise

John A. Hise

John A. Hise

1900

Notice of Mining Location.

LODE CLAIM.

TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Shijeres Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Lele Bragg and Johnst & Lise

the undersigned, on the 8th day of March, 1900.

The length of this claim is 1500 feet, and W claim 750 feet in a northerly direction, and 750 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northerly to the southerly.

The claim is situated and located in the Walnut Grove Mining District, in Yavapai County, in the Territory of Arizona, about three miles in a Northerly direction from the Enterprise Mine and is the first north extension of the Nuggett mine

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a northerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones, being the northeast corner of said claim; thence southerly 750 feet to a monument at the center of the east side line of said claim; thence southerly 750 feet to a monument of stones, being at the southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence northerly 750 feet to a monument of stones, being at the center of the west side line of said claim; thence northerly 750 feet to a monument of stones at the northwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 8th day of March 1900.

Witness William Jackson
Lele Bragg
Johnst & Lise

UNITED STATES LAND OFFICE.

IN RE MINERAL ENTRY NO. 448
 FOR NAVY NO. 1, et. al. LODES
 FOR C. C. BRAGG.

Territory of Arizona

County of Yavapai.

A. B. MADER, being duly sworn, deposes and says: That he is and was at all the times hereinafter mentioned, Deputy United States Mineral Surveyor. That from September 12th to 22nd, 1900, he made the Survey No. 1495 in the application for patent for the said Navy No. 1 et. al. claims. That he took account of the workings, development and improvements upon said group at the time of making the Survey, and calculated the value thereof. That he is well acquainted with the general surface and contour of the ground covered by the Survey, and knows the general plan of the owner for the development and operation of the property.

That the shaft on the Navy No. 1 is the main shaft on the group by which it is practicable to sink into the earth and from which to run drifts cross-cutting the leads in the Shipper and Nugget, and intersecting the vein coming from the Growler, and by drifting on these veins when cut and intersected fully develop the respective claims.

The gulch or ravine shown on the plat to cross the Northeast end of the Navy No. 1 is only a small depression, not more than thirty (30) feet deep; and the gulches shown on the Northeast end of the Nugget and the Southeast end of the Shipper are not more than twenty five (25) feet in

(1)

depth, but that the Surface ground of the Shipper and that of the Growler are both fully as high or higher than the surface ground of the Navy No. 1, as they rise in each case in high hills to the center of the claims.

The ridge running through the Growler extends to and forms part of the North end of the Navy No. 1, and also extends around the head of the gulches to the North onto the Shipper.

In addition to the feasibility of developing and operating the Shipper and Growler from drifts and tunnels leading from the Navy No. 1 shaft, there are two shafts with some drifting about the line between the North East end of the Nugget and the Southwest end of the Shipper, which is very near to the Growler ground, and which is intended, in conjunction with the tunnels and drifts run from the shaft on the Navy No. 1, to develop the leads of the Shipper, Nugget and Growler, and which work can properly be calculated as work for and tending to the development of the Growler and Shipper, and should be so considered.



Subscribed and sworn to before me
this 27th. day of March, A.D.1902.



Notary Public.

My Commission expires April 16, 1905.

(1)

March 20, 1902.

JAMES O'HARA)
 vs)
 C. C. BRAGG)

Protest dismissed

Register and Receiver,
 Prescott, Arizona.

Sirs:

March 8, 1901, C. C. Bragg made mineral entry No. 448, for the Navy No.1 and seven other lode claims.

July 18, 1901, you transmitted to this office protest of James O'Hara against said entry corroborated by one A. A. Ross, the only corroborating witness, in which protest it is alleged that the claimant and his grantors have not performed the statutory amount of improvements on said group of claims, to-wit: \$4,000.

In his enumeration of the improvements on each claim with a valuation of four dollars per foot for the shafts or tunnels named except that on the Navy No.2 the 187 foot shaft thereon is valued at \$4.50 per foot and on the Navy No.1 the 78 foot shaft thereon is valued at \$12.00 per foot. The total valuation as given by the protestant of all the improvements on said group is \$2045.50.

An examination of the records in this case shows that the U. S. deputy surveyor who surveyed said claims reported many other improvements than those given by protestant and given the location and dimensions of each improvement, the total valuation of the improvements on said group being given as \$10,000. It is true that on several claims

(2)

the statutory amount has not been made but the deputy states that the improvements on the others tend to develop those on which the statutory amount has not been expended. The estimated value of each improvement as given by said deputy is not in excess of that usually allowed, and except as hereinafter stated same appear to be located in such manner as to be practicable for the development of all the claims embraced in said group. Considering the protest in the light of the showing made by the entryman, I am of the opinion that the allegations of protestant are not sufficient to impeach the evidence contained in the case as to the total value of the improvements placed upon said claims. The protest is accordingly dismissed, and you will so advise all parties in interest.

The deputy surveyor states in his field notes that:

The veins, or more correctly the ledges in the vein matter, which is slate extending over the whole width of all the claims, and beyond, are nearly vertical. A deep shaft 9x11x75 feet deep, has been sunk on the Navy No. 1 claim described and included in the expenditure from which by drifting and cross-cutting, at the proper depth, the Contact No. 1 on the west, the Shipper lode to the north, and the Growler lode to the east, can all be developed by one system of working through the main shaft most advantageously, and economically.

The showing made relative to the Contact No. 1 is sufficient as it appears from the plat that a drift is being run from said shaft on the Navy No. 1 toward the Contact No. 1 and that the ground embraced in the latter claim is higher than that covered by the Navy No. 1 lode.

(3)

As to the development of the Shipper and the Growler lodes from said shafts, the showing is not satisfactory. From the deputy's statement above quoted and judging from the courses of the gultches and ravines shown on the plat, it seems improbable that the proper method of developing said Shipper and Growler claims would be by tunnel from the Navy No. 1 which is separated from the two former claims by the Nugget lode also embraced in said entry.

You will therefore advise entryman that unless he can show more specifically by proper certificate of the surveyor-general as to how the Shipper and Growler lodes can be systematically worked from the said shaft on the Navy No. 1 claim his entry will be canceled as to said Shipper and growler claim. Notify him that he will be allowed sixty days from receipt of notice within which to make such showing, or to appeal, and that in default his entry will be canceled as to said latter claims without further notice from this office.

Serve notice and make report in accordance with circular of March 1, 1900 (29 L. D., 649).

Very respectfully,

BINGER HERMANN

Commissioner.

POOR

QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

IN RE MINERAL ENTRY NO. 448
FOR NAVY NO. 1, ET. AL. LODES
FOR C. C. BRAGG.

Territory of Arizona
County of Yavapai. ss.

JOHN H. NISE being duly sworn, deposes and says. That he is a resident of Yavapai County, Arizona, and at all the times hereinafter mentioned has been such resident; and has been and is the Superintendent and Manager for the owner of the Navy No. 1 group of mines, mentioned in Mineral Entry No. 448. That he is acquainted with the plan of the owner for the development of the property and knows that it is by sinking the shaft on the Navy No. 1 and running drifts and tunnels therefrom into the Nugget to strike the vein of the Nugget, which vein is proposed to be followed by said drifts into the Shipper to the North East to intersect the vein on the Growler, across from the vein ~~xxx~~ the the Growler ground running to the Northwest under the ridge or mountain into the Nugget ground.

That the only practical way for the development of this property is by sinking the shaft on the Navy No. 1, which is supposed to be the general working shaft of the owner of the property, and from the shaft running drifts and tunnels above referred to. And in conjunction with this there has already been work done in line with this plan on the East end of the Nugget, near the line of the Shipper, which shaft is proposed to be sunk on the vein running through the Nugget and Shipper, and from this shaft drift back to meet the drifts from the shaft on the Navy
(1)

No. 1, and intersect the vein coming into the Nugget from the Growler.

That all of the work on the shaft on the Navy No. 1 and other work shown on the property has been done for the purpose of and does tend to ^{the} practical development of the property.

John V. Hira Nugget

Subscribed and sworn to before me
this 27th day of March, A.D. 1902.

C. W. Herndon

Notary Public.

My Commission expires April 16, 1905.

Notice of Mining Location.

LODE CLAIM.



TO ALL WHOM IT MAY CONCERN:

This mining claim, the name of which is the Growler Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by W. W. Bragg

the undersigned, on the 15th day of March, 1900.

The length of this claim is 1500 feet, and 1 claim 750 feet in an easterly direction, and 750 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the easterly to the westerly.

The claim is situated and located in the Walnut Grove Mining District, in Yavapai County, in the Territory of Arizona, about 1/4 mile in a Southerly direction from the Navy Camp and is a side line claim to the Shippen mine

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in an easterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence northerly 300 feet to a monument of stones, being the northeast corner of said claim; thence westerly 750 feet to a monument at the center of the north side line of said claim; thence westerly 750 feet to a monument of stones, being at the northwest corner of said claim; thence southerly 300 feet to a monument of stones at the center of the west end of said claim; thence southerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence easterly 750 feet to a monument of stones, being at the center of the south side line of said claim; thence easterly 750 feet to a monument of stones at the southeast corner of said claim; thence northerly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines," approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 15th day of March 1900.

Witness Johns & Wise

W. W. Bragg

Number
Compound

W. & B. Druggs

Chemist & Druggist

March 15, 1900

RECEIVED

J. H. Howell

May 19th 1900
At 10^o clock A. M.

In Book 56 of nu.
Page 271

Records of Wapiti County, Ariz.
J. H. Howell
By

R. 9-
C. C. Druggs
911-
March 15, 1900

Department of the Interior,

OFFICE OF U. S. SURVEYOR GENERAL,

Phoenix, Arizona, March 28, 1902.

In the matter of the application of 0
 Mr. C. C. Bragg for patents for the :
 following named mining claims, situate 0
 in Walnut Grove Mining District, Yavapai:
 County, Arizona, to wit: Contact No. 1, 0
 Navy No. 1, Navy No. 2, Navy No. 3, Navy:
 No. 4, Nuggett, Shipper & Growler lodes.0

I, Hugh H. Price, U. S. Surveyor General for Arizona,

do hereby certify there was returned with the field notes of Survey No. 1495, the above named claims, made upon application of C. C. Bragg, upon which Mineral Entry No. 448 has been made in the U. S. Land Office at Prescott, Arizona, certificate as to the value of the labor performed and improvements made upon the mining locations above described.

As a supplement thereto I hereby certify that after carefully examining the returns of this survey on file in this office and the report of the deputy, and the general topography of the district, I am satisfied that the development work done on the mining claim known as "Navy No. 1", under the general plan outlined, has been carried on in good faith and advisedly, for the development of the "Shipper" and "Growler" claims, and that they should be credited with a portion of the same;

That the drift in shaft No. 3 on the Navy No. 1 claim, when extended, will intersect the ledge on the "Nuggett", and followed, will lead to the ledge in the "Shipper" claim, which is an extension of the ledge on the "Nuggett" claim, and from which drift the ledge

of the "Growler" claim will be intersected and opened up.

Thus, the development done and planned will prove a direct benefit to the "Shipper" and "Growler" claims;

That the intervening gulch is shallow, contains no water, and will not interfere with the said plans of development.

U. S. Surveyor General for Arizona.

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson Arizona.

Nov. 14-1900., 18

I, U. S. Surveyor General for *Arizona*,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of *C. C. Bragg.*

Contact NP1, Navy NP1, Navy NP2, Navy NP3, Navy NP4, Nuggets, Shippers, Gravel, Lodes. known as the

situate in *Walnut Grove* mining district,

Yavapai County, *Arizona*,

in Section _____, Township No. *11N*, Range No. *4 West (Appra)*

designated as Survey No. *1495.*

executed by *A. B. Mader*, U. S. Deputy Mineral

Surveyor, *Sept. 20-24. 1900.*, 18, under my instructions dated

Sept 8-1900., 18, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

George Lehist

U. S. Surveyor General for *Arizona*.

