

M
S
-

0

1

5

1

2

MINERAL SURVEY NO. 1512

Claims	M & B Desc.	Improvements	Loc. Notices
Chambone	3	15	2
Copper Cliff	1	15	1
Copper Cross	5	16	3
Copper Prince	7	16	5
Trinket	9	16	4

Reid Jan 17 1901

1

(4-683.)

Mineral Survey No. 1512

Lot No.

Gila

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIMS OF

Julius Loszynsky, by H. D. Underwood

Atty. in fact.

KNOWN AS THE

Copper Cliff, Chambone, Copper Cross, Copper Prince, Trinket.

Copper Mountain and Greenlee Gold Mountain Mining District,

Graham County, Arizona

Section approximately Township 4 South, Range 29 East.

Surveyed under instructions dated Dec. 14th, 1900,

by R. J. Young,
U. S. Deputy Mineral Surveyor

Claim located 1,

Survey commenced Dec. 18th, 1900

Survey completed Dec. 28th, 1900

^{o 6-160}
Address of claimant

H. D. Underwood,

Atty. in fact,

Tucson, Arizona

PRELIMINARY OATHS OF ASSISTANTS IN
SURVEY OF MINING CLAIM.

S. Mack Kline

do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of *Julius Leszynsky, by H. D. Underwood*,
atly. in fact, known as the *Copper Cliff, Tombstone, Copper Cross, Copper Prince and Trunkit*, situate in *Copper Mountain and Greenlee Gold Mountain* mining district,
Graham County, *Arizona*, in Section *approximately* Township No. 4 South, Range No. 29 East.

Mack Kline

, Chainman.

, Chainman.

Subscribed and sworn to by the above-named persons before
me this *18th* day of *December, 1850*

Ben Th. Recaufed Notary Public
My commission expires Nov 25 1854

I, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

known as the , more fully described in the preceding affidavit.

, Axeman.

Subscribed and sworn to by the said

before me this day of
18 .

I, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

known as the , more fully described in the preceding affidavit.

, Flagman.

Subscribed and sworn to by the said

before me this day of
18 .

"Copper Cliff Line"

Beginning at Cor. N^o. 1.

Identical with the N.E. cor. of Location

" " " N.W. cor. of Out Lot

Survey N^o 1366. where I set a pine post 4" x 4" x 4 ft long, 1½ ft. in the ground and surrounded same with a mound of stone. Post scrubbed 1-1512
N.E. cor. Cop. cliff.

U. S. L. M. N^o 3 bears N 32° 57' W 7685.8 ft.
A (X) chiseled & painted black on granite boulder, about 4 tons weight, firmly embedded in the ground, bears S 74° 10' W 21.8 ft.
chiseled B.R. 1-1512.

A (X) chiseled & painted black on the face of a 40 ft porphyry bluff
bears N 49° 44' E 67.3 ft. chiseled
B.R. 1-1512.

Hence S 27° 03' W

- 40.0 Intersects Coronado Railway, course N 27° 12' W
120.0 Center of Chans Creek 40 ft, wide course
(up stream) N 27° 12' W 400 ft, down stream
S 33° 12' E 150 ft
750.0 To Center of N.W. side line.
Location Monument bears S 49° 0' W 28.0 ft.
Cor N^o 2 of Copper Queen N^o 2, unsurveyed
bears S 66° 45' W 39.0 ft.
1049.2 Intersects line 2-3 Cop. Queen N^o 2 unsurveyed
1393.7 " " 3-4 " " "
" " 1-2 Cop. King N^o 2 "

1500.0 To Cor. N^o 2
Identical with N.W. cor. of Location,
where I set a pine post 4 in x 4 in. x 4 ft.
long 1 foot in the ground & surrounded
same with a mound of stone.

Post scrubbed 2-1512. N.W. C. Cop. cliff.

Cor N^o 3-2 - Copper Queen N^o 2 -

Copper King N^o 2, unsurveyed bears

N 43° 15' E 108.5 ft.

Cor N^o 1 - Copper Cross this survey bears

N 29° 0' W 65.1 ft.

A pine tree 10 in diameter bears N 24° 37' W 28.0 ft
scrubbed B.T. 2-1512

at 5.67004° E from N. 4th cor.
at 8.22° 0' 0" W from S. 8th cor.

Thence S $29^{\circ}0' E$

- 59.9 Intersects line 2-3 Copper King N $2^{\circ}2'$ (unsurveyed)
 357.0 To center of S.W. End line.
 Loc. Monument bears N $40^{\circ}49' W$ 16.0 ft.

715.0 To Cor N $2^{\circ}3'$

Identical with N.W. cor Chambon, this survey,
 where I set a pine post 4 in. x 4 in. by 4 ft.
 long, 1 ft. in the ground & surrounded same
 with a mound of stone, post scribed 3-2-1512
 S.W. C. Cop. Cliff. N.W.C. Chambon

Loc. Mon bears S $26^{\circ}0' W$ 14 ft.
 A pine tree 8 in. diameter bears S $78^{\circ}14' W$ 21.7 ft.
 scribed B.T. -3-2-1512.

A (X) chiseled & painted black on solid rock bears
 S $87^{\circ}31' E$. 33.4 ft, chiseled B.R. 2-3-1512.

Cor. N $2^{\circ}4$ Trunket, this survey, bears N $9^{\circ}26' E$ 232.2 ft.

Thence N $27^{\circ}03' E$

219.4 Intersects line 3-4-3 trunket, this survey, whence
 Cor N $2^{\circ}4$ Trunket, bears N $61^{\circ}24' W$ 70.3 ft.
 Cor N $2^{\circ}3$ Trunket, bears S $56^{\circ}24' E$ 52.5.3 ft.

366.1 Intersects line 4-1-1 Trunket this survey, whence
 Cor N $2^{\circ}4$ Trunket bears S $52^{\circ}56' W$ 160.9 ft.
 Cor N $2^{\circ}1$ " " N $52^{\circ}56' E$ 1199.5 ft.

750.0 To Center S.E. Side line

Identical with N.W. Cen. Side line, Chambon, this survey.
 No location monument found.

1500.0 To Cor. N $2^{\circ}4$

Identical with S.E. Cor. Location

" N.E. " Chambon, this survey,
 where I set a pine post 4 in. x 4 in. x 4 ft long
 1 foot in the ground & surrounded same with
 a mound of stone. Post scribed 4-1-1512
 S.E. Cor. Cop. Cliff. N.E. Cor. Chambon.

A black willow tree 12 in. diameter, bears
 S $67^{\circ}18' E$ 58.0 ft. scribed B.T. -4-1-1512.

W. S. S. M. N $2^{\circ}3$ bears N $32^{\circ}38' W$ 8399.8 ft.

Thence N $29^{\circ}0' W$.

106.0 To rock chiseled 4-1-1366 B.T.

357.0 To Loc. Mon. N.E. E. C.

445.0 To center of Chase Creek 25 ft wide course S $80^{\circ}E$ 100.0 ft.

555.0 Intersects Commodo Railway (on curve)

715.0 To Cor N $2^{\circ}1$

The place of beginning.

3

"Chambon's Lodge"

Beginning at Cor. N^o 1

Identical with N.E. Cor. Loc.

" with S.E. cor. Cor. C off this survey,
where I set a pine post 4in. x 4in. by 4 ft. long, 1 ft.
in the ground & surrounded same with a mound
of stone. Post scribed 4-1-1512 N.E.C. Chambon SEC. Cor. Cliff.
A black willow tree 1 1/2 in. diameter bears S 62° 18' E
58.0 ft. scribed B.T. 4-1-1512

W.S.L.M. N^o 3 bears N. 32° 38' W 8399.8 ft.

Thence S 27° 03. W

750.0 To center of N.W. Side line

No Loc. Mon. found.

1133.9 Intersects line 1-4 Trunket, this survey, whence
Cor. S^o 1 Trunket bears N 52° 56' E 1199.5 ft.

Cor. N^o 4 " " S 52° 56' W 160.9

1280.6 Intersects line 3-4 Trunket, this survey whence
Cor. N^o 4 Trunket bears N 61° 24' W 70.3 ft.

Cor. N^o 3 " " S 61° 24' E 525.3 ft.

1500.0 To Cor. S^o 2

Identical with S.W. Cor. Cor. Cliff, this survey
where I set a pine post 4in. x 4in. x 4 ft. long, 1 ft.
in the ground & surrounded same with a mound of stone.

Post scribed 13-2-1512 N.W.C. Chambon S.W. Cor. Cor. Cliff.

Loc. Mon. bears S 26° 01' W 14.0 ft.

A pine tree 8 in. diameter bears S 78° 14' W 2.7 ft. scribed
B.T. 3-2-1512.

A (X) chiseled & painted black on solid rock
bears S 87° 31' E 33.4 ft. chiseled B.R. 3-2-1512.

Cor. N^o 4 Trunket, this survey bears N 7° 26' E 232.2 ft.

Thence S 29° 01' E

349.0 To Center of S.W. End line.

No Loc. Mon. found.

350.0 Intersects North fork Yankee Gulch, 20 ft wide
course N 79° 30' E 200. ft S 79° 30' W 100.0 ft

410.3 Intersects line 1-2 White Glance N^o 2 (unmeasured)

536.7 " " 1-4 " " " "

698.0 To Cor. N^o 3.

Where I set a pine post 4in. x 4in. x 4 ft. long 1 ft.
in the ground & surrounded same with a mound of stone
Post scribed 3-1512 S.W.C. Chambon

Loc. Mon. bears S 29° 01' E 6.3 ft.

A (X) chiseled & painted black on solid

"Chambon Lode" (continued)

- rock bars $N57^{\circ}45'W$ 12.4 ft. chiseled B.R. 3-1512
 Cor. N° 1 Indiana (unsurveyed) bars $N3^{\circ}29'W$ 652.6 ft.
 " N° 3 Trunk of this survey bars $N21^{\circ}52'E$ 597.3 ft.
 " N° 1 White Glance N° 2 (unsurveyed) bars $N34^{\circ}38'W$ 282.0 ft
 Thence $N27^{\circ}03'E$
- 38.7 Intersects line 1-4 White Glance N° 2 (unsurveyed)
 65.0 " North Fork Yankee Gulch, 20. ft wide
 course $S33^{\circ}00'E$ 300. ft.
- 568.5 Intersects line 1-2 Indiana (unsurveyed)
 705.8 " line 2+3 - Trunk, this survey, whence
 Cor N° 2 Bucket bars $N52^{\circ}56'E$ 1236.8 ft.
 Cor N° 3 " " $S52^{\circ}56'W$ 123.6 ft.
- 750.0 To Loc. Mon.
 780.5 Intersects line 1-2 White Glance N° 2 (unsurveyed)
 861.3 " " 1-4 Indiana ("")
 1500.0 To Cor N° 4
 Identical with S.E. Cor. Location.
 where I set a pine post 4in. x 4in x 4 ft long,
 1 ft. in the ground & surrounded same with mound of stone.
 Post scribed 4-1512 S.E.C. Chambon.
 A willow tree 12 in. diameter bars $N5^{\circ}39'E$
 19.5 ft. scribed B.T. 4-1512.
 Cor. N° 1 Trunk of this survey bars $N15^{\circ}39'E$ 351.0 ft. ~~out.~~
 Thence $N29^{\circ}01'W$
- 480.0 Intersects Bear Creek 20. ft. wide running $N79^{\circ}30'E$ 300. ft.
 88.0 " Coronado Railway (on curve)
 200.0 To rock chiseled 7-4-1366 B.T.
 350.0 To Loc. Monument.
 595.0 Intersects Bear Creek 20. ft wide running due south.
 for 200. ft.
 644.0 Intersects Coronado Railway.
 698.0 To Cor. N° 1
 The place of beginning.

"Copper Cross Lode"

Beginning at Cor. N° 1

Identical with N.E. Cor. Location.

where I set a pine post 4in x 4in x 4 ft long,
 1 ft. in the ground & surrounded same
 with a mound of stone.

Post scribed 1-1512 NE Cor. Cops. Cross.

Cor. N° 2 Copper Cliff this survey

"Copper Cross" (continued)

base S $29^{\circ}01'E$ 65.1 ft.

A pine tree 10 in. diameter base S $26^{\circ}21'E$ 34.5 ft
scrubd B.T. 1-1512

Cor. N° 2 California (unsurveyed) base N $16^{\circ}12'W$ 49.8 ft

" " 3 " " S $9^{\circ}48'E$ 63.8.2 ft

" N° 3 Cop. King N° 2 " " S $8^{\circ}00'W$ 486.8 ft

N. S. L. M. N° 3 base N $24^{\circ}10'W$ 8471.0 ft

Thence S $60^{\circ}59'W$

5.8 intersects line 2-3 California (unsurveyed)

246.8 " " 1-2 " "

315.7 To Soc. Mon.

356.6 To Cor. N° 2,

Where I set a pine 4 in. x 4 in. x 4 ft. long directly
over (X) chiseled and painted black and surrounded same
with a mound of stone. Not scrubd 2-1512 N.W. cor. Cop. Cross
A (X) chiseled and painted black on face of 18 ft porphyry
bluff, base N $29^{\circ}01'W$ 1.8 ft. chiseled B.R. 2-1512.

A pine tree 6 in. diameter base S $53^{\circ}35'W$ 30.5 ft.
scrubd B.T. 2-1512.

Soc. Mon. base S $61^{\circ}00'W$ 50.0 ft.

Thence S $29^{\circ}01'E$

53.2 Intersects line 3-4-Cop. King N° 2 (unsurveyed)

60.1 " " 1-2 - California "

275.0 " North Fork Snake Gulch 10 ft. wide
running S $75^{\circ}00'E$ 200. ft

669.3 Intersects line 3-4 California (unsurveyed.)

" " 1-2 - Idaho "

750.0 To center N.W. Side line.

No location monument found.

1279.5 To Cor N° 3.

Where I set a pine post 4 in. x 4 in. x 4 ft. long
directly over cross (X) chiseled on solid rock and
surrounded same with a mound of stone
Not scrubd 3-1512. SW Cor. Cop. Cross.

A (X) chiseled on solid rock base S $79^{\circ}15'E$
11.7 ft chiseled B.R. 3-1512.

Location 2nd floor base S $29^{\circ}01'E$ 310.5 ft.
Point of intersection with Montana survey N^e 117°
hence N $50^{\circ}00'E$

197.8 To Cor. N° 4

Where I found a post 4 in. x 4 in set
firmly in the ground and surrounded
with a mound of stone.

"Copper Cross" (continued)

- Post scrubbed H-1512 Cop. Cross. 7/17/11 Mon.
Identical with Cor 7-1171 Montana.
- " " " N°1 - Idaho (unsurveyed).
A (X) chiseled on solid rock bears S 25°W 6.3 ft.
scrubbed B.R. H-1512.
- I hence S 38°48'E
- 262.0 To Cor N°5.
Where I set a piece post 4 ins x 6 ins x 4 1/2 ft long,
1 1/2 ft underground and surrounded same
with mound of stone.
Post scrubbed 5-1512 - Cop. Cross.
I found tree 6 ins diameter, bear N 48°01'W 12.3 ft
scrubbed B.T. 5-1512.
- Point of intersection with end line of
Montana Survey 1171.
- I hence N 60°59'E
- 39.6 To center S.E. End line.
No location Monument found.
- 317.9 To Cor. N°6.
Where I set a piece post 4 ins x 4 ins x 4 ft. long
1 ft. in the ground and surrounded same with a mound
of stone. Post scrubbed 6-1512. S.E.C. Cop. Cross.
Loc. Mon. bears S 29°01'E 40.0 ft.
A (X) chiseled and painted black on solid rock
bears S 82°04'W 12.1 ft. chiseled B.R. 6-1512.
- I hence N 29°01'W
- 21.9 To Cor. N°3. Chambon, this survey
Intersects line 1-4- White Glance N°2 (unsurveyed)
- 183.2 " " " 1-2- " " "
- 309.6 " " " with Fork Yankee Gulch 20 ft wide.
running S 79°30'E 300 ft, upstream S 79°30'W 100 ft
- 719.9 To Cor. 3-2 Cop. Cleff. and Chambon, this survey.
- 750.0 To center S.E. side line
Loc. Mon. bears N 60°00'W 30.0 ft
- 1375.0 I intersects line 2-3-Cop. King N°2 (unsurveyed)
- 1434.9 To Cor. N°2 Cop. Cleff., this survey.
- 1500.0 To Cor. N°1
- The place of beginning.

"Copper Prince"

Beginning at Cor. N^o 1

I identical with NW cor. location.

" " NE. " Trunked.

where I set a pure post 4 ins x 4 ins x
4 ft. long, 1 ft. in the ground and
surrounded same with a mound of
stones.

Post scrubbed 1-1-1512 NW cor. C.P. Prince
N.E. cor. Trunket.

A(X) chiseled and painted black
on boulder about 10 tons
weight, firmly embedded in
the ground, bears N 53° 44' W 143 ft.
chiseled B.R. 1-1-1512.

O.L. S. L. M. N^o 3 bears N 34° 02' W
8881.8 ft.

Thence N 52° 56' E

151.0 To bottom of draw 10 ft. wide
running S 30° E, to its junction
with Char Creek.

Copper Prince (Continued)

- 750.0 To Loc. Mon.
- 982.0 To bottom of draw running $S 70^{\circ} W$ 200 ft,
up stream $N 45^{\circ} E$ 100 ft
- 1188.9 To rock charred 7-4-1366. B.T. C.C.
- 1500.0 To Cor N° 2.
Identical with N.E. cor. location, where
I set a pine post 4in x 4in x 4 ft long
1 ft in the ground and surrounded same
with a mound of stone. Post scrubbed
2-1512 N.E. C. Cop. Prince.
An oak tree 5 in diameter bears $S 28^{\circ} 04' E$
2.3 ft scrubbed B.T. 2-1512.
Hence $S 61^{\circ} 24' E$
- 297.8 To Loc. Mon.
- 595.6 To Cor N° 3.
Identical with S.E. Cor Location.
where I set a pine post 4in x 4in x 4 ft long
directly over \bigcirc charred & painted black,
& surrounded same with a mound of
stone. Post scrubbed 3-1512 S.E. Cor. Cop. Prince
a \bigcirc charred & painted black on solid
rock bears. $N 63^{\circ} 45' E$ 9.0 ft. charred
B.R. 3-1512.
Cor N° 2 White Glance (unsurveyed) bears $S 81^{\circ} 10' W$ 477.9 ft
Hence $S 52^{\circ} 56' W$
- 401.7 Intersects line 2-3 White Glance (unsurveyed)
- 750.0 To Loc. Monument.
- 1500.0 To Cor. N° 4
Identical with S.W. Cor. Location
" " S.E. Cor. Trunked this survey.
Where I set a pine post 4in x 4in x 4 ft long
1 ft in the ground & surrounded same with
a mound of stone. Post scrubbed 2-4-1512
S.E. Cor. Trunked S.W. C. Cop. Prince.
 $a \bigcirc$ charred & painted black on face
of 6. ft porphyry bluff bears $S 36^{\circ} 33' E$
12.5 ft. charred B.R. 2-4-1512
Cor N° 2 White Glance (unsurveyed) bears $N 41^{\circ} 11' E$ 1103.6 ft
Cor N° 1-2 " " + White Glance N° 2
bears $S 66^{\circ} 09' W$ 425.2 ft.
Hence $N 61^{\circ} 24' W$
- 139.8 Intersects line 1-2 White Glance (unsurveyed)

9
Top per Prince (continued)

- | | |
|-------|--|
| 298.4 | To Loc. Mon. |
| 310.0 | To bottom of draw, 10 ft wide, running S 30° E to junction with Chanc Creek |
| 595.6 | To Bar. N° 1
The place of beginning.
<u>"Trunket's Lodge"</u>
Beginning at Bar. N° 1
Identical with N.E. cor. Loc.
" " NW cor. Cop. Prince this survey.
Where I set a pine post 4 in. x 4 in. x 4 ft. long 1 ft. in the ground and surrounded same with a mound of stone. Post scrubbed
1-1-1512 NW.C. Cop Prince N.E.C. Trunket.
I (X) charred and painted black on boulder about 10 tons weight, firmly embedded in the ground bears N 53° 44' W 17.3 ft. charred
B.R. 1-1-1512.
Bar. N° 4 Champlain this survey bears S 15° 39' W 351.0 ft.
U.S. L.M. N° 3 bears N 34° 02' W 8881.8 ft.
Hence S 61° 24' E |
| 285.6 | To bottom of draw 10 ft wide running S 30° E. to junction with Chanc Creek. |
| 297.2 | To Loc. Mon. |
| 455.8 | Intersects line 1-2 - White Glance (unsurveyed) whence Cor 1-2 - White Glance & White Glance N° 2 bears N 48° 03' W 357.8 ft. |
| 595.6 | To Bar. N° 2
Identical with S. E. cor. Loc.
" " SW " Cop. Prince.
Where I set a pine post 4 in. x 4 in. x 4 ft. long 1 ft. in the ground & surrounded same with a mound of stone. Post scrubbed - 2-4-1512 S E C.
Trunket S.W. cor. Cop. Prince.
I (X) charred & painted black on face of b. fl. porphyry bluff bears S 36° 33' E 12.5 ft. charred B.R. 2-4-1512
Bar. N° 2 - White Glance & White Glance N° 2 (unsurveyed) bears S 66° 09' W 425.2 ft.
Bar. N° 1 White Glance (unsurveyed) bears N 41° 11' E 1103.6 ft.
Coronado R.R. house S 52° 56' W
Chanc's Creek course
Intersects line 1-4 - White Glance (unsurveyed) whence Bar. N° 1-2 - White Glance & White Glance N° 2 bears N 41° 57' W 975.8 ft. |
| 76.00 | |
| 89.00 | |
| 405.6 | |

10

"Trumpet Side" (continued)

- 680.2 To center S.E. Side Line.
No Loc. Mon. found.
- 930.4 Intersects line 1-4-Chambon (unsurveyed)
Intersects line 3-4-Chambon, this survey, whence
Cor N° 3 Chambon bars $S 27^{\circ} 03' W$ 705.8 ft.
Cor N° 4 Chambon bars $N 27^{\circ} 03' E$ 794.2 ft
- 1360.4 To Cor. N° 3
Identical with S.W. Cor Location, where
I set a pine post 4 ins. x 4 ins. x 4 ft long, 1 ft. in
the ground & surrounded same with a mound of
stone. Post scrubbed 3-1512 S.W.C. Trumpet.
Cor. N° 3 Chambon, this survey, bars
 $S 21^{\circ} 52' W$ 597.3 ft.
A (X) chiseled & painted black on solid rock
bars $N 55^{\circ} 33' E$ 23.7 ft. chiseled B.R. 3-1512.
Thence $N 61^{\circ} 24' W$
- 234.5 Intersects line 1-4-Chambon (unsurveyed)
297.8 To center of S. W. End line.
No Loc. Mon. found.
- 525.3 Intersects line 3-2 ad 4-1 Chambon &
Copper Cliff, this survey, whence
Cor. 3-2-C. Chambon & Cop. Cliff bars $S 27^{\circ} 03' W$ 219.4 ft
Cor 4-1 - " " " " $N 27^{\circ} 03' W$ 1280.6 ft.
- 595.6 To Cor. N° 4.
Identical with N.W. Cor Location.
Where I set a pine post 4 ins. x 4 ins. x 4 ft. long
directly over (X) chiseled & painted black on
solid rock & surrounded same with a mound of stone.
Post scrubbed 4-1512-N.W.C. Trumpet.
Cor. 3-2 Cop. Cliff & Chambon, this survey,
bars $S 9^{\circ} 26' W$ 232.2 ft.
A (X) chiseled & painted black on solid rock
bars $N 89^{\circ} 20' W$ 21.1 ft. chiseled B.R. 4-1512.
Thence $N 52^{\circ} 56' E$
- 160.9 Intersects line 3-2 + 4-1 Cop. Cliff & Chambon (this survey)
whence Cor 3-2 Cop. Cliff & Chambon bars $S 27^{\circ} 03' W$ 366.1 ft
Cor. 4-1 Cop. Cliff & Chambon bars $N 27^{\circ} 03' E$ 1133.9 ft.
- 680.2 To Center of N.W. Side line
No Location Monument found.
- 1000.0 Cutler of Chase Creek
1110.7 Intersects line 1-4 Chambon (this survey)
whence Cor N° 4 Chambon, this survey, bars $S 29^{\circ} 01' E$ 700.0 ft
whence Cor N° 4 Chambon bar ~~$S 29^{\circ} 01' E$ 200.0 ft~~

"Trunket Lode" (continued)

Bar N° 1 chambone, bars N 29° 01' W 498.0 ft
1360.4 to Bar N° 1

The place of beginning.
Variation at all corners of the copper cliff,
Chambone, Copper Cross, Copper Prince,
and Trunket Lodes N 12° 44' E

Area.

Area Copper Cliff.

S 27° 03' W 1500.0	1335.90	682.05	682.05	911,050.60
S 29° 01' E 715.0	625.20	346.78	1017.32	636028.46
N 27° 03' E 1500.0	1335.90	682.05	11.51	15376.71
N 29° 01' W 715.0	625.20	346.78	346.78	216806.86
				232183.07 1547079.06
				2197926.213
				43560 889631.065
				20,43 acres

Net area Cop. Cliff.

Area Chambone

S 27° 03' W 1500.0	1335.90	682.05	682.05	911,050.60
S 29° 01' E 698.0	610.33	338.53	1026.57	625936.14
N 27° 03' E 1500.0	1335.90	682.05	4.99	6666.14
N 29° 01' W 698.0	610.73	338.53	338.53	206615.02
				213281.16 1536986.74
				213281.16
				21,502,67.90
				43560 1875133.95
				20,090 acres

Net area chambone

Area Copper Cross

S 60° 59' W 556.6	269.98	486.69	486.69	131,396.57
S 29° 01' E 1279.5	1118.82	620.56	352.82	394742.07
N 50° 00' E 197.8	127.13	151.52	419.26	53300.52
S 38° 48' E 267.0	204.21	164.17	734.95	150,062.14
N 60° 59' E 317.9	154.18	277.97	1177.09	181,483.74
N 29° 01' W 1500.0	1311.60	727.53	727.53	954,228.35
				1775151.25 150,062.14
				150062.14
				21,565089.11
				43560 782544.555
				17,965 acres

Net area Copper Cross.

17,965 acres

Area Copper Prince

N 52° 56' E	1500.0	904.05	1196.85	1196.85	1082012.24
S 61° 24' E	595.6	285.05	522.88	3916.38	831371.13
S 52° 56' W	1500.0	904.05	1196.85	2241.61	2026527.52
S 61° 24' W	595.6	285.05	522.88	522.88	149046.94
					1231059.18 2857898.65 1231059.18
					2 1626839.47
					43560 / 813419.735

Net Area Copper Prince

18.673 acres

Area Tricket

S 61° 24' E	595.6	285.05	522.88	1522.88	149046.94
S 52° 56' W	1360.4	819.91	1085.46	3970	32550.43
S 61° 24' W	595.6	285.05	522.88	1648.04	469773.80
S 52° 56' E	1360.4	819.91	1085.46	1085.46	888999.51
					1358773.31 181597.87
					1358773.31
					2 1540370.68
					43560 / 770185.34

Total Area Tricket

17.681 acres

Tricket area in conflict with Copper Cliff (this survey)

S 61° 24' W	70.3	33.65	61.72	61.72	2076.88
S 52° 56' E	160.9	997.00	128.42	4.98	483.06
S 29° 03' W	146.7	130.65	66.70	66.70	8714.35
					2559.94
					8714.35
					2559.94
					2 11274.29
					43560 / 5637.145

Area Tricket in conflict with Copper Cliff (this survey)

0.129 acres

Area of Tricket in conflict with Chambon (this survey)

S 53° 56' W	949.7	573.03	757.77	757.77	434224.94
S 29° 03' W	146.7	131.40	66.70	1582.24	207906.34
S 61° 24' E	525.3	252.15	461.35	1187.39	299450.82
S 52° 56' E	123.6	744.9	98.81	627.43	46737.26
S 29° 03' E	794.2	707.31	381.31	167.31	118340.04
S 29° 01' W	200.00	174.88	97.00	97.00	16963.36
					182040.66
					941582.10
					182040.66
					2 759541.44
					43560 / 379770.72

Tricket area in conflict with Chambon (this survey)

8.711 acres

Area (continued)

13

Trukey Area in conflict with White Glance.

$N 52^{\circ} 56' W$	405.6	244.77	323.86	323.86	79271.21
$N 41^{\circ} 37' W$	97.5	72.89	64.97	712.69	51947.97
$N 48^{\circ} 03' E$	357.8	239.15	266.10	511.56	122339.57
$S 61^{\circ} 24' E$	139.8	67.27	122.73	122.73	8255.05
Error	+ 0.63	- Error 0.45			174,287.54 - 8,7526.26 174,287.54
					<u>2</u> 86761.28
					<u>43560</u> <u>43380.64</u>
					0.996 acres

Trukey area in conflict with White Glance (unsurveyed)

Trukey Area in conflict with White Glance N°2 (unsurveyed)

$N 52^{\circ} 56' W$	831.2	501.08	663.46	663.46	332,446.54
$N 27^{\circ} 03' E$	74.7	66.53	33.97	1292.95	86 019.96
$N 48^{\circ} 03' E$	758.8	587.18	564.32	694.66	352,317.66
$S 41^{\circ} 57' E$	97.5	72.63	65.17	65.17	4,733.30
Error	0.24		0.24		<u>438,337.62</u> 337179.84 <u>337,179.84</u>
					<u>2</u> 101157.78
					<u>43560</u> <u>50578.89</u>

Trukey area in conflict with White Glance N°2 (unsurveyed) 1.161 acres

Trukey Area in conflict with Indiana (unsurveyed)

$N 27^{\circ} 03' E$	80.8	72.09	37.00	37.00	2667.33
$S 74^{\circ} 59' E$	63.6	16.61	61.68	135.68	225364
$S 48^{\circ} 03' W$	132.7	88.70	98.68	98.68	8752.92
Error	+ 0.24	. 0.52			<u>4920.97</u> 8752.92
					<u>4920.97</u>
					<u>2</u> 3831.95
					<u>43560</u> <u>1915.975</u>

Area Trukey in conflict with Indiana unsurveyed.

acres
17.681

Total area Trukey				acres
area in conflict with Cop. Cliff this survey				0.129
" " " Chamber " "				8.711
" " " White Glance (unsurveyed)				0.996
" " " " " N°2 "				1.161
" " " Indiana "				<u>0.044</u> 11.041
Total Net Area Trukey				6.640 acres

The surveys of the Copper Prince, Trunket and Copper Cross are identical with their respective locations, and the Copper Cliff and Chambone are identical with their respective amended locations.

The Copper Queen N° 2, Copper King N° 2 White Glance and White Glance N° 2 (unsurveyed) are owned by the Arizona Copper Co. of Clifton, Graham County, Arizona.

The Cut Set and Bon Ton survey N° 1366 are owned by the Carter Group Copper Mines Company of New York City N.Y.

The Indian (unsurveyed) is owned by the Mueller Copper Company of Clifton, Graham County, Arizona.

The California and Idaho (unsurveyed) and the Montana Survey N° 1171 are owned by the Detroit Copper Company of Morenci, Graham County, Arizona.

The disagreement between the location of the Copper Cliff and the Chambone and their amended locations is due to errors in the original locations.

Location.

The Copper Cliff, Chambone, Copper Cross, Copper Prince and Trunket Sodas, are located, approximately in Township 4 South, Range 29 East, Gila and Salt River Mountain, Copper Mountain and Greenlee Gold Mountain Mining Districts, Graham County, Arizona.

Expenditure of Five Hundred Dollars.
I certify the value of labor and improvements upon the Copper Cliff, Chambone, Copper Cross, Copper Prince and Trunket Sodas, placed thereon by the claimant, is not less than

	Five Hundred Dollars on each claim and that said improvements consist of:	
Nº 1	Discovery cut, Nº 1, on the Copper Cliff, 32 ft. long, 10 ft. wide, 8 ft. face, the center of which bears from Cor. Nº 1 S 7° 45' W 927 ft. Value	\$ 150. 00
Nº 2	Tunnel. Nº 2 on the Copper Cliff, the mouth of which bears from Cor. Nº 1 S 6° 26' W 2220 ft. running S 19° 52' W, 240.0 ft. to breast. This tunnel is intended for the main adit of the Copper Cliff. Chamboe and Copper Cross, and will if continued in its present course, reach a depth of 725. ft. at a point directly under Cor. Nº 2 of the Copper Cliff. Total value \$ 1920. 00	
	Credit Copper Cliff 1/3 or 80. ft	\$ 640. 00
Nº 3	Tunnel Nº 3 on the Copper Cliff, the mouth of which bears from Cor. Nº 1 S 7° 04' W 845. ft. running N 46° 00' W 25. ft to breast. The mouth of this tunnel is surrounded by an open cut 30. ft long, 12 ft. wide, 15 ft. high.	
	Value of Tunnel	\$ 200. 00
	Value of Open cut	\$ 250. 00
Nº 4	Tunnel Nº 4 on the Copper Cliff, the mouth of which bears from Cor. Nº 1 S 9° 05' W 858. ft. running N 46° 00' W 15. ft to breast. Value	\$ 120. 00
Nº 1	Discovery Tunnel, Nº 1, on the Chamboe, the mouth of which bears from Cor. Nº 1-4 - S 14° 14' E 760. ft. running S 87° 10' W 100. ft. Value	\$ 800. 00
Nº 2	Tunnel, Nº 2, on the Chamboe, the mouth of which bears from Cor. Nº 1-4 S 4° 27' W 411. ft. running N 36° W 43. ft to breast. Value	\$ 344. 00
Nº 3	Tunnel, Nº 3, on the Chamboe, the mouth of which bears from Cor. Nº 1-4 S 3° 14' W 388. ft. running N 36° 00' W	

	28. ft. to breast. Value	\$244.00
	Credit 80. ft or $\frac{1}{3}$ of main adit on the Copper Cleff. Value	\$640.00
N° 1	Discovery Tunnel, N° 1, on the Copper Cross, the mouth of which bears from Cor. N° 1 S 24° 30' E 676. ft. running N 32° 00' W 32. ft to breast. Value	\$256.00
N° 2	Shaft, N° 2, on the Copper Cross, the center of which bears from Cor. N° 1 S 24° 30' E 635. ft. 10 ft deep Value	\$ 80.00
	Credit 80. ft or $\frac{1}{3}$ of main adit on the Copper Cleff. Value	\$ 640.00
N° 1	Discovery Cut, N° 1, on the Copper Prince, the center of which bears from Cor. N° 1 N 81° 30' E 565. ft. 12 ft high, 25. ft. long, 5. ft. wide. Value.	\$ 80.00
N° 2	Tunnel, N° 2, on the Copper Prince, the mouth of which bears from Cor. N° 1 N 65° 0' 3' E 405. ft. running N 2° 00' E 30. ft. to breast. Value	\$ 240.00
N° 3	Tunnel, N° 3, on the Copper Prince, the mouth of which bears from Cor. N° 1 N 57° 39' E 599. ft running N 54° E 25. ft to breast. Value	\$ 200.00
N° 1	Discovery shaft, N° 1, on the Trucket the center of which bears from Cor. N° 1, S 15° 39' W 351. ft. 50. ft deep Value	\$ 400.00
	Draft running west for 67. ft. from bottom of shaft. Value	\$ 670.00
	Value of work on Copper Cleff.	\$ 1360.00
	" " " Chamber	2028.00
	" " " Copper Cross	976.00
	" " " Copper Prince	520.00
	" " " Trucket	<u>1070.00</u>
		\$ 5954.00

The surface embraced by the Copper
Cleff, Chamber, Copper Cross, Copper
Prince and Trucket sides, is extremely
rough and broken, portions of the

surface being inaccessible.

Cor. N° 1 of the Copper Cliff is at the side of Chase Creek and about 10 ft above the bed of the creek. From Cor. N° 1 to Cor. N° 2 of the Copper Cliff the surface is very rough, ascending 745. ft to apex of ridge at Cor N° 2. From Cor. N° 2 to Cor. N° 3-2, the surface descends about 200. ft. following the side of the hill.

From Cor. N° 3-2 to Cor N° 4-1, the surface is very rough and broken, being one mass of small bluffs from Chase Creek to apex of ridge.

Cor. N° 4-1 is about 10. ft. higher than bed of Chase Creek, and at the base of a 75. ft bluff.

From Cor. 4-1 to Cor N° 1, the end line passes over a 75. ft bluff and a 125. ft bluff.

From Cor N° 1 Copper Creek to Cor. N° 2, the surface descends about 125 ft.

From Cor. N° 2 to bottom of North Fork of Yankee Gulch, the surface descends about 200. ft., then ascends quite rapidly to Cor N° 3 which is on the apex of ridge, 450 ft.

higher than bottom of Yankee Gulch. From Cor N° 3 surface descends very rapidly for 400. ft. to Cor. N° 4, which is about 50. ft above bottom of Gulch.

From Cor. N° 4 to hamline, the surface ascends very rapidly to S.E. center of side line, being 600. ft. above Chase Creek, then descends to bottom of North fork of Yankee Gulch. Cor N° 1 Copper Creek is about 75. ft higher than bed of Chase Creek. Following the course of side line, the surface descends to bottom of draw

about 50. ft lower than Bar N° 1.
From bottom of draw to Bar N° 2
the surface is very rough & broken,
ascending about 400. ft.
From Bar N° 2 to Bar N° 3 the
surface ascends very rapidly, and is
very broken, the end line crossing
over several bluff, one being 150. ft
vertical.

Bar N° 3 is about 400 ft. higher than
Bar. N° 2.

From Bar N° 3 to Bar N° 4 surface
decends quite rapidly, Bar N° 4
being about the same level as Bar
N° 1.

Bar N° 4 of the Trunkit is on the
apex of ridge & about 625. ft. above
Cham Creek.

Judging from present developments and
surface indications the ledges of the Copper
Cliff, Chambon, Copper Cross, Copper
Prince and Trunkit, extend throughout
the center of their respective claims.
On Copper Cross ledge N. 29° 01' E. 1500 ft. from Cor. N° -5.

In making this survey particular
attention was paid to the north east end
lines of the Copper Cliff and Chambon,
and the distances to the W. S. L. M. N° 3,
and I find the distances and courses
herein stated to be correct.

Instrument.

This survey was made with a C. L.
Berger and Sons Mining Transit.

The courses were deflected from the
true meridian by direct observation
on the Polaris.

The distances were measured with
a 200. ft. steel tape.

R. J. Young.

U.S. Deputy Mineral Surveyor

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by

R. J. Young

United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines corners and boundaries described in the foregoing field notes of the survey of the mining claim of *Julius Leszynsky, by H. D. Underwood, atty. in fact.* known as the *Copper Cliff, Chambone, Copper Cross, Copper Prince & Trunket* and showing the respective capacities in which they acted.

Mack Kline, Chainman.

-----, Chainman.

-----, Axman.

-----, Flagman.

FINAL OATHS OF ASSISTANTS.

We, *I Mack Kline*

and *Young*, do solemnly swear that we assisted *R. J. H. D. Underwood, atty. in fact.*

Julius Leszynsky, by *Copper Cliff, Chambone, Copper Cross, Copper Prince & Trunket*, represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of *my* knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for *Arizona*.

Mack Kline, Chainman.

-----, Chainman.

-----, Axman.

-----, Flagman.

Subscribed and sworn to by the above-named persons before me
this *14th* day of *January*, 1901.

John W. Crawford

Notary Public

My commission expires Aug 1st 1903

(4-686.)

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, R. J. Young, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated Dec. 14th 1900, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of Julius Leszynsky, by H. D. Underwood, atty. in fact., known as the Copper Cliff, Chambone, Copper Cross, Copper Queen, Trubert situate in Copper Mountain and Greely Gold Mountain Mining District, Graham County, Arizona, in Section approximately 1/4, Township No. 4 South, Range No. 29 East, and designated as Survey No. 1512, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

R. J. Young.

U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said R. J. Young,

U. S. Deputy Mineral Surveyor, before me Ben M. Crawford,

Notary Public,

this 14th

day of January 1901,

Ben M. Crawford

Notary Public

My commission expires Jan. 1st 1904

Affidavit of Five Hundred Dollars Improvements.

We, John F. McColls and Isaac N. Stevens
 of lawful age, being first duly sworn according to law, depose and say: that we are
 acquainted with the Copper Cliffs, Copper Cruses, copper creases, chambone, Tinket mining claims situate
 in Copper Mountain + Greenlee Mts. Mountains Mining district, Graham County,
 Arizona Territory, for which Julius Lazynsky by H.D.

Widewood Atty-in fact

has made application for survey prior to application for patent under the provisions
 of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
 ments made thereon by the applicant and his grantor exceed Five Hundred
 for each of said claims
 Dollars in value, and further that we are not personally interested in said mines

J. F. McColls
Isaac N. Stevens

TERRITORY OF ARIZONA, }
 County of Graham } ss:

Sworn to and subscribed before me, this 30 -

day of November, 1890.

Charles W. Beck

My commission expires April 21st 1903 John C. Collier

NOTICE OF LOCATION. Quartz Claim.

To All whom it may Concern:- We claim for mining purposes, 600 feet wide and 1500 feet long, in the form of a parallelogram, Monuments of stones at each corner, at the center of each end and center of each side line. This notice is placed in a monument at the north east Center end of claim. General direction Northeast and Southwest Situated in Copper Mountain Mining District, Graham County, Arizona This claim adjoins the BON TON claim in the south westerly end & runs parallel with & adjoins the CHAMBONE claim in the north-westerly side. Commencing at a mon of stones erected at the N E center end of claim and running thence 300 feet easterly to a mon of stone; thence 750 feet southerly to a mon of stone; thence 5 750 feet southerly to a mon of stone; thence 300 feet westerly to a mon of stone; thence 300 feet westerly to a mon of stone; thence 750 feet northerly to a mon of stone; thence 750 feet northerly to a mon of stone; thence 300 feet easterly to the place of beginning and shall be known as the COPPER CLIFF mine. Located May 25" 1897.

Isaac N Stevens
Ben M Crawford
Locators.


Recorded at 9 o'clock A M, 7th June, 1897, at request of B M Crawford.

P Michelena, Recorder.

Territory of Arizona)
County of Graham) SS.
Office of Co Recorder)

I, Pedro Michelena, County Recorder of the County of Graham, in the Territory of Arizona, DO hereby certify that the foregoing is a correct copy of the Certificate of Location of the COPPER CLIFF Mining claim, in the Copper Mountain Mining District, Graham County Arizona, as the same appears of record at folio 244 of Book 9 "Record of Mines" records of said County.

Given under my hand and seal of Office this the 22nd day of October, A D 1900.


County Recorder, Graham County, Arizona.



Amended Location Certificate - Lode Claim,
Territory of Arizona,
County of Graham }^{ss}

Know all men by these Presents:
That Julius Leszynsky, the undersigned, has
this 19th day of November, 1900 amended, located &
claimed and by these presents does amend,
locate and claim by right of discovery and
amended location, in compliance with the
mining acts of Congress approved May 10th
1872, and all subsequent acts, and with local
customs, laws and regulations 1500 linear feet.
and horizontal measurements, on the "Copper Cliff"
lode, vein, ledge or deposit, along the vein thereof,
with all its dips, angles and variations, as
allowed by law, together with 357.5 feet on
each side of the middle of said vein at
the surface, so far as can be determined from
present developments, and all veins, ledges,
ledges or deposits and surface ground within
the lines of said claim 810 feet running south
westerly from center of point in discovery
tunnel, and 690 feet running north easterly
from center of discovery point, being situate
upon said lode, vein, ledge or deposit and
within the lines of said claim in Copper
Mountain Mining District, County of Graham
and Territory of Arizona, described by metes and
bounds as follows, to-wit:

Beginning at Cor. No 7 Identical with the N. W.
Cor. of Outlet, Survey No 1360. whence N. E. L. M. N^o 3
bears N 32° 07' W 76 85.83 feet. Thence S 27° 53' W. 750 ft. to
a monument of stone being the center of N. W. Side.
Thence S 27° 53' W. 750 feet to a monument of stone, be-
ing the N. W. Cor. Thence S 29° 01' E 357.5 feet to a monu-
ment of stones, being the S. W. End. center. Thence S
29° 01' E 357.5 feet to a monument of stone being the
S. W. Cor. Thence N 27° 53' E 750 feet to a monument of stone
being the center of the S. E. side. Thence N 27° 03' E. 750
feet to a monument of stone being the S. E. Cor. Thence
N 29° 01' W. 357.5 feet to a monument of stone being the
N. E. End center. Thence N 29° 01' W 357.5 feet to place of
beginning. This being the same lode originally loca-
ted on the 25th day of May 1897 and recorded on the 7th
day of June 1897 in Book J. Record of Minces page 244 in
the office of the Recorder of Graham County. This
further and amended certificate of location is
made without waiver of any previously acquired
rights but for the purpose of correcting my error
in the original description, location or record.

Witness } Julius Leszynsky-Locator
R. J. Young)

Recorded at the request of R. J. Young. Dec. 8th 1900
at 9 o'clock A. M.

Pedro Michelina.

NOTICE OF LOCATION.

Quartz Claim. To All whom it may Concern:- We claim for mining purposes, 600 feet wide and 1800 feet long, in the form of a parallelogram, monuments of stones at each corner, at the center of each end, and center of each side line. This notice is placed in a monument at the northeast corner end of claim. General direction Northeast and southwest. Situated in Copper Mountain Mining District, Graham County, Arizona. This claim adjoins the Copper Prince claim in the southwesterly end. Commencing at a monument of stones erected at the N E centerend of claim & running thence 300 feet easterly to a monument of stones; thence 750 feet southerly, to a thence 750 southerly to a monument of stones; monument of stones; thence 300 feet westerly to a mon. of stones; thence 300 feet westerly to a mon. of stones; thence 750 feet nor northerly to a mon. of stones; thence 750 feet northerly to a mon. of stones; thence 300 feet easterly to the place of beginning, and shall be known as the CHAMEONE mine. Located May 25th 1897.

Isaac N Stevens
Ben M Crawford
Locators.


Recorded at 9 o'clock A M 7th June, 1897, at request of B M Crawford.

P. Michelena, Recorder.

Territory of Arizona)
County of Graham) SS
Office of Co Recorder)

I, PEDRO MICHELENA, County Recorder of the County of Graham, in the Territory of Arizona, DO hereby certify that the foregoing is a correct copy of Location Certificate of the "CHAMBONE" Mining claim, in the Copper Mountain Mining District, as the same appears of record in my office at folie 243 et seq. of Book 9 "Record of Mines" records of said County.

Given under my hand and seal of office this the 22nd day of October, A D 1900.


County Recorder, Graham County, Arizona.



P-22-1900

29

Amended Location Certificate.

Lode & claim.

Territory of Arizona
County of Graham^{ss}

Know all men by these Presents:
That Julius Leszynsky, the under signed
has this the 19th day of November - 1900,
amended, located and claimed, and by these
presents does amend, locate and claim by
right of discovery and amended location,
in compliance with the mining acts of
congress approved May 10th 1872, and all
subsequent acts and with local customs,
laws and regulations, 1500 linear feet and
horizontal measurement, on the "Chambon"
lode, vein or deposit along the vein thereof,
with all its dips, angles, and variations
as allowed by law together with 349 feet
on each side of the middle of said claim,
and all veins, lodes, ledges or deposits and
surface ground within the lines of said
claim. Discovery tunnel bears from Cov.
No 1 S 14° 14' E 760 ft. being situate within
the lines of said claim in Copper Mountain
Mining District, Graham County, Arizona,
described by metes and bounds as follows,
to-wit:

Beginning at Cov No 1 Identical with
the S.C. Cov. Copper Cliff. Whence S. S. M.

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

MOTION OF LOCATION

W. 500 feet from the main entrance to the CHAMBERLAIN MINES. This location is to be used as the base for mining operations and to serve as a supply point for the miners. It is located in a valley between two hills, one on each side of the river, and is accessible by a narrow trail. The location is approximately 1 mile from the nearest town, and is situated in a hilly area with some timber and brush. The ground is rocky and uneven, and there is no water source nearby. The location is considered to be suitable for mining operations due to its proximity to the mine and the availability of labor.

G. Chamberlain

May 25, 1902
Lasse N. Johnson
Ben M. Johnson
P. M. Johnson, Recorder.

Office of Recorder
Office of Clerk
County of Gage
Territory of Arizona
SS

I, PHILIP MICHAELSON, County Recorder of the Territory of Arizona, do hereby certify that the premises described in the foregoing affidavit of L. N. Johnson, Clerk of the "CHAMBERLAIN" Mine, is located in the same place as the same affidavit was filed in the office of Recorder of the "CHAMBERLAIN" Mine, on May 25, 1902. I also certify that the same affidavit was filed in the office of Recorder of the "CHAMBERLAIN" Mine, on May 25, 1902. Given under my hand and seal this 25th day of May, A.D. 1900.

County Recorder, Gage Co., Arizona.

Territory of Arizona
County of Graham }
Office of Co. Recorder)

I, Pedro Michelena, County Recorder
of Graham County, Arizona do hereby certify
the foregoing to be a full, true, complete
and correct copy of "Copper Cliff" Mining
Claim in Copper Mountain Mining District,
said County and Territory, as the same
appears of record at folio 7182 of Book 13
of Mining Record, records of Graham County,
Arizona.

Given under my hand and seal of office
this 8th day of Dec. 1900.



John Michelena
County Recorder

Identifying Copy
Copper Cliff Mine
in
Graham County Ariz

Identifying Copy

N^o 3 bears N 32° 38' W 8399.8 ft. Thence S 27° 03' W 750 ft. a monument of stone being the N. W. side center, identical with the S. E. side center of the Copper Cliff. Thence S 27° 03' W 750 to a monument of stone being the N. W. cor. Identical with the S. W. cor. Copper Cliff.

Thence S 29° 01' G 349 feet to a monument of stone being the center of the S. W. End. Thence S 29° 01' G 349 feet to a monument of stone being the S. W. cor. Thence N 27° 03' G 750 ft to a monument of stone, being the center of the S. E. side. Thence N 27° 03' G 750 ft to a monument of stone being the S. E. cor. Thence N 27° 01' W 349 feet to a monument of stone being the center of the N. E. End. Thence N 27° 01' E 349 to looks, the place of beginning. This being the same lot originally located on the 25th day of May 1897 & recorded on the 7th day of June 1897 in Book 9, page 243. Records of Minus, in the Recorder's office Graham County. This further & amended certificate of location is made without waiver of any previously acquired rights, but for the purpose of correcting any errors in the original location, description or record.

Witness } Julius Lezynsky-Locator.
 R. J. Young }
 Recorded at the request of R. J. Young, Dec. 8th, 1900
 at 9 o'clock. Pedro Michelena.

Territory of Arizona
County of Graham } ss.
Office of Co. Recorder,

16-53

I, Pedro Michelena, County Recorder
of Graham County, Arizona do hereby certify the
foregoing to be a full, true, complete and
correct copy of "Chambon" Mining Claim in
Copper Mountain Mining District, said County
and Territory, as the same appears of record
at folio 81 of Book 13, Mining Record, records
of Graham County, Arizona.

Given under my hand and seal of office
this 8th day of Dec. 1900.

Pedro Michelena
County Recorder



Granting of
Mining Claim

Chambon Mine
in
Copper Mountain
Mining District

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

NOTICE OF LOCATION. Quartz Claim.

To All whom it May Concern:- We claim for mining purposes, 600 feet wide and 1500 feet long, in the form of a parallelogram; Monuments of stone at each corner; at the center of each end and center of each side line. This notice is placed in a monument, at the northeast. feet from the side monument of claim. General direction Easterly and Westerly; situated in Copper Mountain Mining District Graham County, Arizona. This claim adjoins the Chambone, Copper Cliff claims, on the southerly ends & runs in an opposite direction & adjoins the said claims in S Westerly end. Commencing at a mon. of stones erected at the northeast side line at the center and running thence 750 feet easterly to a mon of stones; thence 300 feet southerly to a mon of stone- thence 300 feet southerly to a mon of stone - thence 750 feet westerly to a mon of stone - thence 750 feet westerly to a mon of stone- thence 300 feet northerly to a mon of stone - thence 300 feet northerly to a mon of stone - thence 750 feet easterly to the place of beginning and shall be known as the COPPER CROSS mine. Located May 25th 1897.

Isaac N Stevens
Ben M Crawford
Locators.


Recorded at 9 o'clock A M 7th June, 1897, at request of B M Crawford.

P Michelena, Recorder.

Territory of Arizona)
County of Graham) SS
Office of Co Recorder)

I, Pedro Michelena, County Recorder of the County of Graham, in the Territory of Arizona, do hereby certify that the foregoing is a full, true and correct copy of the COPPER CROSS mining claim Certificate of Location, in the Copper Mountain Mining District, in the County of Graham Arizona, as the same appears of record in my office at folio 244 et seq of Book 9 "Record of Mines", record of said County.

Given under my hand and seal of Office this the 22nd day of October, A D 1900.


County Recorder, Graham County, Arizona.



LOCATION NOTICE. LODE CLAIM.

To all whom it may Concern:- Ben M Crawford has the sixth day of June, 1899, entered upon and located, by right of discovery and location, Fifteen hundred feet of this vein or lode of mineral bearing rock, together with three hundred feet on each side of the center of same. The name of this mining claim shall be the TRINKET Mining Claim and it is situated about one half a mile north of the A C Co's Coronado Railroad tunnel on Chases Creek, in Greenlee Gold Mt and Copper Mountain Mining districts, County of Graham, Territory of Arizona. The general course of the vein or lode is from the northeast to the southwest. The surface boundaries are more particularly described as follows, to-wit:- Beginning at a monument of stones at the center of the northeast end line of the claim, from which the discovery shaft bears S W 325 feet; thence S E 300 feet to a monument of stones, being at the S E corner, thence S W 750 feet to a monument of stones, being the southerly side center of said claim; thence S W 750 feet to a monument of stones, being at the S W corner of said claim; thence N W 300 ft. to a monument of stones, being at the S W end center of said claim; thence N W 300 ft. to a monument of stones, being at the N W corner; thence N E 750 ft. to a monument of stones, being at the northerly side line of said claim; thence N E 750 ft. to a monument of stones being at the N E corner; thence S E 300 ft. to the place of beginning. This claim is intended to take up all vacant ground laying between the WHITE GLANCE, COPPER PRINCE, BON TON and CHAMBON mining claims. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes and of an act of the General Assembly of Arizona entitled: "An Act Concerning Mines" approved March 20th. 1895. Dated and posted on the ground this 6th. day of June 1899.

Witness: J F Nicalls

Ben M Crawford


Recorded at request of B M Crawford July 1st. 1899, at 11 o'clock A M,

P. Michsicha, Recorder.

Territory of Arizona)
County of Graham) SS.
Office of Co Recorder))

I, Pedro Michelena, County Recorder of the County of Graham, in
Arizona Territory, do hereby certify that the foregoing is a true
and correct copy of the Certificate of Location of the TRINKET
Lode Mining claim in the Greenlee Gold Mt? & Copper Mountain
Mining Districts in the County of Graham, Territory of Arizona, as
the same appears of record at folio 209 of Book 11 "Mining Record
records of said county.

Given under my hand and seal of Office this the 22nd day of Oct
ober, A D 1900.


Recorder of the County of Graham, Arizona.



NOTICE OF LOCATION.
Quartz -- Claim.

To All whom It May Concern:

We claim for Mining purposes, 600 feet wide and 1500 feet long, in the form of a ~~parallelogram~~, Monuments of stones at each corner, at the center of each end, and center of each side line. This notice is placed in a monument at the S W center end of claim.

General direction, north east and south west. Situated in Greenlee Gold Mountain Mining District, Graham County, Arizona. This claim lies in the North easterly side of Chacos Creek and adjoins the BON TON mine on the south easterly side. Commencing at a mon of stone, erected at the S E center end of claim & running thence 300 feet easterly to a mon of stone; thence 750 feet northerly, to a mon of stone; thence 750 feet northerly to a mon of stone; thende 300 feet westerly to a mon of stone; thence 300 feet westerly to a mon of stone; thence 750 feet southerly, to a mon of stone; thence 750 feet southerly to a mon of stone; thence 300 feet easterly to the place of beginning. About three quarters of a mile northerly from the LONGFELLOW Incline and shall be known as the COPPER PRINCE Mine. Located May 25th. 1897.

Isaac N Stevens
Ben M Crawford, Locators.

Recorded at 9 o'clock A M, 7th. June, 1897, at request of B M Crawford.
P. Michelena, Recorder.

Territory of Arizona)
County of Graham) SS
Office of Co. Recorder)

I, Pedro Michelena, County, Recorder of the County of Graham, in the Territory of Arizona, DO hereby certify that the foregoing is a full, true, complete and correct copy of the COPPER PRINCE Mining claim in the Greenlee Gold Mountain Mining District, in said County and Territory, as the same appears of record at folio 245 et seq. of Book 9 "Record of Mines", records of said County.

Given under my hand and seal of Office this the 31st. day of October, A D 1900.


County Recorder, Graham County, Arizona.



(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Tucson, Arizona.


March 25-1901., 18

I, U. S. Surveyor General for District of Arizona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Julius Leszynsky

, known as the Copper Cliff, Chambone, Copper Cross, Copper Prince & Trinket, situate in Copper Mountain & Greenlee Gold Mountain mining district, Graham County, Arizona, in Section ~~approx~~, Township No. 4 South, Range No. 29 East., designated as Survey No. 1512.

executed by R. J. Young, U. S. Deputy Mineral Surveyor, Dec 18-28-1900, 18, under my instructions dated Dec 14-1900, 18, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

George Christ
U. S. Surveyor General for Arizona.



PRELIMINARY PLAT

Survey N° 1512

Copper Mountain to Greenlee Gold Mountain M.D.

1. ПОЛІТИКА
ІДІОЛОГІЯ

Відповідь: відповідь на це питання дуже складна, оскільки вона залежить від багатьох факторів. Тому я буду спробувати дати об'єктивну та об'ємну відповідь.

Спочатку потрібно зазначити, що навколо терміну "СРСР" у світі існує велика кількість поганої і неправдивої інформації. Це стосується як внутрішнього, так і зовнішнього вимірювання. Для отримання точних даних необхідно зробити декілька кроків:

- 1) Використати надійні джерела інформації про населення СРСР, наприклад, Державну статистичну службу СРСР та Міністерство статистики СРСР.
- 2) Розглядати дані з урахуванням різних типів населення, які можуть мати різну чисельність: міське, сільське, міграційне, працездатне, непрацездатне, тощо.
- 3) Урахувати динаміку змін населення за певний період часу, виведену з даних статистичного збору.
- 4) Розглянути причини змін населення: природний приріст або зменшення, міграція, економічні зміни та інші.

Більше
дані
ще

Сума всіх цих факторів дає нам підставу вважати, що населення СРСР становить близько 280-300 мільйонів осіб.

Задача № 2:
Відповідь на це питання дуже складна, оскільки вона залежить від багатьох факторів.

Сума всіх цих факторів дає нам підставу вважати, що населення СРСР становить близько 280-300 мільйонів осіб.

Сума всіх цих факторів дає нам підставу вважати, що населення СРСР становить близько 280-300 мільйонів осіб.

Сума всіх цих факторів дає нам підставу вважати, що населення СРСР становить близько 280-300 мільйонів осіб.

Сума всіх цих факторів дає нам підставу вважати, що населення СРСР становить близько 280-300 мільйонів осіб.

Сума всіх цих факторів дає нам підставу вважати, що населення СРСР становить близько 280-300 мільйонів осіб.

Сума всіх цих факторів дає нам підставу вважати, що населення СРСР становить близько 280-300 мільйонів осіб.

(Annex to motion T
23 (Gaines to Vicksburg
(to 00 Record))

RECORDED TO THE COUNTY RECORDER, CLARK COUNTY, NEVADA,
ON A DAY AND HOUR OF JANUARY TWENTY EIGHT, ONE THOUSAND EIGHT
THREE HUNDRED AND FORTY EIGHT BY GENEVA M. COOPER, RECORDER
RECORDED TO THE COUNTY RECORDER, CLARK COUNTY, NEVADA, ON A DAY AND HOUR OF
JANUARY TWENTY EIGHT, ONE THOUSAND EIGHT HUNDRED AND FORTY EIGHT BY GENEVA M.
COOPER, RECORDER.

ONE HUNDRED TWENTY DOLLARS.

Wm. W. W. Clark