Farms capied

(4—683.)

Mineral Survey No. 1531.

Lot No.	
Trescott	Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF
Mary & Mitchell, Execution & the Estate of Urmisteced
H Mitchell docd, and le Floddard,
2 VNOWN AS THE
Little Daudy, Abystine and Curley.
Bleech Rock Mining District,
Javepee County, arisone
Section Range 3 rt. (usun ufed
Surveyed under instructions dated for 10 4, 1807
by Linker
U. S. Deputy Mineral Surveyor
Claim located July 15/96. am, Sep. 13/96, Sep. 12/96 & March 8, 18 94.
Survey commenced fan. 25th, 180!
Survey completed Jan. 26th, 180!
Jaliliess,
R. E. Mornson
aly for claiments
Presento
auznie

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, Edd, Draper and Mathew Cenfreld
do solemnly swear that we will well and faithfully execute the duties of chain carriers;
that we will level the chain upon even and uneven ground and plumb the tally-pins,
either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claim of Mary & Mitchell Executivy & C. F. Goddaw
Lille Dandy, Legslone & Carley, known as the
Lelle Dendy, Tegstone & Curley
situate in Mack Perch mining district,
Javapai County, Auguste,
in Section , Township No. , Range No. ,
Chainman.
hother Carfield Chainman.
Subscribed and sworn to by the above-named persons before
May 19, 1900/ me this 25" day of Junuary, 1801
J. J. Fusher may Proble
I, Mulliew Campuled , do solemnly swear that I will well and
truly perform the duties of axeman, in the establishment of corners and other duties,
according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of Mury & Mitchele Executive, & 6 F. Goddand
known as the Lelle Dundy, Reyslone & Curley,
more fully described in the preceding affidavit.
hattan Candie, Axeman.
Subscribed and sworn to by the said Multicu
My commission expires May 19, 1909/ May 19, 1909/
May 19, 1909/
J. J. Fisher Morane Profice.
well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the
survey of the Mining Claim of Muy & Mitchell, Executive, and
known as the Lelle Dunly, Keyslow of Couley,
more fully described in the preceding affidavit.
At Drafer, Flagman.
Subscribed and sworn to by the said & & Locepeu
before me this Low day of
My commission expires Aunulus, 1870/.
May 19, 1904
o 6-145 P. J. William (Part 10)

Feet.

LITTLE DANDY LODE.

Beginning at cor. No. 1, which is also cor. No. 4, Keystone lode of this survey. Original loc. mon. a mon. of stones 2x2 ft. brs. S. 20° 15' E. 75 ft.

A granite stone 5x8x24 ins. set one foot in ground, along side built a mon. of stones 3x3 ft. Stone marked L. P. No. 1-1531 and K. No. 4-1531.

A x on a granite rock in place, marked B. R. L. D. No. 1-1531 brs. N. 62° 12' E. 96.5 ft.

A x on a granite rock in place, marked B. R. K. No. 4-1531 brs. N. 79° 45' W. 119 ft.

U. S. L. M. No. 1385 B. R. D. brs. S. 35° 30' E. 2403.8 ft.

Thence N. 20° 15' W.

14° E. Var.

750 1500 To east side mon. Keystone lode, of this survey. To cor. No. 2, which is also cor. No. 3, Keystone lode. Identical with corners of the locations.

A granite stone 8x10x20 ins. set 8 ins. in ground, along side built a mon. of stones 3x3 ft. Stone marked L. D. No. 2-1531, same stone marked K. No. 3-1531.

A x on a granite rock in place, marked B. R. K. No. 3-1531, brs. N. 88° 45' W. 52 ft.

Thence N. 52° 53' E.

14° E. Var.

300

To north center end, identical with Initial mon.

Feet.

of the loc. Set a granite stone 4x8x20 ins. 8 ins. in ground, along side built a mon. of stones 3x3ft. Stone marked N. C. E. L. D. No. 1531.

600

To cor. No. 3, identical with cor. of the loc.

A granite stone 6x10x24 ins. set one foot in ground, along side built a mon. of stones 3x3 ft. Stone marked L. D. No. 3-1531.

A x on a granite rock in place, marked B. R. L. D. No. 3-1531 brs. N. 64° 2' E. 17.9 ft.

A x on a granite rock in place, marked B. R. L. D. No. 3-1531 brs. S. 9° 20' W. 16.9 ft.

Thence S. 20° 15' E.

Var. 14° E.

1500

To cor. No. 4, identical with cor. of the loc.

A granite stone 8x8x24 ins. set one foot in ground, along side built a mon. of stones 3x3 ft. Stone: marked L. D. No. 4-1531.

A x on a granite rock in place, marked B. R. L. D. No. 4-1531 brs. N. 33° 30' E. 26.5 ft.

A x on a granite rock in place, marked B. R. L. D. No. 4-1531 brs. S. 44° 55' E. 80.5 ft.

Cor. No. 3-1385, Amazon lode brs. S. 26° /4' E. 774.0 ft.

Thence S 52° 53' W.

Var. 14° E.

300

To south center end, identical with loc.

A granite stone 4x10x24 ins. set one foot in ground, along side a mon. of stones 3x3 ft. Stone marked S. C. E. L. D. No. 1531.

To cor. No. 1, the place of beginning .

Feet.

180

680

1500

KEYSTONE LODE.

Beginning at cor. No. 1, identical with loc.

A granite stone 8x12x24 ins. set one foot in
ground, along side built a mon. of stones 3x3 ft.

Stone marked K. No. 1-1531.

A x on a granite rock in place, marked B. R. K. No. 1-1531 brs. S. 50° 30° E. 5.6 ft.

A x on a granite rock in place, marked B. R.

K. No. 1-1531 brs. S. 37° 35' W. 14.6 ft.

U. S. L. M. No. 1385 B. R. D. brs. S. 45° 3' E.

25 33.3 ft

Thence N. 20° 15' W.

Var. 14° E.

To cor. No. 1, Curley lode of this survey.

To east center end mon. Curley lode, and west side m mon. of Keystone lode, a mon. of stones 3x3 ft.

1180 To cor. No. 5, Curley lode of this survey.

To cor. No. 2, identical with cor. of loc.

A diorite stone 4x10x24 ins. set one foot in ground, along side a mon. of stones 3x3 ft. Stone marked K. No. 2-1531.

A x on a granite rock in place, marked B. R. K. No. 2-1531 brs. S. 62° 5' E. 56 ft.

A x on a granite rock in place, marked B. R. K. No. 2-1531 brs. S. 4° 47' W. 51.5 ft.

Thence N. 60° E.

Var. 14° E.

To north center end, identical with loc.

A granite stone 3x8x24 ins. set one foot in ground,

300

Feet.

along side built a mon. of stones 3x3 ft.

Stone marked N. C. E. K. No. 1531.

600

To cor. No. 3, which is also cor. No. 2, Little Dandy lode of this survey, identical with cor. of the locations. Cor. described above.

Thence S. 20° 15' E.

Var. 14° E.

750

1500

To east side mon. a mon. of stones 2x2 ft.

To cor. No.4, which is also cor. No. 1, Little

Dandy lode of this survey, original loc. corners

brs. S. 26° 15' E. 75 ft.

Corner described above.

Thence S. 60° W.

Var. 14° E.

300

To south center end, identical with S. C. E. of the loc. A granite stone 8x15x20 ins. set 8 ins. in ground, along side built a mon. of stones 3x3 ft. Stone marked S. C. E. K. No. 1531.

600

To cor. No. 1, the place of beginning survey of exterior boundaries.

CURLEY LODE.

Beginning at cor. No. 1, identical with south east cor. of the loc. at a point N. 20° 15' W. 180 ft. from cor. No. 1, Keystone lode of this survey.

A granite stone 5x12x24 ins. set one foot in ground, along side a mon. of stones 3x3 ft.

Feet.

Stone marked C. No. 1-1531.

A x on a granite rock in place, marked B. R. K. No. 1-1531 brs. S. 59° 45' W. 25.5 ft.

A x on a granite rock in place, marked B. R. K. No. 1-1531 brs. S. 5° 55' W. 13.5 ft.

U. S. L. M. No. 1385 B. R. D. brs. S. 47°/7° E. 2691.6 ft.

Thence N. 47° 44' W.

Var. 14° E.

800

1348

To west side mon. a mon. of stones 2x2 ft.

To cor. No. 2,

A granite stone 10x10x20 ins. set 8 ins. in ground, along side built a mon. of stones 3x3 ft. Stone marked C. No. 2-1531.

A x on a granite rock in place, marked B. R. C. No. 2-1531 brs. N. 54° 25' E. 12.5 ft.

A x on a granite rock in place, marked B. R. C. No. 2-1531 brs. N. 9° 10' W. 17.6 ft.

Thence N. 20° 15' W.

Var. 14° E.

500

To cor. No. 3, identical with west center end of the loc. The N. W. cor. of the loc. a mon. of stones 2x2 ft. brs. S. 34° 30' W. 240 ft.

A granite stone 8x8x24 ins. set one foot in ground, along side built a mon. of stones 3x3 ft. Stone marked C. No. 3-1531. No brs. available.

Thence N. 34° 30'E.

14° E. Var.

To cor. No. 4, identical with N. E. cor. of the loc.

300

Feet.

A granite stone 6x12x24 ins. set one foot in ground, marked C. No. 4-1531. No brs. available.

Thence S. 43° 44' E.

Var. 14° E.

600

948

To east side mon. a mon. of stones 2x2 ft.

To cor. No. 5, at a point S. 20° 15' E. 320ft.

from cor. No. 2, Keystone lode of this survey.

Original cor. of the loc. brs. S. 20° 15' E. 300

A granite stone 8x8x24 ins. set one foot in ground, along side built a mon. of stones 3x3 ft. Stone marked C. No. 5-1531.

A x on a granite rock in place, marked B. R. C. No. 5-1531 brs. S. 33° 47' E. 16.2 ft.

A x on a granite rock in place, marked B. R. C. No. 5-1531 brs. S. 52° 20' W. 41.4 ft.

Thence S. 20° 15' E.

14° E.

500

Toreast center end, original east center end of the loc. brs. S. 47° 44' E. 60 ft. a mon. of stones 2x2 ft.

A granite stone 8x8x24 ins. set one foot in ground, along side built a mon. of stones 3x3 ft. Stone marked E. C. E. C. No. 1531.

1000 To Cor. No. 1, the place of beginning survey of exterior boundaries.

AREA.

LITTLE DANDY LODE

V 19.768 acres.

KEYSTONE LODE

20.357

CURLEY LODE
TOTAL AREA LODE CLAIM

13.912 "
54.037 acres.

LOCATION.

This claim is located on un-surveyed land, approximately in T. 8 N. R. 3 W. G. & S. R. M. In Black Rock Mining District, Yavapai County Ariz. and is bounded on the north by O'Brien and Case's locations, names of claims unknown, on the east by the Toltec lode, an the south by the Lone Star and Homestake lodes, claimed by Mr. Burson. and on the west by Boran's location, all of which claims are un-surveyed.

VEINS.

The veins are large mineralized zones bearing copper, gold and silver.

Little Dandy Vein extends from the discovery shaft

S. 20° 15' E. 90 ft. to south center end, and

N.20° 15' W. 1410 ft. to north center end.

Keystone Vein extends from the north center end

S. 20° 15' E. 1500 ft. to the south center end.

Curley Vein extends from the discovery cut S. 47°

44' E. 120 ft. to the east center end, and N. 47° 44' W.

1228 ft. to the west center end.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than five hundred dollars for each location in this claim, and that said improvements consist of:

Little Dandy Lode.

Dis. Shaft No. 1, which brs. from south center end N. 20° 15' W. 90 ft. Shaft 4x6 ft. 25 ft.deep.

Value \$250.00

Tunnel No. 2, which brs. from south center end

N. 20° 15' W. 260 ft. Tunnel 4x6 ft. south 25 ft.

From mouth of tunnel a cross-cut 4x6 ft. west 40 ft.

An approach to tunnel 4x20 ft. 10 foot face.

Value \$800.00

Shaft No. 3, which brs. from south center end N. 20° 15' W. 270 ft. Shaft 4x6 ft. 11 ft. deep.

Value \$110.00

Keystone Lode.

Dis. shaft No. 1, which brs. from cor. No. 3, S. 42° 30' W. 150 ft. Shaft 4x6 ft. 10 ft. deep.

Value \$100.00

Shaft No. 2, which brs. from cor No. 3, S. 15° 15° W. 200 ft. Shaft 4x6 ft. 12 ft. deep.

Value \$120.00

Shaft No. 3, which brs. from cor. No. 3, S. 7° 15.

W. 240 ft. Shaft 4x6 ft. 10 ft. deep.

Value \$100.00

Shaft No.4, which brs. from cor. No. 3, S. 10° 15° W. 885 ft. Shaft 4x6 ft. 20 ft. deep.

Value \$200.00

Tunnel No. 5, which brs. from west side mon. S. 82° 30° E. 500ft. Tunnel 4x6 ft. east 35 ft.

Value \$350.00

Cut No. 6, which brs. from west side mon. S. 78° E. 465ft. Cut 4x12 ft. 10 foot face.

Value \$50.00

Curley Lode.

Dis. Cut No. 1, which brs. from east center end N. 47° 44' W. 120 ft. Cut 4x12 ft. 12 foot face.

Value \$100.00

Cut No. 2, which brs. from cor. No. 2, N. 69° E.

130 ft. Cut 4x25 ft. 10 foot face.

Value \$150.00

Cut No. 3, which brs. from cor. No. 2, N. 38° 30' E. 220 ft. Cut 4x20 ft. 8 foot face.

Value \$100.00

Tunnel No. 4, which brs. from cor. No. 2, N. 31° E.
160 ft. Tunnel 4x6 ft. 30 ft. run north.

Value \$300.00

Shaft No.5, which brs. from cor. No. 2, N. 24° 45° E. 280 ft. Shaft 4x6 ft. 22 ft. deep.

Value \$220.00

Cut No.6, which brs. from west center end S. 47° 44' E. 100 ft. Cut 4x15 ft. 10 ft. face.

Value \$100.00

INSTRUMENT.

This survey was made with a Gurley Solar

Transit. The courses were deflected from the true
meridian; asdetermined by solar and Polaris
observations. The distances were measured with a

100 ft. steel chain.

Prescott Ariz.

Feb. 2nd. 1901.

U.S. Dep. Min. Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

LIST OF NAMES.
A list of the names of the individuals employed by J. Jeiher
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of Mary & Mitchell, Executive of Estate of anuslead It Mutchell & Goddan
known as the Dittle Danly, Keyston & Curley
and showing the respective capacities in which they acted.
add Dupen, Chainman.
Mulhew Confield, Chainman.
Mulher Counties, Axman.
Af Braker, Flagman.
FINAL OATHS OF ASSISTANTS.
We, Eld Drapu
and Malheir Confield, do solemnly swear that we assisted
, United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of Mary & Mitchele, & centur of
Estate of armestead H milehele & le. F. Goddard
known as the Lilee Saud
Reystone T Carrley , represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
ausona
End Drafu , Chainman.
Matham Canfieldonainman.
Matheri Chanfield Arman.
May 19, 19004, Flagman.
Subscribed and sworn to by the above-named persons before me
this 26 m day of January, 190!
J. J. Flish
Moture Public
0 6–167

FINAL O	ATH	OF	U.S.	DEPUTY	MINERAL	SURVEYOR
---------	-----	----	------	--------	---------	----------

I, J. Hushur , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for
flue 10 - 190/, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining Claim of May E Michele, Executing of the Estate of Finnesting
A Mitchell deed & C. F. Gradand, known as the
Tille Dudy, Alexbone and Curtey,
situate in Glack Rock Mining District,
Township No. , Range No. , in Section
, Township No. , Range No. ,
and designated as Survey No. / V , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or Mell grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
of expenditures upon any other craim.
1 2 2
(Jingle
L'S Descrite Min and St.
U.S. Deputy Mineral Surveyor.
097.0
Subscribed and sworn to by the said 9.9. Fisher
U. S. Deputy Mineral Surveyor, before me a notary Cublic in
and for yangar Country, a 3 this second
day of February 1901.
2 dea O Brauno
My commission
expires Nov. 2, 1901

Affidavit of Five Hundred Dollars Improvements.

one, ESt. Druper, and Malhew Canfield	
of lawful age, being first duly sworn according to law, depose and say: That we are	
acquainted with the Little Dandy, Keystone & Curley mining claim, situate	
in Bluck Rock Mining District Yavapaco County,	
Arizona Territory, for which Mary & Milchele, Executive of the esta	el
in Bluck Rock Mining District. Yarapaus County, Arizona Territory, for which Mary & Milchell, Executive of the estice of Amistead H Milchell & & Goddand	
ha ${\cal A}$ made application for survey prior to application for patent under the provisions	
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-	
ments made thereon by the applicant. and this grantor exceed Five Hundred	
Dollars in value, and further, that we are not personally interested in said mine.	
Mathen Carrfield	
TERRITORY OF ARIZONA, County of Junepai	
Sworn to and subscribed before me, this $\mathcal{L}^{\mathcal{L}}$	
day of Junuary , 190/	
my muchos 18, 10	
15967b200-10-1909 May 19, 19004 Mylary Public.	

LITTLE DAUDY.

NOTICE OF LOCATION.

Know all men by these presents:

That we the undersigned, have this day Located Fifteen Hundred(1500)linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of saidx saim vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this Honument and Notice placed upon the ledge, and runs Fifteen Hundred (1500) feet in a Southerly

direction along the ledge.

The exterior boundaries are as follows, viz:

Commencing at this Monument and Notice, and running Three Mundred(300) feet in an Easterly direction to monument of stone at N.E.corner of clam; thence in a Southerly direction parallel with the ledge Fifteen Hundred(1500) feet to monument at S.E.corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to monument at S.W.corner of claim; thence parallel with the kadga lode in a Northerly direction Fifteen Hundred (1500) feet to monument at N.W. corner of claim; thence at right angles across the ledge in an Easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated about 1 1/2 miles North of Robt. Grooms Camp in Black Rock Mining District, Yavapai County, Arizona Territory, and shall be known as the Little

Dandy Mining Claim.

Dated on the ground this 8th day of March 1894.

James Cameron M.H.Campbell

E.R. Towne

Witness.

Recorded at request of T.Campbell April 9th A.D.1894, at 10 o'clock A.M.in Book 38 of Mine s, pages 133, Records of Yavapai County, Arizona.

> (L.S.) Alex O.Brodie, County Recorder.

TERRITORY OF ARIZONA,)

I, P. J. FARLEY, County Recorder in and for said County, in said Territory, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the Little Dandy Mining Claim, as the same appears of record in Book 38 of Mines, page 133, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 2nd day of Jan. 1901.



Recorder.

KEYSTONE (ALENDED)

NOTICE OF AMENDMENT TO MINING LOCATION.
Keystone Quartz Claim.

To all whom it may concern:

This mining claim, the name of which is the Keystone Mining claim situate on lands belonging to the United States of America, and in which there are valuable mineral deposits was entered upon for the purpose of amending the location of said mining claim by changing the surface boundaries thereof by the undersigned on the 12" day of September 1896.

The length of this claim is fifteen hundred feet and we claim Fourteen Hundred feet in a Southerly direction and one hundred feet in a northerly direction from the center of the discovery shaft (at which this notice is posted) lengthwise of the claim, together with three hundred feet in width of the surface grounds on each side

of the center of said claim.

The General course of the lode deposit and premises is

from the North to the South.

The claim is situated and located in the Black Rock Mining District in Vavapai County in the Territory of Arizona about one and one half miles in a westerly direction from Iron Springs and about one and one half miles in a northerly direction from Hawk Springs

and at the head of Black Rock Canyon.

The surface boundaries of the claim are marked upon the round as follows: Beginning at a monument of stones near the North west corner of the Little Dandy mining claim, at a point in a North easterly direction about one hundred feet from the discovery shaft (at which this notice is posted) being the North east corner of said claim; thence three hundred feet to a monument of stones at the center of the North end line of said claim; thence three hundred feet to a monument of stones being at the North wast corner of said claim; thence seven hundred and fifty feet to a monument of stones at the center of the west side line of said claim; thence seven hundred and fifty feet to a monument of stones being at the South west corner of said claim; thence three hundred feet to a monument of stones being at the center of the south end line of said claim, thence three hundred feet to a monument of stones at the South east corner of said claim; thence seven hundred and fifty feet to a monument of stones at the center of the East side line of said claim; thence seven hundred and fifty feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines",

approved March 20th 1895.

Dated and posted on the ground this 12th day of September 1896.

James Cameron M.H.Campbell

Recorded at request of James Cameron Sept.14" A.D.1896, at 9 o'clock a.m.in Book 44 of Mins, pages 635-637, records of Yavapai County, Arizona.

安排安长安安安安安安安安安安安安安安安

(Seal) F.A. Tritle, County Recorder.

By H.R. Tritle, Deputy.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I,P.J.FARLEY, County Recorder in and for Yavapai County, in the Territory of Arizona, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location (Amended) of the Keystone Mining Claim, as the same appears of record in Book 44 of Mines, pages 635-637, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 2nd day of Jan. 1901.



County Recorder.

KEYSTONE.

NOTICE OF LOCATION.

Know all men by these presents:
That I the undersigned, have this day Located Fifteen Hundred(1500)linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations with surface ground Three Hundred (300) feet on each side of the center of wein, with all mineral deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this Monument and Notice placed upon the ledge, and runs Fifteen Hundred (1500) feet in a Northerly

direction along the ledge.

The Exterior boundaries are as follows, viz:

Commencing at this Honument and Notice, and running Three Hundred(300) feet in an easterly direction to monument at S.E. corner of claim; thence in a northerly direction parallel with the ledge Fifteen Hundred (1500) feet to monument at N.E. corner of claim; thence in a westerly direction at right angles across the ledge Six Hundred (600) feet to monument at N.W.corner of claim; thence parallel with the lode in a southerly direction Fifteen Hundred(1500) feet to mon-ument at S.W.corner of claim; thence at right angles across the ledge in an easterly direction Three Hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated in Black Rock Deastrict at the head of Black Rock Canion being one mile and a half in a sutherly from the Mahonney mine being in Black Rock Mining District, Yayapai County, Arizona Territory, and shall be

known as the Keystone of Mining Claim.
Dated on the ground, this 15th day of July 1896.

James Campron.

Witness: Thos Collins

V.T.McKeen

Recorded at request of James Cameron Sept.9" A.D.1896, at 1 o'clock p.m.in Book 37 of Mines, Page 546, Records of Yavapai County, Arizona.

(Seal) F.A. Tritle, County Recorder.

By F.A. Tritle Jr., Deputy.

TERRITORY OF ARIZONA,) COUNTY OF YAVAPAI.)ss:

I, P.J. FARLEY, County Recorder in and for said County, in said Territory and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the Keystone Mining Claim, as the same appears of record in Book 37 of Mim s, page 546, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed

my official Seal, this 2nd day of January 700



County Recorder

NOTICE OF MINING LOCATION. Quartz Claim.

To all whom it may concern:

This mining claim, the name of which is the Curley Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by James Cameron and M.H.Campbell the undersigned on the 12th day of September 1896.

The length of this claim is fifteen hundred feet and we claim fourteen hundred and seventy feet in a northerly direction and thirty feet in a southerly direction from the center of the discovery shaft at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the South east to the North west.

The claim is situated and located in Black Rock Mining District, in Vavapai County, in the Territory of Arizona, about one and one half miles in a westerly direction from Iron Springs and about one and one half miles in a Northerly direction from Hawk Springs

and at the head of Black Rock Canyon.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones near a lone mesquite tree and at a point in a southeasterly direction one hundred and fifty feet from the discovery shaft (at which this notice is posted) being in the center of the south end line of said claim; thence three hundred feet to a monument of stones being the South east corner of said claim; thence seven hundred and fifty feet to a monument of stones at the center of the East side line of said claim; thence seven hundred and fifty feet to a monument of stones being at the northeast corner of said claim; thence three hundred feet to a monument of stones at the center of the north end of said claim; thence three hundred feet to a monument of stones being at the North west corner of said claim; thence seven hundred and fifty feet to a monument of stones being at the center of the west side line of said claim; thence seven hundred and fifty feet to a monument of stones at the south west corner of said claim; thence three hundred feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines",

approved March 20th 1895.

nated and posted on the ground this 12th day of September

1896.

James Cameron M.H.Campbell

Recorded at request of Jas. Cameron Sept.14" A.D.1896, at 9:10 o'clock a.m.in Book 44 of Mines, pages 633-635, Records of Yavapai County, Arizona.

(Seal) F.A. Tritle, County Recorder.

By H.R. Tritle,

Deputy.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I,P.J. FARLEY, County Recorder in and for said County, in said merritory, and custodian of the records thereof, do herebycertify that I have compared the above and foregoing with and the same is a full, true and correct copy of the Notice of Location of the "Curley" Mining Claim, as the same appears of record in Book 44 of Mines, pages 633-635, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 2nd day of Jan. 1991.




County Recorder

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General, Lucson, arizona. April 15-1901, 13 I, U. S. Surveyor General for District of anisona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Mary E. mitchell yearting of estate of Armistead N. Mitchell, deck of J. Goddard Little Dandy Keystone + Curley , situate in Black Rock mining district, Sparapai County, Arizona, in Section approx, Township No. & N., , Range No. 3 West (unsurveyed), designated as Survey No. 153/ executed by J. J. Fisher, U. S. Deputy Mineral Surveyor, January 25-26-190/..., 18 , under my instructions dated January 10-1901., 18, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes. George Christ U. S. Surveyor General for Anyona.

Survey Nº 1531. Prescott Land District.



Surveyed Jan 25.26. 1901 by J. Fisher U.S. Dep. Min. Surveyor.