# Mineral Survey No. 1534

Lot No.
Prescote Land District.
FIELD NOTES
OF THE SURVEY OF THE MINING CLAIM OF
9.0. Mars
J. O. Marrs J.G. Horris, atty.
KNOWN AS THE
Copper Link
Copper Link  Beck Mining District,
Gravapai County, Orizona  Sprof Section 35 Township 1196. Range 120. Cansumeyed
Surveyed under instructions dated January, 24th, 1901,
by U. S. Deputy Mineral Surveyor
Claim located Sept. 11th 1900. , 18.  Survey commenced Feb. 14th 1901. , 18.
Fal 14th 1901

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE. H.	M. Macd	onald:	and a.	Buna	der
do solemnly swear					
that we will level t					
either by sticking	or dropping the	e same: tha	t we will re	port the tru	e distance to all
notable objects, and					
of our skill and ab	oility and in acco	ordance wit	h instructio	ns given us.	in the survey of
the Minima Claire		Man		107	veri
the Mining Claim	01	· Mul	w //-cr	0.17.10	
my.	······		<i>V</i>	<i>V</i>	, known as the
/	Coppe	er Lu	R		mining district,
situate in	ajsai	Sect			mining district,
Lav	assai	County	, a	mound	
in Section	, Township No.	, I	Range No		·
		A	200	D.	
			a charte	sel .	, Chainman.
		Cix	J.ma.	des	, Chainman.
			7		
	Subscrib	ped and swo	rn to by the	above-name	d persons before
	me	this 30	day of	January	180/
		- Wellington and American	0	8	
	and the same of th		Fred	B.OX	Spall
Asy Comm	nission expires Sept. 2	26, 1902.		Natary	Cublic.
, т					
			•	•	at I will well and
truly perform the d					
according to instru			350		1800
of the Mining Clair	m of				<u>9</u>
***************************************					
known as the					·····,
more fully describe					
			*****	·····	, Axeman.
	Subscri	hed and swo	orn to by the	e said	
					day of
				, 18 .	.,,
Ι,			• • • • • • • • • • • • • • • • • • • •	do solemnly	swear that I will
well and truly perfo				1130	
duties, according to					
					- A 8
survey of the Minir					
known as the					
known as the					······································
more fully describe	a in the preceding	ng amaavit.			
-					, Flagman.
	G 1 .				. <del></del>
	*		befor	e me this	day of
				, 18	
	<del>-27-5</del> 7		594 F - 11	,	

### COPPER LINK LODE.

Feet.

Beginning at Cor. No.1, identical with corner of the location and with Cor. No.2 of the Copper Bar and with the N.E.C. or the Elephant lodes of survey No. 1462, C.O.Ellis et al, claimants, a rock in place, part of irregular quartzite ledge, chiseled cross (+) at exact corner point and C.L. with a mound of stones 2 1/2 base and 3' high, alongside. Whence the U.S.Mineral Monument No. 2, P.M.D. bears N. 43° 1' W. 245.2 ft. distant.

Thence N. 27°- 44' E.

675 cross trail, bears S. 74° W. and N.52° E.

750 to E.S.C. Copper Bar lode, Surv. 1462.

1500 To Cor. No.2.

Identical with corner of the location and with cors. No.1-1 and 3 of the Homestake, Washington and Copper Bar lodes respectively of Surv. No. 1462. A slate rock 20" x 12" x 8", set 6" in the ground and chiseled 1534 C.L. with a mound of stones 2 1/2 base and 3' high alongside.

No bearings available.

Thence S. 62°- 16' E.

300 to the N.H. C.

Identical with the location and with the S.E.C. of the Homestake lode of Surv. No.1462. A slate stone 18" x 16" x 5", set 7" in the ground and  $\frac{\text{N.E.C.}}{1534}$  C.L. with a mound of stones 2 1/2 base and 3' high alongside.

No bearings available.

600 To cor. No. 3

Identical with corner of the location and with

Feet.

Cors. No. 2 and 4 of the Homestake and Hot Number lodes respectively of Survey No. 1462. A quartzite stone, 18" x 12" x 8", set  $\beta$ " in the ground and chiseled  $\frac{3}{1534}$  C.L. with a mound of stones 2 1/2 base and 3' high alongside.

No bearings available.

Thence S. 27 0- 44' W.

470 cross ravine, 6" wide, course E. bears W.

750 to W.S.C. of Hot Number lode, Surv. No.1462

975 cross trail bears S. 85" E. and N. 85° W.

1440 cross ravine, 12" wide, course E., bears N.
45° W.

1500 To cor. No. 4

Identical with corner of the location, and with cor. No.1 of Hot Number and N.E.C. of McKinley lodes of Surv. No. 1462.

A quartzite stone 18" x 12" x 8", set 5" in the ground and chiseled  $\frac{4}{1534}$  C.L. with a mound of stones 2 1/2' base and 3' high alongside.

No bearings available.

Thence N. 62°- 16' W.

300 To the S.E.C.

Identical with the location and with Cors. No.1 and 2 of the McKinley and Elephant lodes respectively, of Surv. No. 1462.

A quartzite stone 16" x 10" x 5" set 4" in the S.E.C. ground and chiseled 1534 C.L. with a mound of stones, 2' base and 3' high alongside.

No bearings available.

Up steep rough hill.

To cor. No.1, the place of beginning.

The variation at all the corners is 13°-53' E.

Area = 20.66 acres

600

### LOCATION.

This claim is located in the Peck Mining District Yavapai County, Arizona, on unsurveyed ground, in what would approximately be if surveyed, Sec. 35, T.11 N.R. 1 W.

# ADJOINING CLAIMS.

On the N. Homestake Lode, Survey No. 1462.

- " " E. Hot Number lode " " "
- " " S. McKinley, & Elephant Lodes, Survey No. 1462.
- " " W. Copper Bar Lode " "

## LEDGE.

The course and length of the ledge in the Copper Link N.27944 E.
Lode is from the S.E.C. to the N.E.C. 1500' and is traceable on the ground.

### COPPER LINK LODE.

#### EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements on this claim, placed thereon by the claimant and his grantors, aggregates not less than five hundred dollars and that said improvements consist of:

Direct No.1, 5' x 7' x 50' deep, bears S.24-01'

W., 441 feet from the north end center, Value \$500.00

Cut No.2, 4' x 15' x 12' face, bears S. 13°-8' W.,

205 feet from cor. No. 2

Value \$100.00

Cut. No. 3, 4" x 12' x 12' face, bears N. 44°-58'W.,

185 feet from the south end center, Value \$100.00

Cut No.4, 4' x 12' x 12' lace, bears N.16°-04' E.,

252 feet from Cor. No.4

Value \$100.00

Total value

\$800.00

- No. 5. A cut 8' x 20' x 12' face, bears S. 34° W. 664 ft.
  - 70. 6 A cut 12' x 25' x 15 ft. face, and a tunnel 4' x 7' x 30', with a winze 16' deep at end of tunnel, bears S. 30°-22' W. 700' from the N.E.C. Course of tunnel S. 28° W.
- No.7- A cut 6' x 10' x 10 ft. race pears W. 1°-15' W.,668 ft. from Cor. No.4.
- No. 8. A tunnel 4' x 6' x 38' bears N. 9°-45' W., 670 ft.
- No. 9. A tunnel with drifts 4' x 6' x 385' bears N. 8°-24'E. 319' from the S.E.C. Course of tunnel is N. 27° E.

This survey was made with a Gurley Light Mountain

Transit. The courses were deflected from the true meridian by Solar Observation. The distances were measured with a steel tape.

W. S. mader

U. S. DEPUTY MINERAL SURVEYOR.

# FINAL OATHS FOR SURVEYS.

# LIST OF NAMES.

A list of the names of the individuals employed by M. M. Mader
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
of J.O. Marro per J. J. Norris atty,  known as the Copper Link
and showing the respective capacities in which they acted.
J. H. Macdonsld, Chainman.  O. B. Mader, Chainman.  Axman.
, Flagman.
FINAL OATHS OF ASSISTANTS.
Jol 19 March Il
We, of our monner.
we, It. Macdonald.  and assumader, do solemnly swear that we assisted. assumader
, United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of 9.0. Marro or J.g.
norris ally.
Link Claim, known as the Copper
represented, represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
arizona.  A. Wakerouald, Chainman.  ONB. Mader +, Chainman.
, Axman .
Flagman.
Subscribed and sworn to by the above-named persons before me
Subscribed and sworn to by the above-named persons before me  this 6 day of February, 190/  My Commission expires Sept. 26, 1902  Notary Public
My Commission expires Sept. 26, 1902 Fred BORilpath
notary Pullic.
6 6-167

# FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I. aBmad	U. S. Deputy Mineral
Surveyor, do solemnly swear that, in purs	suance of instructions received from the United
January 24th 1901	I have, in strict conformity to the laws of the
	instructions thereunder, and the instructions
	correctly executed the survey of the Mining
Claim of Q.O. Mars	s per J. a. norris ully.
Chain of	per J. J. Norres ully.  , known as the
Copper Ly	Mining District,
situate in Peur	Wining District
Yana Mai	County aris our Morin Section
7 (e T	County, arizona Mini Section lange No. 1 W
	# , as represented
	ately show the boundaries of said mining claim
	he ground, and described in the attached copy
	ceived by me from the Surveyor General with
	s of said survey have been established and per-
	w, official regulations and instructions there-
40.03. 4 € 1.00.00 (a) 1.00.00 (b) 1.00.00 (c) 1.00.0	that the foregoing are the true and original
	rt therein, and that the labor expended and
	aim by claimant or his grantors
	character, extent, location and itemized value
thereof are specified therein with partic	ularity and full detail, and that no portion of
said labor or improvements so credited to	this claim has been included in the estimate
of expenditures upon any other claim	
	03
	M. Muder
	U.S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said	d a. B. Mader before me Fred B. Philpoth
U.S. Deputy Mineral Surveyor,	before me Ined B. Philpott
a notary	Public this 18-
day of Jebruary,	901.
	7 - 01
My Commission expires Sept. 26, 1902.	Treg & Phelpott
2.45	notary Public.
o 3—154	

# Affidavit of Five Hundred Dollars Improvements.

***	
John Pritt and John Pil	ley .
of long to long the state of the long to t	. That we are
acquainted with the Sper Link mining  in Mining District, Javafo  Arizona Territory, for which J. O. Marro Joer C.  Novis City,	claim, situate
in Test Mining District, Javafa	n County,
Arizona Territory, for which J. O. Marro per-c	1.4.
novis ally.	
ha ${\mathcal J}$ made application for survey prior to application for patent under	
of the Act of Congress, approved May 10, 1872; and that the labor done	and improve-
ments made thereon by the applicant and his grantor of exceed	Five Hundred
Dollars in value, and further, that we are not personally interested in s	said mine.
Jahn Pritt	
Johnstiley	
County of Yacofai ss:	
	11th
Sworn to and subscribed before me, this	1000
day of February, 190	1
day of February, 190  My Commission expires Sept. 26, 1902.  Fred B. Pli  Nolary	pott
Colary	Vieble

#### NOTICE OF MINING LOCATION

### Lode Claim.

To all whom it may concern: - This mining claim, the name of which is the Copper Link Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by G.O.Marrs, a citizen of the United States, over the age of twenty-one years, the undersigned, on the 11th day of sept-

ember, 1900.

The length of this claim is fifteen hundred (1500) feet, and I claim five hundred (500) feet in a northerly direction and one thousand (1000) feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the Northeast to the Southwest.

The claim is situated and located in the Peck Mining District, in Yavapai County, in the Territory of Arizona, about two and a quarter miles in a northeasterly direction from the Peck Mine and Mill and the discovery monument thereof is about one thousand feet (1000) in a northeast course from the U.S.Mineral Monument marked No .2 P.M.D.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a Northeasterly direction five hundred (500) feet from the discovery shaft (at which this notice is posted), being in the center of the North end line of said claim; thence South 62° 16' East 300 feet to a monument of stone being the Northeast corner of said claim; thence South 27° 44' West 750 feet to a monument of stone at the center of the East side line of said claim; thence South 27° 44' West 750 feet to a monument of stone being at the South east corner of said claim; thence North 62° 16' West 300 feet to a monument of stone at the center of the South end of said claim; thence North 62° 16' West 300 feet to a monument of stone, being at the Southwest corner of said claim; thence North 27° 44' East 750 feet to a monument of stone being at the center of the West side line of said claim; thence North 27° 44° East 750 feet to a monument of stone at the Northwest corner of said claim; thence South 62° 16' East 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of t he Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20th, 1895 and amended March 2d, 1899.

Dated and posted on the ground this 11th day of September, 1900. GOO.MARRS, Locator. Witness A.T. Harrell.

Filed and recorded at request of J.J. Hawkins, Sept. 27", A.D. 1900 at 4:45 o'clock P.M. in Book 56 of Mines, page 442, Records of Yavapai County, Arizona. By E. E. Osenburg, Deputy Recorder (Seal) W.I. Johnson, County Recorder

Territory of Arizona,

County of Yavapai, SS:

I, P.J. Farley, County Recorder in and for the County of Yavapai, Territory of Arizona and Custodian of the Records thereof, do hereby certify that the above and foregoing is a full, true and correct copy of the Notice of Location of the "Copper Link" Mining Claim as he same appears of record in my office in Book 56 of Mines, page 442, Records of Yavapai County, Arizona.
In Witness Whereof I have hereunto set my hand and affixed my

official seal this the 22nd day official, A.D.1901.




County Recorder,

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

# Department of the Interior,

Office of U. S. Surveyor General,
Tueson Arizona
April 2-190/, 18.
I, U. S. Surveyor General for District of anyona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of 9.0 Mars.
, known as the
Copper Link lode.
situate in mining district,
Gounty, Arizona,
in Section approx., Township No. 1/N., , Range No. 1 H., (uncurveyed)
, designated as Survey No. 1534,
executed by A. B. Mader, U. S. Deputy Mineral
Surveyor, February 14-1901., 18, under my instructions dated
January 24-190/ ,18 , have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
George Chuit  U. S. Surveyor General for Angona.
U. S. Surveyor General for Angona



Survey 26º 1534.

Trescott Land District
Surveyed Feb. 14th
1901.

by a. B. Waster, C.E. U.S. Dep. Min. Surs. Trescott, a. Scale 30, bo 1"

# UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 1534 ARIZONA STATE OFFICE

#### NOTICE OF CANCELLATION OF MINERAL SURVEY

The COPPER LINK lode, Mineral Survey No. 1534, located in approx. section 19, Township 11 North, Range 1 East (unsurveyed), Gila and Salt River Meridian, Arizona, is hereby canceled.

This claim has not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

July 21, 2010 Date

Acting Chief Cadastral

Surveyor of Arizona