(4-683.)

Mineral Survey No. 1537

Lot No.

Prescutt Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF A P Anderson real Anguna KNOWN AS THE kil ______Mining District, Garapai County, Anyone Section approx, Township 9 1. Range 2 W. (unsurreyed) Surveyed under instructions dated Filmon 8th, 180, by William H Burutt U. S. Deputy Mineral Surveyor Claim located Theh 22 , 18 94 Survey commenced March 25, the Survey completed march 29th, 1801 Address of Clannant Anderson care, of Powers & Merritt

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE & M	and and	Gel Saphan,
do solemnik swear that v	ve will well and faithfully ex	ecute the duties of chain carriers;
		ground and plumb the tally-pins,
		ill report the true distance to all
notable objects, and the t	true length of all lines that v	ve assist in measuring, to the best
of our skill and ability, a	and in accordance with instr	uctions given us, in the survey of
the Mining Claim of		
	1 0	, known as the
Lostle	John,	mining district,
situate in	unknown	mining district,
Uf annfra	County, /9	Injura,
in Section, Tow	nship No. Range N	To
	$\cap \mathcal{O}_{\mathcal{N}}$	
	1.	Daylor , Chainman.
3.5	(148	Ly Shom Chainman.
1. 1 MATERIAL	Subscribed and sworn to b	y the above-named persons before
	me this 2916 day	of march, 1801
1 / 1 / 1 / 1		
ans e	munin Engla De	10 36 Morrett
	39/1	1901 10 m
I,	, do s	olemnly swear that I will well and
• •		nent of corners and other duties,
according to instructions	given me and to the best of	my skill and ability, in the survey
of the Mining Claim of		
known as the		
known as the more fully described in t		
	he preceding affidavit.	
	he preceding affidavit.	,
	he preceding affidavit. Subscribed and sworn to l	y the said
	he preceding affidavit. Subscribed and sworn to l	oy the saidday of
	he preceding affidavit. Subscribed and sworn to l	oy the saidday of
	he preceding affidavit. Subscribed and sworn to l	oy the saidday of
	he preceding affidavit. Subscribed and sworn to l	y the said day of, 18 .
more fully described in t	he preceding affidavit. Subscribed and sworn to l	before me thisday of, 18 .
more fully described in the	he preceding affidavit. Subscribed and sworn to l	before me this day of, 18, do solemnly swear that I will
I, well and truly perform the	he preceding affidavit. Subscribed and sworn to l	, Axeman. before me this
I, well and truly perform the	he preceding affidavit. Subscribed and sworn to be a sworn to be a sworn to be a sworn to be a sworn to the	before me this day of, 18, do solemnly swear that I will stablishment of corners and other best of my skill and ability, in the
I, well and truly perform the duties, according to instruvey of the Mining Cla	he preceding affidavit. Subscribed and sworn to be a sworn to the sworn to the sworn to the sworn to be a sworn to be a sworn to the sworn to the sworn to the sworn to be a sworn to b	y the saidday of, 18, do solemnly swear that I will stablishment of corners and other best of my skill and ability, in the
I, well and truly perform the duties, according to instrict survey of the Mining Cla	he preceding affidavit. Subscribed and sworn to be a duties of flagman, in the e ductions given me and to the tim of	before me this day of, 18, do solemnly swear that I will stablishment of corners and other best of my skill and ability, in the
I, well and truly perform the duties, according to instrict survey of the Mining Cla known as the	he preceding affidavit. Subscribed and sworn to be a duties of flagman, in the elections given me and to the tim of	y the saidday of, 18, do solemnly swear that I will stablishment of corners and other best of my skill and ability, in the
I, well and truly perform the duties, according to instrict survey of the Mining Cla	he preceding affidavit. Subscribed and sworn to be a duties of flagman, in the elections given me and to the tim of	before me thisday of, 18, do solemnly swear that I will stablishment of corners and other best of my skill and ability, in the
I, well and truly perform the duties, according to instrict survey of the Mining Cla known as the	he preceding affidavit. Subscribed and sworn to lead to the suctions given me and to the tim of the preceding affidavit.	before me thisday of, do solemnly swear that I will stablishment of corners and other best of my skill and ability, in the
I, well and truly perform the duties, according to instrict survey of the Mining Cla known as the	he preceding affidavit. Subscribed and sworn to lead to the suctions given me and to the tim of the preceding affidavit.	y the said
I, well and truly perform the duties, according to instrict survey of the Mining Cla known as the	he preceding affidavit. Subscribed and sworn to be duties of flagman, in the eluctions given me and to the im of	, Axeman. before me this
I, well and truly perform the duties, according to instrict survey of the Mining Cla known as the	he preceding affidavit. Subscribed and sworn to lead to the suctions given me and to the im of the preceding affidavit. Subscribed and sworn to lead to the subscribed and sworn to subscribed and sworn to subs	, Axeman. before me this
I, well and truly perform the duties, according to instrict survey of the Mining Cla known as the	he preceding affidavit. Subscribed and sworn to be duties of flagman, in the eluctions given me and to the im of	, Axeman. before me this

Feet Beginning at Cor. No 1

Identical with the S.E.Cor. of location.

A porphyry stone 6XloX24 ins.set 12 ins in the ground Chiseled 1-L-J.1537, with mound of stones alongside.whence: U.S.L.M.No.1537 brs.N 23°52'W 741 feet.

No other bearings available.

Thence S 76°10'W

Va. 14°00'E

300 To mon. Cr. S. end of claim.

350 Cr.wash 5 ft.wide flows N 40.° W

600 To Cor. No 2.

Identical with the S.W.Cor. of the location.

A porphyry stone 8X10X24 ins. set. 12 ins in the ground chiseled 2-L-J 1537, with mound of stones alongside.

No bearings available.

Thence N 13°50'W

Va. 14°00'E

150 Cr. wash 10 ft.wide flows S85°30'W 600 To Cor. No. 3

Identical with the cor. of the location.

A porphyry stone 5X8X24 ins. set 12 ins. in the ground chiseled 3-L-J. 1537 with mound of stones alongside.

No bearings available.

Thence N 3°40'E

Va. 14°00'E

900 To Cor. No. 4.

Identical with Cor. of loc.

A lime-stone 10X12X24 ins.set 12 ins.in the ground, chiseled 4-L-J.1537 with mound of stones alongside.

.

Thence N 76°10'E

Va. 14°00'E

300 mon. cr. N.end of claim.

425 Cr.of wash 5 ft. wide, flows S 6°.00'W

600 To Cor. No. 5

Identical with Cor. of location.

A porphyry stone 6X12X24 ins.set 12 ins.in the ground chiseled 5-L-J.1537 with mound of stones alongside.

Feet

2

No bearings available.

Thence S 3°40'W

Va. 14°00'E

900

To Cor. No. 6.

Identical with Cor. of loc.

A porphyry stone 6X12X24 ins. set 12 ins. in the ground chiseled 6-L-J.1537, with mound of stones alongside. whence:

A X B.R.6.L.J. 1537 chiseled on bluff of rock brs.

S 68°15'E 25.7 feet. No other bearings available.

Thense S 13°50'E

Va. 14°00'E

600

To Cor. No. 1 the place of beginning.

This claim is located on unsurveyed land approximately in unknown Mining Points in Twp.9 N.R.2 W.G.& S. R.B & M. Yavapai Co. Arizona.

This lode is bounded on the North by Harrison lode owned by claimant hereof.

Total and net area of this lode is. .20.083.Acres...

Expenditure of five hundred dollars.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his grantors, is not less than five hundred dollars, and that a said improvements consists of:

No.4. Tunnel 4X7X38 ft. long course N 25°W the mouth of which brs.from Cor.No.6 N 44°45'W 329ftvalue \$228.00

Ledge.

From mon. Cr. S.end of lode, the ledge brs. N 13°50'W 600 ft. thence N 3°40'E 900. ft.

Instrument.

This survey was made with a Gurley Light Mountain
Solar Transit. The courses were deflected from the true.

meridian as determined by direct solar observations,
checked on Polaras. The distances were measured with
100 ft. steel tape.

William mitt

U.S.Dep.Mineral Surveyor.

Prescott, Arizona.

As there are no corners of the public survey and no U.S. La. monuments within the prescribed limits, Iproceeded to establish a mineral monument, by setting a porphyry stone 10 X 30 X 36 ins. 18 ins. in the ground, chiseled U.S.L.M. No. 1537 (X) with a mound of stones 6 ft. base 5 ft. high alongside. whence:

> A (X) B.R.U.S.L.M.No.1537 chiseled on rock in place showing 2X2X3 feet above the ground brs.S 38°00'W 7.8 feet.

A (X) P.R.U.S.L.M.No.1537 chiseled on rock in place showing 3 X 3 X 4 ft. above the ground, brs. N 59°50'W 20.1 feet.

N.W.Cor. of shaft brs. S 36°40'W 209.3 ft. Wade's butte brs. N 73°25'W

Location.

This monument is located on unsurveyed land approximately in Twp. 9 N. R.2 W.G.& S.R.B.& M. Yavapai County Arizona.

U.S.Dep.Mineral Surveyor

William & merrith

Prescott, Arizona.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by William H Murmit
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of south of Ru Anderson
of 12 milion of Rudnolerson known as the Little John
and showing the respective capacities in which they acted.
A W. Tanler Chainman.
G. C. Chainman. G. S. Chainman.
, Axman.
, Flagman.
, 1 tay main
DINIAL CATHO OF ACCIOTANTO
FINAL OATHS OF ASSISTANTS.
we, J. W. Taylor and G.S. Lafaham, do solemnly swear that we assisted Walley
and G.S. Lashham, do solemnly swear that we assisted Walley
Musit , United States Deputy Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim of AP Anderson
· Prescott Anguna,
, known as the
Little Joh's ", represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
Haylov, Chainman. S. La hamChainman. Axman. Flagman.
Subscribed and sworn to by the above-named persons before me
this 30 th day of March , 180.
wy6 Merritt
Motory Publice (My Commission Enfor any 14 th 1901

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, William H hunt , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Aryuna , dated
States Surveyor General for Aryona, dated only 8th 1901, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of HP Anderson
Prisert Argun, known as the "butte John",
situate in "unknow" Mining District,
Javafrai County, Angure , in Section , Township No, Range No,
and designated as Survey No. 1537, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
William & Orientt 1'. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said Milliam & Amentt.
U.S. Deputy Mineral Surveyor, before me R. C Pources
Notary Public this 1 92
day of April 1901, .
$\mathcal{M} \cap \mathcal{O} = 0$
1. 3 Not 1904. Ablie
u. 3 Not 190 H. Solvery Onblic

Affidavit of Five Hundred Dollars Improvements.

one, J. W. Taylor, and G. S. Lapham
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Little Johns' mining claim, situate
in Mining District. Yarafran County,
in Mining District, Garafou County, Arizona Territory, for which & P. Anderson
Present Aryona
$ha \sim made\ application\ for\ survey\ prior\ to\ application\ for\ patent\ under\ the\ provisions$.
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and his grantors exceed Five Hundred
Dollars in value, and further, that we are not personally interested in said mine. One of the said mine. Let a said mine. Let a said mine.
TERRITORY OF ARIZONA, County of Prival 88:
Sworn to and subscribed before me, this 30 th
day of march, 1901
Wy6, Merritto
15967b200-10-1900 Notary Public
159676200-10-1900 Notary Public Any Commission Enfor Aug 16 th 1901

LITTLE JOKER.

MOTICE OF LOCATION.

this day located 1500 feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground 500 feet on each side of vein, with all Mineral peposits contained therein, and all Timber and Water thereon or appurtenant thereto under and according to the provisions of the United States Mining Laws. Know all men by these presents; that we, the undersigned, have

This claim begins at this monument and notice placed upon the ledge and runs 750 ft. in a Northerly and 750 ft. in a Southerly dir-

ection along the ledge.

The exterior boundaries are as follows; Commencing at this mon-ument and notice and running 300 feet in a Westerly direction to mon-ument on west boundary line; thence in a Northerly direction parallel with the ledge 750 feet to monument at N.W. corner; thence at right angles across the ledge in an Easterly direction 500 feet to monument at N.E. corner; thence parallel with the lode in a Southerly direction 1500 feet to monument at S.E. corner; thence at right angles across the ledge in a Westerly direction 600 feet to monument at S.W. corner; thence 750 ft. in a Northerly direction parallel with the ledge to place of beginning.

This claim is in (name not known) Mining District, Yavapai County, Arizona, and may be more generally described as cityated one and

Arizona, and may be more generally described as situated one and one half miles South West of Frank Fenton's ranch and near the head of Willow Creek and shall be known as the Little Joker Mining Claim.

Dated on the ground this 22nd day of February, 1890.

Frank Fenton,

H.P. Anderson, E.L. Gobin.

Filed and recorded at request of E.L.Gobin, Mar. 5", A.D. 1890, at 12:58 o'clock P.M. in Book 29 of Mines, page 261, Records of Yavapai County, Arizona.

> Charles H. Akers. County Recorder. (I.S.)

By J.M.Aitken, Deputy.

Territory of Arizona, SS:

County of Yavapai, §

I, P.J. FARLWY, County Recorder in and for the County of Yavapai, Territory of Arizona and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the Notice of Location of the "Little Joker" Mining Claim as the same appears of record in my office in Book 29 of Mines, page 201, Records of Yavapai County,


In Witness Whereof I have hereunto set my hand and affixed my

official seal this the 2nd day of February, A.D.1901.



Strate of the transfer of the - Mades Dixis 2 25 M. J. S. 25 J. S. J. S.

Scale. 200.ft = One Inch.



S

N.

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,
Jucson, arizona!
April 25 1901, F8.
I, U. S. Surveyor General for District of arigona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of H. Anderson
, known as the
Little Joker lode.
situate in (Mnknawn) mining district,
Gounty, arizona,
in Section approx, Township No. 9 N., Range No. 2 M. (unsurveyed)
, designated as Survey No. 1537
executed by Anderson, U.S. Deputy Mineral
Surveyor, March 29-1901., 18, under my instructions dated
Febry 8th, 1901. 18 , have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
George Christ U. S. Surveyor General for Angona.
U. S. Surveyor General for August.