Trein le Senent Rech mar. 12-1901. Red may 10-1901: (4-683.)Mineral Survey No. 1540 A and B Lot No. Prescatt Land District. FIELD NOTES OF THE SURVEY OF THE MINING CLAIM OF Frank & Davio Present Anguay Sunlight and Sunlight hims hullsite" Gavapai County, Arzonse Mining District, Section appears. Township 13 N., Range 1 Communicipal Surveyed under instructions dated Felmay 14th, 1901. by E.D. Frendwell U. S. Deputy Mineral Surveyor Claim located for 10th 1895 & June 5th . 1900 Address of claimant Frank A. Davis Prescutt Yavapai Co Anyonas

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, & R Sands and & R Hagins,
do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all
notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of
the Mining Claim of Frank A 20 aris
, known as the
Situate in By Bry County, Aryun Jerrahy, in Section , Township No. , Range No.
situate in the Sounds of Country of Transferred
in Section Township No Bange No
IR Sailes, Chainman.
f. R. Waregins, Chainman.
Subscribed and sworn to by the above-named persons before me this 22 day of Aubry 19,48/
I, do solemnly swear that I will well and
I,, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey
of the Mining Claim of
le norme ag the
known as the, more fully described in the preceding affidavit.
more fully described in the preceding affidavit.
more fully described in the preceding affidavit.
more fully described in the preceding affidavit. , Axeman. Subscribed and sworn to by the said.
more fully described in the preceding affidavit.
more fully described in the preceding affidavit. , Axeman. Subscribed and sworn to by the said before me this day of
more fully described in the preceding affidavit. Subscribed and sworn to by the said before me this day of , 18 I, do solemnly swear that I will
more fully described in the preceding affidavit.
Subscribed and sworn to by the said
Subscribed and sworn to by the said
Subscribed and sworn to by the said
Subscribed and sworn to by the said
Subscribed and sworn to by the saidbefore me thisday of, 18 . I,, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of
I,

Feet Beginning at Cor. No 1

Identical with the N.E. Cor of loc.

A Cranite Rock 8X12 Y24 ins set 12 ins in the ground a mound of stones along side. chiseled 1 1540-A Whence:

U.S.L.M. No.1.bears.N 28.52'E 6728.Feet.

A(x) and B.R.1.1540-A chiseled on a porphyry stone showin 4X6X6 ft. above the ground, bears N35°50W 20ft. A(X) and B.R. 1-1540-A chiseled on a porphyry rock showing 6X8X2 feet above the ground, brs.N85°40'E 14ft.

ThenceS 47°49'W

Va. 13°40'E

73 Cr. Galina Creek 30 ff. wide flows S 46°30'E

600 mon. Cr. N.side line.

1223 To Cor. No. 2

Identical with the N.W.Cor of the loc.

A Porphyry stone 4X12X24 ins. set 12 ins in the greund, chiseled 2-1540-A, with a mound of stones alongside.

No bearings available.

Thence S 42°11'E

Va.13°40'E

80 Cr. wash 4 ft. wide flows M 48°00 E

220 Mon. Cr. of S. End of lode.

430 To Cor. No. 3

Identical with the Cor of location.

A Porphyry stone 5X12X26 ins. set 14ins.in the ground chiseled 3-1540-A with mound of stones alongside.

No bearings available.

Thence N 47°49'E

Va. 13°40'E

610 mon.cr. S.side of loc.

1223 To Cor. No. 4

Identical with the Cor. of loc.

A Porphyry stone 8X10X24 ins. set 12 ins.in the ground chiseled 4-1540-A with mound of stones alongside.

No bearings available.

EDTremball U.S Def. Min Surye

Thence N 42°11'W Feet Va. 13°40'E Cr. Galina Creek 30ft. wide flows N 79°30'E 80 210 Mon. Cr. of N.E. end of this lode. 430 To Cor. No. 1 the place of beginning. Area Total and net area of this lode is Location. This claim is located on unsurveyed land what will be when surveyed about Twp.13 N. R 1E. G&S.R.B&M. Big Bug Muning Lest. Javapai Co. Urngona. Expenditure of Five Hundred Dollars. I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his grantors, is not less than five hundred dollars, and that said improvements consist of: From Cor. No.1 A shaft 4X6X75 ft. deep, timbered, bears S 2°40'E 275 ft. Value Mo. 7 From Cor. No. 1 A Tunnel 4X7X100 ft. long 8800.00 bears S 4°20' E 270 ft.course of tunnel S 47°50'W From mon. Cr.N.E. end the ledge bears S47°49'W 1223 ft. Adjoining Claims. Blind Girl lode bounds this lode on the North West.

Survey No. 1540-B

Sunlight Mine Mill-Site

Beginning at Cor. No. 1

Identical with the North Cor. of the location.

A porphyry stone 688824 ins. set 12 ins. in the ground,

chiseled 1-1540-B with mound of stones alongside. Whence;
The 1/4 See Con believe Secs 14 \$23 Tup 13 N. R 1. F i ears N 32 47 E 47 27. Fieth
U.S.L.H.No.1 bears N 70°26'W 109144 feet.

Cor.No.1 Sur.No.1540-A bears S 80°37'W 13720.6 feet. No other bearings available.

Thence S 22°49'E

Va. 13.40'E

35 Cr.wash 10 tt. wide flows S 14°30'W

mon. Cr. of end of claim.

North bank of Agua Fria River, flows S 54°00'W

245 | South bank of Agua Fria River.

260 To Cor. No.2

Extreadwell Min Summer

Feet Identical with the Cor. of location

> A Porphyry stone 5X8X24 ins. set 12 ins in the ground, Chiseled 2-1540-B. mound of stones alongside. No bearings available.

Thence S 67°11'W

Va. 13°40'F

South bank of Agua Fria River, flows S 54°00'W 120

340 North bank of Agua Fria River.

520 To Cor. No. 3

Identical with the Cor. of loc.

A Porphyry stone 6X10X26 ins. set 14ins in the ground, chiseled 3-1540-B with mound of stones alongside. No bearings available.

> Thence N 22°49'W Va.13°40'F

260 To Cor. No. 4

Identical with the cor. of loc.

A Porphyry stone 6X8X24 ins. set 12 ins. in the ground, chiseled 4-1540-B with a mound of stones alongside. No bearings available.

Thence N 67°11'E

Va. 13°40'E

520 To Cor. No. 1 the place of beginning.

Area.

Total and net area of this claim 3.1 Acres Location.

This claim is located on unsurveyed land approximately in T. 13. N. R. I. E. G. & S. R. B. & M. Dig Bug Mining List. yavapai County, armona.

There are no adjoining claims.

Improvements.

The improvements on this claim, consists of a foundation which is now being built for a mill, the East Cor. of which bears from Cor. No.1 S 36°20'W 210 feet.from this point the foundation bears S 40°00'W 40feet. 40x40'f4-

Estreadnell U.S. Llef. Min Smayn

This survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by direct solar observations, checked on Polaras. The distances were measured with 100 ft. steel tape.

U.S. Deputy Mineral Surveyor.

Thave made a very coneful search for corners of the public survey, tracing the lines, and coursest find any corners within two mile of Sunlight Mine.

U.S. Defruty Armen Surveyor

~ 1 " Som N: 1840-B L U.S.L.M. Nº 1 7 580-37W 13720,6 13536.7439 2236, 4578 N28:52 E 6728. 3247.6056 5891.7096 USLM' Nº 1 2236.4578 3247.6054 5891.7096 13536.7439 (2.8148 3655.25181 N7026'h

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

	2
A list of the names of the individuals emp	loyed by & DEcadinell
	ist in running, measuring, and marking the lines
corners and boundaries described in the forego	oing field notes of the survey of the mining claim
of Chank A Davis of	Prescutt Angur
known as the "sunlight and of	Present Anyon unlight Minie Millsole
and showing the respective capacities in which	they acted.
	AR Sand , Chainman.
	J. R. Hazins, Chainman.
*	, Axman.
	, Flagman.
	••••
FINAL CATHO	OF ASSISTANTS.
	OF Abbiblianib.
We, of Roburds	
and A R Hagins do so	plennly swear that we assisted & 20
Frendwelf , United States Dep	puty Mineral Surveyor, in marking the corners and
surveying the boundaries of the mining claim	
Prescutt Armone	
- John Stage	, known as the Annlight
and of all the Man " 11	Mellisti, represented
V	
	veyed by said deputy mineral surveyor and under
his direction; and that said survey has been	in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and	the corner and boundary monuments established
	ished by the United States Surveyor-General for
Aryma	
	Ol Manels, Chainman.
	A Ragin, Chainman. J. R. Wagins, Chainman.
	, Axman .
	, Flagman.
Subscribed and	sworn to by the above-named persons before me
	day of Debonn, 190/

FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, Ell Freadwell, U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Anguna, dated
Exilmony 14th 1901, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of CHrank A Dans
Prescott As your , known as the Sunlight and Sunlight mine Millest ,
situate in Big Big Mining District,
Garafidi County, Aryon, in Section
, Township No, Range No,
and designated as Survey No. 1540 A and B , as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or his grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
EDuce Gulf 1'. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said 6. O. Treaclevell U. S. Deputy Mineral Surveyor, before me Clause E. Parcor
U. S. Deputy Mineral Surveyor, before me Cluve E. Pascor
a Notary Tublic this Neuth
day of March 1901,
Elmer C. Tascor
notary Tublic
o 3-154 Mr Commission expires May 8, 1907.

Affidavit of Five Hundred Dollars Improvements.

voic, IR Sando, and J. R. Hagins
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Annlyh mining claim, situate
in By Bry Mining District Garapai County,
Arizona Territory, for which Frank A Davis
Porerett Anguna
has made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and his grantors exceed Five Hundred
Dollars in value, and further, that we are not personally interested in said mine.
I R Sanels
J. R. Maginz
TERRITORY OF ARIZONA, County of Prince se:
Sworn to and subscribed before me, this 26th
day of Gebruay, 190 f.
WfMendo
15967b200-10-1900 Nolay Rublie
Ang Commin Enplo Ling / be 190,

TERRITORY OF ARIZONA,
County of Prival
I Relando and J. R. Hagins of said
County and Territory, being first duly sworn, each for himself and not one for the other,
deposes and says; that he is well acquainted with the land of the Sunlyh
mill-site claim, situated in By By him how and mill-site claim, situated in By By him how but and salt River Meridian, in the County of
Ganapar' and Territory of Arizona, claimed by Frank A Davis of Present Anzuna
A Dognis of Presont Anguna
of order to a good of the control of
applicant for United States patent therefor; that he is well acquainted with the
character of said described land included within the boundary lines as officially
surveyed by & 20 Greadwell United States Deputy Mineral
Surveyor, having frequently passed over the same; that his knowledge of such land is
such as to enable him to testify understandingly with regard thereto; that there is not
to his knowledge, within the limits thereof, any vein or lode of quartz or other rock in
place bearing gold, silver, cinnabar, lead, tin or copper, or any deposit of coal: that
there is not within the limits of said land, within his knowledge, any placer, cement,
gravel or other valuable mineral deposit; that no portion of said land is claimed under
the local customs or rules of miners or otherwise; that no portion of said land is worked
for minerals during any part of the year by any person or persons; that said land is
essentially non-mineral land, and that there is within the boundaries of said claim
improvements, to-wit: They are now building the formelate
for a mill
and that he has no interest whatever in said described mill-site claim.
SR Sanels

SR Scenels

A D Wayin

Finbecvilved and fivorn to before me this 24th day

of Filmon A.D. 180, and I hereby certify that

the foregoing affidavit was read to the said of R Sands

and J R Hagins

previous to their names being subscribed thereto, and that
deponents are reputable persons to whose affidavits full faith
and credit should be given.

My Commission Enfine Any 16 1/2.

Copy of Motice at discovery shaft.

SUNLIGHT.

NOTICE OF LOCATION.

Know all men by these presents:

That I, the undersigned, have this day Located Fifteen Hundred(1500)linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws, under which it is located.

This claim commences at this Monument and Notice placed upon the ledge, and runs 750 feet in a Mortherly direction and 750

feet in a Southerly direction along the ledge.

The Exterior boundaries are as follows, viz: Commencing at a monument of Stone on West boundary line, distant Three Hundred (300) feet in a Westerly direction from Discovery Monument; thence in a Mortherly direction parallel with the ledge 750 feet to Monument of Stone at N.W.corner of claim; thence in an Easterly direction at right angles across the ledge Six Hundred (600) feet to Honument of Stone at M.E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred(1500)feet to Monument of Stone at S.E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to Monument of Stone at S.W.corner of claim; thence in a Mortherly direction parallel with the ledge 750 feet to Monument on West boundary and place of beginning.

This ledge may e more generally described as situated on east side of Galena Gulch about 3/4 mile Northeasterly of McCabe mill and about one mile Southerly from Silver Belt Mine, in Big Bug Mining District, Yavapai County, Arizona Territory, and shall be known

as the Sunlight Mining Claim.

Dated on the ground this Tenth day of January 1895.

Geo .M . Kerney .

Recorded at request of John Van Houtum, March 6" A.D.1895, at 4:06 o'clock P.M., in Book 39 of Hines, page 456, Records of Yavapai County, Arizona.

(L.S.) F.A. Tritle,

County Recorder.

By M.O.Archibald,

Deputy.

TERRITORY OF ARIZONA,)

SS:

COUNTY OF YAVAPAI.

I,P.J.FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Sunlight" Hining Claim, as the same appears of record in Book 39 of Mines, page 456, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto set my hand and affix-

ed my Official Seal, this 12th day of Feby. A.D. 1901

County Recorder,

"SUNLIGHT MINE".

MILL-SITE LOCATION.

I, George Rohpeter, hereby give notice that I have this day located and claim five (5) acres of land for milling purposes with

approximate lines as follows, viz:
Starting from this monument No. one and continuing in a Southerly direction five hundred and twenty (520) feet . thence in a Westerly direction one hundred and sixty(160) feet thence in a Northerly direction five hundred and twenty (520) feet thence in a Easterly

direction two hundred and sixty(260) feet thence in a Southerly direction five hundred and twenty(520) feet thence in a Westerly direction one hundred(100)feet connecting with South End line of this claim.

Also all water in the Agua Fria River below the head of John Ropers ditch.

This Mill Site is located about half mile below the Val Verde Smelter on the Agua Fria River, in connection with the Sunlight Mine and shall be known as the Sunlight Mine Mill Site.

Witness:

C.E.M.Beall.

Dated June 5 1900 .

George Rohpeter.

Location 520 Monument 520 number one 520'

<-- N. ///

Recorded at request of Geo. Rohpeter, Aug. 6" A.D. 1900. At 3:20 o'clock P.N.In Book 3 Mill Sites and Water Rights, Page 492, Records of Yavapai County, Arizona. (Seal)

By E.E.Osenburg, Deputy.

COUNTY OF YAVAPAI.

W.I.Johnson, County Recorder.

TERRITORY OF ARIZONA,

I,P.J.FARLEY, County Recorder in and for Yavapai County, in the Territory of Arizona, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Sunlight" Mill-Site, as the same appears of record in Book 3, Mill-Sites and Water Rights, page 492, records of

Yavapai County, Arizona.
In Witness Whereof, I have hereunto set my hand and affixed my Official Seal, this 12th day of Feby. A.D. 1901,

ounty

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,
Tucson arigona.
August 19.1901, 18.
I, U. S. Surveyor General for District of anzona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of Frank A. Danis
, known as the
Dunlight and Dunlight Mine Millsite.
situate in Ocg Aug. mining district,
Yavapai County, Arizona,
in Section approx., Township No. 13 N., Range No. 1 & (unsurveyed)
, designated as Survey No. 1540 Ax B.
executed by C. D. Treadwell , U. S. Deputy Mineral
Surveyor, Febry 23-25-190/, 18, under my instructions dated
February 14-1901, 18, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
G 61 . +
George Christ U. S. Surveyor General for arizona.
U. S. Surveyor General for Origona.

Conne Sur. 1540. A. Scale 200. ft to One Inch. Blind Cirl Lode Lediselit. Inde CorN:20 Cor Nº 3

Sur. Nº 1540-B 16 Szzmlight Mine Mill-site Scale 2noft la One Inch M. SZ. OZ. W. Ton Wirsh 8-027 51 - WZE:088 - AOHELY 2 TON Suntight Mine Multorite カリスを

UNITED STATES DEPARTMENT OF THE INTERIOR 9605 (956) BUREAU OF LAND MANAGEMENT M.S. 1540 A&B ARIZONA STATE OFFICE

NOTICE OF CANCELLATION OF MINERAL SURVEY

The SUNLIGHT lode and SUNLIGHT MINE mill site, Mineral Survey No. 1540 A&B, located in sections 22, 23, and 29, Township 13 North, Range 1 East, Gila and Salt River Meridian, Arizona, are hereby canceled.

These claims have not been filed with the Arizona State Office, Bureau of Land Management, in accordance with Section 314, 90 STAT. 2769, (43 U.S.C. 1744).

This cancellation was necessitated to clear the record.

The Mineral Survey Plat should be noted as follows:

"SUNLIGHT lode and SUNLIGHT MINE mill site M.S. 1540 A&B, were canceled October 16, 2008, by memo 9605 (956) M.S. 1540 A&B, which is now a part of the original field notes."

October 16, 2008

Date

Chief Cadastral Surveyor of Arizona

Stephen K. Hunsen