(4—683.)

Mineral Survey No. 1541

Lot No.
 Prese of Land District.
FIELD NOTES
OF THE SURVEY OF THE MINING CLAIM OF
G W Hull
 ·
 KNOWN AS THE
"Hope" and Expectation" lodes
 Werde Mining District,
Marapai county arisona
Yavafar County, Argana Section approx., Township 16 N, Range 2 C (unaunuyed)
Surveyed under instructions dated Deb 2/1901
by J. Firlu
U. S. Deputy Mineral Surveyor
Claim located april 12 th , 18 92
Survey commenced april 3 -9, 1801
Survey completed, 180/
" 6-10) Address

Less J. Hawkins aluming Presente any,

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, 6 No Done	per and Junes B. Harrison
that we will level the chain upo either by sticking or dropping notable objects, and the true leng of our skill and ability, and in a the Mining Claim of	well and faithfully execute the duties of chain carriers; on even and uneven ground and plumb the tally-pins, the same; that we will report the true distance to all gth of all lines that we assist in measuring, to the best accordance with instructions given us, in the survey of
Hobe and &	, known as the people to the mining district, County,
situate in Werde	mining district,
jurapus "	To, Range No
in Section \mathcal{L} , Township N	
	James B. Harrison, Chainman.
	ribed and sworn to by the above-named persons before me this day of Afric , 1801.
	J. J. Finher Purse
truly perform the duties of axem according to instructions given m	an, in the establishment of corners and other duties,
known as the	,
more fully described in the prece	ding affidavit.
	, Axeman.
Subsc	ribed and sworn to by the said
	before me this day of
	, 18 .
well and truly perform the duties	do solemnly swear that I will of flagman, in the establishment of corners and other given me and to the best of my skill and ability, in the
more fully described in the prece	
•	
Chalana	writed and gwarn to by the said
	cribed and sworn to by the saidday of
	, 18 .

Feet

Hope Lode.

Beginning at cor. No. 1, which is also cor. No. 2, Expectation Lode of this survey, identical with the cor. of location.

Cut a x on lime stone reef for corner point, and H. No. 1-1541 and E. No. 2-1541 . No brs. available.

U. S. M. M. No. 2, V. D. brs. S. 41° 26' E. 2408 ft.Along side of point built a mon. of stones 3x3ft.

Thence N.46° 31' W.

Var. 14° E.

710

To cor. No. 2, Identical with cor. of loc.

Cut a x on lime stone reef in place and H. No. 2
1541. Along side built a mon. of stones 3x3 ft.

Thence N. 56° E.

Var. 14° E.

300

To west center end, identical with loc. Set a porphyry stone 5x10x24 ins. one foot in ground, along side a mon. of stones 3x3 ft. Stone marked W. C. E. H. No. 1541.

600

To cor. No. 3, identical with cor. of the loc.

A lava stone 8x15x24 ins. set one foot in ground, along side a mon. of stones 3x3 ft. Stone marked H. No. 3-1541.

A x on a lava rock in place, marked B. R. H. No. 3-1541, brs. N. 6° 40' W. 10.5 ft.

A x on a lava rock in place, marked B. R. H. No. 3-1541, brs. N. 66° W. 26 ft.

Survey No. 1541

Feet.

Thence S. 44° 37' E.

Var. 14° E.

37.4

To intersect line 2-3, Sur. No. 1414, Green Monster Ex. lode at N. 7° 45' E. 286.4 ft. from cor. No. 2. To intersect line 1-2, Sur. No. 1414, Green Monster Ex. lode at S. 71° 30' E. 502.5 ft. from cor. No. 2. To cor. No. 4, which is also cor. No. 3, Expectation lode of this survey. Identical with the cor. of loc.

705.2

660.8

A slate stone 4x10x30 ins. set one foot in ground, along side a mon. of stones 3x3 ft.Stone marked H. No. 4-1541, and E. No. 3-1541.

A x on a slate stone in place, marked B. R. H. Mo. 4-1541, brs. N. 41° 25' W. 17.5 ft.

A x on a slate rear, marked B. R. E. No. 3-1541 brs. N. 84° 57' W. 9.5 ft.

Thence S. 56° W.

Var. 14° E.

300

To east center end, which is also west center end Expectation lode of this survey.

Cut a x on a quartzite rock in place, and E. C. E. H. No. 1541, and W. C. E. E. No. 1541.

576

To cor. No. 1, the place of beginning survey of exterior boundaries.

Expectation Lode.

Beginning at cor. No. 1, the south east cor.

of the claim, identical with the south east cor.

of the claim. A lime stone 10x12x30 ins. set

one foot in ground, along side built a mon. of stones

3x3 ft. Stone marked E. No. 1-1541,

Survey No. 1541

Feet.

A x on a sand stone in place, marked B. R. E. No. 1-1541, brs. N. 31° 13' E. 21 ft.

A x on a sand stone in place, marked B. R. E. No. 1-1541, brs. S. 38° 25' W. 16.5 ft.

U. S. M. M. No. 2, V. D. brs. S. 38° 54' E. 1527.2 ft.

Thence N. 45° 25' W.

14° E. Var.

975 To cor. No. 2, which is also cor. No. 1, Hope lode of this survey, corner described above.

Thence N. 56° E.

14° É. Var.

To west center end, which is also the east center end Hope lode, described above.

To cor. No. 3, which is also corner No. 4, Hope lode of this survey, corner described above.

Thence S. 46° 48' E.

14° E. Var.

To cor No. 4, identical with cor. of the loc. 980.2

> A slate stone 6x8x30 ins. set one foot in ground, along side built a mon. of stones 3x3 ft. Stone marked E. No. 4-1541.

A x on a porphyry rock in place, marked B. R. E. No. 4-1541, brs. S. 89° 10' W. 23 ft.

A x on a porphyry rock in place, marked B. R. E. No. 4-1541, brs. S. 68° 22' W. 22.2 ft.

276

576

Feet.

Thence S. 56° W.

Var. 14° E.

300

600

To east center end, a mon. of stones 3x3 ft.

To cor No. 1, the place of beginning survey of exterior boundaries.

Area.

Total area Hope lode 9.356 acres.

Less area in conflict

with Green Monster Ex. 1.620 "

Net area Hope lode

7.736 acres.

Expectation lode

12.902 "

Total area lode claim

20.638 acres.

Location.

This claim is located on un-surveyed land, approximately in T. 16 N. R. 2 E. when surveyed. In Verde Mining District, Yavapai County, Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and his grantors, is not less than five hundred dollars for each location in This claim, and that said improvements consist of:-

HOPE LODE.

Cut No. 1, which brs. from the east center end N. 35° W. 25 ft. Cut 5x20 ft. 15 ft. face. Value \$150.00

Survey No. 1541.

Tunnel No. 2, which brs. from cor. No. 4,

N. 79° 45' W. 340 ft. Tunnel 4x6x70 ft, course

south. Value \$700.00

EXPECTATION LODE.

Cut No. 1, which brs. from east center end N. 41° 30' W. 900 ft. Cut 4x20ft. 8 ft. face.

Value

\$7.00.00

Cut No. 2, which brs. from east center end,
N. 49° 45' W. 815 ft. Cut 4x20 ft. 15 ft. face.

Value \$200.00

Cut' No. 3, which brs. from east center end,

N. 45° 45' W. 735 ft. Cut 4x20 ft. 15 ft. face.

Value \$200.00

Tunnel No. 4, which brs. from cor. No.1,

N. 3° 15' E. 380 ft. Course N. 46° W. 4x6 ft.

50 ft. long. Value \$500.00

VEIN.

Hope Vein extends from the west center end in a south easterly direction 705.2 ft. to east center end.

Expectation Vein extends from the west center end in a south easterly direction 980.2 ft. to east center end.

This claim is bounded on the north by Green

Monster Ex. Sur. No. 1414 and Goodfellow lode

un-surveyed, on the east by U. S. land, on the south

by U. S. land and on the west by Mammoth lode un
surveyed.

INSTRUMENT.

This survey was made with a Gurley solar transit. The courses were deflected from the true meridian as determined by direct solar and Polaris observations. The distances were measured with a 100 ft. steel chain.

Prescott Ariz.

April 13th. 1901.

U. S. Dep. Min. Surveyor.

FINAL OATHS FOR SURVEYS.

	LIST OF NAMES.		
A list of the n	ames of the individuals employed by Jeilie		
	and the training of the same o		
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines			
of			
of	Hope and Expectation holes		
known as the	At De and Thechalun was		
and showing the re	spective capacities in which they acted.		
	James B Harrison, Chainman.		
	James B Hurrism Chainman.		
	, Axman.		
	*		
	, Flagman.		
	FINAL OATHS OF ASSISTANTS.		
	Drube		
We, B	Harrison, do solemnly swear that we assisted J. J.		
and furnes of	do solemnly swear that we assisted		
	, Officed States Deputy Mineral Surveyor, in marking the corners and		
surveying the boun	daries of the mining claim of		
(tion , known as the Hope cond		
Expecta	etion , represented		
	d notes as having been surveyed by said deputy mineral surveyor and under		
	that said survey has been in all respects, to the best of our knowledge and		
	d correctly executed, and the corner and boundary monuments established		
	*		
	and the instructions furnished by the United States Surveyor-General for		
allegna	EALN		
	Januar. Chainman.		
	Jemil J. J. arusov, Chainman.		
Мус	May 19 1900 , Avman .		
(18/1)	, Flagman.		
	Subscribed and sworn to by the above-named persons before me		
As I Can	this 324 day of Phile , 1901		
	* Yet also		
3.40	J. J. Feiher		

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, J. J. S. Deputy Miner	al			
Surveyor, do solemnly swear that, in pursuance of instructions received from the Unit				
States Surveyor General for Aryona, date Tob 2125/90/, , I have, in strict conformity to the laws of t	he			
United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining				
, known as t	he			
Hope" and "Expediation" lodes , known as t	,			
Situate in Acros Mining Distri Sounds, Aryona, in Secti Township No. Bange No.	on			
, Township No. , Range No. ,	,			
and designated as Survey No. /1///, as represent	ed			
in the foregoing field notes, which accurately show the boundaries of said mining cla				
as distinctly marked by monuments on the ground, and described in the attached co	ру			
of the location certificate, which was received by me from the Surveyor General wi	th			
said instructions, and that all the corners of said survey have been established and pe	er-			
petuated in strict accordance with the law, official regulations and instructions the	re-			
under; and I do further solemnly swear that the foregoing are the true and origin	ıal			
field notes of said survey and my report therein, and that the labor expended a	nd			
improvements made upon said mining claim by claimant or his grante	ors			
are as therein fully stated, and that the character, extent, location and itemized val				
thereof are specified therein with particularity and full detail, and that no portion				
said labor or improvements so credited to this claim has been included in the estimate				
of expenditures upon any other claim.				
or expenditures upon any other claim.				
J. Fisher				
J. Fisher ('.S. Deputy Mineral Survey	vor.			
v				
Subscribed and sworn to by the said J. J. Fisher U. S. Deputy Mineral Surveyor, before me a Molary Bublic in a for Yavakai County, ariz Jerr. this Thirteenth day of April 1901.				
U. S. Deputy Mineral Surveyor before me a Notary Cublic in a	in d			
las Manakas County aria Jerry this Thirteenth				
day of April 1901	Z			
day or the same of				
3 Bullia O. Brown Notary Public				
My Commission Notary Public				
commission expires Nov.				

Affidavit of Five Hundred Dollars Improvements.

one, El Dreper	and James B Harrison
of lawful age, being first duly sworn o	according to law, depose and say: That we are
//	Expectation mining claim, situate
in Brile	Mining District. Junepue County,
Arizona Territory, for which.	The Huse
had made application for survey price	or to application for patent under the provisions
	0, 1872; and that the labor done and improve-
ments made thereon by the applicant.	and his grantor exceed Five Hundred
Dollars in value, and further, that we	are not personally interested in said mine.
	EX Draper
	James B. Harrison
TERRITORY OF ARIZONA,	ss:
County of Mevapue	} 00.
Sworn v	to and subscribed before me, this 3 m
May 19. 1900 $ eg da$	y of Optil , 190!
15967b200-10-1900	J. Fisher Publice
	Mostary Publica

HOPE LODE.

This...to certify that we G.W.Hull and J.F.Derrick have located and taken up the Hope Lode on the 12" day of April A.D.1892, situated in Verde Mining District Yavapai Co.A.T.about 4000 feet south of the Clift Mine in the forks of the Cannon

Boundaries commence at the westerly centar end and running N.Easterly 300 feet to N.E.Cor.1500 feet S.Easterly to S.E.corner 600 feet S.Westerly S.W.corner 1500 N.Westerly N.W.corner 300 feet to place of beginning.

We claim all rights <u>garenteed</u> under the U.S.Laws in holding said location with dips, spurs, angles water & timber.

G.W.Hull.

J.F.Derrick.

Recorded at request of G.W.Hull, June 13" A.D.1892, at 9 o'clock a.m in Book 34 of Mines, page 374, Records of Yavapai County, Arizona.

(L.S.) Charles H.Akers,

By F.A.Tritle, Jr.,

County Recorder.

Deputy.

我亲维我的相称的亲亲我我我我我我我我我我我我我我我

This is to certify that we G.W.Hull and J.F.Derrick have located and taken up the Expectation Lode on the 12" day of April, A.D.1892, situated in Verde Mining District, Yavapai Co.A.T. and joining the Hope Lode on the N.West.

Boundaries Commence at the Westly end of the Hope Lode and center monument and running 300 feet Northerly to N.E.corner thence 1500 feet Westerly to N.W.corner; thence 600 feet Southerly to monument S.W.corner, thence 1500 feet Easterly to monument S.E.corner, thence 300 feet to place of beginning.

We claim the spring, water, timber & all dips, spurs and angles on said location & rights garenteed under the U.S.Laws in holding said Location.

G.W.Hull.

J.F.Derrick.

Recorded at request of G.W.Hull, June 13" A.D.1892, at 9 o'clock A.M.in Book 34 of Mines, pages 375, Records of Yavapai County, Arizona.

(L.S.) Charles H.Akers,

By F.A. Tritle Jr.,

County Recorder.

Deputy.

TERRITORY OF ARIZONA,)
)SS:
COUNTY OF YAVAPAI.

I,P.J.FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Notice of Location of the "Hope" Mining Claim, recorded in Book 34 of Mines, page 374, and of the "Expectation" Mining Claim, recorded in Book 34 of Mines, page 375, records of Yavapai County, Arizona.

In Witness Whereof, I have hereunto sat my hand and affix-

my sample Seal, this 19th day of Feby 1901,

County Recorder




Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General, Juesow amoura-May 1st , 18/901-I, U. S. Surveyor General for Amoua, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of G. H. Hull-Hope and Espectation Lodeo,
situate in Verde mining district, Yavapai County, Anyona, in Section approx, Township No. 16 N., Range No. 2 E June weigh) , designated as Survey No. 1541 executed by Justineral , U. S. Deputy Mineral Hyril 3rd, 1901, 18 , under my instructions dated 6. 2126, 1901, 18 , have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes. George Christ

U. S. Surveyor General for Amona.



Surveyed April 3rd 1901. by J. F. Frisher u. S. Sep. Min. Surveyor.