aug 6 1901

U. S. L. m. No - 1591

(4--683.)

# Mineral Survey No. 1591

Lot No.

Priscott Land District.

# FIELD NOTES

The Momora Grey-Opper Merining & Milling Company

KNOWN AS THE

Berlin No. 1. Berlin No. 2. Berlin No. 3 & Berlin No. 4

Phomosa Mining District,

Gentle Grand Grand Grand

Section Township 5. 1. - Range 18. W., (unsurveyed)

Surveyed under instructions dated any 2 may 1901,

by J. Jerlin

U. S. Deputy Mineral Surveyor.

Claim, located Gray 12 1901

Survey commenced any 12 1901

Survey completed Any 13 1901

0 6 100

P.H. Burmette, agent. Priscote augme

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE. E H D.	ruper and F. A. T.	neger
do solemnly swear that we withat we will level the chain the either by sticking or dropping notable objects, and the true of our skill and ability, and it	Il well and faithfully execute the duties upon even and uneven ground and plug the same; that we will report the transfer of all lines that we assist in mean accordance with instructions given upon the complete of the comp	of chain carriers; mb the tally-pins, rue distance to all asuring, to the best as, in the survey of
	•	known as the
	ur Nº2. Beelin Nº3 and	Beehin NO4
situate in PLo	mosa	mining district,
Juna	County, augoni	,
in Section, Township	p No. Range No.	
	EHDrafur	, Chainman.
	AT A	, Chainman.
G <sub>11</sub> .	bscribed and sworn to by the above-nar	
	me this 12 day of the	
My commission expires  May 16, 1900		
63/	lyer , do solemnly swear t	had well
TOFINA, M	elsses de relevante amont	bot I will will and
truly perform the duties of ax	coman, in the establishment of corners	and other duties
according to instructions given	a me and to the best of my skill and ab	ility, in the survey
of the Mining Claim of The	Plomisa Gred-Copper 7.	Mining
and Milling	company	
	Beetin P2 Beelin 13 7	Seelin VP 4
more fully described in the pr	eceding affidavit.	
	till legar	, Axeman.
Su	bscribed and sworn to by the said	I A Meyer
	before me this	
My commission expires	My, 1901	
May 19, 1900/	1.2.7.	isher
C/a	J.J.	May Proble
I, EN. Do	uper , do solemnly	y swear that I will
	ties of flagman, in the establishment of	corners and other
duties, according to instruction	ns given me and to the best of my skill	and ability, in the
survey of the Mining Claim of	Jenstounde Gree- Cop	pper minung
known as the Bell Mil	The Phonose Gold - Cop Pumpany Buhm NO2. Buhun NO.	3 & Becking Inde
more fully described in the pro-		or survey 4
more rarry accorded in the pro-	•	
	A Drafun	Flagman.
Su	bscribed and sworn to by the said	22 AND THE RESIDENCE OF THE PROPERTY OF THE PR
	before me this	day of
	duy , 1801	
v cummionia.	1.1.7	when One
o May 1900	(1 (m)	0

Feet

## Beehive Lode No.1

Beginning at cor. No.1 the N.E.cor. of claim, which is also cor. No.2 of Beehive No.2 Lode of this survey.

A porphyry stone 5xl0x24 ins. set one foot in ground alongside mon. of stone 3x3 ft. Stone marked B.No.1,1-1591, also B.No.2,2-1591.

A + on a porphyry rock in place marked B.R.B.No.1,1-1591, brs.S.1°5° E. 29.5 ft.

A + on porphyry rock in place marked B.R.B.No.2,2-1591 brs.N. 31° 15' W. 28.6 ft.

U.S.L.M.No.1591 P.D. brs.N.83°43° E. 3894.3 ft.

Thence S.4° W.

Var.14 E.

1500 T

To cor. No. 2.

A porphyry stone 6xl0x24 ins. set one ft. in greound alongside mon. of stone 3x3 ft. Stone marked B.No.1,2-1591, No brs. available.

Thence N. 75° W.

Var. 14º E.

300

To S.C.E.

A porphyry stone 5xl0x24 ins. set one ft.in ground alongside mon.of stone 3x3 ft. Stone marked S.C.E.B.No.1, 1591.

600

To cor. No. 3

A porphyry stone 5x8x24 ins. set one ft.in ground alongside mon. of stone 3x3 ft. Stone marked B.Nol,3-1591. No brs.available.

Thence N.4º E.

Var. 14° E.

1500 To cor.No.4 which is also cor.No.3 Beehive No.2 Lode of this survey.

Feet

A porphyry stone 6x15 x24 ins. set one ft.in ground alongside mon. of stone 3x3 ft. Stone marked B.No.1,4-1591. Also E.No.2,3-1591.

A + on porhyry rock in place marked B.R.B.No.1,4-1591, brs.N.17°35' W. 8.Tft.

A + on porhyry rock in place marked B.R.B.No.2,3-1591,brs.S.72° E. 12 ft.

Thence S.75° E.

Var. 14° E.

300 To N.C.E. which is also S.C.E. of Beehive No.2 Lode of this survey.

A slate stone 4x15x24 ins. set one ft.in ground alongside mon. of stone 3x3 ft. Stone marked N.C.E.B. No.1,1591; and S.C.E.B.No.2,1591.

To cor. No.1, place of beginning survey of exterior boundaries.

Beehive No. 2 Lode.

Beginning at Cor, No.1, the N.E. cor of claim, which is also cor. No.3 of Beehive No.3 Lode of this survey.

A slate stone 4x20x24 ins. set one ft. in ground alongside mon. of stone 3x3 ft. Stone marked B.No.2,1-1591; also B.No.3,3-1591.

A + on slate reef marked B.R.B.No.2,1-1591, brs.N. 23°5' E. 30 ft.

U.S.L.M.No.1591.P.D. brs.S.80°15 E.3646.1 ft.

Thence S.15° W.

Var.14 E.

To cor. No. 2 Beehive No. 3 Lode of this survey.

LOSO To cor.No.2 which is also cor.No.1, Beehive No.1 of this survey. cor described above.

Feet Thence N. 75° W. Var.14° E. 300 To S.C.E. which is also N.C.E. Beehive No.Lode of this aurvey. Mon. described above. To cor. No. 3 which is also cor. No. 4 Beehive No. 1 600 Lode of this survey. Cor.described above. Thence N.15° E. Var. 14° E. 1080 To cor. No. 4 . A porphyry stone 6x10x24 ins. set one ft.in ground alongside mon. of stone 3x3 ft. Stone marked B.No. 2,4-1591. A + on porphyry rock in place marked B.R.BnNo.2, 4-1591 brs. N. 63° W. 19.2 ft. A + on porphyry rock in place marked B.R.B.No.2, 4-1591 brs. N. 86°42° E. 8.2 ft. Thence S. 75 ° E. Var. 14° E. 300 To N.C.E. A slate stone 2x10x24 ins. set one ft. in ground alongside mon. of stme 3x3 ft. Stone marked N. C. E. B. No. 600 To cor. No. 1, place of beginning survey of exterior

Beehive No.3 Lode.

boundaries.

Beginning at cor. No.1, S.E.cor. of claim, which is also cor. No.2 of Beehive No.4 Lode of this survey.

A porphyry stone 5x8x24 ins. set one ft.in ground alongside mon.of stone 3x3 ft. Stone marked B.No.3, 1-1591, and also B.No.4,2-1591. No brs.available.

U.S.L.M.No.1591 P.D. brs.N.89°E.3039 ft.

Feet

Thence N. 82043 W.

Var. 14 ° E.

717 To cor. No. 2.

Cor.point on solid porphyry rock in place.

Cut + for cor.point and B.No.3,2-1591 alongside

mon.of stone 3x3 ft. No brs.available.

Thence N.15°E.

Var. 14°E.

300 To W.C.H.

A porphyry stone 3x12x24 ins. set one ft. in ground alongside mon. of stone 3x3 ft. Stone marked W.C.E. B.No.3,1591.

To cor. No. 3 which is also cor. No. 1 Beehive No. 2 Lode of this survey. Cor. described above.

Thence S.82°43' E.

Var. 14 ° E.

717 To cor.No.4 which is also cor.No.3 Beehive No.4 Lode of this survey.

A slate stone 6x18x24 ins. set one ft. in ground alongside mon. of stone 3x3 ft. Stone marked B.No.3, 4-1591, and also B.No.4, 3-1591.

A + on porphyry rock in place marked B.R.B.No.3,4-1591 brs.N.64°W.30.8 ft.

A + on porphyry rock in place marked B.R.B.No.4,3-1591 brs.S.51°20' E. 41 ft.

Thence S.15° W.

Var. 14° E.

300 To E.C.E. which is also W.C.E. of Beehive No.4 Lode of this survey.

A porphyry stone 5x8x24ins. set one ft.in ground alongside mon.of stne 3x3 ft. Stone marked E.C.E.B. No.3,1591, and W.C.E.B.No.4,1591.

Feet

600

To corner No.1, place of beginning survey of exterior boundaries.

Beehive No.4 Lode

Beginning at cor. No.1, S.E. cor. of claim.

A slate stone 4x10x24ins. set one ft.in ground alongside mon.of stone 3x3 ft. Stone marked B.No.4, 1-1591.

A + on slate reef marked B.R.B.No.4,1-1591 brs. S. 59°13W. 24 ft.

A + on slate reef marked B.R.B.No.4,1-1591 brs. S.25°3' W. 21 ft.

U.S.L.M.No.1591 P.D. brs.S.81°30' E.1672 ft.

Thence S.77°45'W.

Var. 14 ° E.

1415 To cor. No. 2 which is also cor. No. 1 Beehive No. 3 Lode of this survey. Cor. described above.

Thence N.15° E.

Var. 14° E.

300 To W.C.E. which is also E.C.E. of Beehive No.3 Lode of this survey. Mon. described above.

To cor. No. 3 which is also cor. No. 4 Beehive No. 3 Lode of this survey. Cor. described above.

Thence N.77°45'E.

Var.14° E.

1415 To cor. No. 4

Cor.point on solid porphyry rock in place.

Cut + for cor.point and B.No.4,4-1591 alongside mon. of stone 3x3 ft. No brs.available.

Thence S.15°W.

Var.14°E.

300 To E.C.E.

A porphyry stone 10x10x24 ins. set one ft in ground alongside mon. of stone 3x3 ft. Stone marked E.C.E.B.

No.4,1591.

To cor.No.1 place of beginning survey of exterior boundaries.

NOTE.

Survey No.1591 is identical with the amended notices of leation.

#### LOCATION.

This claim is located approximately in T.5 N., R.18 W., Gila and Salt River Base and Meridian, on unsurveyed land in Plomosa Mining District, Yuma County, Arizona Territory.

There are no adjoining claims.

AREA.

Beehive No.1 Lode - 20.279 acres

Beehive No.2 Lode - 14.885 acres

Beehive No.3 Lode - 9.787 acres

Beehive No.4 Lode - 17.327 acres.

Total area lode claim - 62.278 acres

#### VEINS.

Beehive No.1

The vein extends in a northerly direction 25 ft. and in a southerly direction 1475 ft. from the discovery shaft.

Beehive No. 2

The vein extends 1080 ft. in a northerly direction from the S.C.E.mon. to the N.C.E.mon.

Beehive No.3

The vein extends in an easterly direction 155 ft. and in a westerly direction 562 ft. from the discovery cut.

Beehive No. 4

The vein extends in a westerly direction 35 ft. and in an easterly direction 1380 ft. from the discovery cut.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and imrpovements upon this claim, placed thereon by the claimant and
its grantors, is not less than five hundred dollars,
for each location
and that said improvements consist of;

Beehive No.1 Lode

Discovery shaft No.1 which bears from the N.C.E. S.4° W. 25 ft. Shaft 4x6 ft.160 ft. deep.

Value - \$1600.00

Beehive No. 2 Lode

Discovery tunnel No.1 which bears from S.C.E. mon.N.74°W. 41 ft. Course E., tunnel 4x6 ft 42 ft. long.

Value - 420.00

Beehive No.3 Lode

Discovery cut No.1 which brs.from E.C.E.mon. N.82°43'W. 155 ft. Cut 4x10 ft. 10 ft. face.

Value

\$100.00

Shaft No.2 which brs.from E.C.E.mon.N.82°43'W.

40 ft. Shaft 4x6 ft. 40 ft.deep.

Value

\$400.00

Beehive No. 4 Lode

Discovery cut No.1 which brs.from W.C.E.mon. N.77°45'E.35 ft. Cut 4x20 ft.10 ft.face.

Value

\$150.00

Total value of improvements on lode claim \$2670.00 which is to be apportioned to each lode comprising this claim, as improvements upon any one tends to the development of the whole claim.

#### INSTRUMENTS.

This survey was made with a Gurley Light Mountain

Solar Transit. The courses were deflected from the true

meridian as determined by direct solar observation.

The distances were measured with a 50-ft. steel tape

and 100-ft. steel chain.

Prescott, Arizona,

August 23, 1901

U.S.D.M.S.

## U.S.Location Monument No.1591

There being no corner of public survey or U.S.L.M. within two miles of Survey No.1591,I established a U.S.L.M. on high ridge visible for long distances from all directions. Monument situated in Plomosa Mining District, Yuma County, Arizona.

Cut a + on porphyry rock 5x10 ft. 6 ft. above surface of ridge for center point, marked U S.L.M.No.1591
P.D.

Alongside built a mon. of stone 4x4 ft. 6 ft. high.

A + on porphyry rock in place marked B.R.U.S.L.M. No.1591 P.D. brs.N.19°30° E. 239 ft.

A + on porphyry rock in place marked B.R.U.S.L.M.No. 1591 P.D. brs.S.81°5'W. 432 ft.

Tyson's Well and Quartzite P.O.brs.N.E.about 6 miles.

New Water Mt.brs.S.68°30'E.about 15 miles.

Highest point on S.H.Mts.brs.36°30'E.about 25 miles. Yuma brs.S.about 100 miles.

The nearest railroad station is Wickenburg in an easterly direction about 75 miles.

Prescott, Arizona
August 23,1901

J. Fisher U.S.D.M.S.

# FINAL OATHS FOR SURVEYS.

LIST OF NAMES.
A list of the names of the individuals employed by
on project significant signifi
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of The Phonosa Gold-Copper Mining and Miling Company known as the Bechward. Bechin N.Z. Bechin M.J.
and showing the respective capacities in which they acted.
J. A. Meyer, Chainman.
F. A. Meyer, Arman.
Est Draper, Flagman,
FINAL OATH'S OF ASSISTANTS.
We, ON Dapu
and J. H. Meyer do solemnly swear that we assisted J.
surveying the boundaries of the mining claim of the Thomas Gold Coppe
Moning and Milling Company
Moning and Milling Company
Moning and Milling Company
Beehin N2. Beehin N3 & Beehin N4, represented
Moning and Milling Company  known as the Cechin At,  Beehin ND. Beehin NB & Beehin NB 4, represented  in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
Moning and Milling Company, known as the Gerhin M., known as the Gerhin M., known as the Gerhin M., represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and
Mining and Milling Company, known as the Gerhin MI,  Beehin M2. Beehin M3 & Beehin M4, represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established
Moning and Milling Company, known as the Geehin MI, Beehin MI, Beehin MI, Beehin MI, Beehin MI, Beehin MI, Rechin MI, represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for
Mining and Milling Company  known as the Geehin MI,  Beehin M2. Beehin M3 & Beehin M4,  represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for according to law and the instructions furnished by the United States Surveyor-General for according to law and the instructions furnished by the United States Surveyor-General for according to law and the instructions furnished by the United States Surveyor-General for according to law and the instructions furnished by the United States Surveyor-General for according to law and the instructions furnished by the United States Surveyor-General for according to law and the instructions furnished by the United States Surveyor-General for according to law and the instructions furnished by the United States Surveyor-General for according to the united States Surveyor-General for accordi
Moning and Milling Company  known as the Geehin MI,  Beehin M2. Beehin M3 & Beehin M4 , represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for  Chainman.
Moning and Milling Company  Rechir N2. Beehin N3 & Rechir N4, represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Chainman.  Chainman.  The Market of the Chainman.  Chainman.
Mounty and Milling Company  Rechir ND. Beehin NB & Rechir NB & Rec
known as the Gerhin MI,  Beehin ND. Beehin NB & Beehin NB & Rechin NB & represented  in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under  his direction; and that said survey has been in all respects, to the best of our knowledge and  belief, faithfully and correctly executed, and the corner and boundary monuments established  according to law and the instructions furnished by the United States Surveyor-General for  CHANGE AND
Mining and Milling Company  known as the Beeling At Rechire At represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Chainman.  My commission expires  May 19, 1904  May 19, 19
Mining and Milling Company  known as the Beeling At Rechire At represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Chainman.  My commission expires  May 19, 1904  May 19, 19
Mining and Milling Company  known as the Beeling At Rechire At represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Chainman.  My commission expires  May 19, 1904  May 19, 19
known as the Gerhin MI,  Beehin ND. Beehin NB & Beehin NB & Rechin NB & represented  in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under  his direction; and that said survey has been in all respects, to the best of our knowledge and  belief, faithfully and correctly executed, and the corner and boundary monuments established  according to law and the instructions furnished by the United States Surveyor-General for  CHANGE AND

# FINAL OATH OF U.S. DEPUTY MINERAL SURVEYOR

I, J. Jirlier , U. S. Deputy Mineral
Surveyor, de solemnly swear that in pursuance of instructions received from the United
States Surveyor General for, dated, I have, in strict conformity to the laws of the
luy 2 190, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of The Romosa Gold-Copper Mining & Milling Co
*** *** *** *** *** *** *** *** *** **
Beehin No. Beehin No. 2. Beehin No.3 + Beehin No.4 Loder
situate in Mining District,
June County, augorea, in Section
, Township No. Range No.
and designated as Survey No. 1591, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
er or positive of a positive o
J. J. Furler
l'. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said of Jusher  U. S. Deputy Mineral Surveyor, before me a Notary Cublic in any for Yanapan Dounty, a.J. this 24"  day of angust 1901.
U. S. Deputy Mineral Surveyor, before me a notary Cublic in and
for yanapai lounty a. J. this 24"
day of august 1901.
Jela O. Grown
commission expires Nov.
2, 1901

# Affidavit of Five Hundred Dollars Improvements.

Time, E. A. Dreper, and F. A. Meyer
of lawful age, being first duly sworn according to law, depose and say: That we are
of lawful age, being first duly sworn according to law, depose and say: That we are acquainted with the will have him believed bethin Mining claim, situate in.  Mining District.  County,
in Mining District. June County,
Arizona Territory, for which the Thomse Fred- Copper Minny
and Milling Company
ha $\mathcal A$ made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and if grantor exceed Five Hundred for each location in Clein
Dollars in value, and further, that we are not personally interested in said mine.
CHDrafer
Falleya
TERRITORY OF ARIZONA,
County of Javapai \\ ss:
Sworn to and subscribed before me, this
day of Chegust, 190!
May 10, 1900.
15967b200-10-1900  May 19, 1900x/  J. J. Tisher  Nothing Public


# AMENDED

# Motice of Mining Location.

LODE CLAIM.

To All Tabom It May Concern:  This mining claim the name of which is the Gee him No.
This mining train, the name of which is the
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purpose of exploration and
purchase by The Plomosa Gold- Copper mining and milling Co
the undersigned, on the 30 day of Muy 1901  The length of this claim is 1506 feet,
The length of this claim is 15010 feet,
and WU claim 1475 Jeet
in a direction, and 25
in a Souther direction, and 25 feet in a hardings direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
to the
The claim is situated and located in the Plonusce Mining District, in
The claim is situated and located in the strong of Arizona object.
in a Soult willing direction from Hyponic will and Twent
of PM
pue v.v.
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
a mon, of stones
at a point in an Euclis direction 25 feet from
end line of said claim; thence \( \forall \) 75° \( \tau \) goo feet to a \( \tau \tau \tau \tau \tau \tau \tau \tau
blines, being the V. E. corner of said claim; thence
S 4° V 1500 feet to a Mon. I aline the center of
S 4° 4 1500 feet to a mon, I slive at the center of the side line of said claim; thence
feet to a being at the V.W. corner of said
feet to a being at the N.W. corner of said claim; thence S 75° & Zvu feet to a Num, 9 Univ
at the center of the second end of said claim; thence S 750 & 300
feet to a Mon, of stries, being at the S. W.
corner of said claim; thence It 40 & 1500 feet to a Mon. J
Slovies being at the center of the side line of said elaim;
thence feet to a at
the S.E. corner of said claim; thence Jr 75° W 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concern-
ing Mines," approved March 20th, 1895, and amended March 2d, 1899.
This is an Amended Location Notice of the Buliva VVI  Mining Claim, located by Moore and Bradshaw
Mining Claim, located by 770070 accus 707accus con the day of
on the day of 1899, and recorded in Book of Records of Mines, at
page 225, in the office of the County Recorder of the aforesaid County of Junio to which reference is hereby made, and this Amended Location Notice is made and posted to
correct errors in the description in the said original Location Notice
Dated and posted on the ground this day of Muy 1901
The state of the ground this
The Tomse Ind Copper Minny & Milly C
The Chomes George Minney & mily & by L. A. Pecse, agent,

TERRITOLY 19 GF ARIZONA,	
County of Juna Sss Parmin	
10 County Perorder in and for the Co	inty and
Territory aforesaid, do hereby certify that the willin instrument was filed for record at	M.,
on this day of Sylvand duly recorded in Book No.	
of Muil Records of Juna County, Arizona, at pages 3	3 gelse
WITNESS my hand and official seal the day and fear first enoted written	
O. Olom	
M Riley Le	rder
5 / Action of the	enry.
	/
" K 7007	
in in in it is to be a second of the second	corde
Location  AIM.  AIM.  d at request of  M. M. D. 19  M. M. D. 19  M. M. D. 19  County Record	Jan
Samon	eput,
OLAIM.	) J J J J J J J J J J J J J J J J J J J
	PRIN
Of OCE TOODE TO THE TOOL OF TH	(
	I. MO
	1 1 1
	# 1 E 3 /
Thotice  Thotice  Dated  Filed and  Book & O	H H



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

## AMENDED

# Motice of Mining Location.

To All Whom It May Concern:	
This mining claim, the name of which is the	. Beelive N2.
Mining Claim, situate on lands belonging to the Un	
are valuable mineral deposits, was entered upon and	located for the purpose of exploration and
purchase by The Olomosa Gred-Copp	ber Minny & Milling, Company
, , ,	/ / /
the undersigned, on the day of day of	Muy 1901
The length of this claim is 108	
and We claim 1080	feet
Most- Easterly	diametica and MA
in a North Easterly feet in a Smith G	alrection, and
100010.	
the center of the discovery shalt, at which this notice	
	et in width of the surface grounds, on each
side of the center of said claim. The general course	of the lode deposit and premises is from the
The claim is situated and located in the	Plomosa Mining District, in
funu County, in the Territory of	
in a Smilt willed direction from	Tysons coll and Quartril
M.O.	
The surface boundaries of the claim are marked	
a mon. of stones at	
D	
at a point in a direction	leet from
the discovery shaft (at which this notice is posted),	being in the center of the
end line of said claim; thence N 75° W 3	feet to a Mr.
Strice heing the Vr.	corner of said claim; thence
the side line of said claim; t	at the center of
feet to a heing	at the N.E. corner of said
feet to a being claim; thence 575° & 300	feet to a Mm. 9 almes
at the center of the South end of said claim	: thence S 75° & S 300
feet to a mon. of sline, being	at the S.E.
feet to a Mon. of sliving, being corner of said claim; thence S 15° W 10	80 feet to a mon. 7
Olines being at the center of the	side line of said claim;
the S. M. corner of said claim; thence	to a at
the O. W. corner of said claim; thence	N 95°W 300
feet to the place of beginning.	W 1 W 1
	x, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General As	
ing Mines," approved March 20th, 1895, and amen This is an Amended Location Notice of the,	Aded March 2d, 1899.
Mining Claim located by Moore t	u d shew
Mining Claim, located by Moore & B	on the /'' day of
1899, and recorded in	1 Book of Records of Mines, at
page 226, in the office of the County Recorder of	the aforesald County of Juna
to which reference is hereby made, and this Amen	
	I Taratian Mating
Dated and posted on the ground this	a day of Muy 1981
The	Plomosa Gree- Copper
92	ring & Milling Company.
k	ring & Milling Company,

on this day of day	County Pecorder in and for the County and instrument was filed for record at
of Records of	Mul County, Arizona, at pages 3 4 100
WITNESS my band and office	sial seal the day and year first grove writign
	By W. J. Reley Llep
Motice of Location.	Filed and recorded at request of  A. D. 190  Book & M. D. 190  Pages 3 & M. M. L.  By W. County Recorder.  Deputy Reforder.  The H. H. MICHELL CO., PHINTERS, PRENK, AND.

Monument Mon

This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.


# AMENDED

# Motice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:  This mining claim, the name of which is the Beelius M3.
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purpose of exploration and
purchase by The Vinnose Gold-Copper Mining & Milling Company
the undersigned on the 30 th day of May 190/
the undersigned, on the 30 day of Muy 190/ The length of this claim is 7/7 feet,
117
and claim /00 feet
in an direction, and 362
in an Suskil direction, and 562  feet in a Westerly direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
wish to the Euch
The claim is situated and located in the Clowose Mining District, in
fund County, in the Territory of Arizona, about 6 miles
in an Smilt westers direction from Lyson's Will & Quart, sile
To,
The surface boundaries of the claim are marked upon the ground as follows: Beginning at Aline Mun.
at a point in a Ecolory direction 155 feet from
the discovery shaft (at which this notice is posted), being in the center of the
end line of said claim; thence N 150 & 300 feet to a mon.
Alines, being the Jr. E. corner of said claim; thence
A 82° 43° W 717 feet to a mon. 9 olives at the center of
the side line of said claim; theree
feet to a being at the Jr. W. corner of said claim; thence \$15° W 300 feet to a Mon of olives
at the center of the west end of said claim; thence 8 15° WS 300
feet to a mm. of shim, being at the S. W.
corner of said claim; thence \$ 820 43 & 717 feet to a move.
Alrics being at the center of the side line of said claim;
thence feet to a at the S. E. corner of said claim; thence A 15° & 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concern-
ing Mines," approved March 20th, 1895, and amended March 2d, 1899.
This is an Amended Location Notice of the Beeling No3
Mining Claim, located by Moore & Bradshaw on the /" day of
on the /" day of
1899, and recorded in Book of Records of Mines, at
page 728, in the office of the County Recorder of the aforesaid County of
to which reference is hereby made, and this Amended Location Notice is made and posted to
correct errors in the description in the said original Location Notice.  Dated and posted on the ground this day of Muy 190/
The Chomosa Gold-Coppe Mining
The Planne Goed-Coppe Mining 7 Milling Company
by L. H. Pease, agent,

TERRITORY OF ARIZONA,	
County of Manna So P. Cronn County Recorder in and for the County	nty and
Territory aforesaid, do hereby certify that the within instrument was filed for record at	7 M
	10
	20/1
of Muies Records of June County, Arizona, at pages I	3472
WITNESS my hand and official seal the day and year first shove written	
Comm	-
County Reco.	aer
Dy Kly Alleyd	lepu
6. 1	<u>ئ</u>
ion.  1  1  2. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19	cord
request by P. D. A. D. C.	A SHIP
	Peput
Of TO LODE CLAIM.	I TERB,
Of J Of J OF J OBE CLA	D., PRIO
obe of the state o	WEIL O
	i i
Thotice and Filed and ages 3.4	7 H
The Dated Dated Book Pages	4 11
Book Book	



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either end desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.


# AMENDED

# Motice of Mining Location.

LODE CLAIM.

To All Whom It May Concern:
This mining claim, the name of which is the Lechure NH
Mining Claim, situate on lands belonging to the United States of America, and in which there
are valuable mineral deposits, was entered upon and located for the purpose of exploration and
purchase by the Chimina Cold - Copper Mining & Milling Company
the undersigned, on the Total, day of Mely 1901
The length of this claim is 1415 feet,
and Wr claim 35
in a Soult Weslerd direction, and 1380
feet in a North Ecesters direction from
the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together
with 300 feet in width of the surface grounds, on each
side of the center of said claim. The general course of the lode deposit and premises is from the
The claim is situated and located in the Plonusce Mining District, in
June County, in the Territory of Arizona, about 6 miles
in a full wisher direction from Typon's well + Quarticle
P. 0
The surface boundaries of the claim are marked upon the ground as follows: Beginning at
6 mm. g alines
at a point in a South westers direction 35 feet from
the discovery shaft (at which this notice is posted), being in the center of the
end line of said claim; thence A 450 E 300 feet to a Mon.
Also corner of said claim; thence
Vr 77° 45 & 1415 feet to a mon. of slines at the center of
the side line of said claim; thence
feet to a heing at the A.E. corner of said
claim; thence S 15° H 300 seet to a mon. I olives
at the center of the frost end of said claim; thence 5 15° W 8 300
feet to a mon. 2 dies, being at the S.E.
corner of said claim; thence S 77° 45' W 1415 feet to a mone of
Olmis being at the center of the side line of said claim;
thomas feet to a
the S.W. corner of said claim; thence It 15° & 300
feet to the place of beginning.
All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of
the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concern-
ing Mines," approved March 20th, 1895, and amended March 2d, 1899.
This is an Amended Location Notice of the Behin Work Mining Claim, located by Moore & Bradshow
on the day of
1899, and recorded in Book of Records of Mines, at
page 228, in the office of the County Recorder of the aforesaid County of June
to which reference is hereby made, and this Amended Location Notice is made and posted to
correct errors in the description in the said original Location Notice.  Dated and posted on the ground this day of Muse 190/
The Promose Gold-Copper Mining
level Milling company
by L. A. Cheese degent,

TERRITORY OF ARIZONA,	
County of June 53	County Recorder in and for the County and
Territory aforesaid, do hereby certify that the within ins	strument was filed for record at
on this day of fine	189.0. and duly recorded in Book No.
of Muco Records of	Ling County, Arizona, at pages 345 et se
Necoras of	7
WITNESS my hand and official	seal the day and year inst above weitten
	County Regorder
0	By. W. J. Caley Deputy
	J. J. Jacky agency
i i	1 of 1 of 2 of 2 of 2 of 2 of 2 of 2 of
Location	A. D.  A. D.  Unity Recommy Re
ह ।	ounty A.
0 S 3	
UDED CLAIM.	2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Trecorded  The Same of the Sam
of Lode	
3	and and
)tti	F M G G
Potíce	File  File  Book  Bages  By
	By By



This diagram is to give locator a general idea of plan of location under the new law. The Discovery Shaft can be in the center of claim or any distance from either ead desired. In the diagram it is placed 500 feet from one end and 1000 feet from the other. Commence description of claim at a center end monument, giving its distance and direction from center of Discovery Shaft; thence bound the claim in either direction. In description be careful to state locality of claim with reference to some natural object, or permanent monument, as will identify the claim.

# NOTICE OF MINING LOCATION. Quartz Claim.

To All Whom It May Concern: This mining claim, the name of which is the Bee Hive No.1 Mining Claim, situate dn land belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by E.B. Moore and L. F. Bradshaw the undersigned, on the 1st day of November 1899. The length of this claim is fifteen hundred feet, and we claim ten feet in a Northerly direction and fourteen hundred feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lenghtwise of the claim, together with three hundred feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the The claim is situated and located in the Plomosa Mining District, in Yuma County, in the Territory of Arizona, about Eight miles in a Westerly direction from Tyson Wells and about two miles from Choyer Camp. The surface boundaries of the claim are marked upon the ground as follows: Beginning at corner No.1 at a point in a Northerly direction 10 feet from the discovery shaft (at which this notice is posted), being in the center of the Northerly end line of said claim; thence 300 feet to a monument, being the North West corner of said claim; thence 750 feet to a Moniment at the center of the West side line of said claim; thence 750 feet to a monument being at the South West corner of said claim; thence 300 feet to a monument at the center of the Southerly end of said claim; thence 300 feet to a monument, being at the South East corner of said claim; thence 750 feet to a Monument being at the center of the Easterly side line of said claim; thence 750 feet to a monument at the North East corner of said claim; thence 300 feet to the place of beginning. All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes

of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved Harch 20th, 1895. Dated and posted on the ground this 1st day of November, 1899.

E. B. Moore

L. F. Bradshaw.

Recorded at request of L.F.Bradshaw at 9 o'clock A.M. January 25th.A.D.1900.

W. E. Marvin.

County Recorder.

# NOTICE OF MINING LOCATION.

Quartz Claim.

To All Whom It May Concern: This mining claim, the name of which is the Bee Hive No.2 Mining claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by E.B. Moore and L.F. Bradshaw the undersigned, on the 1st day of November 1899. The length of this claim is fifteen hundred feet, and we claim fourteen hundred and Ninety feet in a Northerly direction and ten feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South. The claim is situated and located in the Plomosa Mining District, in Yuma County, in the Territory of Arizona, about 8 miles in a Westerly direction from Tysons Wells. Thr surface boundaries of the claim are marked upon the ground as follows: Beginning at cor No.1 at a point in a Northerly direction 1490 feet from the discovery shaft (at which this notice is posted), being in the center of the Northerly end line of said claim; thence 300 feet to a monument, being the North West corner of said claim; thence 750 feet to a monument at

the center of the West side line of said claim; thence 750 feet to a monument being at the South West corner of said claim; thence 300 feet to a monument at the center of the South end of said claim; thence 300 feet to a monument, being at the South East corner of said claim; thence 750 feet to a monument being at the center of the East side line of said claim; thence 750 feet to a Monument at the North East corner of said claim; thence 750 feet to a Monument at the North East corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895. Dated and posted on the ground this 1st day of November 1899.

E. B. Moore

L. F. Bradshaw.

Recorded at the request of L.F.Bradshaw at 9 o'clock A.M. January 25th, A.D. 1900.

W. E. Marvin.

County Recorder.

#### QUARTZ LOCATION NOTICE.

Notice is hereby given that we L.F.Bradshaw and E.B.Noore claim 1500 feet on this lode with 300 feet on each side of the center of this claim this claim is situated in Yuma County Plomosa Mining District Arizona about 8 miles North of Tysons Wells and and about 2 miles from Choyer Camp and bounded as follows commencing at North East cor No.1 running thence 300 feet to East center end monument thence 300 feet to North West Cor No.2 thence 750 feet to North center side monument thence 750 feet to South West Cor No.3 thence 300 feet to West End center monument 300 feet to South East Cor No 4 thence 750 feet to South Side Center monument thence 750 feet to place of beginning. this was located November the 1st 1899 and is known as the Bee Hive No 3

Locators

L. F. Bradshaw

E. B. Moore

Recorded at request of L. F. Bradshaw at 9 o'clock A.M., Jan-uary 25th, A.D. 1900.

W. E. Marvin,

County Recorder.

QUARTZ LOCATION NOTICE.

Notice is hereby given that we L.F.Bradshaw and E.B.Moore claim 1500 feet along this lode with 300 feet in width on each side of the center of this claim this claim is situated in Plomosa mining district Yuma County Arizona about 8 miles west of Tyson Wells and about 2 miles west of Choyer Camp this claim is bounded as follows commencing at North East cor No 1 a Stone monument running thence 750 feet to North side center monument thence 750 feet to North West corner No 2 thence 300 feet to South End center monument thence 300 feet to South East corner No 3 thence 750 feet to South side center monument 750 feet to place of beginning this claim was located Nov the 1st 1899 and shall be known as Bee Hive No 4 Locators

L. F. Bradshaw

E. B. Moore

Recorded at request of L. F. Bradshaw at 9 o'clock A.M. January 25th, A.D. 1900.

W. E. Marvin,
County Recorder.

Territory of Arizona, )
County of Yuma.

I, C. P. Cronin, County Recorder in and for the County of Yuma, Territory of Arizona, do hereby certify that the foregoing is a true, full and correct copy of the location notices of the "Bee Hive no.1, No.2, No.3 and No.4" mining claims, as appears of record in Book J of Mines, pages 225,226,227,228 and 229, records of Yuma County aforesaid. In Witness Whereof, I have hereunto set my hand and affixed my seal off office this 29th day of July, A.D.1901.



County Recorder, Yuma County, Arizona.


# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior, Office of U.S. Surveyor General, Jueson, arigona. December 9 th, 1901 I, U. S. Surveyor General for District of arigona. do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of The Planasa Gald. Capper Mining Milling Co, Beehine No. 1- Beehine No. 2. Beehine No. 3. & Beehine No. H. Lake Plomasa, mining district, Yuma. County, Arizona. in Section appeal., Township No. 5 N., Range No. 18 West (unsurveyed.) , designated as Survey No. 1591. executed by J. Fisher, U. S. Deputy Mineral Surveyor, Aug. 12-13th , 190/, under my instructions dated Aug. 2", 190/, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location

U. S. Surveyor General for Anjona.

Aughthrieg

certificate filed by the applicant for survey is included in the field notes.



Surveyed Aug. 12-18-1901
by J. J. Fisher
i. S. Dep. Min, Guryor,