Platte d Oce 4-1801 S.E.F.

Forms affect

(4--683.)

Mineral Survey No. 1592

Lot No.

Correct Land District.

FIELD NOTES

Claim located Parses of the Mining Chain of Mining Orn Courty of Survey commenced Day 170 Survey commenced Day 170 Survey completed Day 25 1901

Survey Commenced Day 170 1901

L. M. Libbs, Othy for Claimanth Description of Courty of Cou

1

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

II	VE. 71	m Croc	chec	and Jon	mostle	<u>.</u>
do sole that w either	emnly swear e will level t by sticking	that we will he chain up or dropping	well and fa oon even an the same;	ithfully execute d uneven grour that we will rej	the duties of char d and plumb the port the true dis ist in measuring	e tally-pins, tance to all
of our	skill and ab	oility, and in	accordance	with instruction	ns given us, in tl	ne survey of
the Mi	ning Giaim		o come ay	as a pripar	mining Co	own as the
time It	Cpha Ome	ga, Elenor	Jessie Jan	us, Missing Lu	, kr ik + <i>brnow</i> min	Pouil
situate	in Ju	vapai	Cou	inty, au	Gove min	ing district,
in Sect				., Range No.	/	
		1.8		Han Croc	cale	Chainman.
		G 1			,	Croccromocoro.
	1000	ssion expires		12	above-named pe	
	May	19004		1	J. Fisher	,
	1	me st	10-	0 (notu	ry Prible
I,			**********	, do solemr	ly swear that I w	vill well and
accord	ing to instru	ctions given	me and to the	he best of my sl	f corners and o	the survey
of the	Mining Clai	m of	Verde Co	ypex Copp	u mmin	1 Cimpo
known more f	as the Bush	ed in the pre	lengue your ceding affida	and Crow	v Point	
				Joe MU	Alle	., Axeman.
		Sub	scribed and	sworn to by the	said for M	PALLE
	27-		·····	before	me this //	day of
		ission expires	Muy	1	, 1901.	
		/		- J	J. Feiher	Contraction (Parker
I,	Mm	Crock	ei		o solemnly swea	
	1501 P			n, in the establi	shment of corner	s and other
survey	of the Minin	ng Claim of	Verde a	pex Coppu	f my skill and al <i>Minn</i> y <i>Cu</i>	upany, in the
Known	as the 136	ock Hors	e, Alphi	i Omega El	Mining Cor enor Jess	ie Jame
		Part or see		and lerr	wu Yourh,	·····,
more 1	uny describe	ed in the pre	ceding affida <i>O</i>		ker	
					said 712 C	
		Sub	scribed and	sworn to by the before	me this 17	
	Мусо	mmission expire	s (li		. 1801.	
	1	Nav 10 1000/	00000	7	1	
	, , , , , , , , , , , , , , , , , , ,	May 19, 19004	0	before	2. J. Fish Nova	in

OCT 13 1903

CROWN POINT LODE.

Beginning at cor. No. 1,

Thence S. 53° 19' E.

1196.6 To intersect line 2-3, 101 lode, and line 1-4,

102 lode Survey No. 1413, at N. 51° 15' E. 21.3 ft.

from cor. No.s 3 and 4 of said 101 and 102 lodes,

Survey No. 1413.

1497.7 To cor. No.2.

Prescott Ariz.

Oct. 12th, 1903.

U.S.Dep. Min. Surveyor.

Feet

BLACK HORSE LODE

Beginning at cor. No.1, identical with N.W. cor of location.

A porphyry stone 6x8x24 ins. set one ft. in ground alongside mon. of stone 3x3 ft. Stone marked B.H.No.1-.1592.

A + on porphyry rock in place marked B.R.B.H.No.l-1592 brs.N.39°47'E.12.9 ft.

U.S.M.M.No.1 V.D.brs.N24°38' W.5971.7 ft.

Thence S.21º18'W.

Var.14° E.

1465.9 To cor. No. 2 which is also cor. No. 1 of Omega Lode of this survey, identical with cor. of location.

Cor. on solid rock in place

Cut + for cor.point on porphyry rock in place and marked B.H.No.2-1592, and O.No.1-1592. No brs.avail-able.

Thence S.57°10'E.

Var. 14 ° E.

282

To S.C.E.

A porphyry stone 8x8x24 ins. set one ft in ground alongside mon.of stone 3x3 ft. Stone marked S.C.E.B.H. No.1592.

To cor. No. 3 which is also cor. No. 2 Omega, and cor.

No. 4 Elenor lodes of this survey, identical with cor.

of location.

A porphyry stone 6x8x24 ins. set one ft. in ground alongside mon. of stone 3x3 ft. Stone marked B.H.No.3-1592, O.No.2-1592, and E.No.4-1592.

A + on porphyry rock in place Marked B.R.B.H.No.3-1592 brs.S.14°10' W.9.9 ft.

A + on porphyry rock in place marked B.R.E.No.4-1592 brs.N.16°25' W. 18.8 ft.

	Survey No.1592				
Feet	Thence N.22°E.				
	Var.14°E.				
394	To cor. No. 1 Elenor Lode of this survey and cor No. 4				
	Sigsby Lode Survey No.1566.				
994	To cor. No. 1 Sigsby, and cor No. 4 Socrates Lodes				
	Survey No.1566.				
1462.5	To cor. No. 4 identical with cor. of location.				
	A porphyry stone 6xlox24 ins. set one ft. in ground				
	alongside mon. of stone 3x3 ft. Stone marked B.H.No.4-				
	1592.				
	A + on porphyry rock in place marked B.R.B.H.No.4-				
	1592 brs.N.23°30' H.15.9 ft.				
	Thence N.57°10°W.				
•	Var.14° E.				
300	To N.C.E. which is also cor.No.2 Jess eJames, and				
	cor.No.3 Mis ing Link Lodes of this survey.				
	A porphyry stone 6x8x30 ins. set one ft.in ground				
	alongside mon. of stone 3x3 ft. Stone marked N.C.E.B.H.				
	No.1592, and J.J.No.2-1592, and M.L.No.3-1592. No				
	brs.available.				
538	To cor No. 2 Mis ing Link and cor. No. 3 Crown Point				
	Lodes of this survey.				
600	To cor. No. 1. place of beginning survey of exterior				
	boundaries.				
	Cor.No.4 Legal Tender Lodé, Survey No.1565 brs.				

JESS E JAMES LODE

S.60°27'W. 257 ft.

Beginning at cor. No. 3 the S. E. cor. of location, which is also cor. No. 4 of Juniper Lode, Survey No. 1566, identical with cor. of location. at 8.57° 10° E. 205 ft. from cor. No.4. Whach Horse, cor. no.1. voriting brs. N. 45° W. 280 ft. A porphyry stone 6x10x24 ins. set one ft. in ground alongside mon. of stone 3x3 ft. Stone marked J.J.No.3-1592. Same stone marked J. No. 4-1566.

Feet

A + on porhyry rock in place marked B.R.J.J.No.3-1592 brs.S.75°10' E. 14.5 ft.

A + on porphyry rock in place marked B.R.J.J.No.3=1592 brs. N.83°10'W.11.5 ft.

Thence N.39º15' E.

Var. 14° E.

546.8 To cor.No.4at intersection of line 3-4 102 Lode Survey No.1413 at N.57°10'W.251.7 from cor.No.3

A porphyry stone 4x8x24 ins. set one ft. in ground alonside mon. of stone 3x3 ft. Stone marked J.J.No.4-1592.

A + on porphyry rock in place marked B.R.J.J.No.4= 1592 brs.S.44°3' W. 50.8 ft.

A + on porphyry rock in place marked B.R.J.J.No.4-1592 brs.S.79°53'W. 18.5 ft.

Original mon. of location could not be found.

Thence N. 57°10'W.

Var. 14° E.

Along line 3-4 102 Lode Survey No.1413 to N.C.E.

A porphyry stone 5xl0x24 ins. set one ft. in ground alongside mon. of stone 3x3 ft. Stone marked N.C.E.J.J. No.1592.

To cor. No. 1 which is also cor. NO. 4 Mis: ing Link Lode of this survey.

Original cor. of location could not be found.

Cut a + on porphyry rock in place for cor.point

marked J.J.No.1-1592 and M.L.No.4-1592.No brs.avail
able.

U.S.M.M.No.1 V.D. brs.N.30°52'W.6020.3 ft.

Thence S.39°15'W.

Var.14° E,

Feet

546.8

To cor.No.2 which is also cor.No.3 Mis ing Link Lode of this survey, and N.C.E.Black Horse Lode of this survey. Identical with cor.of location. Cor.described above.

Thence S.57°10'E.

Var. 14 E.

265

To S.C.E.

A porphyry stone 6x8x24 ins. set one ft. in ground alongside mon. of stone 3x3 ft. Stone marked S.C.E.J.J. No.1592.

300 To cor.No.4 Black Horse Lode of this survey at intersection of line 1-4 Socrates Lode Survey No.1566 at S.22°W.61.5 ft. from cor.No.1.

565 ft To cor.No.3 place of beginning survey of exterior boundaries.

CROWN POINT LODE.

Beginning at cor. No. 1 the N.W. cor of claim, identical with location.

A limestone 6x12x24 ins. set one ft. in ground alongside a mon. of stone 3x3 ft. Stone marked C.P.Nol-1592.

A + on limestone in place marked B.R.C.P.No.1-1592 brs.S.O°20' E. 25.1 ft.

A + on limestone in place marked B.R.C.P.No.1-1592 brs.N.24°W.15.3 ft.

U.S.M.M. No.1 V.D. brs.N.22°8' W.4461.6 ft.

Thence S.53°19' E.

Var.14° E.

1196.6 To intersect line 2-3 101 Lode Survey No.1413 at N. 51°15' E. 21.3 ft. from cor.No.3

1497.7 To cor.No.2 which is also cor.No.1 Mis ing Link. of this survey, identical with cor.of location.

Feet

A porphyry stone 10x10x24 ins. set one ft.in ground alongside mon. of stone 3x3 ft. Stone marked C.P.No. 2-1592 and M.L.No.1-1592.

A + on porphyry rock in place marked B.R.C.P.No.2-1592 brs.N.53°20' W.13.4 ft.

A + on porphyry rock in place marked B.R.M.L. No.1-1592 brs.S.15°45' E.18.4 ft.

Thence S.39°15'W.

Var. 14° E.

265 To E.C.E.

A porphyry stone 7x8 x 20 ins. set one ft.in ground alongside mon.of stone 3x3 ft. Stone marked E.C.E.C.P. No.1592.

546.8 To cor.No.3 which is also cor.No.2 of Mis ing Link
Lode of this survey, identical with cor.of location.

Cut a + on solid rock in place for cor.point, and
marked C.P.No.3-1592, and M.L.No.2-1592. No.brs.available.

Thence N.53°19' W.

Var.14° E.

- 511.2 To intersect line 1-4 Legal Tender Lode of Survey
 No.1565 at S.18°52° E. 177.7 ft. from cor.No.1.
- To intersect line 1-2 Legal Tnder Lode of Survey
 No.1565 at S.14°W. 109 ft. from cor.No.1
- 1497.7 To cor.No.4 Identical with cor.of location.

 A limestone 6x8x24 ins. set one ft.in ground
 alongside mon.of stone 3x3 ft. Stone marked C.P.4-1592
 No brs.available.

Thence N. 39°15'E.

Var. 14 ° E.

281.8 To W.C.E.

546.8 To cor.No.1 place of beginning survey of exterior boundaries.

Feet

MISSING LINK LODE

Beginning at cor.No.2 identical with N.W.cor of location, which is also cor.No.3 Crown Point Lode of this survey.

Cor.point on north end line of Black Horse Lode at S.57°10°E.62 ft. from cor.No.1. Cor.described above.

Thence S.57°10'E.

Var. 14° E.

238

To cor. No. 3 which is also the N.C.E. of Black Horse Lode and cor. No. 2 of Jess e James Lode of this survey. Cor. described above.

Thence N.39°15'E.

Var.14° E.

546.8

To cor. No. 4 which is also cor. No. 1 Jess e James Lode of this survey. Cor. of location could not be found. Cor. described above.

Thence N. 57°10'W.

Var. 14° E.

238

To cor.No.1 which is also cor.No.2 of Crown Point
Lode of this survey.Cor.point on line 3-4 lo2 Lode Survey
No.1413 at S.57°10'E.307 from cor.No.4. Cor.described
above. Cor.of location of Mis ing Link could not be
found.

U.S.M.M.No.1 V.D. brs.N.31°3'W. 5881.2 ft.

Thence S. 39°15'W.

Var. 14° E.

546.8 To cor.No.2 place of beginning survey of exterior boundaries.

Feet

OMEGA LODE

Beginning at cor.No.l identical with N.W.cor of location which is also cor.No.2 of Black Horse Lode of this survey. Cor.described above.

U.S.M.M.No.1V.D.brs.N.16 4 W. 7070.4 ft.

Thence S.57°10'E.

Var.14° E.

582

To cor.No.2 which is also cor.No.4 of the Elenor Lode of this survey, and cor.No.3 Black Horse Lode of this survey. Cor.described above.

Thence S.45°E.

Var.14°E.

730

To cor.No.3 which is also cor.No.1 of the Alpha Lode of this survey.

Cut a + on porphyry rock in place for cor.point marked O No.3-1592 and A.No.1-1592. Alongside built a mon.of stone 8x3 ft. No brs.available.

Thence S. 14°W.

Var.14°E.

300

To S.C.E. which is also the W.C.E. of the Alpha Lode of this survey.

Cut at on solid porphyry rock in place marked S.C.E. O.No.1592 and N.C.E.A.No.1592. Alongside mon. of stone 3x3 ft.

600

To cor. No. 4 which is also cor. No. 4 of Alpha Lode of this survey.

Cut + on solid porphyry rock in place for cor.point marked 0.No.4-1592 and A.No.4-1592. No brs.available.

Feet Thence N. 44°22'W. Var. 14° E. To West side mon. 750 To intersect line 1-4 Myscal Lode Survey No.1415 1152.9 at N.11°W. 135.6 ft. from cor.No.4 1383.4 To cor. No. 5 identical with cor. of location. A porphyry stone 8x10x24 ins. set one ft.in ground alongside mon. of stone 3x3 ft. Stone marked 0.No.5-1592. A + on porphyry rock in place marked B.R.O.No.5-1592 brs.N.64°15'W. 15.2 ft. A + on porphyry rock in place marked B.R.O.No.5-1592 brs.S.26°12'W.14.9 ft.

Thence N.14°E.

Var. 14° E.

To N.C.E. which is also cor.No.1 Mescal Lode Survey No.1415 and cor.No.3 Legal Tender Lode Survey No.1565

To cor.No.1 place of beginning survey of exterior boundaries.

ALPHA LODE

Beginning at cor. No. 1 which is also cor. No. 3 of Omega Lode of this survey, identical with cor. of location. Cor. described above.

U.S.M.M.No.1 V.D. brs.N.21°13°W.8180.4 ft.

Thence S.45°E.

Var.14° E.

To East side mon. which is also cor. No. 3 of Elenor Lode of this survey.

1025 To cor. No. 2 identical with cor. of loation.

Survey No.1592.

Feet

A porphyry stone 6xl0x24 ins. set one ft. in ground alongside mon. of stone 3x3 ft. Stone marked A.Nd.2-1592

A + on porphyry rock in place marked B.R.A.No.2-1592

brs.S.69°45'E.10.3 ft.

A + on porphyry rock in place marked B.R.A.No.2-1592 brs.S.6°45°E.37 ft.

Thence S.14°W.

Var. 14° E.

300

ToE. C. H.

A porphyry stone 4xl0x24 ins. set one ft.in ground alo ngside mon.of stone 3x3 ft. Stone marked E.C.E.A. No.1592

600

To cor. No. 3 identical with cor. of location.

A porphyry stone 6x8x24 ins. set one ft. in ground alongside mon. of stone 3x3 ft. Stone marked A.No.3-1592.No brs. available.

Thence N.45°W.

Var. 14°E.

650

To West side mon.

1025

To cor. No. 4 which is also cor. No. 4 of Omega of this survey. Cor. described above.

Thence N.14°E.

Var. 14°

300

To W.C.E. which is also E.C.E of Omega Lode of this Survey. Mon. described above.

600

To cor. No. 1 place of beginning survey of exterior boundaries.

Feet

ELENOR LODE

Beginning at cor. No. 1 which is also cor. No. 4 of Sigsby Lode Survey No. 1566. Original cor. of location brs. N. 18°39' W.410 ft.

A porphyry stone 6x8x24 ins. set one ft. in ground alongside mon. of stone 3x3 ft. Stone marked E. Nol-1592 Same Stone marked S.No.4-1566.No brs.available. U.S.M.M.No.1 V.D. brs.N.21°2°W.7225.8 ft.

Thence S.45°E.

Var. 14°E.

To cor.No.2 at N.45°W. 55 ft. from cor.No.3 Sigsby 1209 Lode Survey No. 1566 Original location mon. brs. N. 22°E. 206 ft.

> A porphyry stone 6x8x30 ins. set one ft. in ground alongside mon. of stone 3x3 ft. Stone markedE. No. 2-1592.

A + on porphyry rock in place marked B.R.E.No. 2-1592 brs. S. 37°15'W.13.2 ft.

Thence S. 22°W.

Var. 14°E.

To E.C.E. 94

> A porphyry stone 6x8x24 ins.set one ft. in ground alongside mon. of stone 3x3 ft. Stone marked E.C.E.E.No. 1592.

To cor. No. 3 identical with cor. of location. 394 A porphyry stone 6x8x24 ins. set one fft.in ground alongside mon. of stone 3x3 ft. Stone marked E. No. 3-1592.

> A + on porphyry rock in place marked B.R.E.No.3-1592 brs. S. 6°30'W. 26.8 ft.

Feet					
	Thence N.45°W.				
	Var.14° E.				
479	To cor. No. 1 Alpha and cor. No. 3 Omega Lodes of this				
	survey.				
750	To West side mon.				
1209	To cor. No. 4 which is also cor. No. 3 of Black Horse				
	and cor. No. 2 Omega Lodes of this survey. Original				
	cor.of location brs.N45°W.292 ft. Cor.described above.				
	Thence N. 22°E.				
	Var.14°E.				
300	To W.C.E.				
	A porphyry stone 5xl0x24ins.set one ft.in ground				
	alongside mon. of stone 3x3 ft. Stone marked W. C. E. E.				
	No.1592.				
394 f	t. To cor. No.1 to place of beginning survey of exterior				
	bound aries.				
	* * * * * * *				
	AREA.				
	Black Horse Lode 20.138 acres				
	Elenor 10.072 acres -				
	Alpha 12.10 Alpha 11:250 acres -				
	Missing Link - 2.968 acres				
	Omega				
	Gross area - 15.046				
	Less conflict with Mescal				
	Survey No.1415				
	Net area Omega lode 14.406 acres				
	Jess e James				
	Gross area - 7.859				
	Less conflict with Socrates				
	Survey No.1566184				
	Net area Jess e James Lode 7.675 acres				

AREA.

Crown Point Lode

Gross area

18.801

acres >

Less area in conflict with

102 Lode SurveyNo.1413 .071

101 "

Legal Tender " " 1565 .120 .474

Net area Crown Point Lode

18.327 acres 84,174 acres.

84.836 acres

Total area lode claim

LOCATION.

.283

This claim is located approximately in T.16 N., R.2 E., Gila Salt River Base and Meridian, on unsurveyed in Verde Mining District, Yavapai County, Arizona Territory, and is bounded on the north by 101 and 102 Lodes, Survey No.1413; and on the east by the Juniper, Socrates, and Sigsby lodes Survey No.1566; on the south by government land; on the west by the Muscal Survey No. 1415 and Legal Tender Survey No.1565.

VEINS.

Black Horse

The vein extends N.22°E.750 ft. and S.22°W. 712.5 ft. from the discovery shaft.

Jess: e James

The vein extends from the N.C.E.mon. in a southwesterly course 546.8 ft.

Mis ing Link

The vein extends from cor. No. 3 in a northeas. terly direction 547 ft., it being an extension of Black Horse vein.

The weight also be the a contraction of truction 20 ft. and in a markementerly "if and and 1977. Tit.

VEINS.

Crown Point

The vein extends in a southeasterly direction 20 ft. and in a northwesterly direction 1477.7 ft. from the discovery shaft.

Omega

The vein extends 50 ft. in a southeasterly direction and 1333.4 ft. in a northwesterly direction from the discovery shaft.

Alpha

The vein extends 50 ft. in a northwesterly disonal 975 ft. in a southeasterly direction from the discovery shaft.

Elenor

The vein extends in a southeasterly direction 750 ft. and in a northwesterly direction 459 ft. from the discovery shaft.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim placed thereon by the

claimant and its granter is not less than five hundred dollars and that said improvements consist of:

Discovery shaft No.1 which brs.from N.C.E.mon. S.22°W.750 ft. Shaft 4x6 ft. 54 ft. deep,

Value - \$540.00

Tunnel No.2 which brs.from cor.No.4 S.46°W.
200 ft. Tunnel 4x6 ft., course S.44°W. 220 ft.

Value = \$2200.00

Jessie James Lode

Black Horse Lode

Discovery tunnel No.1 which brs. from cor.No.3 N.11°45°W.385 ft. Tunnel 4 1/2 x7 ft. 44 ft.long. Course N.W.

Value - \$660.00

Missing Link Lode

Discovery shaft No.1 which brs.from cor.No.2 N.74°E.360 ft. Shaft 4x6 ft. 10 ft. deept.

Value

\$100.00

Crown Point Lode

Discovery shaft No.1 which brs.from E.C.E.mon. N.53°19'W.20 ft. Shaft 4x6 ft. 20 ft. deep.

Value

\$200.00

Cross cut tunnel No.2 which brs.from cor.No.1

Black Horse lode of this survey S.89°30'W. 55 ft.

Tunnel 4x6 ft. 30 ft.long. Course N.39°E.

Value

\$300.00

Omega Lode

Discovery shaft No.1 which brs. from E.C.E.mon. N.44°22°W.50 ft. Shaft 4x6 ft. 10 ft.deep

Value

_

\$100.00

Alpha Lode .

Discovery shaft No.1 which brs. from W.C.E.mom. S.45°E. 50 ft. Shaft 4x6 10 ft. deep.

Value

\$100.00

Elenor Lode

Discovery shaft No.1 which brs from E.C.E.mon. N.45°W. 750 ft. Shaft 4x6 ft. 10 ft.deep.

Value

\$100.00

Total value of improvements \$4300.00 which is to be apportioned among the several locations comprising this claim.

INSTRUMENTS.

This survey was made with Gurley Light Mountain

Solar transit. The courses were deflected from the true

meridian as determined by solar observation. The dis
tances were measured with 50-ft.steel tape and 100-ft.

steel chain.

Prescott, August 23d, 1901

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

le tendant
A list of the names of the individuals employed by
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of Verde apex Copper Mining Company
of Verde Open Copper Mining Company known as the Bluck Hose, Alpha Omega Elener, Jusie James, Mining Eink Armon Pornsh
and showing the respective capacities in which they acted.
We Crocker, Chainman.
Ju Maller , Chainman.
Jos Maller , Chainman. Jos Maller , Chainman. Jos Maller , Arman. War Crocker , Flagman.
Min Company, Arman.
To Crocker, Flagman.
FINAL OATHS OF ASSISTANTS.
Wine Charle.
we. We. Crocker and for McHer, do solemnly swear that we assisted for the first the corners and United States Deputy Mineral Surveyor, in marking the corners and
and for the do solemnly swear that we assisted f
surveying the boundaries of the mining claim of Verele Open Copper
Minny Company
, known as the Bluck Itme alphu
Dineya. Elenor, Jusie James, Missing Link and Conon Point., represented
in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
his direction; and that said survey has been in all respects, to the best of our knowledge and
belief, faithfully and correctly executed, and the corner and boundary monuments established
according to law and the instructions furnished by the United States Surveyor-General for
argue
Joyn Orocker, Chainman.
(manue
Axman.
My commission expires May 19, 1904 May 19, 1904 My commission expires May 19, 1904 My commission expires May 19, 1904 My commission expires
Subscribed and sworn to by the above-named persons before me
this 28 day of aug, 1901
$\mathcal{A} \circ \mathcal{A} \circ $
J. J. eiher Notury Proble
Tishing Onblie
- 0 107

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

1 7.0	
1, f. J. Vicher	, U. S. Deputy Mineral
Surveyer, do solemnly swear that, in pursuance of instruction	ns received from the United
States Surveyor General for Character States Sta	, dated
Cuy 6" 1901. Thave, in strict con	nformity to the laws of the
United States, the official regulations and instructions there	and the second s
of said Surveyor General, faithfully and correctly executed	the survey of the Mining
Claim of Verde Opex Opper Minny	Company
Luck Arme, alpha Omega Elever price James, Murring Line	, known as the
situate in Mule.	Mining District
Levupai County, any	na, in Section
, Township No. , Range No.	·····,
and designated as Survey No. 1592	as represented
in the foregoing field notes, which accurately show the boun	
as distinctly marked by monuments on the ground, and desc	
of the location certificate, which was received by me from	the Surveyor General with
said instructions, and that all the corners of said survey have	e been established and per-
petuated in strict accordance with the law, official regulation	ns and instructions there-
under; and I do further solemnly swear that the foregoing	g are the true and original
field notes of said survey and my report therein, and that	at the labor expended and
improvements made upon said mining claim by claimant or	grantors
are as therein fully stated, and that the character, extent,	location and itemized value
thereof are specified therein with particularity and full det	ail, and that no portion of
said labor or improvements so credited to this claim has been	8 <u></u>
of expenditures upon any other claim.	
ar one production of the contract of the contr	
	11
J. J.	enher
	l'. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said 9. 9. 3.	sher
U. S. Deputy Mineral Surveyor, before me -a n	olary Cublic in 9
U.S. Deputy Mineral Surveyor, before me -a no favafai County, a. 3. day of Guigust 1901.	this 24"
day of Quant 1901.	
Zila O.	Drown,
O notar	Brown Jublic
My	· · · · · · · · · · · · · · · · · · ·
commission expires Nov.	

Affidavit of Five Hundred Dollars Improvements.

one, Me brocker, and for Mother
acquainted with the will of the first authorized and say: That we are in Mining District, Javapai County, Arizona Territory, for which Much Apex Copper Mining County.
in While Mining District, Javapae County,
Arizona Territory, for which Verde apex Copper Mining angung.
•
$ha \ \emph{A} \ made application for survey prior to application for patent under the provisions$
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and I grantor excerd Five Hundred
Dollars in value, and further, that we are not personally interested in said mine.
Win lerocker.
for M. Med
TERRITORY OF ARIZONA, County of Janupui 888:
Sworn to and subscribed before me, this 2
day of august, 1901
J. J. Fisher
15967b200-10-1900 My commission expires ' May 19, 1900

BLACK HORSE.

April 1st, 1895.

We, the undersigned, have this day located said ledge or lode seven hundred and fifty feet in a southerly direction and seven hundred and fifty feet in a northerly direction to monument of stone running parallel with said ledge, thence three hundred feet in an easterly direction to monument of stone, thence fifeen hundred feet in a southerly direction to monument of stone, thence Six hundred feet in a westerly direction across the ledge to a monument of stone thence fifteen hundred feet in a northerly direction to monument of stone, thence three hundred feet in an easterly direction to monument of begin ing and is situated in the Black Hills Mining District, and is all so situated one mile north of east of Mescal Spring, and shall be known as the Black Horse Comper Mining Claim.

Dated on the ground this the first day of April, 1895.

James W. Newbould,

David Hall.

Witness F.E.Simpson.

Recorded at request of James Newbould, April 3d, A.D. 1895, at 9 o'clock A.M. in Book 41 of Mines, pages 538 - 9, Records of Yavapai County, Arigona.

F.A. Tritle,

(L.S.)

County Recorder.

By M.O.Archibald, Deputy.

"ALPHA".

NOTICE OF MINING LOCATION.

Quartz Claim.

To all whom it may concern; This mining claim, the name of which is the Alpha Mining Claim, situate on lands belonging tomthe United States of America, and in which there are valuable mineral deposits, was eneterd upon and located for the purpose of exploration and purchase by John G.McBride, the undersigned, on the 31st day of May, 1899.

The length of this claim is 1500 feet and I claim 1450 feet in a southerly direction and 50 feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the north to the south. The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 3 miles in a southerly direction from Jerome, Arizona.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at _ at a point in a southerly direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence 300 feet to a stone monument being the S.W. corner of said claim; thence 750 feet to a stone monument at the tenter of the west side line of said claim; thence 750 feet to a stone monument being at the N.W corner of said claim; thence 300 feet to a stone monument at the center of the north end of said claim; thence 300 feet to a stone monument being at the N.E. corner of said claim; thence 750 feet to a stone monument being at the center of the East side line of said claim; thence 750 feet to a stone monument at the S.E. corner of said claim; thence 750 feet to a stone monument at the S.E. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20, 1895.

Dated and posted on the ground this 31st day of May, 1899. J_{new} G.McBride.

Filed and recorded at request of John G.McBride, June 26", A. D.1899 at 11:00 o'clock A?M. in Book 52 of Mines, page 190, Records of Yavapai County, Arizona.

W.I.Johndon, County Recorder.

(Seal)
By E.C.Averyt, Deputy Recorder.

OMEGA.

NOTICE OF MINING LOCATION. QUARTZ CLAIM.

TO ALL WHOM IT MAY CONCERN; This Mining Claim, the name of which is the Omega Mining Claim, situate on lands helonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by John G.McBride, the undersigned, on the 31st day of May, 1899.

The length of this claim is 1500 feet and I claim 1450 feet in a northerly direction and 50 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South. The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 3 miles in a southerly direction from Jerome, Arizona.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at __ at a point in a southerly direction 50 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence 300 feet to a stone monument being the S.W. corner of said claim; thence 750 feet to a Northerly at the center of the west side line of said claim; thence 750 feet to a stone monument at the N.W. corner of said claim; thence 300 feet to a stone monument at the center of the north end of said claim; thence 300 feet to a stone monument, being at the N.E. corner of said claim; thence 750 feet to a stone monument being at the center of the east side line of said claim; thence 750 feet to a stone monument at the S.E. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Converning Mines",

approved March 20, 1895.

Dated and posted on the ground this 31st day of May, 1899.

Jno. G.McBride.

Filed and recorded at request of John G.McBride, June 26", A. D.1899, at 11:00 o'clock A.M. Book 52 of Mines, pagel89, Records of Yavapai County, Arizona.

W.I.Johnson,

(Seal).

County Recorder.

By E.C.Averyt, Deputy Recorder.

ELENOR.

NOTICE OF MINING LOCATION.

Quartz Claim.

To all whom it may concern: This Mining Claim, the name of which is the Elenor Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by David Hall, J.W.Newbould, the undersigned on the 12 day of <u>feb. 1899</u>.

The length of this claim is 1500 feet and we claim 750 feet in a easterly direction and 750 feet in a westerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds, on each side of the center of said claim; The general course of the lode deposit and premises is from the east to the west.

The claim is situated and located in the Verde Mining District, in Yavapai County, in the Territory of Arizona, about 2 miles in a southrly direction from the town of Jerome 3/4 miles easterly from mescal springs.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at ___ this claim laps on the south end of the Black Hors _ mine and croses the mescal creak at a point in a easterly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the east end line of said claim; thence 300 feet to a monument of stone being the n.e. corner of said claim; thence 750 feet to a s.m. at the center of the north side line of said claim; thence 750 feet to a s.m. being at the n.w. corner of said claim; thence 300 feet to a s.m. at the center of the west end of said claim; thence 300 feet to a s.m., being at the S.W. corner of said claim; thence 750 feet to a s.m. being at the center of the south side line of said claim; thence 750 feet to a s.m. at the s.e. corner of said claim; thence 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" approved March 20, 1895.

Dated and posted on the ground this 12 day of feb. 1899.

David Hall.

j.n. Newbould.

Filed and recorded at request of E.F.Roberts, March 27", A.

D.1899, at 9:00 o'clock A.M. in Book 50 of Mines, page 545, Records of Yavapai County, Arizona.

W.I.Johnson, County Recorder.

(Seal)
By P.J.Farley, Deputy Recorder.

JESSIE JAMES.

April 1st, 1895.

We, the undersigned have this day located a north extension of the Black Horse Copper Mining Claim, situated in the Black Hills Mining District, one mile north of east of Mescal Springs, begining at center monument running 750 #### ft. in a southerly direction to monument of stone and 750 ft. in a northerly direction to monument of stone, thence 300 ft. in an easterly direction to monument of stone, thence 1500 feet in a southerly direction to monument of stone, thence 600 ft. in a westerly direction across the ledge to monument of stone, thence 1500 ft. in a northerly direction to monument of stone, thence 300 ft. in a northerly direction to monument of stone, thence 300 ft, in an easterly direction to monument of _____ beginning, and shall be known as the Jesse James Mining Claim.

Dated on the ground this the first day of April, 1895.

J.W.Newbould,

David Hall.

Witness F.E.Simpson.

Recorded at request of J.W.Newbould, April 3d, A.D. 1895, at 9 o'clock A. . in Book 41 of Mines, page 538, Records of Yavapai County, Arizona.

F.A. Tritle,

(L.S.).

County Recorder.

By M.O.Archibald, Deputy.

NOTICE OF MINING LOCATION.

Quartz Cliam.

To all whom it may concern: This mining claim, the name of which is the Mising Link Mining Claim, situate on lands belonging to the United States of America and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by David Hall & Jas.Wm.Newbould, the undersigned on the 9 day of February, 1899.

The length of this claim is 1500 feet and we claim 750 feet in a northly direction and 750 feet in a south<u>rly</u> direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with 300 feet in width of the surface grounds on each side of the center of said claim; The general course of the lode deposit and premises is from the north to the south. The claim is situated and located in the Verde Mining District, in Yavipia County, in the Territory of Arizona, about 1 mile in a southrly direction from U.V. smelter, this claim lais on east end Crown Point in claim on north of Black Horse claim west of Jessey James claim.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at __ at a point in a northly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence 300 west feet to a monument stone, being the N.W. corner of said claim; thence 750 feet to a monument at the center of the west side line of said claim; thence 750 feet to a monument being at the S.W. corner of said claim; thence 300 east feet to a monument at the center of the south end of said claim; thence 300 east feet to a monument being at the S.E. corner of said claim; thence 750 north feet to a monument being at the center of the east side line of said claim; thence 750 north feet to a monument at the N.E. corner of said claim; thence 750 north feet to a monument at the N.E. corner of said claim; thence 300 west feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines" &pproved March 20th, 1895.

Dated and posted on the ground this 9 day of Feb. 1899.

Jas. W. Newbould,

David Hall.

Filed and recorded at request of E.F.Roberts, March 27", A.D. 1899 at 9:00 o'clock A!M. in Book 50 of Mines, page 546, Records of Yavapai County, Arizona.

W.I.Johnson, County RCcorder.

(Seal)
By P.J. Farley, Deputy Recorder.

Territory of Arizona, | ss: County of Yavapai, |

I, P.J.FARLEY, County Recorder in and for the County of Yavapai, Territory of Artzona and Custodian of the Records thereof,
do hereby certify that I have compared the within and foregoing with
and the same is a full, true and correct copy of the Notices of
Location of the following mining claims, towwit;-

The "Jesse James" Mining Claim, the notice of location whereof is of record in the office of the County Recorder of the County of Yavapai in Book 41 of Mines, page 538, Records of Yavapai County, Arizona:

The "Black Horse" Mining Claim, the notice of location whereof is of record in the office of the County Recorder of the County of Yavapai in Book 41 of Mines, pages 538 - 9, Records of Yavapai County, Arizona;

The "Elenor" Mining Claim, the notice of location whereof is of record in the office of the County Recorder of the County of Tavapai in Book 50 of Mines, page 545, Records of Yavapai County, Arizona;

The "Mising Link" Mining Claim, the notice of location whereof is of record in the office of the County Recorder of the County of Yavapai in Book 50 of Mines, page 546, Records of Yavapai County, Arizona;

The "Omega" Mining Claim, the notice of location whereof is of record in the office of the County Recorder of the County of Yavapai in Book 52 of Mines, page 189, Records of Yavapai County, Arizona;

The "Alpha" Mining Claim, the notice of location whereof is of record in the office of the County Recorder of the County of Yavapai in Book 52 of Mines, page 190, Records of Yavapai County, Arizona.

Witness my hand and seal of office this the 3rd day of August, A.D.1901.

County Recorder.

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

That..., the undersigned, have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all Mineral Deposits contained therein, and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this Monument and Notice, placed upon the ledge, and runs fifteen hundred (1500) feet in a Northerly direction along the ledge.

The exterior boundaries are as follows, viz.: Commencing at this monument and notice and running three hundred (300) feet in an easterly direction to monument of stone at S. E. corner of claim; thence in a northerly direction parallel with the ledge fifteen hundred (1500) feet to monument at N. E. corner of claim; thence in a westerly direction at right angles across the ledge six hundred (600) feet to monument at N. W. corner of claim; thence parallel with the lode in a southerly direction fifteen hundred (1500) feet to monument at S. W. corner of claim; thence at right angles across the ledge, in an easterly direction, three hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated:

Lough well, of Jerapel and about I must be sured about be sured about about about sured about I must be sured about about about about about about about about a sured about abo

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U.S. Surveyor General, Jucson arigona. December 4th 190% I, U. S. Surveyor General for District of Origina. do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of Verde apex Capper Mining Company. Elack Horse, alpha, Omega, Elenar, Jesse James, mising Link , Crown Point. situate in _____ mining district, yavapai County, Arigona, in Section (approx), Township No. 16 N, Range No. 2 Cast (unsurveyed) , designated as Survey No. 1592. executed by J. J. Fisher , U. S. Deputy Mineral Surveyor, Aug. 17-20, 190/, under my instructions dated Aug. 6", 190/, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes. Aught trice

U. S. Surveyor General for Arizona.

Grown Paint J. Fryen. Uppen O ende Jany 13"1895.

RECORDED AT A TOUEST OF

J. Fryer May 1" 11, 1505. 11 1126 o'clock a. M. In book 3? g Mines Pages 404

Records of Vavapal Caroly Ada rai

J. a. Ontle County Dewader.

By J. C. dritte Lipsty.

2.4

8

X20

1_ARGE MAP INSERT