Matterly an, 10-190% 5, 5. 6.

(4-683.)

Mineral Survey No. 1607 A XB

Lot No. / Special Ass

Bescott Land District.

FIELD NOTES

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

W_{E} , \mathcal{M}_{C}	minil	_ and	
		hfully execute the duties	
that we will level the ci	hain upon even and	uneven ground and plur	nb the tally-pins,
		hat we will report the tru	
		nes that we assist in meas	
of our skill and ability,	and in accordance in	with instructions given us	s, in the survey of
the Mining Claim of	The One wil	al Mrning le	
fry WA Here	I freus,	<u> </u>	, known as the
Auret Los	de & Sums	alprunig to	***************************************
situate in	Big Bre	7	mining district,
Marahan	Cour	ntv. Arenne	
in Section Toy	wnshin No	nty, Arignae Range No.	,
in section, 10	, inship i.e.,	7	· ·
	/٧. (Merrey	, Chainman.
N H Minis			
N 11 11 2 MOT			, Chainman.
	Subscribed and sv	vorn to by the above-nam	ed persons before
	me this 30	the day of Qels 19	6/, 18
	0	W. He Mer 1 when the first of the solution of	ut
	my en	runis Enfor July	15 th 1905
I,		, do solemnly swear th	at I will well and
	of axeman, in the e	stablishment of corners a	and other duties,
according to instruction	s given me and to the	e best of my skill and abil	ity, in the survey
of the Mining Claim of		<u></u>	
known as the			······································
more fully described in	the preceding affidav	it.	
			Axeman.
	Subscribed and sv	vorn to by the said	
	************	before me this	day of
		, 18 .	
		*	
	•		
I,		, do solemnly	swear that I will
		, in the establishment of c	
duties, according to inst	ructions given me an	d to the best of my skill a	and ability, in the
survey of the Mining Cla	aim of		
known as the			,
more fully described in	the preceding affidavi	it.	
	•		
			, Flagman.
	Subscribed and sv	worn to by the said	
		before me this	day of
19		, 18 .	

Feet. Beginning at Cor. No..1

Identical with the N.E.Cor. of the location, and with eleventy Mine Cor. No. 6 of Sur. No. 1266 10de.

A X and S. 1 -1607 chiseled on a rock in place showing 2X4X2 ft. above the ground, with a mound of stones a alongside. Whence:

Cor. to Sec. 1 T.12 N.R.1.W. Sec. 6.T.12.N.R.1.8, Sec. 36 T.13.N.R.1.W and Sec. 31.T.13.N.R.1E Brs. N 38°18'H 9755.6 fect.

A X F.R.S.1.1607-A chiseled on a rock in place 4X4X3 ft. above the ground brs. 6 15°50'W 13.9 ft. No other bearings available.

Thence S 59°00'W

Va. 14°. E.

1500 To Cor. No. 2.

Identical with the cor. of the location.

A porphyry stone 10X10X24 ins. set 10 ins in the gourd chisaled S.2.1607-A with mound of stones alongside. Whence:

A Pine tree 10 ins. diam. scribed X.B.T.S.2.1607-A. brs. 8 66°.50'W 45.4 feet.

A Pine 8 ins. in diam. scribed X.B.T.S.2.1607-A. brs. N 33°.50'W 57.1 feet.

Thence S32°.21'E

Va. 14°.E

300 Mon. Cr. W.end of lode.

600 To Cor. No. 3.

Identical with the Cor. of location.

A Porphyry stone 4X12X24 ins. set 12 ins in the ground chiseled S.3. 1607-A with a mound of stones alongside. whence:-

An Oak tree 14 ins. diam. scribed X P.T.S. 3.1607. A brs. S 44°.05'W 40.3 feet.

An Oak tre 10 ins. diam. scribed N.B.T.S.3.1607-A brs. S 76°.10'W. 51.4 feet.

Thence N 59°.00'E

Va. 14°.E

1250 Cr. wash 15 ft. wide flows M 15°.30'E

Feet

1500 To Cor. No. 4.

Identical with the cor of the loc.and with Cor. No2 of Sur.No.1266, . lode

A rock showing 8X12X13 ins. above the ground chiseled 4.S.1607-A on the side faceing this claim, with mound of stones alongside. Whence:

A X.R.R.4.S.1607-A chiseled on a rock in place brs. S 41°.40'E 14 feet.

No other bearings available.

Thence N 32°.21' W Va. 14°. E.

225 Cr. wash 15 ft. wide flows N 15001'E

300 Mon. Cr. of the East end of location.

60 To Cor. No. 1 the place of beginning.

AREA.

Total and net area of this lode is 20.651 acres.

LEDGE.

The ledge brs. S 59°.W 1500 ft. from the mon. at center of the East end of the lode.

ALJOINING CLAIMS.

This lode is bounded on the N.E. by Sur. No.1266 lode.
U.S.land bounds the rest of this lode.

SURVEY No 1607-P Sunset Mill-site.

Beginning at Cor. No. 1

Identical with the N.E.Cor. of the loc.

A porphyry stone 6X10X24 ins. set 12 ins. in the ground chiseled 188.M-S 1607-B. With a mound of stones alongside, whence:

Cor. to Sec. 1. T. 12. N. R. 1. W. Sec. 6. T. 12/N. R. 1. E.

" " 36.T.13.M.R.1.Wand Sec. 31. T.13.N.R.1.E

brs. N 34°.21'E 10513.8 feet.

Cor. No. 4 Sur. No. 1607-A Brs. N 22 .10 E 560. ft.

A M.1.S.M-S.1607-B.B.R.chiseled on rock in place

showing 3X3X2feet above the ground brs.S 41°.40'E 15.2 ft.

No other bearings available.

Š

Feet Thence S 10°.50'W Va. 14°.E 329 To Cor. No. 2 Identical with the Cor. of the loc. Rock in place showing lX2Xlft. above the ground chiseled X.2.9.M-S.1607-B. with mound of stones alongside. Whence: A X.B.R.2.S.M-S.1607-B chiseled on rock in place 3X4X3 ft. above the ground brs. 9 26°.20'E 12.5 ft. No other bearings available. Thence N 79°.10'W Va. 14° E. 211 To Cor. No. 3 Identical with the Cor. of the loc. X.3.S.M-S.1607-B chiscledann rock in place showing 6X8 ft. X6 ins. above the ground. With mound of stones alongside. Whence: A Y.P.R.3.S.M-S.1607-B chiseled on rock in place brs. M 56".45'E 18.3 ft. A pine tree 3 ins. diam. scribed X R.T.3.S.M-S.1607-B brs. N 23°.35'W 23. feet. Thence N 10°.50'E Va. 14°.E 329 To Cor. No. 4. Identical with the Cor. of the loc. A porphyry stone 7X12 724 ins. set 12 ins. in the ground chiseled 4 S.M-S.1607-B with mound of stones alongside. Whence: An Oak tree 7 ins. diam. scribed X.B.T.4.S.M-S.1607-B brs. N 60°.55'E 84 feet. An Oak tree 10.ins. diam.scribed X.B.T.4.S.M-S.1607-B brs. S 5°.05'E 35.6 feet. Thence S 79°.10'E Va. 149.E Cr. wash 15 ft. wide flows N 29°.E 135

To Cor. No. 1 the place of beginning.

211

The Sunset Mill-site contains 1.593 Acres.

This Mill-siteis bounded by U.S. land.

LOCATION.

The Sunset lode and the Sunset mill-site is situated on unsurveyed land approximately in Sec. 11 T.12.N.

R.1.W. G.& S.R. B.& M.Yavapai Co. Arizona.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and grantors, is not less than five hundred dollars, and that said improvements consists of:

No.1 Tunnel the mouth of which brs.from the mon.at of Sunsetlade the Cr. of the East end line, 8 59°.W 450 ft.5X7X 150 ft. long course S 59°.W Value. ...\$1200.00

No. 2. Tunnel the mouth of which brs from the mon. at the Cr. of the East end line of Sunset lode, 8 59°.W 120 ft.5X7X20 ft. long course S 10°.W Value \$120.00

A Spring on Sunset mill-site brs from Cor. No.1 of mill-site S 47°.15'W 276 ft.

INSTRUMENT.

This survey was made with a Garley Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by direct solar observations. Checked on polaras. The distances were measured with 100 ft. and 200-ft steel tapes.

... William H Inwitt

U.S.Deputy Mineral Surveyor.

Poercutt Arizona

Final Oaths for Surveys of Mining Claims.

LIST OF NAMES.

	A list of the names of the individuals employed by Malle our Hours	utl.
	United States Deputy Mineral Surveyor, to assist in running, measuring, an	
	the lines, corners, and boundaries described in the foregoing field-notes of th	
	mining claim of Street Concertations in a Confaction	
	known as the fine of Look & Survey Smill sela	
	and showing the respective capacities in which they acted.	er engel ett til en flest
	Al Contest	, Chainman.
		, Chainman.
		, Axman.
		, Flagman.
	Final Oaths of Assistants.	
	We, A C Merrill	
	and, do solemnly swear that	
	My linear A Minera, United States Deputy Minera	l Surveyer,
	in marking the corners, and surveying the boundaries of the mining claim of the wining	rias.
	represented in the foregoing field-notes as having been surveyed by said Depu	ıty Mineral
	Surveyor, and under his direction; and that said survey has been in all resp	pects, to the
	best of our knowledge and belief, faithfully and correctly executed, and the	corner and
	boundary monuments established according to law, and the instructions furni	ished by the
1	United States Surveyor-General for And States	
	He Tuenit	., Chainman.
		, Chainman.
		., Axman.
. 1.1		, Flagman.
MKW	Nexult Subscribed and sworn to by the above-named persons before me, this 3/5 day of 6/5/96/18	
	before me, this 3/5 day of 6/1/90/ 18	
	11206011	
	Juy 12 mmisin infin grafy 15th 1905	
	My lammin infin grafy 15th 1905	

Final Oaths for Surveys of Mining Claim.

Oaths of Assistants.

ON THE

Lode.

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, William & Murrett , U. S. Deputy Mineral
Surveyor, do solemnly swear that, in pursuance of instructions received from the United
States Surveyor General for Asyma, dated Octo 12th 1901, I have, in strict conformity to the laws of the
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of The arental Anning Co, known as the Sunset Lovelet Sunset Mill-sw,
, known as the
Sunset Lorde & Burset hill-site,
situate in By Buy Mining District,
situate in By Bry Mining District, Gounty, Argune, in Section Township No., Range No.
, Township No. , Range No. ,
and designated as Survey No. 1607-AVB, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant or there grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
William AMerritt
l'. S. Deputy Mineral Surveyor.
Subscribed and sworn to by the said William H. Menritt.
U. S. Deputy Mineral Surveyor, before me a not Try Tublic in and
The state of the s
for youakai County a. J. this fourth day of November 1901,
my Commission Jiba O Brown On Cublic
my Commission notary Cublic,
Eule 100 Nov. 2-1905

Affidavit of Five Hundred Dollars Improvements.

,
Total, N Lo Carpenter, and John Bowks
of lawful age, being first duly sworn according to law, depose and say: That we are
acquainted with the Surrect mining claim, situate
in Big Ring Mining District Garafori County, Arizona Territory, for which The Oriental himning Co
Arizona Territory, for which The Quental hanning Co
full A Kint han
$has ext{ } ext{ } $
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and There grantor exceed Five Hundred
Dollars in value, and further, that we are not personally interested in said mine.
U.L. Carpenter
John Brooks
TERRITORY OF ARIZONA, $ss:$
County of Manufaci
Sworn to and subscribed before me, this 3/2/
day of Oction, 1901.
15967b200-10-1900 y alary Public
15967b200-10-1900 Faling Public Any Commen Enforty 15th 1905

NON-MINERAL AFFIDAVIT.

TERRITORY O	F ARIZONA,
County of Garage	prace Ss.
Nales	Carpenter and John Brooks of said
	, being first duly sworn, each for himself and not one for the other,
deposes and says; tho	et he is well acquainted with the land of the
	mill-site claim, situated in Porsett Land on well
Bug Brig his	ning District, Gila and Salt River Meridian, in the County of
Minning	District, Gila and Salt River Meridian, in the County of and Territory of Arizona, claimed by The Criental
character of said desurveyed by Long Surveyor, having frequence him to his knowledge, with place bearing gold, so there is not within the local customs or refer minerals during a essentially non-minerals.	escribed land included within the boundary lines as officially where the same included within the boundary lines as officially wently passed over the same; that his knowledge of such land is to testify understandingly with regard thereto; that there is not win the limits thereof, any vein or lode of quartz or other rock in ilver, cinnabar, lead, tin or copper, or any deposit of coal; that the limits of said land, within his knowledge, any placer, cement, where the limits of said land, within his knowledge, any placer, cement, where the mineral deposit; that no portion of said land is claimed under the soft miners or otherwise; that no portion of said land is worked any part of the year by any person or persons; that said land is wall land, and that there is within the boundaries of said claim is the same of said claim.
and that he has no in	nterest whatever in said described mill-site claim.
	M. L. Carpenter
	A.L. Carpenter
₽̃1	ibscribed and Sworn to before me this 3/8 day
	of Geli A.D. 189 , and I hereby certify that
•	the foregoing affidavit was read to the said No lea fresher and from Branks
	and fiter Breates.
WHMerrit	previous to their names being subscribed thereto, and that
William	deponents are reputable persons to whose affidavits full faith and credit should be given.
	W.H. Merritt
	My vormisse Enpris July 15th 1905

NOTICE OF LOCATION.

Know all men by these presents: That we, the undersioned, have this day located 1500 feet of this lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground 300 feet on each side of vein, with all mineral deposits contained therein, and all timber and water thereon or appurtenant thereto, according to the provisions of the United States Mining Laws.

The exterior boundaries are as follows:

Commencing at a monument of stone on west boundary line, distant 300 feet in a westerly direction from discovery monument; there in a Northerly direction parallel with the ledge 500 feet to monument at M.W.corner; thence in an Easterly direction at right angles across the ledge 500 feet to monument at M.E.corner; thence in a Southerly direction parallel with the ledge 1500 feet to monument at S.E.corner; thence at right angles across the ledge in a westerly direction 300 feet to a monument at S.W.corner; thence in a Hortherly direction marallel with the ledge 1000 feet to a monument on west boundary and place of beginning.

This claim is in Big Bug Mining District, Yavapai County, Arizona, and may be more generally described as situated on the south side of Big Bug Creek and about 1/2 mile therefrom and is the South westerly extension of the 79 mine, formerly the Lottie Mine, and shall

be known as the SUNSET Mining Claim.

Dated on the ground, this 1st day of January, 1895.

Marshall S. Taft George Wittake Locators.

Witnesses: John Cown.
John D. Lee.

Recorded at request of J.Cown, Jany. 21" A.D. 1895, at 9:20 o'clock A.M., in Book 41 of Mines, pages 350-1, Records of Yavapai County, Arizona.

(L.S.) F.A. Tritle,

By M.O.Archibald,

Deputy.

County Recorder.

TERRITORY OF ARIZONA,)
COUNTY OF YAVAPAI.) SS:

I,P.J.FARLEY, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the notice of location of the SUNSET Mine Mining Claim, and the same appears of record in Book 41 of Mines, pages 350 and 351, records of Yavapai County, Arizona.

Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set by tand and affixed my Official Seal, this 7th day of October, A.D. 1707.

County Recorder.

Location Notice

-OF-

THE

MILL-SITE CLAIM AND WATER RIGHT.

Know all	Men by these	Presents:				
That	t	dersigned, hav	e this day lo	cated a Mill	-Site for th	he purpose
of erecting	suitable works for	reducing the	ores of the	Sems	el	
			Sunser		Mill-Si	ite Claim,
are as follo	ows, viz.:					
Con	nmencing at a n	nonument of s	tone at N. E	E. corner of	claim, and	l running
thence in a	a westerly direction	n, 466½ fee	t to monume	ent of stone	at \mathcal{N} . \mathcal{W} .	corner of
	nce in a southerly					
of claim,	thence in an east	erly direction,	466½ feet	to monume.	nt of stone	at S. E.
corner of (Claim, thence in a	a northerly di	rection, 466)	1/2 feet to m	eonument o	f stone at
N. E. corn	er of claim and p	lace of beginn	ing.			
	s location may be r					
1500	feer mi a me half	S. Westere	y derec	tion for	on the	
Orient	ac Muni	ng Comps	any's g	luanty.	mice a	nd
alient	nehalf	mile S. I	V. from	13.9 13 c	ig Cree	AC.
res management						-
C MARK WE STANSFOR THE						
						Tilonomia

Tha	t we have also loca					
		Tu				
of this	Spring	2	ınder <mark>a</mark> nd in	accordance	with the le	aws of the
Territory of	of Arizona, regula	ting the locat	ion and posse	ession of wa	ter rights	
The	dimensions of the	e ditch for dive	erting the wa	ter from its	natural con	urse at the
	g as follows:					
to the rod.		w.F, "		<i>g</i> ,		
Dat	ed on the ground	this 14	da	iv of Oc	raber	1898
Witness:	J.			· / - / ···································		
	2 / -					
\mathcal{L}_{i}	Bleux	,,,,,,,,,,,		Arizarta la 186	ndna Aa	
			1110	uriellial MT	IIIR M.	
	BKend		_//	apens	Vecty	
					/	
					Į.	

Sunset

MILL-SITE CLAIM AND WATER RIGHT

LOCATION NOTICE.

CLAIMANT

The Oriental Mining Co.
7 0
Beg Bug Mining District,
Yavapai County,
Dated Oct / 1898.
Recorded at the Request of
A.D. 189
at minutes past
M. in Book
of Mill-Site and Water Rights, page
Recorder

indexed;

13

6

October 8" A.D., 189 8

At 9.55 o'clock. Cl. M. Rights
In Book 3 of Will-Ailis and Water 45

Pages 280 amor 281

Hecords of Yampai Carniy, A.L. 12.

U.J. Johnson

County Person

L. Fercus

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior, Office of U.S. Surveyor General, February 18th, 1909 I, U. S. Surveyor General for Vist of arigona, do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of The Griental Mining Co., per W. a. Kent, Trias. churset Code and Lunset mill-site Big Bug mining district, Yavapai County, ariyora in Section _____, Township No. ____, Range No. ____ , designated as Survey No. 1607 a. 7 3. executed by William 7. Mcrritt U. S. Deputy Mineral Surveyor, October 30 to , 1901, under my instructions dated October 12 , 1901, have been critically examined and the necessary corrections and explanations made, and the said Field Notes and Return, and the Survey they describe, are hereby approved. A true copy of the copy of the location certificate filed by the applicant for survey is included in the field notes.

U. S. Surveyor General for anyona.

