

MS
.

0

1

6

3

0

3/31/02

New
Amended Survey of Mineral Entry No 411 and of
Surveys No 1298 and No 1298 A.

(4-683.)

Mineral Survey No. 1630

Lot No.

Prescott

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIMS OF

The Penn Gold Mining Company

KNOWN AS THE

"Golden Fleece No 3" lode and the "N. E. Fraction of
the Golden Fleece No 2" lode, Walker Mining District,
Yavapai County, Arizona

Section 5, Township 12 N, Range 1 W (unsurveyed)

Surveyed under instructions dated January 16th 1902

by A. B. Mader

U. S. Deputy Mineral Surveyor.

Claims located Oct. 3rd 1897 and Mar. 21st 1896

Survey commenced February, 25th, 1902

Survey completed March, 2nd, 1902.

Judge John J. Hawkins
Attorney

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, F. S. Ellis and John T. Larson, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of The Penn Gold Mining Co.

known as the Golden Fleece No 3 and the N.E. Fraction Golden Fleece No 2 situate in walker mining district, Yavapai County, Arizona, in Section _____, Township No. _____, Range No. _____

F. S. Ellis, Chainman.
John T. Larson, Chainman.

Subscribed and sworn to by the above-named persons before me this 24th day of February, 1902.

My Commission expires September 28, 1905.

W. H. Bell
Notary Public

I, _____, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of _____

known as the _____, more fully described in the preceding affidavit.

_____, Axeman.

Subscribed and sworn to by the said _____ before me this _____ day of _____, 18 ____.

I, _____, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of _____

known as the _____, more fully described in the preceding affidavit.

_____, Flagman.

Subscribed and sworn to by the said _____ before me this _____ day of _____, 18 ____.

S u r v e y N o . 1 6 3 0

NORTH-EAST FRACTION GOLDEN FLEECE NUMBER TWO LODE

Beginning at corner No. 1

The corner of the location bears N. $18^{\circ}26'$ E. 195 ft.

A granite stone 8x4x17 in. set 8 in. in ground to bed rock and chiseled 1 N.E.F. G.F. No. 2-1630; with a mon. of stones 2 1/2 x 3 feet alongside;

WHENCE: the corner to Sections 4, 5, 32, and 33, T. 12-13 N., R. 1 W., bears N. $19^{\circ}48'$ East, 2466 feet;

A pine 32 in. in diameter bears S. 85° W. 30.7 ft. scribed B.T. N.E.F. G.F. 2, 1-1630;

No other bearings available;

T h e n c e S. $38^{\circ}53'$ W.

- 50 Cross ravine four feet wide, course N.W. bears S.E.
325 Cross ravine 3 feet wide, course N. bears S.
375 Cross ravine 12 in. wide course W. bears E.
403.4 To corner No. 2;

Identical with corner of the location and with corner No. 2 of Survey No. 1298; A.

A blue syenite stone 12x3 1/2x24 in. set 12 in. in the ground and chiseled 2 N.E.F. G.F. No. 2-1630; with a mon. of stones 2 1/2 by 3 feet alongside;

A pine 22 in. in diameter bears S. 34° E. 55 feet, scribed B.T. 3-2-1630;

A pine 22 in. in diameter bears S. $63^{\circ}25'$ E. 47.3 feet, scribed B.T., 3-2-1630;

T h e n c e S. 30° East

- 29 To corner No. 3;

Identical with corner of location, and with corner No. 3 of Survey No. 1298; A.

A porphyry stone 16x6x28 in. set 12 in. in ground and scribed 3 N.E.F. G.F. No. 2, 1630; with a mon. of stones 2 1/2 by 3 feet alongside;

Feet A pine 22 in. in diameter bears S. 38°40' East
26 feet, scribed B.T. 3-2-1630;

A pine 22 in. in diameter bears N. 82°7' East
28 feet, scribed B.T. 3-2-1630;

T h e n c e N. 65°25' East

67 Cross ravine 3 feet wide course N. bears S.

287 To corner No. 1 of the Golden Fleece No. 3 Lode of this
survey;

378 To corner No. 4;

The corner of the location bears N. 65°25' East
120 feet;

Identical with corner No. 4 of Survey No. 1298;A;

A granite stone 15x2x24 in. set 12 in. in ground
and chiseled 4 N.E.F. G.F. No. 2, 1630, with a mon.
of stones 2 1/2 by 3 feet alongside;

An oak 13 in. in diameter bears S. 30°58' W. 23
feet, scribed 4 N.E.F., G.F. No. 2, 1630;

No other bearings available;

T h e n c e N. 30° West

30 Cross ravine 4 feet wide, course N.W. bears S.E.

110.6 To N.C.E.

Identical with the location and with the S.C.E. of
the Snowflower Lode, Survey No. 1474;

A granite stone 9x3 1/2 x 15 in. set 9 in. in
ground to bed rock, and chiseled N.C.E., N.E.F., G.F.
No. 2-1630; with a mon. of stones 2 1/2 x 3 feet
alongside;

No bearings available;

210 To place of beginning;

The variation at all corners is 14° East:

L o c a t i o n .

This claim is located in the Walker Mining District, Yavapai County, Arizona, on unsurveyed land, in what would be, if surveyed, Section 5, T. 12 N., R. 1 W., G. & S. R. Meridian.

L e d g e s .

The course and length of the ledge on the N.E. Fraction Golden Fleece Number 2 Lode is from the N.C.E., South 45° West, 90 feet; thence South 50° West, 295 feet to corner No. 3.

A d j a c e n t C l a i m s .

On the East, the Snow Flower Lode, Survey No. 1474
 On the South, the Lenox Lode, unsurveyed, and the
 Golden Fleece No. 3 Lode of this Survey.
 On the West and North, the Golden Fleece Number Two
 Lode, Survey No. 1589.

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim placed thereon by the Claimants and their grantors, is not less than five hundred dollars and that said improvements consist of Number 1 Discovery Shafts and drifts, which bears from the N.C.E., S. 45° W., 90 feet, and consists of a shaft 4 x 6 x 250 feet deep, value, \$2500.; and three drifts at three different levels of 100, 75, and 100 feet respectively, value \$2750.; Total value, \$5250.

A r e a .

North-east Fraction Golden Fleece Number 2 Lode, 1.028 acres.

I n s t r u m e n t .

This survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian, as determined by direct solar observation. The distances were measured with a 200 foot steel tape.

A. B. Mader

United States Deputy Mineral Surveyor.

Feet

Survey No . 1 6 3 0 .

GOLDEN FLEECE NUMBER THREE LODE

Beginning at corner No. 1

Identical with corner of the Location and with corner No. 1 of Survey No. 1298;

A porphyry stone 22x10x24 inches set 12 inches in the ground, and chiseled 1 G.F.No. 3-1630;

An Oak 24 inches in diameter bears N.55°47' East 26.1 feet, scribed B.T. 1 G.F.No. 3-1630;

An oak 9 inches in diameter bears S 36°38' East, 23 feet , scribed B.T. 1 G.F.No. 3-1630

A monument of stone alongside of corner 2 1/2 by 3 feet;

WHENCE the corner to Sections 4, 5, 32, 33 of T.12-13 N., R. 1 w. bears N. 17°43' East 2664 feet;

Thence South 65°25' West

220 Cross Ravine three feet course N. bears S.

287 To corner No. 3 of N.E. fraction of Golden Fleece No. 2;

529 To corner No. 2;

Identical with the location and with corner No. 2 of Survey No. ~~1298~~; 1589

A porphyry stone 20x5x22 set 12 inches in the ground scribed 2 G.F. No. 3, 1630, alongside a monument of stones 2 1/2 by 3 feet;

An oak ten inches in diameter bears 41 feet scribed B.T., G.F. No. 3-2-1630;

An oak 18 inches in diameter bears 27.2 feet, chiseled B.T. 2, G.F. No. 3, 1630;

Thence South 57°22' West

70 Cross Ravine 2 feet wide, course N.W., bears S.E.

800 Cross Ravine three feet wide, course N., bears S.E.

Feet

826

To corner No. 3;

Identical with corner of the location, with corner No. 3 of Survey No. 1289 and with Corner No. 1 of Golden Fleece No. 4, Survey No. 1589;

A porphyry stone 20x4x30 inches set 12 inches in the ground and chiseled 3 G.F. No. 3, 1630, with a monument of stones 2 1/2 by 3 feet alongside;

A spruce tree 26 inches in diameter bears N. 43°56' East 38 1/2 feet, scribed B.T. G.F.No. 3, 3-1630;

A pine 38 inches in diameter bears South 30°48' West 96 feet scribed B.T. G.F.No. 3, 3-1630

Thence S.24°25' East

105

Cross ravine 2 feet wide, course North, bears S.E.

128

Mouth of cut

288

S.C.E.

Identical with S.C.E. of the location. Amonument of stones 2 1/2 by 3 feet;

548

Cross ravine 12 inches wide, course West bears East;

578

To corner No. 4;

Identical with corner of the locati on, with corner No. 4 of G.F. No. 3, Survey No. 1289, and with corner No. 4, G. F. No. 4, Survey No. 1589;

A cross at exact point on a granite ledge in place four feet by five feet, by four feet above the ground, chiseled 3 G.F. No. 3, 1630, alongside amonument of stones 2 1/2 by 3 feet;

A pine 22 inches in diameter bears N.55°18' W. 40 feet, scribed B.T., 4 G.F. No. 3-1630;

A pine 20 inches in diameter bears N.68°58' East 16 1/2 feet, scribed B.T. 4 G.F. No. 3-1630;

Feet

Thence North 57°51' East

35

Cross ravine 12 inches wide, course West, bears East;

775

Cross ravine six inches wide, course N.E. bears S.W.;

825

To corner No. 5;

Identical with corner of the location and with corner No. 5, G.F. No. 3, Survey No. 1289;

A porphyry 20x12x28 inches set 12 inches in the ground and chiseled 5 G.F. No. 3, 1630, with a monument of stone 2 1/2 by 3 feet alongside;

An oak six inches in diameter bears N.58°50' West 51.9 feet, scribed 5 G.F. No. 3, 1630, B.T.;

An oak 8 inches in diameter bears N. 54°22' East fifty feet, scribed 5 G.F. No. 3, 1630, B.T.;

Thence North 65°25' East

150

Cross ravine 12 inches wide, course, North, bears South,

529

To corner No. 6;

Corner of the location bears N. 65°25' East 255 feet; Identical with corner 6 of G.F. No. 3, Survey No.1289

A porphyry stone 20x8x24 inches set 10 inches in the ground to bed rock, and chiseled 6 G.F. No. 3, 1630, with a monument of stones 2 1/2 by 3 feet alongside;

A pine 30 inches in diameter bears S.46°55' West 49.5 feet, scribed B.T. 6 G.F. No. 3, 1630;

An oak seven inches in diameter bears N. 15°50' East, 32.5 feet, scribed B.T. 6 G.F. No. 3, 1630;

Thence North 24°25' West

248

To the S.C.E. of the Lenox Claim, unsurveyed;

A monument of stones 2 1/2 by 3 feet

585

Monument of the location bears N. $46^{\circ}40'$ East 255 feet;

To the place of beginning;

The variation at all the corners is 14° East.

Location .

This Claim is located in the Walker Mining District, Yavapai County, Arizona, on unsurveyed land in what would be, if surveyed, Section 5, T.12N., R.1 W., G. & S.R.M.

Ledges .

The course and length of the ledge on the Golden Fleece Number Three Claim is from the center of the East end line S. $65^{\circ}25'$ W. 529 feet to discovery point thence S $57^{\circ}10'W$, 826 feet to initial monument at the W.C.E.

Adjacent Claims .

On the North Golden Fleece No. 2, Survey No. 1589

On the East Lenox Claim, unsurveyed

On the South located claim, name unknown

On the West, Golden Fleece No. 4, Survey No. 1589.

Area .

Golden Fleece Number Three Lode, 17.964 acres.

EXPENDITURE OF FIVE HUNDRED DOLLARS

I certify that the value of the labor and improvements on this claim, placed thereon by the Claimants and their grantors, is not less than \$500. and that said improvements consist of: No. 1 discovery shaft, which bears from Corner No. 5, N. $24^{\circ}25'$ W., 300 feet, and consists of a shaft 7x9x10 feet deep, value \$200.;

No. 2, cut and tunnel, which bears South $24^{\circ}25'$ East from corner No. 3, and consists of a cut 4x16x10 high value \$100.; and a tunnel, 4x6x10 feet, value \$100.; No. 3, a cut, which bears South 74° East from corner No. 3, 80 feet, and consists of a cut 4x12x10 feet high, value \$75.; No. 4, a cut which bears S. $40^{\circ}55'$ W., 160 feet from corner No. 2, and consists of a cut 6x18x8 feet high, value \$150.

T o t a l V a l u e , \$625.00

I n s t r u m e n t

This Survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian, as determined by direct solar observation. The distances were measured with a 200 foot steel tape.

W. B. Snider

United States Deputy Mineral Surveyor.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by A. B. Mader
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claims
 of The Penn Gold Mining Co.
 known as the Golden Fleece No 3, and the N. E. Fraction Golden Fleece No 2
 and showing the respective capacities in which they acted.

F. S. Ellis, Chairman.
John T. Larson, Chairman.
 _____, Assn.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, F. S. Ellis and John T. Larson
 and _____, do solemnly swear that we assisted A. B. Mader
 _____, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claims of The Penn Gold Mining
Co.

_____ known as the Golden Fleece
No 3 and the N. E. Fraction Golden Fleece No 2, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed; and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona.

F. S. Ellis, Chairman.
John T. Larson, Chairman.
 _____, Assn.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me
 this 10th day of March, 1902

My Commission expires September 28, 1905.

W. H. Bell
 Notary Public

Affidavit of Five Hundred Dollars Improvements.

We, A. B. Underwood, and W. G. Grimmer

of lawful age, being first duly sworn according to law, depose and say: that we are acquainted with the Golden Fleece N^o 3 and N. E. Fraction Golden Fleece N^o 2 mining claim, situate in Walker Mining district, Yavapai County, Arizona Territory, for which The Penn Gold Mining Co.

has S made application for survey prior to application for patent under the provisions of the Act of Congress, approved May 10, 1872; and that the labor done and improvements made thereon by the applicant S and their grantor S exceed Five Hundred Dollars in value, and further that we are not personally interested in said mine.

A. B. Underwood
W. G. Grimmer

TERRITORY OF ARIZONA, }
County of Yavapai } ss:

Sworn to and subscribed before me, this 11th day of March, 1892

My Commission expires September 28, 1905.

W. L. Bell
Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, A. B. Mader, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated January 16th, 1902, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claims of The Penn gold Mining Co., known as the Golden Fleece No 3 and the N. E. Fraction of Golden Fleece No 2, situate in walker Mining District, Yavapai County, Arizona, in Section Township No. , Range No. and designated as Survey No. 1630, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimants or their grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

A. B. Mader
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said A. B. Mader
U. S. Deputy Mineral Surveyor, before me a Notary Public
this 27th
day of March 1902,
My Commission expires July 20, 1905.

Irving Hawkins
Notary Public

(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona

October 4th, 1902

I, U. S. Surveyor General for the District of Arizona,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the

Survey of the Mining Claim of The Penn Gold Mining Co.

....., known as the

Golden Fluce No. 3 lode and the N.E. Fraction of the Golden Fluce No. 2

situate in Walker mining district,

Yavapai County, Arizona

in Section, Township No., Range No.

....., designated as Survey No. 1630

executed by A. B. Mader, U. S. Deputy Mineral

Surveyor, Feb. 20th to March 2nd, 1902., under my instructions dated

January 16, 1902., have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.

Hugh H. Price

U. S. Surveyor General for Arizona

SURVEY No 1630
 PRESCOTT LAND DISTRICT
 Surveyed MARCH 1-2nd, 1902
 by
 A. B. MADER, U.S. DEP. MIN. SUR.
 SCALE 300' to an inch.

