M 1533

(4-683.)

Mineral Survey No. 1633

| Lot No. | |
|-----------------------------|--|
| Inescatt Land District. | |
| | |
| FIELD NOTES | |

OF THE SURVEY OF THE MINING CLAIM OF

Geo. A Sheadurd Muning Co.

Mining District,

Big Ming Mining District,

County, Angura

Section approx. Township 12 N., Range / Cast (unsuneyed)

Surveyed under instructions dated farming 23, 190,7

by Malling Mineral Surveyor.

Claim located Various plates 1

Survey commenced that 4 th 1

Survey completed that 6 lb 1, 1902

Address of Claimal

Address of Colonnas E. D. Freendevell All, Prescutt, Angona

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

| WE, RAMENT and , |
|---|
| do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of Gentle Broadwell Municipeto |
| Jan Jan Den Doubland Soft Pulmer markers known as the |
| situate in Bry Bry mining district, — Jonnafiai County, Arzyrua Purula, in Section , Township No. , Range No. |
| in Section Township No. Bange No. |
| Robt of Merritt, Chainman. |
| , Chainman. |
| Subscribed and sworn to by the above-named persons before |
| me this 4 day of Shel 1902, 18 |
| and Manith |
| My comme Enfortaly 15 his volong Buble |
| I,, do solemnly swear that I will well and |
| according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim ofknown as the, |
| more fully described in the preceding affidavit. |
| , $Axeman.$ |
| Subscribed and sworn to by the said |
| before me this day of |
| , 18 . |
| |
| I,, do solemnly swear that I will |
| well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the |
| survey of the Mining Claim of |
| known as the, |
| nore fully described in the preceding affidavit. |
| , Flagman. |
| |
| |
| Subscribed and sworn to by the said before me this day of |
| before me this day of, 18 . |

(1)

Feet. Beginning at Cor. No. 1

Identical with the N.W.Cor. of the loc. and with cors. 1&3 of Logan & Martin lodes of this Sur. & Cor. No. 3 of Sur. No.908 Boggs lode.

A slate stone showing 6X10X 12 ins. out of the ground chiseled 1-I-Q.1-L.3-M.1633 with mound of stones alongside. Whence:

U.S.L.M.No.1538 Brs. N 36°.54°W 7078.5 feet. No other bearings available.

Thence S 80°.34'E

300 Mon. N. end C. Va. 14° . E

600 To Cor. No. 2.

> Identical with the Cor. of the loc. and with cors. 1 of Dailey & 4 of Putman lodes of this Sur. & Cor. No. 7 of Sur. No. 908 Boggs lode.

> A Quartz stone showing 4X10X12 ins. above the ground chiseled 2-I-Q.4-P.&lD.1633 with mound of stones alongside. No bearings available.

> > Thence S15°.25'W Va. 14°.E

750 Mon. E.side 6.

1500 To Cor. No. 3.

> Identical with the Cor. of the loc. & with cors. 2 of Iron King. 1 of Hubbard & 4 of Dailey lodes all of this Sur. A Quartz stone 6X6X24 ins. set 12 ins. in the ground chiseled 3-I-0.2-I-K.l-H.4-D-1633 with mound of stones alongside. No bearings available.

> > Thence N 80°.34'W Va. 14° . E

300 Mon. S.end C.

600 To Cor. No. 4.

> Identical with the Cor. of the loc. and with cors. No 1 of Iron King & Demend & No.2 of Logan lodes all of this Sur. A Porphyry stone 5X6X24 ins. set 12. ins. in the ground chiseled 4-I-Q.I-D.I-I-K.& 2-L-1633. with mound of stones

alongside. No bearings available.

| Feet | Thence N 15°.25'E Va. 14°.E |
|-------------|--|
| 750 | Mon W.side C. |
| 1500 | To Cor. No. 1 the place of beginning. |
| eq | IRON KING LODE. |
| | Reginning at Cor. No. 1. |
| , | Identical with the N.W.Cor. of the loc. & with Cors.No 1 |
| * | Demend, 2 of Logan, 4 of Iron Queen lodes all of this Sur. |
| | Hereinbefore described. Whence:- |
| | U.S.L.M.No.1538 brs. N 28°.27'W 8082.5 feet. |
| | No other bearings available. |
| | |
| | Thence S 80°.34'E Va. 14°.E |
| 300 | Mon.N.end.C: |
| 600 | To Cor. No. 2. |
| | Identical with the Cor. of the loc. & with Cors. No. 1 |
| | Mubbard, 4 of Dailey & 3 of Iron Queen lodes all of this |
| × | survey, hereinbefore described. |
| | Thence S 19°.44'W |
| 750 | Mon.E.side C. |
| 1500 | To Cor. No. 3. |
| | Identical with the Cor of the loc. & with Cor. No. 4 |
| | Hubbard lode of this Sur. |
| | A Quartz stone 8X10X24 ins. set 12ins. in the ground |
| | chiseled 3-I-K,4-H-1633 wih mound of stones alongside. |
| | No bearings available. |
| | Thence N 80°.34'W |
| 30 0 | Va, 14°E |
| 600 | To Cor.No. 4. |
| 000 | Identical with the Corlof loc. and with Cor. No.2 of |
| | Demend lode of this Sur. |
| | A Porphyry stone 6X8X24 ins. set 12 ins. in the ground |
| | chiseled, 4-I-K.2-D-1633. with mound of stones alongside. |
| | No bearings available. |
| | Thence N 19°.44'E |
| 750 | Va.14°.E |
| 1500 | To Cor. No. 1 the place of beginning. |

DEMEND LODE. Feet Beginning at Cor. No. 1 . Identical with the N.E.Cor. of the loc. & with Cors. 1 of Iron King, 4 of Iron Queen & 2 of Logan lodes all o of this Sur. Hereinbefore described. Whence: U.S.L.M.No.1538 Brs. N 28°.27'W 8082.5 feet. No other bearings available. Thence S 19° 44'W Va. 14°.E. 1500 To Cor. No. 2. Identical with the Cor. of the loc. & with Cor. No. 4 Iron King lode of this Sur. Hereinbefore described. Thence N 80°.34'W . Va. 14° .E. Cr. Road course N 30°.30'W & S 30°.30'E 195 300 Mon. S.end.C. 600 To Cor. No. 3.

Identical with the Cor. of the loc.

A Porphyry stone 6X8X24 ins. set 12 ins. in the ground. chiseled 3-D-1633 with Mound of stones alongside. No bearings available.

> Thence N 19°.44'.E Va. 14°.E.

Cr.Road course N 30°.30'W & S 30°.30'E 403

Identical with the Cor. of the loc. and with Cor. No.

3 Logan lode of this Sur.

To Cor. No. 4.

A Porphyry stone 6X6X24 ins. set 12 ins. in the ground chiseled 4-D.3-L-1633 with mound of stones alongside. No bearings available.

> Thence S 80°.34'E Va. 14° .E.

300 Mon. N. end C.

1500

600 To Cor. No. 1 the place of beginning.

6

Feet. Beginning at Cor. No.1..

Identical with the N.E. Cor. of the loc. and with Cors. No. 1 Iron Queen & No.3 of Martin lodes of this Sur. & Cor.No. 3.Sur. No. 908 Boggs lode.

Hereinbefore described. Whence:

U.S.L.M.No. 1538 Brs, N 36°.54'W 7078.5 feet.
No other bearings available.

Thence S 15°.25'W. Va. 14°.E.

1500 To Cor. No. 2.

Identical with the Cor. of the loc. and with Cors.No. 1 of Demend & Iron King & No. 4 of Iron Queen.

Hereinbefore described.

Thence N 80°.34'W Va. 14°.E.

300. Mon.S.end C.

600 To Cor. No. 3.

Identical with the Corlof loc.and with Cor. No.4 of Demend lode of this Sur. Hereinbefore described.

Thence N 15°.25'E Va. 14°.E.

1500 To Cor. No. 4.

Identical with the Cor. of the loc. and with Cor. No.4 of Martin lode of this Sur.

A Porphyry stone 4X6X38 ins. set 15 ins.in the ground chiseled 4-L.4-M-1633 with mound of stones alongside.

No bearings available.

Thence S 80°.34'E Va.14°.E.

300 Mon. N. end C.

600 To Cor. No. 1 the place of beginning.

MARTIN LODE.

Beginning at Cor. No.1.

Identical with the N.W.Cor. of the loc.

A Porphyry stone 6X8X24 ins. set 12 ins. in the ground chiseled 1-M-1633 with mound of stones alongside. Whence: U.S.L.M.No.1538 Brs.N 43°.33'W 5628.6 feet.

No other bearings available.

Feet. Thence S 80°.34'E. Va. 14° . E. 300. Mon. N. end C. 600. To Cor. No. 2. Identical with the Cor. of the loc. and with Cor. No. 4 Sur. No. 908 Boggs lode. A Slate stone showing 4X6X14 ins. above the ground. chiseled 2-M-1633 on the side faceing this lode, with mound of stones alongside. No bearings available. Thence S 8°.50'W Va. 14° E. 1500 To Cor. No. 3. Identical with the Cor. of the loc. and with Cors. No. 1 of Logan & Iron Queen lodes of this Sur. & No. 3 of Sur. No. 908 Boggs lode . Hereinbefore described. Thence N 80°.34'W. Va. 14° . E. 300 Mon.S.end C. 600 To Cor. No. 4. Identical with the Cor. of the loc. & with Cor. No.4. Logan lode of this Sur, Hereinbefore described. Thence N 8°.50'E Va. 14° E. 1500 To Cor. No.1 the place of beginning. PUTMAN LODE. Beginning at Cor No.1. Identical with the N.W.Cor. of the loc.and with Cor. Mo.6 Sur. No. 908 Boggs lode. A Slate stone showing 4X12X12 ins. above the ground. chiseled 1-P-1633 with Mound of stones alongside. Whence: U.S.L.M.No.1538 Brs.N 49°,52'W 6634.feet. No other bearings available. Thence S 80°.34'E Va.14°.E 300 Mon. N. end C.

600

To Cor. No.2.

Identical with the Cor. of the loc.

Feet. A slate stone 4X10X24 ins. set 12 ins. in the ground chiseled 2-P-1633 with mound of stones alongside.

No bearings available.

Thence S 8°.50'W Va. 14°.E

1500 To Cor. No. 3.

Identical with the Cor. of the loc. with Cor. No. 2 Dailey lode of the Sur.

A Porphyry stone 5X8X26 ins. set 14 ins. in the ground chiseled 3-P.2-D-1633 with mound of stones alongside.

No bearings available.

Thence N 80°.34'W Va. 14°.E

300 Mon.S.end C.

600 To Cor. No. 4.

Identical with Cor. of loc.and with Cors.No.lof Dailey 2 of Iron Queen lodes of this Sur.and No.7 of Sur.No 908 Boggs lode. Hereinbefore described.

> Thence N 8°.50'E Va. 14°.E

1500 To Cor. No. 1 the place of beginning.

DAILEY.

Beginning at Cor. No. 1

Identical with the N.W.Cor. of the loc. and with Cors.

4 of Putman 2 of Iron Queen lodes of this Sur. & No.7 of Sur.No.908 Boggs lode. Hereinbefore described. Whence:
U.S.L.M.No.1538 Brs.N 40°.04'W 7536.7 feet.
No other bearings available.

Thence S 80°.34'E Va. 14°.E

300 Mon.N.end C.

600 To Cor. No. 2.

Identical with the Cor. of the loc. & with Cor. No.3 of Putman lode of this Sur. hereinbefore described.

Thence S 15°.25'W Va. 14°.E

· 1500 To Cor.No.3.

9

Identical with the Cor. of the loc. and with Cor. No. 2 Hubbard lode of this Sur.

A Porphyry stone 10X10X24 ins. set 12 ins. in the ground chiseled 3-D.2-H-1633 with mound of stones alongside. No begrings available.

> Thence N 80°.34'W Va. 14° E

30

Mon.S. end &.

600

To Cor. No. 4.

Identical with the Cor of the loc. and with Cors. No. 1 Hubbard, 2 of Iron King & 3 of Iron Queenlodes of this Sur. Hereinbefore described.

> Thence N 15°.25'E Va.14°.F

1500 TO Cor. No. 1 the place of beginning.

HUBBARD LODE.

Beginning at Cor. No.1.

Identical with the N.W.Cor. of the loc. & with Cors. 2

Iron King, 3 Iron Queen & 4 Dailey lodes of this Sur.

Hereinbefore described. Whence:

U.S.L.M.Ho.1538 Frs. N 31°,40'W 8466.9 feet.

No other bearings available.

Thence S 80°.34'E Va. 14°.E

300

Mon. N. end C.

600

To Cor. No. 2.

Identical with the Cor. of the loc. & with Cor. No. 3 Dailey lode of this Sur. Hereinbefore described.

> Thence S 19º.44'W Va. 14° .E

1500

To Cor. No. 3!

Identical with the Cor. of theloc.

A Porphy y stone 8X14X26 ins. set 14 ins. in the ground chiseled 3-H-1633 with mound of stones alongside. No bearings available.

> Thence N 80°.34'W Va.14°.E

300

Mon.S.end C.

600

To Cor. No.4.

Identical with the Corlof the lod and with dor No 3

Feet Iron King lode of this Sur. Hereinbefore described.

Thence N 19°.44'E Va.14°.E

1500 To Cor. No. 1 the place of beginning.

LOCATION.

This claim is located on unsurveyed land approximately thing the flag thing the dist, in Twp.12 N.R.1 E.G.& S.R.B.& M. Yavapai County, Arizona.

ADJOINING CLAIMS.

Martin lode is bounded on the East and Putnam lode is bounded on the West by Sur.No. 908 Boggs lode.and the Iron Queen lode is bounded on the North by Sur. No. 908 Boggs lode. The rest of the claim is bounded by U.S.land'

AREA.

| Total | and | net | area | Iron Que | een lode | 20.554 | Acres. |
|-------|-----|------|------|----------|----------|---------|--------|
| " | •• | " | •• | Iron Kin | ng. " | 20.325 | |
| *** | ** | 11 | ** | Demend | 17 | 20.325 | |
| 11 | 11. | 11 | ** | Logan | 11 | 20.554 | n |
| 11 | 17 | " | 17 | Martin | 17 | 20,657 | " |
| " | " | ** | 11 | Putman | 11 | 20.657 | |
| ., | 11 | 11 | *** | Dailey | ." | 20.554 | |
| 11 | 71 | ** | 11 | Hubbard | | 20.325 | |
| Total | net | area | of | the lode | claim | 163,951 | Acres. |

EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimant and their gruntors, is not less than five hundred dollars for each claim, and that said improvements consist of:

Iron Queen lode

No I, Shaft which brs. N 57°.45'E 347 feet from Cor. No4 4X6X200 feet deep timbered Value \$6,000.00" 2 Shaft which brs N 52°.10'E 368 ft.from Cor. No.4 4X6X50.ft.deep. Value \$1,000.00" 3 Shaft which brs. N 45°45'E 431 ft. from Cor. No.4 4X6X100 ft. deep timbered. Value. 2,500.0 \$450.00 of the work in No.1 shaft is credited to each of the following lodes. Demend, Logan, Martin, Putman, Dailey and Hubbatd lodes.

Iron King.lode
No.1 Shaft which brs.829°.15'W 180 ft. from mon.North
E.C. 4X6X30 ft. deep. Value \$600.00
No.2 shaft which brs.823°.25'W300 ft.from mon.N.end C.
4X6X15 ft.deep. Value 150.00
" 3 shaft which brs S4°.40'E 125 ft.from mon.N.end C.
4X6X20 ft.deep. Value 200.00

Demend lode

lode is credited to this lode. \$450.00

No.1-shaft which brs.N 61°.W 308 ft.from Cor. No.2 d. 4X6X10 ft.deep Value \$50.00 \$450.00 of the work in Nol shaft Iron Queen lode is credited to this lode. 450.00

Martin lode.

No l shaft which brs. N 5°.30'E 950 ft. from mon.S.end C.

4X6X10 ft.deep. Value. \$50.00

\$450.00 of the work in No l shaft Iron Queen lode is credited to this lode. 450.00

Putman lode.

No 1 shaft which brs. N 38°.20'E 630 ft. from Cor.No.4

4X6X10 ft. dep Value \$50.00

\$450.00 of the work in No.1 shaft Iron Queen lode is credited to this lode.

450.00

Dailey lode.
No.1° shaft which brs.N 80°.45'E 329 ft. from Cor.No.4
4X6X10 ft.deep Value. \$50.00
\$450.00 of the work in No.1shaft Iron Queen lode is credited to this lode. 450.00

Hubbard lode.

No. 1 shaft which brs. S 61°.15'E 304 ft. from.Cor.No.1 4X6X10 ft. deep.

Value \$50.00 \$450.00 of the work in No.1 shaft Iron Queen lode is credited to this lode.

450.00

OTHER IMPROVEMENTS
From mon.S.end C.Iron Queen lode the S.E.Cor of the engine house brs.N 17°.45'E 205 ft.31X30 ft. the course of the long side is N 65°.W
From mon.S.end C. Iron Queen lode, the s.W.Cor. of the

From mon.S.end C. Iron Queen lode, the s.W.Cor. of the office brs.N 52°.20'E 430 ft.28X22 ft. course of long side N 10°.00'E

LEDGES.

The ledg on the Iron Queen lode brs.N 15°.25'E 1500 ft. from mon.at S.end C.

The ledge on Iron King lode brs. S 19°.44'W 1500 ft.from mon.at N.end C.

The ledge on Demend lode brs S 19°.44'V 1500 ft. from mon. North end C.

The ledge on Logan lode brs. N 15°.25'E 1500 ft. from mon. South end C.

The ledge on Martin lode brs.N 8°.50'E 1500.ft. from the mon.at South end C.

The ledge on Putman lode brs. N 8°.50'E 1500 ft. from the mon.at South end C.

The ledge on Dailey lode brs.N 15°.25E 1500 ft. from the mon.at South end C.

The ledge on Hubbard lode brs.S 19°.44'W 1500 ft. from the mon.at the North end C.

INSTRUMENT.

This survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian as determined by direct solar observations, checked on polaras. The distances were measured with 100.ft.steel tape.

U.S. Deputy Mineral Surveyor.
Prescott, Arizona.

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

| A list of the names of the individuals empl | loyed by William AMerrita |
|--|---|
| | st in running, measuring, and marking the lines |
| corners and boundaries described in the forego | ing field notes of the survey of the mining claim |
| of Gen River Known | orderell brynning teo |
| | |
| and showing the respective capacities in which | , |
| | RA Merrett, Chainman. |
| • | , Chainman. |
| | , Axman. |
| | "Flagman. |
| | |
| FINAL OATHS | OF ASSISTANTS. |
| Wa R A Many | \mathcal{U} |
| | emnly swear that we assisted Walleman |
| Hone with United States Danie | uty Mineral Surveyor, in marking the corners and |
| | of Geo A Deardrell Ming Co |
| | |
| Jour Dem Darles Hulland, | Product known as the, represented |
| , | eyed by said deputy mineral surveyor and under |
| | n all respects, to the best of our knowledge and |
| | he corner and boundary monuments established |
| | hed by the United States Surveyor-General for |
| | ned by the officer states surveyor-deneral for |
| Angma | Roft of mencit, Chainman. |
| | , Chainman. |
| | , Axman . |
| | , Flagman. |
| Subscribed and s | worn to by the above-named persons before me |
| this 62 | the day of Helman 1907 |
| · , | the day of Felman, 1907 |
| | |
| 0 6-167 Muy | Cumuisin Enforthely 15th 19 |

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

| I, Milliam Murutt, U. S. Deputy Mineral |
|---|
| Surveyor, do solemnly swear that, in pursuance of instructions received from the United |
| States Surveyor General for Azzzzzz , dated |
| June 1902, I have, in strict conformity to the laws of the |
| United States, the official regulations and instructions thereunder, and the instructions |
| of said Surveyor General, faithfully and correctly executed the survey of the Mining |
| Claim of Gen, A Thought Minning ter |
| Claim of Gen. A to exclude Mining too In Jan Dar Dar Hut forganism & Market , known as the |
| situate in Mining District, |
| County, Aryrra , in Section , Township No Range No. |
| , Township No. Range No. |
| and designated as Survey No. 1633, as represented |
| in the foregoing field notes, which accurately show the boundaries of said mining claim |
| as distinctly marked by monuments on the ground, and described in the attached copy |
| of the location certificate, which was received by me from the Surveyor General with |
| said instructions, and that all the corners of said survey have been established and per- |
| petuated in strict accordance with the law, official regulations and instructions there- |
| under; and I do further solemnly swear that the foregoing are the true and original |
| field notes of said survey and my report therein, and that the labor expended and |
| improvements made upon said mining claim by claimant or Items grantors |
| are as therein fully stated, and that the character, extent, location and itemized value |
| thereof are specified therein with particularity and full detail, and that no portion of |
| said labor or improvements so credited to this claim has been included in the estimate |
| of expenditures upon any other claim. |
| |
| William House the |
| Subscribed and sworn to by the said Wm N. Mersitt |
| U.S. Deputy Mineral Surveyor, before me Emma Church |
| notary Public this seventh |
| day of February, 1902. |
| |
| Emma Church |
| · 8-154 Notary Public |
| o s-154 |
| My commission expires Sept. 12, 1905. |

Affidavit of Five Hundred Dollars Improvements.

| Toto, to be Amsden , and Nuf Waldenseyer |
|---|
| acquainted with the for form Down according to law, depose and say: that we are |
| in <u>Gig Bug</u> Mining district, Garafiae County, |
| Arizona Territory, for which Gev A Dreadevell hing Ce |
| have made application for survey prior to application for patent under the provisions |
| of the Act of Congress, approved May 10, 1872; and that the labor done and improve- |
| ments made thereon by the applicant and their grantor exceed Five Hundred |
| Dollars in value, and further that we are not personally interested in said mine. |
| Comoden. |
| Aga, Waldeneyer |
| |
| County of Janufrai 88: |
| Sworn to and subscribed before me, this |
| day of Fish usun, 189 1902 |
| wy6 Merritt |
| Any Commens Infor July 16 1905 |
| |

IRON QUEEN.

NOTICE OF LOCATION.

KNOW ALL MEN BY THESE PRESENTS:

That I, the undersigned, have this day located fifteen hundred (1,500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provistions of the Mining Laws of the United States, under which it is located.

This claim commences at this monument and notice placed upon the ledge and runs fifteen hundred (1500) feet in a Northerly direction along the ledge from discovery shaft.

The exterior boundaries are as follows, viz: Commencing at this monument and notive and running three hundred (300) feet in an easterly direction to monument at S.E.corner of claim; thence in a northerly direction parallel with the ledge fifteen hundred (1500) feet to monument at N.E.corner of claim; thence in a westerly direction at right angles across the ledge six hundred (600) feet to monument at N.W. corner of claim; thence parallel with the lode in a southerly direction fifteen hundred (1500) feet to monument at S.W.corner of claim; thence at right angles across the ledge in an easterly direction three hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated at the south end of the Boggs mine in Big Bug Mining District, Yavapai County, Arizona Territory, and shall be known as the Iron Queen Mining Claim.

Dated on the ground this first day of January, 1898.

Wm.E.Wicks.

Henry Stoddard, Witness.

Recorded at request of Joseph Mayer, January 3", A.D. 1898, at 9:00 o'clock A.M. in Book 37 of Mines, page 626, Records of Yavapai County, Arizona.

W.I.Johnson, County Recorder.

(Seal)

By P.J, Farley, Deputy.

Territory of Arizona, 1 ss: County of Yavapai, 1

I, P.J.Farley, County Recorder in and for the County of Yavapai, Territory of Arizona and custodian of the records thereof,
do hereby certify that I have compared the within and foregoing
with and the same is a full, true and correct copy of the notice
of location of the "Iron Queen" Mining Claim as the same appears of
record in my office in Book 37 of Mineo, page 626, Records of
Yavapai County, Arizona.

In Witness Whereof I have hereurte set my hand and affixed my official seal this 11th day of fertonior, A.D. 1901.

County Recorder.

L. '

MORICE OF LOCATION OF THE IRON KING MINE.

We the undersigned claim and have this day located 1500 feet in length along the vein. Together with 300 feet on each side of the middle of vein, on this Lode or Ledge as a Gold, Silver, Copper and Iron Mine.

Commencing at this notice and monument which is placed at the north end center of claim and about 100 feet northerly from the discovery shaft runing thence 300 feet westerly thence 1500 feet southerly thence 600 feet easterly, thence 1500 feet northerly, thence 300 feet westerly to north end center and place of beginning. All corners, end and side centers being marked by monuments and notices.

This claim is the second south extension of the old Boggs mine, and is the first southerly extention of the "Iron Queen" mine, and is situated about 1-3 miles north-easterly from the Commercial Co's smelter on Big Bug creek. All being situate in Big Bug Mining District, Yavapai County, Arizona Territory.
This claim shall be knows as the "Iron King" Mine dated on the

ground this 1st day of January, A.D.1900.

Henry Stoddard, Joe Mayer,

locators.

Witness

Jess.W.Davis.

Recorded at request of Joe Mayer, March 12", A.D.1900, at 9 o'clock A.M. in Book 55 of Mines, page 72, Records of Yavapai County, Arizona.

(Seal)

W.I.Johnson,

County Recorder.

By E.E.Osenburg, Deputy.

Territory of Arizona, ss: County of Yavapai,

I, P.J. Farley, County Recorder in and for the County of Yavapai, T rritory of Arizona and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the notice of location of the "Iron King" mining claim as the same appears of record in my office in Book 55 of Mines, page 72, Records of Yavapai County,

Arizona.

In Witness Whereof I have hereunto set my hand and affixed my

official seal this 11th day of septe per, A.D.1901.

Recorder.

Lode Claim.

To all whom it may concern; This Mining Claim, the name of which is the Martin Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purp chase by E.D. Treadwell, the undersigned, on the 23rd day of June, 1901.

The length of this claim is Fifteen Hundred feet, and I claim Eight Hundred fifty feet in a northerly direction, and six hundred and fifty feet in a scutherly direction from thecenter of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with Three Hundred feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premises is from the North to the South.

The claim is situated and located in the Big Bug Mining Dist-

rict, in Yavapai County, in the Territory of Arizona, about ly miles in a Hortheasterly direction from the Boggs smelter.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument 850 at a point in a northerly direction Eight hundred & fifty feet from the discovery shaft (at which this notice is posted), being in the center of the North W. end line of said claim; thence three hundred feet to a monument being the North West corner of said claim; thence South 750 feet to a monument at the center of the west side line of said claim; thence South 750 feet to a monument being at the S. West corner of said claim; thence East 300 feet to a monument at the center of the South end of said claim; thence east 300 feet to a monument being at the S.east corner of said claim; thence North 750 feet to a mon-ument being at the center of the east side line of said claim; thence North 750 feet to a monument at the N. East corner of said

claim; thence West 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895 and amended March 2d, 1899.

Dated and posted on the ground this 23rd day of June, 1901.

H.D.TREADWELL.

Witness, D.H.McDonald,

Filed and recorded at request of E.D. Treadwell, Aug. 10", A.D. 1901 at 12:55 o'clock P.M. Book 59 of Mines, Page 457, Records of Yavapai County, Arizona.

P.J.Farley, (Seal) County Recorder.

By C.R.Dicus, Deputy Recorder.

Territory of Arizona, 1

County of Yavapai,

I, P.J. Farley, County Recorder in and for the County of Yav-apai, Territory of Arizona and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the notice of location of the "Martin" mining claim as the same appears of record in my office in Book 59 of Mines, page 457, Records of Yavapai County, Arizona.
In Witness Whereof I have hereunto set my hand and affixed my official seal this 11th day of Sextemper, A.D.1901.

County Recorder.

NOTICE OF MINING LOCATION. Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the Putman Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of emploration and purchase by E.D. Treadwell, the undersigned, on the 23rd day of June, 1901.

The length of this claim is Fifteen Hundred feet and I claim Eight Hundred & fifty feet, in a Northerly directionand Six Mubdred & fifty feet in a Southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, to ether with Three Hundred feet in width of the surface

grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the Bouth to the South.

The claim is situated and located in the Big Bug Tining District, in Yavapai County, in the Territory of Arizona, about 1-2 miles in a Morth Easterly direction from The Boggs Smolter.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at A monument 850 at a point in a Mortherly direction Eight Hundred & fifty feet from the discovery shaft ground as follows: Beginning at A monument 850 at a point in a Northerly direction Eight Hundred & fifty feet from the discovery shaft
(at which this notice is posted), being in the center of the Horth
end line of said claim; thence West 300 feet to a monument being the
N.West corner of said claim; thence South 750 feet to a monument at
the center of the West side line of said claim; thence South 750
feet to a monument being at the S.West corner of said claim; thence
East 300 feet to a monument at the center of the South end of said
claim; thence East 300 feet to a monument, being at the S.East corner
of said claim; thence North 750 feet to a monument being at the center of the East side line of said claim; thence Worth 750 feet to a ter of the East side line of said claim; thence North 750 feet to a monument at the W. East corner of said claim; thence West 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground, this 23rd day of June 1001.

E.D. Treadwell.

Witness: D. H. McDonald.

Filed and Recorded at request of E.D. Treadwell, Aug. 10" A.D.1301, at 12:55 o'clock D.M., Book 59 of Mines, page 458, Records of Yavapai County, Arizona.

> (Seal) P.J. Farley,

By C.R.Dicus, Deputy Recorder.

County Recorder.

TERRITORY OF ARIZOMA,) COUNTY OF YAVAPAI.

I,P.J.Farley, County Recorder in and for the County of Yavapai, in the Territory of Arizona, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the Motice of location of the PUTMAN mining claim, as the same appears of record in Book 59 of Mines, page 458, records of Yavapai County, Arizona.

IN WITHESS THEREOF, I have hereunts set my hand and affixed my Official Seal, this 11th day of September 1.D.1901.

County Recorder.

NOTICE OF MINING LOCATION.

Lode Claim.

To all whom it may concern; This ruining oldin, the name of which is the Logan Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George A. Treadwell Mining Co. the undersigned on the 4th day of June, 1901.

The length of this claim is fifteen hundred feet, and we claim fourteen hundred feet in a northerly direction and one hundred feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds on each side of the center of said claim.

The general course of the lode deposit and premises is from

the Worth to the South.

The claim is situated and located in the Big Bug Tining Distriet, in Yavapai County, in the Territory of Arizona, about la miles in a northeasterly direction from the Boggs smelter.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument at a point in a southerly direction one hundred feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence west 300 feet to a monument being the S. West corner of said claim; thence north 750 feet to a monument at the center of the west side line of said claim; thence north 750 feet to a monument being at the N. West corner of said claim; thence east 300 feet to a monument at the center of the north end of said claim; thence east 300 feet to a monument being at the N. East corner of said claim; thence South 750 feet to a monument being at the center of the east side line of said claim; thence south 750 feet to a ##6#6 monument at the S.East corner of said claim; thence West 300 feet to the place of beginning.

All done under the provisions of Chapter Six, Title XXXII of the Revise Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines",

approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this 4th day of June, 1901.

GEORGE A.TREADWELL MINING CO.,

Witness, D.H.McDonald.

Filed and recorded at request of E.D. Treadwell, Aug. 10", A.D. Book 59 of Mines, page 459, Records 1901 at 12:55 o'clock P.M. of Yavapai County, Arizona.

P.J.Farley, County Recorder.

(Seal) By C.R.Dicus, Deputy Recorder.

Territory of Arizona, 1

SS: County of Yavapai,

I,P.J.Farley, County Recorder in and for the County of Yavapai, Territory of Arizona and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the notice of location of the "Logan" mining claim as the same appears of record in my office in Book 59 of Mines, page 459, Records of Yavapai County, Arizona.

In Witness Whereof I have nor cunto set my hand and affixed my official seal this 11th day of Spotember, A.D.1901.

County Recorder.

MOTICE OF MINING LOCATION.

Lode Claim.

To all whom it may concern; This Mining Claim, the name of which is the Dailey Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by George A. Treadwell Mining Co. the undersigned, on the 4th

day of June, 1901.

The length of this claim is fifteen hundred feet, and e claim fourteen hundred feet in a northerly direction and one hundred feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds on each

side of the center of said claim.

The general course of the lode deposit and premises is from the north to the south.

The claim is situated and located in the Big Bug Mining Distriet, in Yavapai County, in the Territory of Arizona, about $1\frac{1}{2}$ miles in a north easterly direction from the Boggs smelter.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a monument southrly at a point in a southerly direction one hundred feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence west 300 feet to a monument being the S.west corner of said claim; thence north 750 feet to a monument at the center of the west side line of said claim; thence north 750 feet to a monument being at the N. west corner of said claim; thence east 300 feet to a monument at the center of the north end of said claim; thence thanks east 300 fest to a monument being at the N.east corner of said claim; thence south 750 feet to a monument being at the center of the east side line of said claim; thence south 750 feet to a monument at the S.east corner of said claim;

thence west 300 feeth to the place of beginning. XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895 and amended March 2d, 1899.

Dated and posted on the ground this 4th day of June, 1901.

GEORGE A. TREADWELL MINING JO.,

Witness D.H.McDonald.

Filed and recorded at request of E.D. Treadwell, Aug. 10", A.D. 1901 at 12:55 o'clock P'M. Book 59 of Minec, page 460, Records of Yavapai County, Arizona.

P.J. Farley, County Recorder. (Seal)

By C.R.Dicus, Deputy Recorder.

Territory of Arizona, [ss:

County of Yavapai, I, P.J. Farley, County Recorder in and for the County of Yavapai, Territory of Arizona and custodian of the record thereof, do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the notice of location of the "Dailey" mining claim as the same appears of record in my office in Bock 59 of Mines, page 60, Records of Yavapai County, Arizona.

In Witness Whereof I have hereunto set my hand and affixed my official seal this 11th day of September, 1901.

County Recorder.

Lode Claim.

To all whom it may concern; This mining claim, the name of which is the Demend Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purpose of exploration a chase by George A. Treadwell Mining Co. the undersigned, on the 4th day of June, 1901.

The length of this claim is fifteen hundred feet, and we claim fourteen hundred feet in a southerly direction and one hundred feet in a northerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together

with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the north to the south.

The claim is situated and located in the Big Bug Mining District, in Yavapai County, in the Territory of Arizona, about 12 miles in a northeasterly direction from the Boggs smelter.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a monument at a point in a northerly direction one hundred feet from the discovery shaft (at which this notice is posted) being in the center of the north end line of said claim: thence west 300 feet to a monument being the N. West corner claim; thence west 300 feet to a monument being the N.West corner of said claim; thence south 750 feet to a monument at the center of the west side line of said claim; thence south 750 feet to a monument being at the S. west corner of said claim; thence east 300 feet to a monument at the center of the S. end of said claim; thence east 500 feet to a monument being at the S. east corner of said claim; thence north 750 feet to a monument being at the lenter of the east side line of said claim; thence north 750 feet to a monument at the N. east corner of said claim; thence west 300 feet to the place of beginning.

All done under the provisions of Chapter six, of Title XXXII of the Revised Statutes of the United States and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines",

approved March 20th, 1895 and amended March 2d, 1899.

Dated and posted on the ground this 4th day of June, 1901. GEORGE A. TREADWELL MINING CO.

Witness, D.H.McDonald.

Filed and recorded at request of E.D. Treadwell, August 10", A.D.1901 at 12:55 o'clock P.M. Book 59 of Mines, page 461, Records of Yavapai County, Arizona.

P.J. Farley, County Recorder. (Seal)

By C.R. Dicus, Deputy Recorder.

基注京茶菜菜菜菜菜菜菜菜菜菜菜菜菜菜菜菜菜菜

Territory of Arizona,

SS:

County of Yavapai, 1 I, P.J. Farley, County Recorder in and for the County of Yav-apai, Territory of Arizona and custodian of the recoms thereof, do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the notice of losion of the "Demend" mining claim as the same appears of record in
my office in Book 59 of Mines, page 461, Records of Yavapai County,

In Witness Whereof, I have bereunto set my hand and affixed my official seal this 11th day of September, A.D.1901.

County Recorder, '

NOTICE OF MINING LOCATION.

Lode Claim.

To all whom it may concern; This mining claim, the name of which is the Hubbard Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposite, was entered upon and located for the purpose of exploration by George A. Treadwell Mining To. the undersigned, on the 4th day of June, 1901.

The length of this claim is fifteen hundred feet and we claim fourteen hundred feet in a southerly direction and one hundred feet in a northerly direction from the center of the discovery shaft, at Which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds on each side of the center of said claim. The general course of the lode deposit and premiser is from the north to the south.

The claim is situated and located in the Big Bug Mining Dist-

rict, in Yavapai County, in the Territory of Arizona, and about 12 miles in a north easterly direction from the Boggs smelter.

The surface boundaries of the claim are marked upon the ground as follows; Beginning at a monument at a point in a northerly direction one hundred feet from the discovery shaft (at which this notice is posted) being the center of the north end line of said claim; thence west 300 feet to a monument being the Newest corner of said claim; thence south 750 feet to a monument at the center of the west side line of said claim; thence south 750 feet to a monument being at the G.west corner of said claim; thence east 300 feet tou a monument at the center of the south end of said claim; thence east 300 feet to a monument being at the S. east corner of said claim; thence north 750 feet to a monument being at the center of the east side line of said claim; thence north 750 feet to a monument at the Meast corner of said claim; thence west 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII of the Revised Statutes of the United States and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines",

approved arch 20th, 1895 and amended March 2d, 1839.

Dated and posted on the ground this 4th day of June, 1901. GEORGE A.TREADWELL MINING CO.

Jibness D. H. McDonald.

Filed and recorded at request of E.D. Treadwell, August 10", A. D. 1901, at 12: 55 o'clock P.M. Book 59 of Mines, page 462, Records of Yavapai County, Arizona.

P.J.Farley, County Recorder.

(Seal) By C.R.Dicus, Deputy Recorder.

*** 治疗 治療治疗治療治療療療療療療療療療療療療

Territory of Arizona,

County of Yavapai,

I, P.J. Farley, County Recorder in and for the County of Yav-apai, Territory of Arizona, and custodian of the records thereof, do hereby certify that I have compared the above and foregoing with and the same is a full, true and correct copy of the notice of location of the "Hubbard" mining claim, as the same appears of record in my office in Book 59 of Mines, page 462, Records of Yavapai County, Arizona.

In Witness Whereof I have hereunto, set my hand and affixed my official seal this 11th day of pentymber, A.D.1901.

> County Recorder.

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

| Thours, aryona. |
|--|
| May, 9 th, 1902 |
| I, U. S. Surveyor General for Wist of arryona, |
| do hereby certify that the foregoing and hereto attached Field Notes and Return of the |
| Survey of the Mining Claim of Leorge a Truadwell |
| Mining Co. |
| known as the |
| Iron Juen, Iron King, Vimind, Vailly, Hubbard, Logar, Putman, and martin lodes |
| situate in mining district, |
| Yavapai County, aryona |
| in Section approx, Township No. 12 N, Range No. 1 East |
| , designated as Survey No. /6 3 3 |
| executed by William H. Murritt , U. S. Deputy Mineral |
| Surveyor, Fel. 4-6 a, 1902, under my instructions dated |
| January 23 25, have been critically examined and the |
| necessary corrections and explanations made, and the said Field Notes and Return, and |
| the Survey they describe, are hereby approved. A true copy of the copy of the location |
| certificate filed by the applicant for survey is included in the field notes. |
| U. S. Surveyor General for ariyona |
| U. S. Surveyor General for ariyona. |
| |

LARGE MAP INSERT

Demend, Logg. Iron King. S. 4. 45 E. M. S. Shaft. Iron N80°34W Hubbard Dailey Scale 300ft To. One Inch.