

MS.

0

1

6

3

6

MINERAL SURVEY NO. 1636

Claims	M & B Desc.	Improvements	Loc. Notices
Alma	4	1	8
Carlo	24	3	3
Irish Girl	14	4	1
Little Giant	17	3	7
Molly	8	2	4
Moscow	6	2	10
New Year Test	1	1	6
Pearl	12	3	5
Why Not	20	2	9
Wonder	10	3	2

(4-683.)

Mineral Survey No. 1636

Lot No.

Prescott

Land District.

FIELD NOTES

OF THE SURVEY OF THE MINING CLAIM OF

W. P. Rice

KNOWN AS THE

New Year Test, Alma, Moscow, Molly, Why Not, Carlo, Wonder
Pearl, Little Giant and Irish Girl beds, Hassayampa

Mining District,

Yavapai

County,

Arizona

Section 25 + 36 Township 13 N Range 2 W

Surveyed under instructions dated Feb. 1st 1902.

by A. B. Mader

U. S. Deputy Mineral Surveyor.

Claim located See location notices - 1

Survey commenced Feb. 18th 1902. 1

Survey completed Feb. 22nd 1902. 1

o 6-100

E. M. Sanford

Attorney

Prescott A. J.

PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

WE, Allen Jones and J. C. Nolan, do solemnly swear that we will well and faithfully execute the duties of chain carriers; that we will level the chain upon even and uneven ground and plumb the tally-pins, either by sticking or dropping the same; that we will report the true distance to all notable objects, and the true length of all lines that we assist in measuring, to the best of our skill and ability, and in accordance with instructions given us, in the survey of the Mining Claim of W. P. Rice

....., known as the Moscow group of mines situate in Stassayampa mining district, Yavapai County, Arizona in Section 26+36, Township No. 13, Range No. 2 W.

Allen Jones, Chainman.
J. C. Nolan, Chainman.

Subscribed and sworn to by the above-named persons before me this 18 day of February, 1902
May Cham 4th Dist 3, 1905
W. S. Campbell
County Clerk

I, Allen Jones, do solemnly swear that I will well and truly perform the duties of axeman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of W. P. Rice

known as the Moscow, more fully described in the preceding affidavit.
....., Axeman.

Subscribed and sworn to by the said before me this day of, 18 ..

I,, do solemnly swear that I will well and truly perform the duties of flagman, in the establishment of corners and other duties, according to instructions given me and to the best of my skill and ability, in the survey of the Mining Claim of

known as the, more fully described in the preceding affidavit.
....., Flagman.

Subscribed and sworn to by the said before me this day of, 18 ..

New Year Test.

Feet

SURVEY NO. 1636

Beginning at cor. No. 1, identical with corner of the location, and with corners 1, 2, 2 of the Alma, Wonder, and Molly claims of this Survey;

A pine post 4"x4"x5 feet, set six inches in ground to bed rock, and surrounded by mon. of stones 1 1/2 ft. base and 2 1/2 feet high, scribed 1 N.Y.T. 1636;

WHENCE: the corner to Secs. 25, 26, 35, and 36 of Tps. 13 N., R. 2 W., G. & S.R.M., brs. S. 82°39' W. 3630 feet.

A spruce tree 30 in. in diameter brs. N. 8°52' W. 40.5 feet, scribed B.T. 1-A. 1636;

A pine tree 12 in. in diameter brs. S. 60°15' W. 30.5 feet, scribed B.T. 2-M-1636;

Thence South 6°3' W.

459.7 Intersect sec. line between sec's 25 and 36 at N 89°53' E 3551.4' from cor. of Secs 25, 26, 35, 36 and
720 Cross trail, bearing S.W. and N.E. S 89°53' W 1728.6' from cor. of Secs, 25, 30, 31, 36.

1235 Cross Mirabile Gulch 10 feet wide, course N.W. brs. S.E.

1260 Cross road, course N.W. and S.E.

1488 To corner No. 2

Identical with corner of location, and with cor. No. 3 of the Molly Lode of this Survey;

A pine post 4"x4"x5 feet long set 8 in. in ground to bed rock, and surrounded by mon. of stones 1 1/2 ft. base by 2 1/2 ft. high, scribed 2 N.Y.T. 1636;

An oak 8 in. in diameter brs. N. 15°20' W. 24 1/2 ft, scribed B.T. 2 N.Y.T. 1636;

An oak 7 in. in diameter brs. N. 36°20' E. 33 ft, scribed B.T. 2 N.Y.T. 1636;

Thence South 89°22' E.

285 Cross gulch four feet wide, course N. to Mirabile Gulch 40'

300 To S.C.E.

Identical with location;

A pine post 4" x 4" x 5 feet set 10 in. in ground to bed rock, and surrounded by mon. of stones 1 1/2 ft. base by 2 1/2 ft. high, scribed S.C.E. N.Y.T. 1636;

Feet

An oak 6 " in diameter bears N.50° 5' W. 24.3',
scribed B.T., S.C.E., N.Y.T. 1636;

No other bearings available.

320 Cross road, bears N.W. and S.E.

340 Cross Mirabile Gulch, 8 ft. wide, course N.E. and S.W.

600 To corner No. 3

I dential with corner of location;

A pine post 4"x4"x5 feet set 10 in. in ground sur-
rounded by mon. of stones 1 1/2 ft. base by 2 1/2 ft.
high, scribed 3 N.Y.T. 1636;

A pine 10" diameter bears N. 78°10' W., 34',
scribed B.T. 3, N.Y.T., 1636;

An oak 5" diameter bears N. 72°50' E. 19',
scribed B.T. 3, N.Y.T. 1636;

T h e n c e North 6°3' E.

570 Cross ravine 2 feet wide, course S.W. brs. N.E.

812.3 Intersect line 2-3 Dora Lode, Survey No. 1549 at N.78°
45' E. ~~643~~ feet from corner No. 2;

880 Top of hill

1036.9 Intersect Sec. line at N 89° 53' E, 4152.2' from Cor. of Sec's 25, 26, 35, 36 and S 89° 53' W, 1127.8' from the Cor. of Sec's 25-30-31-36.

1318.7 Intersect line 1-2 of Dora Lode, Survey No. 1549 at
N.12°43' E., 529.1' from corner No. 2;

1488.7 To corner No. 4

Identical with corner of location and with corner No. 4
of the Alma Claim of this Survey;

A pine post 4"x4"x5 feet set 8 in. in ground to bed
rock and surrounded by mon. of stones 1 1/2 ft. base
by 2 1/2 ft. high, scribed 4 N.Y.T. 1636;

An oak 10 in. in diameter brs. N. 11°50' W., 34 ft.
scribed B.T., 4 A-1636;

An oak 6 in. in diameter brs. N.69°20' E. 45 feet,
scribed 4 N.Y.T. 1636 B.T., on the bottom;

T h e n c e North 89°22' W.

- 45 Cross ravine 2 feet wide, course W bears E.
 300 To N.C.E.
 Identical with location and with S.C.E. of the Alma and
 is point of discovery of New Year Test and Alma Claims;
 A pine post 4"x4"x5 feet set 10 in. in ground to bed
 rock, and surrounded by mon. of stones 1 1/2 ft. base by
 2 1/2 ft. high and scribed N.C.E. N.Y.T. 1636;
 An oak 8" in diameter hrs. S.51°15' W., 5' scribed
 B.T. N.C.E. N.Y.T: 1636;
 An oak 7" diameter, bears N.64°50' W., 6'5",
 scribed B.T., S.C.E. A. 1636;
- 360 Cross trail in gulch, course N. and S., gulch 3 feet wide
 Course N.W. bears South;
- 600 To place of beginning;
 The variation at all corners is 14° East.

L o c a t i o n .

This claim is located in the Hassayampa Mining
 District, Yavapai County, Arizona, in Sections 25 and 36
 of Township 13 North, R. 2 W.

A d j o i n i n g C l a i m s .

On the North, Alma Lode of this Survey
 On the East, Dora Survey No. 1549
 On the South Excelsior Claim, unsurveyed
 On the West, Molly Claim of this Survey.

L e d g e s .

The course and length of the ledge on the New
 Year Test Lode is from the N.C.End to the S.C.E.
 1488.7 feet, and is traceable by croppings.

Feet

SURVEY NO. 1636.

Beginning at corner No. 1,

Identical with corner of location and corners 1, 2-2

of New Year's Test, Molly, and Wonder Claims, this survey.

Connecting Cor. to Sec. line, heretofore described.

A pine post 4 x 4 x 5 feet

T h e n c e North 5°31' W.

- 295 Cross Groom Creek, 15 feet wide, course S.W., brs. N.E.
 310 Cross road, course S.W. and N.E.
 980 Cross ravine 2 feet wide, course S.W. brs. N.E.
 1000 Cross road, course S.W. and N.E.
 1330 To corner No. 2

Identical with corner of location and corners 1-3 of
 Moscow and Wonder Claims of this Survey;

A pine post 4x4x5 feet set 8 in. in ground to bed
 rock and surrounded by mon. of stones 1 1/2 ft. base
 and 2 1/2 ft. high, and scribed 2-A-1636;

A juniper 13 in. in diameter brs. S.31°50' W. 51
 feet, scribed B.T. 2 A-1636;

An oak 14 in. in diameter brs. S.70°45' E. 13.2 ft.
 scribed B.T. 3 W-1636;

T h e n c e South 89°22' E.

- 300 To N.C.E.

Identical with the location and with S.C.E. of Moscow/Claim

A pine post ~~4x4~~5 feet set 8 " in ground to bed rock
 surrounded by mon. of stones 1 1/2 ft. base and 2 1/2 ft.
 high, and scribed N.C.E. A-1636;

An oak 16" in diameter brs. S.79°E. 27 feet,
 scribed B.T. N.C.E. A.-1636;

An oak 6 in. in diameter brs. N.19°40' W., 28 feet
 scribed N.C.E. A.-1636;

- 470 Cross ravine 3 feet wide, course S., brs. N.
 500 Cross ravine 4 feet wide, course S.W., brs. N.E.
 600 To corner No. 3

Identical with corner of location and with corner 2 of Moscow Claim;

A pine post 4"x4"x5' set 6" in ground to bed rock surrounded by mon. of stones 1 1/2' base by 2 1/2' high and scribed 3 A-1636;

An oak 12 in. in diameter brs. N.84°10' E. 29 feet scribed B.T. 3 A-1636;

An oak 14" in diameter brs. S45°20' W.83 feet and scribed B.T. 3 A-1636;

T h e n c e South 5°31' E.

- 485 Cross road, brs. S.W. and N.E.
 500 Cross Groom Creek, 15 feet wide, course S.W. bears E.
 1310 Cross gulch 2 feet wide course W. bears E.
 1330 To corner No. 4

Identical with corner of location and with corner No. 4 of the New Year Test of this Survey;

T h e n c e North 89°22' W.

- 300 To S.C.E.
 Identical with the location and with N.C.E. of New Year Test, and is discovery point of the Alma Lode;
 600 To place of beginning.

The variation at all corners is 14° East.

L o c a t i o n .

This claim is located in Hassayampa Mining District Yavapai County, Arizona, in Sec. 25, T.13 N., R. 2 W.

A d j o i n i n g C l a i m s

On the North, Moscow Lode of this Survey
 On the East, millsite, name unknown, unsurveyed
 On the South New Year Test Lode of this survey
 On the West, Wonder Lode of this Survey.

L e d g e s .

The course and length of the ledge on the Alma Claim is from N.C.E. to S.C.E., 1330' and is traceable by croppings.

M o s c o w

Feet

SURVEY NO. 1636

Beginning at corner No. 1,
Identical with corner of the location and with corners
2-3 of Alma and Wonder Lodes of this Survey;

A pine post 4"x4"x5'

WHENCE: the corner to Sections 25,26,35,36, Tps.
13 and 12 N., R. 2 W., G.& S.R.M. brs. S.62°44' W.3904'.

T h e n c e South 89°22' E.

300 To S.C.E.

Identical with location and with N.C.E. of Alma Lode of
this survey, and is point of location of this claim.

A pine post 4"x4"x5'

600 To corner No. 2,

Identical with corner of location and with corner No.3
of the Alma Lode.

T h e n c e North 9°15' W.

450 Cross ravine 3 feet wide, course S. bears N.E.

1241 To corner No. 3,

Identical with corner of location;

A pine post 4"x4"x5 feet set 8 in. in ground to
bed rock, surrounded by mon. of stones 1 1/2 ' base by
2 1/2' high, and scribed 3 M 1636;

An oak 7" in diameter brs. S.39°30' W. 37',
scribed B.T. 3 M-1636;

An oak 6" in diameter brs. S.73°30' E.,14',
scribed B.T. 3 M-1636;

T h e n c e North 89°22' W.

300 To N.C.E.

Identical with the locati on;

A pine post 4"x4"x5' set 7" in ground to bed rock
surrounded by mon. of stones 1.5' base by 2.5'high,
scribed N.C.E., M-1636;

A pine 32 in. in diameter brs. S.53°30' E. 75 feet
scribed B.T. N.C.E. M. 1636;

A pine 28" in diameter brs. S.59° W. 36.3 feet
scribed B.T. N.C.E. M. 1636;

600 To corner No. 4

Identical with corner of location;

A pine post 4"x4"x5" set 7 " in ground to bed rock
surrounded by mon. of stones 1.5' base by 2.5' high,
scribed 4 M 1636;

An oak 8" in diameter brs. S. 82° E. 30', scribed
B.T. 4 M.-1636;

An oak 10" in diameter brs. S.57° W., 22 '
scribed B.T. 4 M.-1636

T h e n c e South 9°15' E.

1241 To the place of beginning.

The variation at all corners is 14° East.

L o c a t i o n .

This claim is located in Hassayampa Mining District,
Yavapai Co., Arizona, in Sec. 25, T.13N., R.2W., G. & S.R.M.

A d j o i n i n g C l a i m s .

On the North, Keystone Lode, unsurveyed;

On the East, Stemwinder Lode, unsurveyed;

On the South, Alma Lode of this Survey

On the West, unknown claim, unsurveyed.

L e d g e s .

The course and length of the ledge on the Moscow
Claim is from N.C.E. to the S.C.E., 1241 feet.

M o l l y L o d e

Feet

SURVEY NUMBER 1636

Beginning at corner No. 1

Identical with corner of the location, and with corners 1 and 4 of the Wonder and Pearl Claims of this Survey.

A pine post 4"x4"x5' set 8 in. in ground to bed rock, surrounded by mon. of stones 1.5 ft. base by 2.5' high and scribed 1 M-1636;

WHENCE: Corner to Sections 25, 26, 35, 36, Tps. 13 N.R. 2 W., G. & S.R.M. bears S 81°40' W., ~~3234.2~~ feet.

A pine tree 15 in. in diameter bears N.44° E. 22' scribed B.T. 1 M.1636. No other bears available.

T h e n c e S. 89°22' E.167.16 Intersect line 2-3 of Irish Girl Claim, this Survey, at 126² ft., S. 7°35' E. to corner No. 2;

200 To the N.C.E.

Identical with location and with the S.C.E. of the Wonder Lode, and is initial mon. of the Molly Lode;

A diorite stone 8" x10" x14" set 6" in ground scribed N.C.E. M.-1636; alongside mon. of stones 1.5' base by 2.5' high; no bears available.

400 To corner No. 2;

Identical with corner of the location and with corners No. 1-1-2 of the New Year Test, Alma, and Wonder Claims of this Survey.

459.7 *Intersect Section line between Secs 25 and 36, intersection described in notes of New Year Test Lode*
1488.7 To corner No. 3;

Identical with corner of location and with corner No. 2 of New Year Test Lode;

T h e n c e N. 89°22' W.

150 To the S.C.E.

Identical with the location.

A diorite stone 10"x3 1/2"x14" set 5" in ground to bed rock, and chiseled S.C.E. M.-1636; alongside a mon. of stones 1.5' base by 2.5' high;

Feet An oak 14" in diameter bears S. 59°W. 8.7 feet,
 scribed S.C.E. M.-1636;
 300 To corner No. 4;
 Identical with corner of the location and with corner
 No. 3 of the Pearl Lode of this Survey;
 A pine post 4"x4"x5' set 6" in ground to bed rock
 surrounded by a mon. of stones 1.5' base by 2.5' high
 and scribed 4 M.-1636;
 An oak 10" in diameter brs. N. 86°45' W. 8.2 feet
 scribed B.T. 3 P. 1636
 An oak 12" in diameter brs. N. 14°38' E. 15.5 feet
 scribed B.T. 4 M.-1636;
Thence N. 2°12' E.
 490 Cross road, bears N.W. and S.E.
 550 Cross Mirabile Gulch, 10 feet wide, Course W.brs. S.E.
 590 Cross ravine 3 feet wide, course S.W.
 610 Cross trail, course S.W. and N.E.
 1020 *Intersect sec. line at N89°53'E 3182.2' from cor. of Secs 25-26-35-36 and S89°53'W 2097.8'*
 1261.76 *from cor. of Secs 25-30-31-36.*
 Intersect line 1-2 of Irish Girl Lode at S.64°2'W
 213.89 feet from corner No. 2
 1482.6 To corner No. 1, the place of beginning.

The variation at all corners is 14° E.

Location

This claim is located in Hassayampa Minind District, Yavapai County, Arizona, in Sec. 25 and 36, T.13 N., R. 2 W.

Adjoining Claims

- On the North, Wonder & Irish Girl Claims
- On the East, New Year Test Lode
- On the South, Xyster Fraction, unsurveyed
- On the West, Pearl of this Survey

Ledges

The course and length of the ledge on the Molly Lode is from the S.C.E. to the N.C.E., 1485 feet.

W o n d e r

Feet

SURVEY NO. 1636

Beginning at Corner No. 1;

Identical with corner of the location, and with corners

No. 1-4 of the Molly and Pearl Lodes of this Survey

*Connecting Cor. to Sec. Line, heretofore described.*Thence S. 89°22' E.

200

To the S.C.E.;

Identical with the location, and with the N.C.E. of Molly Lode;

400

To corner No. 2;

Identical with the corner of location and with corners 1-1-2 of the Alma, New Year Test, and Molly Lodes of this Survey;

Thence N. 5°31' W.

1330

To corner No. 3;

Identical with the corner of location and with corners No. 1-2 of the Moscow and Alma Lodes;

Thence N. 89°22' W.

75

To N.C.E.;

Identical with the location;

A diorite stone 8"x7"xl2" set 6" in ground and chiseled N.C.E. W.-1636;

No bears available;

150

To corner No. 4;

Identical with corner of the location;

A pine post 4"x4"x5' set 7" in ground to bed rock surrounded by mon. of stones 1.5' by 2.5' high, scribed 4 W.-1636;

A juniper 32" in diameter bears S. 1°30' E. 18.5 feet, scribed B.T. 4 W.-1636;

No other bears available;

Thence S. 5°17' W.

570

Cross road, bears N.E. and S.W.

590

Cross creek 3 feet wide, course S.E. bears N.E.

- 622.33 Intersect line 4-3 of the Irish Girl Lode, at S. 64°
 $2'$ West 8.98 feet from corner No. 3;
 1060 Cross road, bears E. and W.
 1120 Cross Groom Creek, 15 feet wide, course W. bears E.
 1327 To the place of beginning

The variation at all corners is 14° East

Location

This claim is located in the Hassayampa Mining District, Yavapai County, Arizona, in Section 25, T. 13 N., R. 2 W., G. & S.R.M.

Adjoining Claims

On the North, the Why Not Claim of this Survey
 On the East, the Alma Claim
 On the South by the Molly;
 On the West by the Irish Girl and The Why Not
 Claims, all of this Survey.

Ledges

The course and length of the ledge on the Wonder Claim is from the S.C.E. to the N.C.E., ^{1321.5}~~1302~~ feet.

P e a r l L o d e

Feet

SURVEY NUMBER 1636

Beginning at corner No. 1;

Identical with corner of location;

A pine post 4"x4"x5' set 8" in ground to bed rock and surrounded by mon. of stones 1.5' base by 2.5' high, scribed 1 P.-1636;

WHENCE: Corners of Section 25, 26, 35, 36, in T.13

N., R. 2 W., G. & S.R.M. bears S80°15' W., 2797 feet.

An oak 6 in. in diameter bears S. 9°25' W. 11.5' scribed B.T. 1 P.-1636;

No other bears available;

T h e n c e S. 8°14' East

412 To corner No. 1 of the Irish Girl Lode of this Survey
 472.37 *Intersect sec. line at N 89°53' E 2822.5' from cor. of sec's 25-26-35-36 and S 89°53' W 2457.5' from cor. of sec's 25-30-31-36.*
 618 To corner No. 4 of Little Giant Lode of this Survey, and

corner No. 2 of the Ninety-Five Lode, Survey No. 1567;

950 Cross Groom Creek, 15 feet wide, course W. bears E.

965 Cross road, course W. and E.

1125 Cross ravine 2 feet wide, course N.W. bears S.E.

1500 To corner No. 2;

Identical with corner of location;

A pine post 4"x4"x5' set 10" in ground to bed rock surrounded by mon. of stones 1.5' base by 2.5' high, scribed 2 P.-1636;

An oak 8" in diameter bears N.65°40' E., 23 feet, scribed B.T. 2 P.-1636;

An oak 7" in diameter bears N. 73°45' E., 27.5' scribed B.T. 2 P.-1636;

T h e n c e South 89°22' E.

170 To corner No. 3;

Identical with corner of the location and with corner No. 4 of the Molly Lode of this Survey;

T h e n c e N. 2°12' E.

1020 *Intersect section line between sec's 25 and 36, intersection described in the notes of the Molly Lode*
 1482.6 To corner No. 4;

1261.76 *Intersect line 1-2 Irish Girl at N. 64°2' E. 416.11 ft. from cor. no. 1.*

1482.6 To cor. no. 4.

Identical with corner of location and with corners 1-1 of the Wonder and Molly Lodes;

Thence N.89°22' W.

218 Cross ravine, 2 feet wide, course N. bears S.

220.8 To N.C.E.

Identical with the location and is the initial monument

A mon. of stones 1.5' base by 2.5' high;

No bearings available.

436.88 Cross line 4-1 of Irish Girl Lode at N.7°35' W. 411.3 feet from corner No. 1;

441.6 To the place of beginning.

The variation at all corners is 14° East.

Location.

This claim is located in Hassayampa Mining District, Yavapai County, Arizona, in Section 25 and 36 of Tps.

13 N., R. 2 W., G. & S.R.M.

Adjoining Claims.

On the North, Irish Girl Lode

On the East, Molly Lode

On the South, Xyster Fraction, unsurveyed

On the West, Ninety-five Lode, Survey No. 1567

and Little Giant Lode of this Survey.

Ledges.

The course and length of the ledge on the Pearl Claim is from the N.C.E. S. 2°30' E. 775 feet to the discovery shaft; thence, S. 8°55' E. 715 feet to corner No. 3.

I r i s h G i r l

Feet

SURVEY NO. 1636

Beginning with corner No. 1;

Identical with the corner of locati on;

A pine post 4"x4"x5' set 6" in ground to bed rock, surrounded by mon. of stones 1.5' base by 2.5' high, scribed 1 I.G. 1636;

WHENCE the corner to Sections 25, 26, 35, 36 in Tps. 13 N., R. 2 W., G. & S.R.M., bears S. 88°40' W. 2814.6 feet;

A pine 24" in diameter brs. N.87°20' E., 2 feet scribed 1 I.G.-1636, B.T.,

No other bears available;

T h e n c e North 64°2' E.

315 To S.C.E.

Identical with the locati on;

A pine post 4"x4"x5' set 10" in ground to bed rock surrounded by mon. of stones 1.5' base by 2.5' high, scribed S.C.E. I.G. 1636;

An oak 7" in diameter brs. S.12° E. 2.8', scribed B.T., S.C.E. I.G., 1636;

An oak 6" in diameter brs. N. 85°20' E., 5.5' scribed B.T., S.C.E., I.G., 1636;

416.11 Intersect line 4-1 of the Molly Lode of this Survey

505 Cross ravine 2 feet wide, course N. bears S.

630 To corner No. 2;

Identical with corner of the location;

A pine post 4"x4"x5' feet set 6" in ground to bed rock and surrounded by a mon. of stones 1.5' base by 2.5' high, scribed 2 I.G., 1636;

An oak 17" diameter bears N.82°40' W., 45', scribed 2 I.G. 1636, B.T.

No other bears available.

T h e n c e N. 7°35' W.

- 126.28 Intersect line 2-1 of the Molly Lode of this Survey
 370 Cross Groom Creek, 15 feet wide, course W. brs. N.E.
 410 Cross road, bears E. and W.
 840 To corner No. 3;

Identical with corner of location;

A pine post 4"x4"x5' set 8" in ground to bed rock and surrounded by a mon. of stones 1.5' base by 2.5' high, and scribed 3 I.G., 1636;

A juniper 6 feet in diameter brs. S.89°15' W.
 37.3 feet, scribed B.T. 3 I.G. 1636;

No other bears available;

T h e n c e South 64°2' West

- 8.98 *Intersect line 4-1 of Wonder Lode at N5°17' E, 704.67 from Cor. N^o1.*
 15 Cross gulch diagonally, 2 feet wide, course S.W. brs. N.E.
 120 Cross road diagonally, brs. S.W. and N.E.
 315 To N.C.E.;

Identical with the locati on;

A pine post 4"x4"x5' feet set 10" in the ground to bed rock, surrounded by a mon. of stones 1.5' base by 2.5' high, and scribed N.C.E., I.G.1636;

A pine 18" in diameter brs. N. 66°22' E. 54.3' scribed B.T., N.C.E., I.G., 1636;

No other bears available;

- 630 To corner No. 4;

Identical with corner of the location .

A pine post 4"x4"x5' set 8" in ground to bed rock, surrounded by mon. of stones 1.5' base by 2.5' high, and scribed 4 I.G., 1636;

An oak 14" diamater brs. N.18°5' W., 10.5 feet; scribed B.T. 4 I.G. 1636;

No other bears available.

T h e n c e South 7°35' East

- 125 Cross road bears E. and W.
 140 Cross Groom Creek 15 feet wide, course W. bears E.
 421.23 Intersect line 1-2 Why Not Claim;
 428.7 Intersect line 4-1 Pearl Lode
 840 To the place of beginning

The variation at all the corners is 14° East.

L o c a t i o n .

This claim is located in Hassayampa Mining District, Yavapai County, Arizona, in Section 25, T. 13 N., R. 2 W., G. & S.R.M.

A d j o i n i n g C l a i m s .

On the North the Why Not Lode
 On the East, the Wonder Lode
 On the South the Pearl and Molly
 On the West the Little Giant, all of this Survey.

L e d g e s .

The course and length of the ledge on the Irish Girl Claim is from the S.C.E. to the N.C.E., 840 feet.

Little Giant Lode

Feet.

SURVEY NO. 1636.

Beginning at corner No. 1;

Identical with corner of the location, and with corner No. 1 of the Ninety-five Lode of Survey No. 1567.

A pine post 4"x4"x5" set 10" in ground to bed rock, and surrounded by a mon. of stones 1.5' base by 2.5' high, scribed 1 L.G. 1636;

WHENCE: corner to Sec. 25, 26, 35, 36, Tp. 13 N., R. 2 W., hrs. N. 85°07' W. 2257.7 feet.

An oak tree, 7" diameter, bears S.44°49' W. 16 feet scribed B.T. 1 N.F., 1567;

An oak tree 12" diameter bears S.70° 11' E., 23.5' scribed B.T., 1 N.F., 1567;

No other bearings available.

T h e n c e N. 8° 14' W.

101.5 Intersect Line 2-1 of Douglas No. 2 Lode, Survey No. 1569,

at N. 77°55' W. 61. feet from corner No. 1.

198.34 *Intersect section line at N 89° 53' E. 2224.4 feet from cor. of sec's 25-26-35-36 and*
625 To corner No. 2; *S 89° 53' W 3655.6' from cor. of sec's 25-30-31-36.*

Identical with corner of location;

A pine post 4"x4"x5" set 12" in ground and surrounded by a mon. of stones 1.5' base by 2.5' high, and scribed 2 L.G. 1636;

An oak 9" in diameter bears N.34°35' E. 8 feet scribed B.T. 2 L.G.-1636;

An oak 7" in diameter bears N. 60° 42' E. 11.3 feet scribed B.T. 2 L.G.-1636;

T h e n c e N. 84°49' E.

123.6 To corner No. 1 of the Why Not Lode of this Survey

206 Cross line 4-1 of the Douglas No. 2 Lode, Survey No. 1569 at N.7°19' E., 554 feet from corner No. 1;

300 To N.C.E.;

Identical with the location;

A pine post 4"x4"x5" set 8" in ground to bed rock surrounded by mon. of stones 1.5' base by 2.5' high, scribed N.C.E., L.G. 1636;

An oak 14" in diameter hrs. S.60°20' E. 4 feet, scribed B.T., N.C.E., L.G. 1636;

No other bears^{ays} available.

463.6 To the S.C.E. of the Why Not Claim

475 Cross Ravine 2 feet wide, bears N. and S.

600 To corner No. 3;

Identical with corner of location;

A pine post 4"x4"x5" set 10" in ground to bed rock and surrounded by a mon. of stones 1.5' base by 2.5' high, scribed 3 L.G.-1636;

An oak 10" in diameter bears N.78° E. 14 feet, scribed B.E. 3 L.G. 1636;

No other bears^{ays} available;

T h e n c e South 8°14' E.

7 To corner No. 1 of the Pearl Lode of this Survey

419 To corner No. 1 of the Irish Girl Lode of this Survey

479.37 *Intersect Section line between sec's 36 and 25.*

625 To corner No. 4

Identical with the corner of location and with corner

No. 2 of the Ninety-five Lode, Survey No. 1567;

A pine post 4"x4"x5" set 10" in the ground to bed rock, surrounded by mon. of stones 1.5' base by 2.5' high, and scribed 4 L.G.-1636;

A pine tree 14" diameter bears N.87°30' E., 36.6' scribed B.T. 2 N.F. 1567;

A pine tree 24" diameter bears N.60°49' W., 51' scribed B.T. 2 N.F. 1567;

No others bears^{ays} available.

T h e n c e South 84°49' W.

240 Cross road bears N. and S.

300 To S.C.E.

Identical with the location and with N.C.E. of the Ninety-five Lode of Survey No. 1567;

A pine post 4"x4"x5" set 8 in. in ground to bed rock and surrounded by mon. of stones 1.5' base by 2.5' high, scribed S.C. L.G. 1636;

No bearings available.

- 480 Cross road, bears N.W. and S.
 510 Cross Mirabile Gulch, 5 feet wide, course N.W. Brs. S.
 600 To the place of beginning.

L o c a t i o n .

This Claim is located in Hassayampa Mining District, Yavapai County, Arizona, in Section 25, and 36 of T. 13 N., R. 2 W., G. & S.R.M.

A d j o i n i n g C l a i m s .

On the North the Why Not Claim
 On the East the Irish Girl and Pearl Lodes
 On the South, the Ninety-five Lode, Survey No. 1567
 On the West Douglas No. 2 Lode, Survey No. 1569.

L e d g e s .

The course and length of the ledge on the Little Giant Claim is from the N.C.E. to the S.C.E., 625 feet; and is traceable by croppings.

W h y N o t

20

Feet

SURVEY NO. 1636

Beginning at corner No. 1

Identical with corner of the location

A pine post 4"x4"x5' set 10" in ground to bed rock surrounded by mon. of stones 1.5' base by 2.5' high, scribed 1 W.N. 1636;

WHENCE: The corner to sections 25, 26, 35, 36, Tpx. 13 ~~and 12~~ N., R. 2 W., G. & S.R.M., bears S. 79°08' W. 2321.5 feet.

An oak 9" in diameter bears S. 55°30' E. 13.5' scribed B.T. 1 W.N. 1636;

An oak 12" in diameter bears N. 41°10' E. 22 feet scribed B.T. 1 W.N. 1636;

T h e n c e N. 84°49' E.

82.4 Intersect line 4-1 of the Douglas No. 2 Lode Survey No. 1569 at 786 feet S. 7°19' W. from corner No. 4;

176.4 To N.C.E. of Little Giant Lode of this Survey

340 To S.C.E.,

Identical with location

A pine post 4"x4"x5' set 8 in. in ground to bed rock and surrounded by a mon. of stones 1.5' base by 2.5' high, scribed S.C.E. W.N. 1636;

An oak 6 in. in diameter bears N. 38°10' W., 10.7 feet, scribed B.T. S.C.E. W.N. 1636;

No other bears available.

476.4 To corner No. 3 Little Giant Lode
481.6 Intersect line 4-1 Irish Girl lode at N7°35' W 418.77 from Cor. 1.
680 To corner No. 2,

Identical with corner of location;

A pine post 4"x4"x5' set 8 in. in ground to bed rock, surrounded by a mon. of stones 1.5' base by 2.5' high, scribed 2 W.N. 1636;

An oak 12 in. in diameter bears N. 32°20' W. 9 feet, scribed B.T. 2 W.N.-1636;

No other bears available.

Feet	<u>Thence N. 24°58' E.</u>
195	Cross Groom Creek 15 feet wide, course W. bears E.
220	Cross road, bears W. and E.
529.8	To corner No. 3, Identical with corner of the location A diorite stone 10"x6"x14" set 7" in ground to bed rock, chiseled 3 W.N. 1636; and a mon. of stones 1.5' by 3' high alongside. A pine 36" diameter bears N.19° W. 2.3 feet, scribed B.T. 3 W.N. 1636; No other bears available.
	<u>Thence N. 8°28' E.</u>
130	Cross ravine 3 feet wide, course S.W. bears N.E.
155	Cross road bears S.W. and N.E.
165.35	Intersect line 4-3 of the Irish Girl Lode, at S.64°2' W. 72.5 feet from corner No. 3;
909	To corner No. 4 Identical with corner of the location; A pine post 4"x4"x5" set 8" in ground to bed rock surrounded by mon. of stones 1.5' by 2.5' high, scribed 4 W.N. 1636; An oak 12 in. in diameter bears 55° W. 2.4 feet scribed B.T. 4 W.N. 1636; A pine 30 in. in diameter bears S.85° E. 36.3 feet scribed B.T. 4 W.N. 1636;
	<u>Thence S. 84°49' W.</u>
255	Cross ravine 1 foot wide, course S.W. bears N.E.
310	To the NORTH CENTER END. Identical with the location. A post 4"x4"x5" set 10" in ground to bed rock surrounded by mon. of stones 1.5' by 2.5' high, scribed N.C.E. W.N. 1636; A pine 30 in. in diameter bears N.89°40' E. 49.7 feet scribed B.T. N.C.E. W.N. 1636; No other bears available.

620 To corner No. 5;

Identical with corner of location; ^{is a} point on line 4-5 of Carlo Lode of this Survey at $N1^{\circ}16'W$, 546.7' from Cor. No. 5.

A pine post 4"x4"x5' set 8" in ground to bed rock surrounded by a mon. of stones 1.5' by 2.5' high, scribed 5 W.N. 1636;

A juniper 20 in. in diameter bears S. $69^{\circ}30'W$. 21 feet, scribed B.T. 5 W.N. 1636;

A juniper 34 in. in diameter bears S. $27^{\circ}10'W$. 24.5 feet, scribed B.T. 5 W.N. 1636;

Thence South $7^{\circ}58'W$.

170 Cross ravine 2 feet wide, course S.W. bears N.E.

~~Intersect line 4-5 of Carlo Claim of this Survey at $N. 1^{\circ}10'W$. 537 feet from corner No. 5;~~

712 To corner No. 6;

Identical with corner of location;

A pine post 4"x4"x5' set 8" in ground to bed rock and surrounded by mon. of stones 1.5' by 2.5', scribed 6 W.N. 1636;

A pine 24 in. in diameter bears N. $3^{\circ}30'E$. 46 feet; scribed B.T. 6 W.N. 1636;

An oak 7 in. in diameter bears S. $32^{\circ}10'E$. 26 feet scribed B.T. 6 W.N. 1636;

Thence S. $24^{\circ}58'W$.

326.56 Intersect line 6-1 of the Carlo Lode of this Survey; at S. $57^{\circ}48'W$. 539 feet from the S.C.E.

484.68 Intersect line 4-1 of the Douglas No. 2 Lode, Survey No. 1569 at S. $7^{\circ}19'W$. 551.0 feet from cor. No. 4;

750 To place of beginning;

The variations at all the corners is 14° East.

Location

This claim is located in the Hassayampa Mining District, Yavapai County, Arizona, in Section 25, T.13 N. R. 2 W., G. & S.R.M.

A d j o i n i n g C l a i m s

On the North, unknown claim, unsurveyed

On the East, the Wonder and Irish ^{Girl} Lodes of this Survey

On the South, the Irish Girl and Little Giant Lodes

On the West, the Douglas No. 2 Lode, Survey No.
1569, and Carlo Lode of this Survey.

L e d g e s

The course and length of the ledge on the Why
Not Claim is from the N.C.E. S. $8^{\circ} 13'$ W. 802 feet
thence S. $24^{\circ} 58'$ W. 650 feet to the S.C.E.; and is
traceable by croppings.

SURVEY NO. 1636
C a r l o

- Feet Beginning at corner No. 1;
Identical with corner of the location;
A pine post 4"x4"x5' set 8" in ground to bed rock and surrounded by mon. of stones 1.5' base by 2.5' high scribed 1 C. 1636;
WHENCE the corners to sections 25,26,35,36, Tp. 13 ~~and 17~~ N., R. 2 W., G. & S.R.M., bears S. 72°57' W. 2354.2';
A pine 22 in. in diameter bears S. 26°55' W., 25.5 feet, scribed B.T. 1 C-1636;
A pine 30 in. in diameter bears N. 9°E.14', scribed B.T. 1 C. 1636;
T h e n c e N. 11° 1' W.
- 271 To corner No. 2,
Identical with corner of the location;
A pine post 4"x4"x5' set 8" in ground to bed rock and surrounded by mon. of stones 1.5' base by 2.5' high, scribed 2 C.1636;
An oak 7" in diameter bears S. 45°45' W. 29 feet scribed B.T. 2 C. 1636;
No other bears available;
T h e n c e N. 1°10' W.
- 326.19 Intersect line 3-4 of the Douglas No. 2 Lode, Survey No. 1569 at S. 77°55' E. ^{23.81} feet, from the N.C.E
- 330 Cross ravine 2 feet wide, course S.W. bears N.E.
- 1016 To corner No. 3;
Identical with corner of location;
A pine post 4"x4"x5' set 6 in. in ground to bed rock, surrounded by mon. of stones 1.5' feet by 2.5' high, scribed 3 C.-1636;
A juniper 30 in. in diameter bears N. 85°50'W. 49.5 feet, scribed B.T. 3 C.1636;
A pine 17" in diameter bears S. 68° E. 54 feet scribed B.T. 3 C.-1636;

Thence N. 57°48' E.

300 To N.C.E.;

Identical with the location;

A pine post 4"x4"x5' set 8' in ground to bed rock surrounded by mon. of stones 1.5' base by 2.5' high, scribed N.C.E. C.-1636;

A pine 13 in. in diameter bears N.43°35' W. 46.7 feet, scribed B.T. N.C.E. C.-1636;

No other bears available;

600 To corner No. 4;

Identical with corner of location;

A pine post 4"x4"x5' set 12 in. in ground to bed rock, surrounded by mon. of stones 1.5' base by 2.5' high, scribed 4 C.-1636;

A pine 24 in. in diameter brs. N. 68°30' E., 14.5 feet, scribed B.T. 4 C. 1636;

No other bears available.

Thence S. 1°10' E.469.3 To COR. N^o 5 of the Why Not Lode.175 *Cross Ravine, 3 ft. wide, course S.W. bears N. E.*175
1016 To COR. N^o 5.

Identical with corner of the location

A pine post 4"x4"x5' set 8" in ground to bed rock surrounded by mon. of stones 1.5' base by 2.5' high, scribed 5 C.-1636;

An oak 16" in diameter bears S. 48° W. 39 feet, scribed B.T. 5 C.-1636;

Thence S. 11°1' E.

271 To corner No. 6,

Identical with corner of the location;

A pine post 4"x4"x5' set 6" in ground to bed rock surrounded by mon. of stones 1.5' base by 2.5' high, scribed 6 C.-1636;

A pine 15" in diameter bears S. 56°55' W. 90 feet, scribed B.T. 6 C.-1636;

No other bears available;

Thence S. 57°48' W.

300 To the S.C.E.;

Identical with point of the location;

A pine post 4"x4"x5' set 6" in ground to bed rock surrounded by mon. of stones 1.5' base by 2.5' high, scribed S.C.E. C.-1636;

No other bears available.

353.91 Intersect line 6-1 Why Not Lode

416.06 Intersect Line 4-1 Douglas No. 2 Lode, Survey No. 1569; *at S. 7°19' N, 439.87 ft. from cor. No. 4.*

600 To place of beginning.

The variation at all the corners is 14° East.

Location .

This claim is located in the Hassayampa Mining District, Yavapai County, Arizona, in Section 25, T. 13 N., R. 2 W., G. & S.R.M.

Adjoining Claims

On the North, unknown claim, unsurveyed

On the East Why Not Lode of this Survey

On the South, Why Not Lode of this Survey, and

Douglas No. 2 Lode, Survey No. 1569

On the West Douglas No. 2 Lode, Survey No. 1569,

and unknown claim, unsurveyed.

Ledges

The course and length of the ledge on the Carlo Claim is from the N.C.E. S. 1°10' E. 1016 feet to point of discovery, thence S. 11°1' E., 271 feet to S.C.E.

Expenditure of Five Hundred Dollars.

I certify that the value of the labor and improvements upon these claims, placed thereon by the claimants and their grantors, is not less than five hundred dollars per claim, and that said improvements consist of:

New Year Test Lode: Discovery Shaft No 1, 4' x 6' x 40' deep mostly timbered, bears S64°-50'E, 340 ft. from Cor. No 1 Value \$400.00
 Tunnel No 2, 3' x 6' x 130' long with an approach cut of 4' x 30' x 8' high, bears S53°-25'E, 375 ft. from Cor. No 1, Course of Tunnel is S6°W. Value \$1150.00
 Cut No 3, 4' x 30' x 10' high, bears S40°-35'E 440 ft. from Cor. No 1 Value \$200.00
 Shaft No 4, not made by claimants, 4' x 6' x 10' deep, bears S0°-55'W 590' from Cor. No 1 \$1750.00

Alma Lode: Discovery Shaft No 1, 4' x 6' x 87' deep, one half timbered, bears N27°-45'E 475 ft. from Cor. No 1 Value \$950.00
 Tunnel No 2, 4' x 6' x 150' long, with approach 4' x 15' x 7' high, bears N 25° E, 530 ft. from Cor. No 1 - Course S5°-30'E. Value \$1500.00
 Shaft No 3, 4' x 6' x 30' deep, partly timbered, bears S36° E, 600' from Cor. No 2, Val. \$250.00
 Shaft No 4, 4' x 6' x 70' deep, one half timbered, bears S44° E, 522 ft. from Cor. No 2 Value \$700, of which credit the Alma lode with \$300.00
 Tunnel No 5, 3 1/2' x 6' x 340' long with approach 4' x 18' x 10' high, bears S66°-40'E 363 ft. from Cor. No 2 Value \$3300, of which credit the Alma lode with Course of Tunnel S5°-30'E \$2900.00
 Shaft No 6, 4' x 6' x 10', bears S10°-35'W, 420' from Cor. No 3 Value \$100.00
 Shaft No 7, 3' x 5 1/2' x 50', bears S11°-25'W 458 ft. from Cor. No 3, Value \$400.00
 Shaft No 8, 3' x 6' x 50', bears N53°-30'E 310' from Cor. No 1 Value \$400.00
 Shaft No 9, 4' x 6' x 10' bears N69° E, 288 ft. from Cor. No 1 Value \$100.00

\$ 6900.00
 \$ 8650.00

Moscow Lode: Discovery Shaft N^o 1, 4' x 6' x 10', bears S 90-15' E, 4 ft. from the N. C. E. Value \$100.00

Credit the Moscow lode with a portion of the Shaft N^o 4 of the Alma lode to the value of - - - - - \$400.00 \$500.00

Molly Lode: Discovery Shaft N^o 1, 4' x 6' x 20' deep, with a drift at bottom, of 2' x 7' x 20' long to the north, bears S 110-20' E 555 ft. from Cor. N^o 1 - Value \$300.00

Tunnel & Cut N^o 2, 4' x 6' x 40' long, bears S 0-55' E, 285 ft. from Cor. N^o 1, total value \$400 of which credit the Molly lode with - - - - - \$250.00

Tunnel N^o 3, 4' x 6' x 25' long with approach 4' x 15' x 10' high, bears S 41-20' E, 100 ft. from Cor. N^o 1 Value \$250.00 \$800.00

Why Not Lode: Discovery Shaft N^o 1, 5' x 7' x 6' deep, bears S 72-45' E, 298 ft. from Cor. N^o 6 - Value \$75.00

Shaft N^o 2, 5' x 7' x 60', timbered 40', with a drift to the N 25' E of 4' x 6' x 25' long and stoped out to the surface, bears S 56' E 295 ft. from Cor. N^o 6 Value \$950.00

Shaft N^o 3, not made by claimant, 4' x 6' x 10' bears S 81-30' E 358 ft. from Cor. N^o 6.

x Tunnel N^o 4, 4' x 6' x 137' long and approach 4' x 12' x 9', bears N 11-5' W, 112 ft. from the S. C. end. Course of Tunnel is S 20' W. Value \$1375

x Cut N^o 5, 4' x 70' x 5' deep, bears N 35-25' E, 445 ft. from Cor. N^o 1, from point of location the course of cut is S 10' E 25' and N 10' W 45'. Value \$400.

Tunnel N^o 6, 3' x 6' x 15' long, bears N 30-40' E, 483 ft. from Cor. N^o 1. Value \$100.00

The whole of value of Tunnel N^o 6 and \$50.00 of value of Cut N^o 5 are to be credited to the Carlo lode, leaving for Cut N^o 5, credited to Why Not lode \$350.00

Shaft N^o 7, 4' x 6' x 35' deep, bears N 35-25' E 445 ft. from Cor. N^o 1 Value \$300.00 \$3050.00
\$13000.00

Survey No 1636

Expenditure of Five Hundred Dollars

Brk Forward
\$13000.00

Carls Lode: Discovery Shaft No 1, 4' x 6' x 25' deep,
15' timbered, bears S 61°-10' W, 294 ft. from
Cor. No 5 Value \$250.00

Shaft No 2, 4' x 6' x 10', bears S 65°-30' W, 288'
from Cor. No 5 Value \$100.00

Credit the Carls lode with the value of
Tunnel No 6 of Why Not lode (Value \$100) and
with \$50 of the value of cut No 5 of the
Why Not lode - Total Value \$150.00

500.00

Wonder Lode: Discovery Cut No 1, 5' x 16' x 7' high,
bears N 12°-30' W 323 ft. from Cor. No 2
Value \$100.00

Cut No 2, not made by claimants, 4' x 18'
x 10' high bears N 16°-30' W, 321 ft. from
Cor. No 2.

Credit the Wonder Lode with part
of value of Tunnel No 5 of the Alena
Lode to the amount of \$400.00

500.00

Pearl Lode: Discovery Shaft No 1, 4' x 6' x 15' deep
bears N 8° 55' W 715' from Cor. No 3
also drift in bottom of shaft to the North
3' x 6' x 27' long. Total Value \$350.00

Credit the Pearl lode with part of
value of Tunnel & Cut No 2 of the Molly
Lode to the amount of \$150.00

500.00

Little Giant Lode: Discovery Shaft No 1, 4' x 6' x
194', all timbered, bears N 50° E
113 ft. from the South Center End, Total
Value \$2715 of which credit the Little
Giant lode with \$2315.00

Tunnel No 2, 2' x 5' x 3' bears S 20°-45' E 95' from
the N. C. End - Val. \$10.00

Shaft No 3, 5' x 7' x 5' deep, bears S 37°-30' E
83 ft. from the N. C. End - Value \$50.00

Cut No 4, 10' x 50' x 5' deep, bears S 59° E
80' from the N. C. E, and course is S 25° W, 50'
Value \$500.00

\$14500.00

Prot Forward
\$14500.00

Little Giant Lode Cont'd:

Shaft N^o 5, 4' x 6' x 30' deep bears #
S57° E, 80 ft. from the N. C. E. Val. 300.00 3175.00

Irish Girl Lode: Discovery Cut N^o 1, 4' x 15' x 10' high,
bears N4°-15' E 160 ft. from the South
Center Exp. Value \$100.00

Credit the Irish Girl lode with a portion
of the value of the Shaft N^o 1 of the
Little Giant lode to the amount of \$400.00 500.00

Total Value - \$18175.00

NOTE:

Shaft N^o 4 of the Alma lode, part of which
to the value of \$400, as described and included
in the estimate of expenditures, is credited to
the Moscow lode, as tending to develop the
same, being on the same vein and by
drifting to the north at levels below the
bed of creek (which is about 45' deep) would
economically develop the Moscow thro' one
shaft.

NOTE:

The value of Tunnel N^o 6 and part of value
of cut N^o 15 of the Why Not lode, to the
amount of \$50.00, as described and included
in the estimate of expenditures, is credited
to the Carlo lode as it directly develops
the latter lode. One half of the above
tunnel is within the boundaries of the
Carlo lode.

NOTE:

Tunnel N^o 5 of the Alma lode, part of which
to the value of \$400, as described and
included in the estimate of expenditures,
is credited to the Wonder lode, as tending
to develop the same. The wonder ledge
can be most economically reached by
a drift from the Alma Tunnel, run to the
west until it meets the Wonder ledge and
smaller ledges lying in between.

NOTE:

Tunnel and Cut N^o 2 of the Mollie lode
part of which, to the value of \$150.00, as
described and included in the estimate

Survey No 1636

Estimate of Five Hundred Dollars Expenditure

of expenditures, is credited to the Pearl lode, as tending to develop the same. This Tunnel and cut are on a lead which goes into the Pearl claim in the direction of a high ridge, just south of the section line and directly develops the Pearl lode.

NOTE -

Shaft No 1 of the Little Giant lode, part of which to the value of \$400.00, as described and included in the estimate of expenditures, is credited to the Irish Girl lode as it tends to develop the same. It is intended to run crosscuts from the bottom of this deep shaft to the North East to a point near the ^{south} end line of the Irish Girl lode and then drift westerly and southerly along the lode of the Irish Girl, thus working it economically thro' one shaft.

This Survey was made with a Gishley Light Mountain Transit. The courses were deflected from the true meridian as determined by direct solar observations. The distances were measured with a 200 ft. steel tape.

A. B. Mader
U. S. Dep. Mineral Surveyor.

The difference in location of the Cor. to Secs 25-26-35-36-T13N. R2W, as indicated by the bearings from Cor. 1 of the Douglas No 2 lode Sur. No 1569 and the Ninety Five lode Sur. No 1567 and the bearing to Cor. 1 of the Claims of Surv. No 1636 is due to error in the first two instances.

A. B. Mader
U. S. Dep. Min. Sur.

Survey No 1636

(134)

Alma		N	S	E	W	DMD		
S 89°-22'E	600		6.63	600		600		3961.8
S 5°-31'E	1330		1323.8	127.9		1327.9		1756552.0
N 89°-22'W	600	6.63			600	865.8	5651.0	
N 5°-31'W	1330	1323.8			127.9	127.9	169187.0	
							174838.0	1760513.8
								174838.0

Area 18.201 acres.

2 | 1585675.8
 43560 | 792837.9
 18.201

New Years Test

N 6°-03'E	1488.7	1480.4		156.9		156.9	232280.0	
S 89°-22'E	600		6.63	600		913.8		6033.8
S 6°-03'W	1488.7		1480.4		156.9	1356.9		2008750.0
N 89°-22'W	600	6.63			600	600	3961.8	
							236241.8	2014783.8
								236241.8

Area 20.414 acres

2 | 1778542.0
 43560 | 889271.0
 20.414

~~Conflict New Years Test & Dora Lodes~~

N 13°-45'E	455	441.9		108.1		108.1	47770.0	
S 6°-03'W	429		426.6		45.2	171.0		72950.0
S 78°-45'W	60		11.7		58.8	58.8		687.9
							47770.0	73637.9
								47770.0

~~Area 0.297 acres.~~

~~2 | 25867.9
 43560 | 12933.9
 .297~~

Molly

N 2°-12'E	1482.6	1481.6		56.9		56.9	84304.0	
S 89°-22'E	400		4.42	400		513.8		2271.0
S 6°-03'W	1488.7		1480.4		156.9	756.9		1120540.0
S 89°-22'W	300	3.3			300.	300.0	990.0	
							85294.0	1122811.0
								85294.0

Area 11.909 acres

2 | 1037517.0
 43560 | 518758.5
 11.909

45.0
 125.8
 58.8
 91.0

2.35

Conflict Molly & Irish Girl

N 2°-12' E	219	218.84	8.4	8.4	1838.5	
S 89°-22' E	169		1.87	169.00	185.0	847.3
S 7°-35' E	123.5		122.4	16.3	371.1	45422.8
S 64°-2' W	214.5		93.9	192.8	192.8	18103.7
					1838.5	63873.8
						1838.5

Area 0.712 acres.

2 | 62035.3
43560 | 31017.6
 .712

Pearl

S 89°-22' E	441.6		4.88	441.58	441.58	2149.95
S 2°-12' W	1482.6		1478.10	56.78	826.38	1221474.00
N 89°-22' W	170.	1.88		169.99	599.51	1127.08
N 8°-14' W	1500.	1484.54		214.80	214.8	318880.00
					320007.08	1223623.95
						320007.08

Area = 10.372 acres.

2 | 903616.87
43560 | 451808.43
 10.372

Conflict Pearl and Irish Girl Lodes

S 89°-22' E	435.5		4.81	435.47	435.47	2094.10
S 2°-12' W	219		218.83	8.4	862.54	188750.00
S 64°-2' W	415.5		181.92	373.55	480.59	87429.00
N 7°-35' W	411	407.40		54.24	54.24	22097.40
					22097.40	278273.10
						22097.40

Area = 2.941 acres.

2 | 256175.70
43560 | 128087.85
 2.941

Little Giant

N 84°-49' E	600	54.21		597.54	597.54	32467.30
S 8°-14' E	625		618.56	89.50	1284.58	794528.00
S 84°-49' W	600		54.21	597.54	776.54	42096.20
N 8°-14' W	625	618.56		89.50	89.5	55361.10
					87828.40	836624.20
						87828.40

Area = 8.595 acres

2 | 748795.80
43560 | 374397.90
 8.595

Conflict Little Giant & Douglas No 2

N 4-49 E	206	18.6	205.16	205.16	3807.20	186700.50
S 7-19 W	554	549.49	70.55	339.77	2690.85	45340.05
N 77-55 W	61.5	12.87	60.14	209.08	38842.00	186700.50
N 8-14 W	523.5	518.1	74.97	74.97	45340.05	45340.05
Area = 1.622 acres						2 141360.45
						43560 170680.22
						1.622

Moscow

S 89-22 E	600	6.63	599.96	599.96	3977.73	
S 9-15 E	1241	1225.83	199.48	1399.4	1715426.00	
N 89-22 W	600	6.63	599.96	998.9	6622.70	
N 9-15 W	1241	1225.83	199.48	199.48	244528.50	
						251151.20
						1719403.73
						251151.20
<u>Area = 16.853 acres.</u>						2 1468252.53
						43560 1734126.26
						16.853

Wonder

N 5-17 E	1327	1321.3	122.19	122.19	161450.00	
S 89-22 E	150	1.66	149.99	394.37	656.16	
S 5-31 E	1330	1323.8	127.86	672.22	889885.00	
N 89-22 W	400	4.42	399.97	399.97	1763.80	
						163213.80
						890541.16
						163213.80
<u>Area = 8.348 acres.</u>						2 727327.36
						43560 363663.63
						8.348

~~Conflict Wonder & Irish Girl~~

N 5-17 E	705	702.01	64.92	64.92	45574.50	
N 64-2 E	12	5.25	10.79	140.63	736.61	
S 7-35 E	716.5	710.23	94.55	245.97	174695.20	
N 89-22 W	169	1.87	168.99	168.99	316.01	
						46627.12
						174695.20
						46627.12
Area = 1.470 acres						2 128068.08
						43560 164034.04
						1.470

Irish Girl

N 64-2 E	630	275.84	566.40	566.4	156236.00	
S 7-35 E	840	832.65	110.85	1242.65	1035530.00	
S 64-2 W	630	275.84	566.40	788.1	217390.00	
N 7-35 W	840	832.65	110.85	110.85	92299.20	
						248535.20
						1252920.00
						248535.20
<u>Area = 11.528 acres.</u>						43560 502192.40
						11.528
						2 1004384.80
						502192.40

(4)

37

Conflict Irish Girl and Why Not

N 64°-2' E	558	24303	501.60	501.60	122193.10
S 8°-28' W	1635	160.72	2200	979.53	157931.00
S 24°-58' W	529.8	480.29	223.64	731.42	350074.00
S 84°-49' W	199	17.98	198.21	309.57	5521.12
N 7°-35' W	4205	416.83	55.51	55.51	23129.80
					145322.90

Area = ~~4.226~~ acres.

~~2~~ | ~~368203.22~~
~~43560~~ | ~~184101.61~~
~~4.226~~

Why Not

N 24°-58' E	750	679.91	316.56	316.56	215232.30
N 7°-58' E	712	705.13	98.68	731.8	516014.01
N 84°-49' E	620	56.01	617.46	1447.94	81099.14
S 8°-28' W	909	899.08	133.83	1931.57	1736636.00
S 24°-58' W	529.8	480.29	223.62	1574.12	756034.00
S 84°-49' W	680	61.43	677.22	677.22	41601.50
					812345.45

Area = 19.765 acres.

~~2~~ | ~~1721926.05~~
~~43560~~ | ~~860963.02~~
~~19.765~~

Conflict Why Not and Carlo

N 24°-58' E	323.5	293.27	136.55	136.55	40046.10
N 7°-58' E	703	696.21	97.43	370.53	257966.50
S 1°-10' E	537	536.89	10.93	478.89	257111.20
S 11°-1' E	271	266.01	51.79	541.61	144073.50
S 57°-48' W	351	187.04	297.02	297.02	5554.60
					298012.60

Area = ~~1.248~~ acres.

~~2~~ | ~~108726.70~~
~~43560~~ | ~~54363.35~~
~~1.248~~

Conflict Carlo + Douglas No 2

S 77°-55' E	276	57.77	269.89	269.89	15591.53
S 7°-19' W	436	432.45	55.53	484.25	209414.00
S 57°-48' W	185	98.58	156.55	272.17	26830.50
N 11°-1' W	271	266.01	51.79	63.83	16979.40
N 1°-10' W	324.5	324.44	6.66	6.66	2160.70
					19140.10

Area = ~~2.671~~ acres.

~~2~~ | ~~232695.93~~
~~43560~~ | ~~116347.96~~
~~2.671~~

Areas

Conflict "New Years Test" and "Dora"

	N	S	E	W	DMD		
N 12°-43'E	529.1	516.11		116.47	116.47	60112.40	✓
S 6-3W	506.40		503.56		179.57		90427.50
S 78-45W	64.33		12.55		63.10		791.97
						60112.40	91219.47
							60112.40
							2 31107.07
							43560 15553.53
							<u>3.57 acres</u>

Conflict "Molly" and "Irish Girl"

N 2-12 E	220.84	220.68		8.48	8.48	1871.32	✓
S 89-22 E	167.16		1.85	167.09	184.05		340.50
S 7-35 E	126.28		125.10	16.66	367.80		46011.80
S 64-2 W	213.84		93.62		192.25	192.25	17998.50
						1871.32	64350.80
							1871.32
							2 62479.48
							43560 31229.74
							<u>.717 acres</u>

Conflict "Pearl" and "Irish Girl"

S 89-22 E	436.88		4.83	436.78	436.78		2109.64
S 2-12 W	220.84		220.68		8.48	865.08	190906.00
S 64-2 W	416.11		182.19		374.10	482.50	87906.70
N 7-35 W	411.3	407.70			54.28	54.28	
						22130.00	
						22130.00	280922.34
							22130.00
							2 258792.34
							43560 129396.17
							<u>2.970 acres</u>

Conflict "Wonder" and "Irish Girl"

N 5-17 E	704.67	701.68		64.89	64.89	45532.10	
N 64-2 E	8.98	3.93		8.07	137.85	541.75	✓
S 7-35 E	713.72		707.48	94.19	240.11		169873.00
S 89-22 W	167.16	1.85			167.09	167.09	
						304.11	
						46382.96	169873.00
							46382.96
							2 123490.04
							43560 61745.02
							<u>1.417 acres</u>

Conflict "Why Not" and "Irish Girl"

N 64-2 E	557.94	244.28		501.59	501.59	122528.50	✓
S 8-28 W	165.35		163.55		24.34	978.84	160090.00
S 24-58 W	529.8		480.29		223.62	730.88	351035.00
S 84-49 W	198.84		17.96		198.03	309.23	5553.77
N 7-35 W	421.23	417.55			55.70	55.70	
						23257.52	
						145786.02	516678.77
							145786.02
							2 370892.75
							43560 185441.00
							<u>4.257 acres</u>

Conflict "Carlo" and "Why Not."

	N	S	E	W	P.M.P.	+	-
N24-58E	326.56	296.04	137.84		137.84	40806.20	
N7-58E	712	705.13	98.68		274.36	193459.50	
S1-10E	546.7		546.58	11.13	384.17		204979.10
S11-1E	271		266.00	51.79	447.09		118926.00
S57-48W	353.91		188.59	299.48	299.48		56478.90
						234265.70	385384.00
							234265.70
						2	151118.30
						43560	175559.15
							<u>1.734 acres</u>

Conflict "Carlo" and "Douglas No 2"

S77-55E	276.19	57.81	270.07		270.07		✓ 15612.72
S7-19W	439.87	436.29		56.01	484.13		211221.10
S57-48W	183.94	98.02		155.65	272.47		✓ 26707.50
N11-1W	271	266.00		51.79	65.03	✓ 17298.00	
N1-10W	326.19	326.12		6.65	6.65	2168.70	
						19466.70	253541.32
							19466.70
						2	234074.62
						43560	117037.31
							<u>2.663 acres</u>

Conflict "Little Giant" and "Douglas No 2"

N84-49E	206	18.61	205.16		205.16	3818.05	✓
S7-19W	554	549.49		70.55	339.77		187130.80
N77-55W	61.05	12.78		59.70	209.52	2677.63	
N8-14W	523.5	518.10		74.87	74.87	38790.15	✓
						45285.81	187130.80
							45285.81
						2	141844.99
						43560	170922.49
							<u>1.628 acres</u>

Survey No 1636
Areas

49 (5)

		<u>Carlo</u>					
N57°48'E	600	319.72	507.72	507.72	162328.50		
S1°-10'E	1016		1015.77	20.69	1036.13	1052472.00	
S11°-1'E	271		266.01	51.79	1108.61	294901.50	
S57°48'W	600		319.72	507.72	652.68	208675.00	
N11°-1'W	271	1015.77		20.69	124.27	126230.00	
N1°-10'W	1016	266.01		51.79	51.79	16558.30	
					305116.80	1556048.50	
						305116.80	

Area = 14.358 Acres.
 $\frac{211250931.70}{43560} = 625465.85$
 $\frac{625465.85}{43560} = 14.358$

			Acres
<u>Moscow</u>			16.853 ✓
<u>Alma</u>			18.201 ✓
<u>New Years Lesh</u>		20.414	
	Less conflict with Dora of Sur. No 1549.	0.357	20.057 ✓
<u>Molly</u>			11.909 ✓
<u>Leard</u>		10.372	
	Less conflict with Irish Girl lode.	2.970	7.402 ✓
<u>Wonder</u>			8.348 ✓
<u>Irish Girl</u>		11.528	
	Less conflict with Wonder lode	1.417	
	" " " Why Not lode.	4.257	
	" " " Molly "	0.717	5.137 ✓
<u>Why Not</u>			19.765 ✓
<u>Carlo</u>		14.358	
	Less Conflict with Why Not lode.	1.734	
	" " " Douglas No 2 of Sur. No 1569.	2.663	9.961 ✓
<u>Little Giant</u>		8.595	
	Less conflict with Douglas No 2 of Sur. No 1569.	1.628	6.967
<u>Total AREA =</u>			<u>124.600</u>
			ACRES

FINAL OATHS FOR SURVEYS.

LIST OF NAMES.

A list of the names of the individuals employed by A. B. Mader
 United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
 corners and boundaries described in the foregoing field notes of the survey of the mining claim of
W. P. Rice
 known as the Moscow Group of Mines
 and showing the respective capacities in which they acted.

Allen Jones, Chairman.
J. C. Nolan, Chairman.
 _____, Axman.
 _____, Flagman.

FINAL OATHS OF ASSISTANTS.

We, Allen Jones
 and J. C. Nolan, do solemnly swear that we assisted A. B. Mader
 _____, United States Deputy Mineral Surveyor, in marking the corners and
 surveying the boundaries of the mining claim of W. P. Rice

_____, known as the Moscow
Group of Mines, represented
 in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
 his direction; and that said survey has been in all respects, to the best of our knowledge and
 belief, faithfully and correctly executed, and the corner and boundary monuments established
 according to law and the instructions furnished by the United States Surveyor-General for
Arizona.

Allen Jones, Chairman.
J. C. Nolan, Chairman.
 _____, Axman.
 _____, Flagman.

Subscribed and sworn to by the above-named persons before me

this 22 day of February, 1902
Cave Rk Ind 37905

W. B. Campbell
Notary Public

FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I, A. B. Mader, U. S. Deputy Mineral Surveyor, do solemnly swear that, in pursuance of instructions received from the United States Surveyor General for Arizona, dated February 1st 1902, I have, in strict conformity to the laws of the United States, the official regulations and instructions thereunder, and the instructions of said Surveyor General, faithfully and correctly executed the survey of the Mining Claims of W. P. Rice, known as the Moscow Group of mines, situate in Hassayampa Mining District, Yavapai County, Arizona, in Sections 25 & 36, Township No. 13 N, Range No. 2 W, G. & S. R. M. and designated as Survey No. 1636, as represented in the foregoing field notes, which accurately show the boundaries of said mining claim as distinctly marked by monuments on the ground, and described in the attached copy of the location certificate, which was received by me from the Surveyor General with said instructions, and that all the corners of said survey have been established and perpetuated in strict accordance with the law, official regulations and instructions thereunder; and I do further solemnly swear that the foregoing are the true and original field notes of said survey and my report therein, and that the labor expended and improvements made upon said mining claim by claimant or his grantors are as therein fully stated, and that the character, extent, location and itemized value thereof are specified therein with particularity and full detail, and that no portion of said labor or improvements so credited to this claim has been included in the estimate of expenditures upon any other claim.

A. B. Mader
U. S. Deputy Mineral Surveyor.

Subscribed and sworn to by the said A. B. Mader
U. S. Deputy Mineral Surveyor, before me E. M. Sanford, a Notary Public of Yavapai Co. Arizona this 17th
day of April 1902 Cover. Exp. March 3 1908
E. M. Sanford
Notary Public

Affidavit of Five Hundred Dollars Improvements.

We, Allen Jones, and J C Nolan

of lawful age, being first duly sworn according to law, depose and say: that we are
Mrs. E. W. Whynot, Alena Little Grant, New York best
acquainted with the Pearl Valley Carlo Wonder Dist mining claim, situate
in Havasayumpu Mining district, Yavapai County,
Arizona Territory, for which W P Rice

has S made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant and his grantor S exceed Five Hundred
for each of said claims
Dollars in value, and further that we are not personally interested in said mine.

Allen Jones
J C Nolan

TERRITORY OF ARIZONA,
County of Yavapai } ss:

Sworn to and subscribed before me, this 22nd
day of February, 1902
Com. Exp. March 3, 1905

Wm. W. W. W.
Notary Public

POOR QUALITY

The following pages are scanned at the best possible quality setting. The original pages are of poor quality and this is the best possible reproduction.

"IRISH GIRL".

NOTICE OF MINING LOCATION.
Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the IRISH GIRL Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J.I. Gardner, James H. Slack and Joel R. Slack the undersigned, on the 5th day of April, 1901.

The length of this claim is 1500 feet, and we claim 1250 feet in a northerly direction and 250 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet at the south end and 75 feet at north end in width of the surface grounds, on each side of the center of said vein.

The general course of the lode deposit and premises is from the southerly to the northerly.

The claim is situated and located in the Pasaquappa Mining District, in Yavapai County, in the Territory of Arizona, about 300 feet in a northwesterly direction from LITTLE GIANT and is between the Wonder and Wy not mining claims.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones at a point in a southerly direction 350 feet from the discovery shaft (at which this notice is posted), being in the center of the south end line of said claim; thence easterly 300 feet to a monument of stones being the southeast corner of said claim; thence northerly 1500 feet to a monument of stones being the northeast corner of said claim; thence westerly 75 feet to a monument of stones at the center of the south end of said claim; thence westerly 75 feet to a monument of stones being at the northwest corner of said claim; thence southerly 1500 feet to a monument of stones being the southwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States and of an Act of the general Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895, and amended March 3d, 1899, and March 16th 1901.

Dated and posted on the ground this 5th day of April 1901.

J. I. Gardner

James H. Slack

Joel R. Slack

Filed and recorded at request of R.M. Sanford, July 1 A.D. 1901, at 1:55 o'clock p.m., Book 59 of Mines, page 235, Records of Yavapai County, Arizona.

By D.J. Sullivan,
Deputy Recorder.

(Seal) P.J. Farley,
County Recorder.

"WONDER".

NOTICE OF MINING LOCATION.
Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the WONDER Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by-----the undersigned, on the 31 day of August, 1900.

The length of this claim is (1500) fifteen hundred feet, and the claim seven hundred---750 feet in a northerly direction and seven hundred and fifty 750 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with-----feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the south to the north.

The claim is situated and located in the Pasaquina Mining District, in Yavapai County, in the Territory of ARIZONA, about 7 miles in a south easterly direction from Prescott.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stone at a point in a northerly direction 750 feet from the discovery shaft (at which this notice is posted), being in the center of the-----and line of said claim; thence 500 feet to a monument of stone being the northeast corner of said claim; thence 750 feet to a monument stone at the center of the side side line of said claim; thence southerly 750 feet to a monument being at the south east corner of said claim; thence 500 feet to a monument at the center of the south end of said claim; thence 500 feet to a monument, being at the southwest corner of said claim; thence 750 feet to a monument of stone being at the center of the west side line of said claim; thence 750 feet to a monument at the south west corner of said claim; thence three hundred 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 30th, 1895, and amended March 2d, 1899.

Done and posted on the ground this 31 day of August 1900.

The Pritton Gold Mining Company.

Filed and recorded at request of Frank R. Stewart, Nov. 23rd, A.D. 1900, at 11:35 o'clock A.M., Book 53 of Mines, page 531, Records of Natural Sources, Arizona.

(Seal) W.I. Johnson,
County Recorder.
By P.J. Farley,
Deputy Recorder.

"GARRO".

NOTICE OF MINING LOCATION.
Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the GARRO Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by----the undersigned, on the 3 day of March, 1900.

The length of this claim is 1500 hundred feet, and wea claim 1300 hundred feet in a northerly direction and 300 hundred feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the northerly to the southerly.

The claim is situated and located in the Haadagood Mining District, in Yavapai County, in the Territory of Arizona, about----- in a----- direction from about 3 1/2 mile east of Green Creek Station.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at a monument of stones 300 so therly at a point in a northerly direction 1300 hundred feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones being the northeast corner of said claim; thence southerly 750 feet to a monument at the center of the east side line of said claim; thence southerly 750 feet to a monument of stones, being at the southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence northerly 750 feet to a monument of stones being at the center of the west side line of said claim; thence northerly 750 feet to a monument of stones at the northwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXIII, of the Revised Statutes of the United States, and of an act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1875, and amended March 3, 1900.

Done and posted on the ground this 3 day of March 1900.

James T. Slack

J. V. Slack

J. I. Gardner

Witness: J. T. Kennedy.

Recorded at request of James I. Gardner, May 28th A.D. 1900 at 4:39 o'clock p.m., Book 53 of Mines, page 39, Records of Yavapai County, Arizona.

By P. J. Farley,
Deputy Recorder.

(Seal) W. I. Johnson,
County Recorder.

"MOLLY".

NOTICE OF MINING LOCATION.
Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the MOLLY Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by J.I. Gardner, James H. Slack & J.R. Slack, the undersigned, on the first day of January 1900.

The length of this claim is fifteen hundred 1500 feet, and we claim 750 seven hundred & 50 feet, in a northerly direction and 750 seven hundred and 50 feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred (300) feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the north only to the southerly.

This claim is situated and located in the Hassayampa Mining District, in Navajo County, in the Territory of Arizona, about 1300 feet North east in a North east direction from the Doge mill and was formerly known as the Onandago Chief Mine.

The surface boundaries of the claim are marked upon the ground as follows: thence going to a monument of stones at center of the claim at a point in a northerly direction 750 seven hundred & 50 feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence easterly 300 feet to a monument of stones being the northeast corner of said claim; thence southerly 750 feet to a monument at the center of the east side line of said claim; thence southerly 750 feet to a monument of stones being at the southeast corner of said claim; thence westerly 300 feet to a monument of stones at the center of the south end of said claim; thence westerly 300 feet to a monument of stones, being at the southwest corner of said claim; thence northerly 750 feet to a monument of stones being at the center of the west side line of said claim; thence northerly 750 feet to a monument of stones at the northwest corner of said claim; thence easterly 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXIII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 30th, 1895, and amended March 2d, 1899.

Dated and posted on the ground, this first day of January 1900.

J.I. Gardner

James H. Slack

J.R. Slack

Recorded at request of J.R. Slack, Feb 30th A.D. 1900, at 9:55 o'clock a.m., Book 53 of Mines, page 434, Records of Yavapai County, Arizona.

By P.J. Farley,
Deputy Recorder.

(Seal) W.I. Johnson,
County Recorder.

"PEARL".

NOTICE OF MINING LOCATION.
Lode Claim.

To all whom it may concern:

This mining claim, the name of which is the PEARL Mining Claim, situate on lands belonging to the United States of America, and in which there are valuable mineral deposits, was entered upon and located for the purpose of exploration and purchase by Michael Herman...the undersigned, on the first day of January 1900.

The length of this claim is fifteen hundred feet, and the claim runs seven hundred and fifty feet in a northerly direction and seven hundred & fifty feet in a southerly direction from the center of the discovery shaft, at which this notice is posted, lengthwise of the claim, together with three hundred feet in width of the surface grounds, on each side of the center of said claim. The general course of the lode deposit and premises is from the north to the south.

The claim is situated and located in the Hassampa Mining District, in Yavapai County, in the Territory of Arizona, about seven miles in a southerly direction from the City of Prescott and is about 300 yards north east of the Gold Basis Mill.

The surface boundaries of the claim are marked upon the ground as follows: Beginning at----at a point in a northerly direction seven hundred & fifty feet from the discovery shaft (at which this notice is posted), being in the center of the north end line of said claim; thence at right angles 300 feet to monument of stone being the North east corner of said claim; thence at right angles 750 feet to a monument of stone at the center of the east side line of said claim; thence seven hundred & fifty feet to monument of stone being at the south east corner of said claim; thence at right angles 300 feet to monument of stone at the center of the south end of said claim; thence three hundred feet to a monument of stone, being at the south west corner of said claim; thence at right angles 750 feet to a monument of stone being at the center of the west side line of said claim; thence seven hundred & fifty feet to a monument of stone at the north west corner of said claim; thence at right angles 300 feet to the place of beginning.

All done under the provisions of Chapter Six, of Title XXXIII, of the Revised Statutes of the United States, and of an Act of the General Assembly of Arizona, entitled "An Act Concerning Mines", approved March 20th, 1895, and amended March 2d, 1899.

Dated and posted on the ground this first day of January 1900.

Michael Hermann.

Witness: James O'Connell.

Filed and recorded at request of James O'Connell, March 23rd A.D. 1900, at 12:15 o'clock p.m., Book 53 of Mines, page 423, Records of Yavapai County, Arizona.

(Seal) W.I. Johnson,
County Recorder.
By P.J. Farley,
Deputy Recorder.

"NEW YEAR TEST".

NOTICE OF LOCATION.

Know all men by these presents:

That we, the undersigned, have this day located fifteen hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws, of the United States, under which it is located.

This claim commences at this monument and notice placed upon the ledge, and runs Fifteen hundred (1500) feet in a southerly direction along the ledge from discovery shaft.

The exterior boundaries are as follows, viz:

Commencing at this monument and notice, and running three hundred (300) feet in an easterly direction to monument of stone at N.E. corner of claim; thence in a southerly direction parallel with the ledge fifteen hundred (1500) feet to monument at S.E. corner of claim; thence at right angles across the ledge in a westerly direction six hundred (600) feet to monument at S.W. corner of claim; thence parallel with the lode in a northerly direction fifteen hundred (1500) feet to monument at N.W. corner of claim; thence at right angles across the ledge in an easterly direction three hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated in Hassayampa Mining District being the first south extension of the Alma mine and about 300 yards east of Doges Mill on Groom Creek, in Hassayampa Mining District, Yavapai County, Arizona Territory, and shall be known as the NEW YEAR TEST Mining Claim.

Dated on the ground, this first 1st day of January 1900.

James H. Slack

J. I. Gardner, J. R. Slack.

Recorded at request of J. R. Slack March 12th A. D. 1900, at 10:10 o'clock a.m. in Book 47 of Mines, page 33, Records of Yavapai County, Arizona.

By H. S. Solvold,
Deputy.

(Seal) W. I. Johnson,
County Recorder.

"LITTLE GIANT".

NOTICE OF LOCATION.

Know all men by these presents:

That we, the undersigned, have this day located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground Three Hundred (300) feet on each side of the center of vein with all mineral deposits contained therein, and all timber growing within the limits of said claim, and all water and water privileges thereon or appurtenant thereto, under and according to the provisions of the Mining Laws of the United States, under which it is located.

This claim commences at this monument and notice placed upon the ledge and runs 500 Hundred 500 feet in a northerly direction along the ledge from discovery shaft.

The exterior boundaries are as follows, viz:

Commencing at this monument and notice, and running Three Hundred (300) feet in an easterly direction to monument at S.E. corner of claim; thence in a northerly direction parallel with the ledge 500 Hundred 500 feet to monument at N.E. corner of claim; thence in a westerly direction at right angles across the ledge Six hundred (600) feet to monument at N.W. corner of claim; thence parallel with the lode in a southerly direction 500 Hundred 500 feet to monument at S.W. corner of claim; thence at right angles across the ledge in an easterly direction Three hundred (300) feet to monument upon the ledge and place of beginning.

This ledge may be more generally described as situated in Hassayampa Mining District, and is a fraction of a full claim located between the "95" mine and the "Wy Not" mine, and is five hundred feet 500 feet in length, this claim 300 yards north of the "Gold Bassie" Mining Co. Mill near Groom Creek, in Hassayampa Mining District, Yavapai County, Arizona Territory, and shall be known as the LITTLE GIANT Mining Claim.

Dated on the ground, this first 1st day of January 1900.

J. I. Gardiner, J. R. Slack,

James M. Slack.

Recorded at request of J. R. Slack March 13th A. D. 1900, at 10:10 o'clock a.m. in Book 13 of Mines, page 92, Records of Yavapai County, Arizona.

By T. E. Walker,
Deputy.

(Seal) W. I. Johnson,
County Recorder.

ALMA.

NOTICE OF LOCATION.

Know all men by these presents:

That we, the undersigned, have this day located 1500 feet of this vein or lode, bearing precious metals with all dips, spurs, angles and variations with surface ground 300 feet on each side of vein, with all mineral deposits contained therein, and all timber and water thereon or appurtenant thereto according to the provisions of the United States Mining Laws.

The exterior boundaries are as follows:

Commencing at this monument and notice and running 300 feet in an easterly direction to monument at S.E. corner; thence in a northerly direction parallel with the ledge 1500 feet to monument at N.E. corner; thence at right angles across the ledge in a westerly direction 300 feet to monument at N.W. corner; thence parallel with the lode in a southerly direction 1500 feet to monument at S.W. corner; thence at right angles across the ledge in an easterly direction 300 feet to place of beginning.

This claim is in Hassampia Mining District, Yavapai County, Arizona and may be more generally described as situated on Groom Creek about 3 miles East of Peck Road and formerly known as the Berry Ess mine and shall be known as the ALMA Mining Claim.

Dated on the ground this first 1st day of January 1893.

J. J. L. Valentine, A. O. Elliott,

Kizer Sharp, Lewis A. Murphy,

S. A. Parker, J. B. Baker.

Recorded at request of L. A. Murphy, Jan. 1st A. D. 1893, at 9:03 o'clock a.m. in Book 35 of Mines, pages 54, Records of Yavapai County, Arizona.

By T. A. Tittle Jr.,
Deputy.

(L.S.) Charles H. Akers,
County Recorder.

WHY NOT.

NOTICE OF LOCATION.

Know all men by these presents:--That we the undersigned have this day located 1500 feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground 300 feet on each side of vein, with all mineral deposits contained therein, and all Timber and water thereon or appurtenant thereto, according to the provisions of the United States Mining Laws.

The exterior boundaries are as follows:

Commencing at a monument of stone on west boundary line distant 300 feet in a westerly direction from discovery monument; thence in a northerly direction parallel with the ledge 750 feet to monument at N.W. corner; thence in an easterly direction at right angles across the ledge 300 feet to monument at N.E. corner; thence in a southerly direction parallel with the ledge 1500 feet to monument at S.E. corner; thence at right angles across the ledge in a westerly direction 600 feet to monument at S.W. corner of claim; thence in a northerly direction parallel with the ledge 750 feet to monument on west boundary and place of beginning.

This claim is in Passayama Mining District, Yavapai County, Arizona, and may be more generally described as situated on Groom Creek about $3\frac{1}{4}$ miles East of one Perry Cabin and about six miles Southerly from Prescott and about one & one half miles easterly from Peck road and shall be known as the WHY NOT Mining Claim.

Dated on the ground this 1st day of January 1892.

A.O. Elliott, Kizer Sharp

Lewis A. Murphy, J.B. Baker

S.A. Parker, J.J.L. Valentine

Recorded at request of L.A. Murphy Jan 1st A.D. 1892 at 2:02 o'clock a.m. in Book 33 of Mines, pages 52 & 53, Records of Yavapai County, Arizona.

By T.A. Frittle Jr.,
Deputy.

(L.S.) Charles H. Akers,
County Recorder.

MOSCOW.

NOTICE OF LOCATION.

Know all men by these presents; That we the undersigned, have this day located 1500 feet of this vein or lode, bearing precious metals, with all dips spurs angles and variations with surface ground 300 feet on each side of vein, with all mineral deposits contained therein, and all Timber and water thereon or appurtenant thereto, according to the provisions of the United States Mining Laws.

The exterior boundaries are as follows:

Commencing at this monument and notice and running 300 feet in an easterly direction to monument at S.E. corner; thence in a northerly direction parallel with the ledge 1500 feet to monument at N.E. corner; thence at right angles across the ledge in a westerly direction 600 feet to monument at N.W. corner; thence parallel with the lode in a southerly direction 1500 feet to monument at S.W. corner; thence at right angles across the ledge in an easterly direction 300 feet to place of beginning.

This claim is in Passayampia Mining District, Yavapai County, Arizona, and may be more generally described as situated on Groom Creek and the first Northerly extension of the Alma Mining Claim, and shall be known as the MOSCOW Mining Claim.

Dated on the ground this first (1st) day of January 1903.

A.O. Elliott, Kizer Sharp,

Lewis A. Murphy, J.B. Baker, S.A. Parker, J.J.L. Valentine.

Recorded at request of L.A. Murphy Jan. 1st A.D. 1903 at 9:02 o'clock a.m. in Book 33 of Mines, pages 50, Records of Yavapai County, Arizona.

By F.A. Trittle Jr. Deputy.
(L.S.) Charles H. Akers,
County Recorder.


MS 1626

TERRITORY OF ARIZONA,)
 : ss:
 COUNTY OF YAVAPAI.)

I, P. J. FARLEY, County Recorder in and for
 the County of Yavapai, in the Territory of Arizona, and custodian of
 the records thereof, hereby certify that I have compared the
 above and foregoing pages numbered from one to ten, inclusive, with
 the original records in my office and said ten pages contain a full,
 true and correct copy of the notice of location of each of the fol-
 lowing described mining claims, as the same appear from said origi-
 nal records, to-wit:-

MOSCOW mining claim, notice of location whereof is of re-
 cord in Book 33 of Mines, page 50, records of Yavapai County, Arizona;
 WHY NOT mining claim, notice of location whereof is of re-
 cord in Book 33 of Mines, pages 52 and 53, records aforesaid;
 ANNA mining claim, notice of location whereof is of record
 in Book 33 of Mines, page 54, records aforesaid;
 LITTLE GIANT mining claim, notice of location whereof is
 of record in Book 43 of Mines, page 98, records aforesaid;
 NEW YEAR TEST mining claim, notice of location whereof is
 of record in Book 47 of Mines, page 31, records aforesaid;
 PEARL mining claim, notice of location whereof is of record
 in Book 53 of Mines, page 433, records aforesaid;
 HOLLY mining claim, notice of location whereof is of record
 in Book 53 of Mines, page 434, records aforesaid;
 CARLO mining claim, notice of location whereof is of record
 in Book 53 of Mines, page 39, records aforesaid;
 WONDER mining claim, notice of location whereof is of re-
 cord in Book 53 of Mines, page 531, records aforesaid; and
 IRISY GIRL mining claim, notice of location whereof is of
 record in Book 59 of Mines, page 235, records aforesaid.

IN WITNESS WHEREOF, I have hereunto set my hand and affix-
 ed my official seal, this 27th day of January A. D. 1903.


 County Recorder.



(4-687.)

Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

Department of the Interior,

Office of U. S. Surveyor General,

Phoenix, Arizona

Feb. 18, 190*3*

I, U. S. Surveyor General for *the District of Arizona*,

do hereby certify that the foregoing and hereto attached Field Notes and Return of the Survey of the Mining Claim of *W. P. Rice*

New Year Pest, Alma, Moscow, Molly, Why Not, Carlo, Wonder, Pearl, Little Giant & Irish Girl loans, known as the

situate in *Assayampa* mining district,

Yavapai County, *Arizona*

in Section *25-36*, Township No. *13 N*, Range No. *2 W*

, designated as Survey No. *1636*

executed by *A. B. Mader*, U. S. Deputy Mineral

Surveyor, *Feb. 18-22*, 190*2*, under my instructions dated

Feb 1st, 190*2*, have been critically examined and the

necessary corrections and explanations made, and the said Field Notes and Return, and

the Survey they describe, are hereby approved. A true copy of the copy of the location

certificate filed by the applicant for survey is included in the field notes.


Hugh H. Bruce

U. S. Surveyor General for *Arizona*

SURVEY No 1636
 PRESCOTT LAND DISTRICT
 SURVEYED FEB. 18TH - 22ND, 1902.

BY A. B. MADER, C. E.
 U. S. DEP. MIN. SURVEYOR

SCALE 400ft. to an inch.



Sec. 25.

DOUGLAS No 2
 SUR. No. 1569.

Little Giant
 MINE

SEC. 36.

NETTY THE LODGE
 SUR. No. 1567

XYSTER FRACTION

Home Run No 2

Bachante

