(4-683.)

1/1/1/02 C

# Mineral Survey No. 1646

Lot No.

Princoti

Land District.

## FIELD NOTES

# PRELIMINARY OATHS OF ASSISTANTS IN SURVEY OF MINING CLAIM.

Survey No. 1646

Feet

#### RAIL ROAD LODE

Beginning at initial monument of location;

#### Thence S. 14°28' E.

Var. 14° E.

919 To S.C.E.;

Identical with S.C.E. of location;

A porphyry stone 6x10x24 inches set 1 foot in ground alongside mon. of stones 3 x 3 feet, stone marked R.R. No. 1646;

## Thence S. 74°45' W.

Var. 14° E.

300 To corner No. 1;

A porphyry stone 4x8x24 in. set 1 foot in ground alongside a mon. of stones 3 x 3 feet, stone marked R.R. No. 1-1646;

A cross on a porphyry rock in place marked B.R. R.R. No. 1-1646, bears S. 79°35' W. 14 feet;

A cross on a porphyry rock in place marked

B.R. R.R. No. 1-1646, bears N.84°15' W., 27.5 feet; U.S.L.M. No. 1169, H.D., bears S.36°21' E.

1280.1 feet;

Corner No. 12 Gold Treasure Lode, Survey No. 1169 bears S. 30°45' E., 534 feet;

## Thence N.14°28' W.

Var. 149 E.

1319 To corner No. 2;

A porphyry stone 6x8x24 in. set 1 foot in ground alongside a mon. of stones 3 x 3 feet, stone marked R.R. No. 2-1646;

#### Survey No. 1646

Feet

A cross on a cedar tree 6 in. in diameter marked B.T. R.R. No. 2-1646, bears N.24° W. 66.5 feet;

#### Thence N.74°45' E.

Var. 14° E.

300 To N.C.E.

A porphyry stone 6x15x24 in. set 1 foot in ground alongside a mon. of stones 3 x 3 feet, stone marked N.C.E. R.R. No. 1646;

600 To corner No. 3;

A porphyry stone 6x8x24 in. set 1 foot in ground alongside a mon. of stones 3 x 3 feet, stone marked R.R. No. 3-1646;

A cross on a porphyry rock in place marked B.R. R.R. No. 3-1646 bears S. 8°W. 33.9 feet;

#### Thence S.14°28' E.

Var. 14° E.

1319 To corner No. 4;

A porphyry stone 8x14x24 in set 1 foot in ground alongside a mon. of stones 3 x 3 feet, stone marked R.R. No. 4-1646;

No bearings available.

#### Thence S. 74°45' W.

Var. 14° E.

300 To S.C.E., the place of beginning survey of exterior boundaries.

## Survey No. 1646

Feet

#### Area.

RailRoad Lode

18.167 acres.

#### Location.

This claim is located on unsurveyed land, approximately in T. 12 N., R. 2 W., G.& S.R.B.& M. in Hassayampa Mining District, Yavapai County, Arizona Territory.

#### Vein.

Rail Road Vein extends South 14°28' E. 919 feet and North 14°28' W., 400 feet from initial monument.

#### Boundaries.

Rail Road Lode is bounded as follows:

On the South by Virgin Lode, unsurveyed;

On the West by the Husted Lode, unsurveyed;

On the North by Horse-shoe Lode, unsurveyed; and Gold Leaf Lode, unsurveyed;

On the East by Government Land.

#### EXPENDITURE OF FIVE HUNDRED DOLLARS.

I certify that the value of the labor and improvements upon this claim, placed thereon by the claimants and their grantors, is not less than Five Hundred Dollars; and that said improvements consist of:

Discovery Cut No. 1, which bears from N.C.E. Monument S.14°28' E., 375 feet; cut 4x20 feet, 8 foot face;

<u>VALUE</u> \$100.00

Shaft No. 2, which bears from N.C.E. Monument, S.14° 28' E., 335 feet, shaft 4x6 feet, 35 feet deep,

VALUE

350QQ0

Survey No. 1646.

Feet

Shaft No. 3, which bears from S.C.E. monument North 14°28' W., 315 feet; shaft 4 x 6 feet, 10 feet deep;

VALUE \$100.00

Tunnel No. 4, which bears from S.C.E.monument N.14° 28' W. 20 feet; tunnel 4 x 6 feet, 40 feet long;

<u>V ALUE</u> \$400.00

Tunnel No. 5, which bears from corner No. 1, N.10° 26' E., 550 feet; tu mel 4x6 feet, N.24°30' W.,200 feet;

<u>VALUE</u> 2000.00

Air Shaft No. 6, which bears from corner no. 1, N. 4°22' E., 660 feet; shaft 4 x 6 feet, 45 feet deep; connecting with tunnel No. 5;

VALUE

\$450.00

#### TOTAL VALUE OF IMPROVEMENTS

\$3400.00

#### Instrument.

This survey was made with a Gurley Light Mountain Solar Transit. The courses were deflected from the true meridian, as determined by direct solar observation. The distances were measured with a 100 foot steel chain.

United States Deputy Mineral Surveyor.

Prescott, Arizona, 30 April, 1902.

AK

VE

LIST OF NAMES.
A list of the names of the individuals employed by
United States Deputy Mineral Surveyor, to assist in running, measuring, and marking the lines
corners and boundaries described in the foregoing field notes of the survey of the mining claim
of Ed, It Mills & Durah M. Rush
known as the Keil Wood
and showing the respective capacities in which they acted.
El Dagber, Chainman.
Fred Januty, Chainman.
Freel I Smith, Axman.
Estable Fiagman.
FINAL OATHS OF ASSISTANTS.
C 11 x
Wey 6 xx braper
and free fully swear that we assisted to
Jerle
surveying the boundaries of the mining claim of End. In Miles and
Surveying the boundaries of the mining claim of End. In Mills and
Surveying the boundaries of the mining claim of End. In Mills and
surveying the boundaries of the mining claim of End. In Miles and
Surveying the boundaries of the mining claim of End. In Mills and
surveying the boundaries of the mining claim of Eel. M. Mills and Derah M., Rush  . known as the, represented
surveying the boundaries of the mining claim of. Ed. M. Muls and  Obrah M. Rush  . known as the  , represented  in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under
surveying the boundaries of the mining claim of Eel. M. Malla curst Darah M., Rush
surveying the boundaries of the mining claim of Eel. M. Mule and M. Rush
surveying the boundaries of the mining claim of Eel. M. Mule and M. Rush
surveying the boundaries of the mining claim of Eel. M. Mule and M. Rush
surveying the boundaries of the mining claim of End. M Mule and  Cerah M, Rush  known as the  represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Chainman.  Example Anathon , Chainman.  Example Anathon , Chainman.
surveying the boundaries of the mining claim of Eel. M. Mule and M. Rush
surveying the boundaries of the mining claim of Eel. M Mills and Serials the Road
surveying the boundaries of the mining claim of Eel. M Mulls and Search M Rush  Level Road , known as the , represented in the foregoing field notes as having been surveyed by said deputy mineral surveyor and under his direction; and that said survey has been in all respects, to the best of our knowledge and belief, faithfully and correctly executed, and the corner and boundary monuments established according to law and the instructions furnished by the United States Surveyor-General for Chainman.  Level A Mulls and Chainman.  Chainman.

## FINAL OATH OF U. S. DEPUTY MINERAL SURVEYOR

I,
Surveyor, do solemnly swear that, in pursuance of instructions received from the United  States Surveyor General for
United States, the official regulations and instructions thereunder, and the instructions
United States, the official regulations and instructions thereunder, and the instructions
United States, the official regulations and instructions thereunder, and the instructions
of said Surveyor General, faithfully and correctly executed the survey of the Mining
Claim of Od Whils and Sarah M Rush
situate in Ausurupa Mining District,  County, Curry, in Section  Township No. Range No.
Mail Road
situate in Hanseyumpa Mining District,
County, Cuzzue in Section
, Township No. , Range No. ,
and designated as Survey No. 1646, as represented
in the foregoing field notes, which accurately show the boundaries of said mining claim
as distinctly marked by monuments on the ground, and described in the attached copy
of the location certificate, which was received by me from the Surveyor General with
said instructions, and that all the corners of said survey have been established and per-
petuated in strict accordance with the law, official regulations and instructions there-
under; and I do further solemnly swear that the foregoing are the true and original
field notes of said survey and my report therein, and that the labor expended and
improvements made upon said mining claim by claimant for You grantors
are as therein fully stated, and that the character, extent, location and itemized value
thereof are specified therein with particularity and full detail, and that no portion of
said labor or improvements so credited to this claim has been included in the estimate
of expenditures upon any other claim.
1'. S. Deputy Mineral Surveyor.
U.S. Deputy Mineral Surveyor.
O $A$ $S$ $A$
Subscribed and sworn to by the said for fisher.
U.S. Deputy Mineral Surveyor, before me Allen Vicel,
a notary Public this 16th
day of July, 1907. My Commission uprio June 23.1403
An Asio
The Dra
o 3-154
Subscribed and sworn to by the said of Joshu U.S. Deputy Mineral Surveyor, before no Allen Vicel, a notary Public this 16th day of July, 1907. My Commission upriofers 23.1403  Allend Liel  Whay Public -  One of the said of July of July of The said of July of Jul

# Affidavit of Five Hundred Dollars Improvements.

var, Est Braper, and Find J Smith
of lawful age, being first duly sworn according to law, depose and say: that we are
acquainted with the Kail Crass mining claim, situate
in Hossey spee Mining district, Yerepai County, Arizona Territory, for which Ed Ir Wills and Bursh
M Rushs
have made application for survey prior to application for patent under the provisions
of the Act of Congress, approved May 10, 1872; and that the labor done and improve-
ments made thereon by the applicant of and There grantor exceed Five Hundred
Dollars in value, and further that we are not personally interested in said mine.
Et Doahin
County of
Sworn to and subscribed before me, this
day of Chil , 18902
May 12 19 19 19 19 19 19 19 19 19 19 19 19 19

#### "RAIL ROAD"

NOTICE OF LOCATION.
KNOW ALL MEN BY THESE PRESENTS: That we the undersigned have this day located Fifteen Hundred (1500) linear feet of this vein or lode, bearing precious metals, with all dips, spurs, angles and variations, with surface ground three hundred (300) feet on each side of the center of vein, with all mineral deposits contained therein and all Timber growing within the limits of said claim, and all Water and Water Privileges thereon or appurtenant thereto, under and according to the provisions of the United States Mining Laws under which it is Located.

This claim commences at this Monument and Notice placed upon the Ledge and runs four hundred feet in a Northerly direction and Eleven Hundred feet in a Southerly direction along the ledge.

The exterior boundaries are as follows, viz:
Commencing at a Monument of Stone on West boundary line,
distant Three Hundred (300) feet in a Westerly direction from Discovery Monument; thence in a Northerly direction parallel with the ledge four hundred feet to Monument of Stone at N. W. corner of claim; thence in an Easterly direction at right angles across the ledge Six Hundred (600) feet to Monument of Stone at N. E. corner of claim; thence in a Southerly direction parallel with the ledge Fifteen Hundred (1500) feet to Monument of stone at S. E. corner of claim; thence at right angles across the ledge in a Westerly direction Six Hundred (600) feet to Monument of Stone at S. W. corner of claim; thence in a Northerly direction parallel with the ledge eleven hundred feet to Monument on West boundary and place of beginning.

This ledge may be more generally described as situated on the dividing ridge between the Hassayampa Creek and Slate Creek about three miles in a Southerly direction from Jennings Camp about two miles east from the Hassayampa Creek and one mile easterly from the Montgomery trail from Prescott to Walnut Grove, in the Hassay-ampa Mining District, Yavapai County, Arizona Territory, and shall be Known as the RAIL ROAD mining claim.

Dated on the ground this first day of October, 1880.

Wm.Jennings.

Recorded at the request of E. H. Ferris, October 19th A. D. 1380, at 1:40 P.M. in Book K.10 of Mines, Records of Yavapai County, Arizona, at pages 31 & 32.

William Wilkerson, County Recorder. By W. C. Foster, Deputy.

Territory of Arizona,) SS.

county of Yavapai. I, P. J. FARLEY, County Recorder in and for the County of Yavapai. in the Territory of Arizona, and Custodian of the Records thereof, do hereby certify that I have compared the above and foregoing with, and the same is a full, true and correct copy of the notice of location of the "RAIL ROAD" mining claim, as the same appears of record in my office in Book K.10 of Mines, at pages 31 & 32, Records of Yavapai County, Arizona.

IN WITNESS WHEREOF, I have hereunto set my hand and affixed

my Official Seal, this 23rd day of October, A. D. 1902.


County Recorder. 6 Deputy Recorder.

# Surveyor General's Certificate of Approval of Field Notes and Survey of Mining Claim.

# Department of the Interior,

Office of O. S. Surveyor General,
Promix, aryona
Qct. 14, 1902, 194.
C. C. 24 , 1902, 1995.
I, U. S. Surveyor General for 2rizona,
do hereby certify that the foregoing and hereto attached Field Notes and Return of the
Survey of the Mining Claim of Ed W. Wells and
Carah m. Rush
, known as the
Rail Road
situate in Yassay ampa mining district,
Gounty, Arizona,
in Section, Township No, Range No
designated as Survey No. 1646
executed by S. J. Fisher , U. S. Deputy Mineral
Surveyor, April 99", 1902, 18, under my instructions dated
March 27, 1902, 18, have been critically examined and the
necessary corrections and explanations made, and the said Field Notes and Return, and
the Survey they describe, are hereby approved. A true copy of the copy of the location
certificate filed by the applicant for survey is included in the field notes.
Mugh H. Trice
U. S. Surveyor General for Pringena
O. S. Sarveyor Gotter to Jor

Rescott Land Destrict



Cor. 1812, Gold Freasure Sur. Nº1169

Surveyed Oforit 29. 1902 by J.J. Fisher U.S. D.M. S.